



國際電器認證中心有限公司 International Electrical Certification Centre Ltd
提供電器產品測試國際認證及諮詢服務 Technical Service in Electrical Product Testing, International Certification & Inform



Network Partner

 **Nemko**
Qualified Independent Laboratory

Agent of 
Approved Lab



INTERNATIONAL ELECTRICAL CERTIFICATION CENTRE LTD.

F C C - TEST REPORT

REPORT NO.: 21958A/0/400F

Units 602-605, 6/F., 31 Lok Yip Road, On Lok Tsuen, Fanling, N.T., Hong Kong
Tel: [852] 2305-2570 Fax: [852] 2756-4480

**國際電器認證中心有限公司 International Electrical Certification Centre Ltd**

提供電器產品測試國際認證及諮詢服務 Technical Service in Electrical Product Testing International Certification & Inform



Network Partner

**Namko**

Qualified Independent Laboratory

**FCC – Test Report**Date: 2000-03-11

No. 21958A/O/400F

Page 2 of 11

FCC listed testlab
acc. to Section 2.948 of the FCC - Rules
in compliance with the requirements of
ANSI C63.4 - 1992

Product : Dual Mobile -- 49 MHz Transmitter
Model : 91183 (49MHz)
Applicant : ECHO TOYS LTD
Manufacturer : ECHO TOYS LTD

**國際電器認證中心有限公司 International Electrical Certification Centre Ltd**

提供電器產品測試國際認證及諮詢服務 Technical Service in Electrical Product Testing, International Certification & Inter



Network Partner

**Nemko**
Certified independent Laboratory**FCC – Test Report**

Date: 2000-03-11

No. 21958A/0/400F

Page 3 of 11

TABLE OF CONTENTS

1. Cover sheet
2. Introduction
3. Table of Contents
4. Laboratory Report
5. Summary of Test results
6. Test Equipment List
7. Radiated Emission Test procedure
8. Interference Radiation (Datasheet)
9. Notes for Radiation Measurement (acc. to ANSI C63.4 - 1992)
10. Measurement of Emissions within Band Edges (Datasheet)
11. Notes for Measurement of Emissions within Band Edges



國際電器認證中心有限公司 International Electrical Certification Centre Ltd

提供電器產品測試國際認證及咨詢服務 Technical Service in Electrical Product Testing, International Certification & Inquiry



Network Partner



Nemko

Certified Independent Laboratory



Approved Lab

FCC - Test Report

No. 21958A/0/400F

Date: 2000-03-11

Page 4 of 11

LABORATORY - REPORT

APPLICANT:

ECHO TOYS LTD

ADDRESS:

8 A&B, Block 1, Tai Ping Industrial Centre
57 Ting Kok Road
Taiipo, NT
HONG KONG

DATE OF SAMPLE RECEIVED: 2000-03-07

DATE OF TESTING: 2000-03-11

DESCRIPTION OF SAMPLE:

Product: Dual Mobile -- 49 MHz Transmitter
Manufacturer: ECHO TOYS LTD
Model number: 91183 (49MHz)
Rating: DC 9V ('6F22' Size Battery x 1)
Country of Origin: P.R. CHINA

INVESTIGATIONS REQUESTED:

Measurements to the relevant clauses of F.C.C. Rules and Regulations
Part 15 Subpart C - Intentional Radiators

RESULTS:

See the attached test sheets

CONCLUSIONS

From the measurement data obtained, the tested sample was considered to have **COMPLIED** with the requirements for the relevant clauses of Federal Communications Commission Rules as specified above.



Authorized Signature

Remark: Purpose of those tests in this report is to provide the applicant with the necessary test data of their device for the submission to FCC with application for Equipment Authorization under the FCC Equipment Authorization Program. The tests themselves are not Approval Tests



國際電器認證中心有限公司 International Electrical Certification Centre Ltd
提供電器產品測試國際認證及諮詢服務 Technical Service in Electrical Product Testing, International Certification & Inform



Network Partner



Nemko

Qualified Independent Laboratory



FCC – Test Report

No. 21958A/0/400F

Date: 2000-03-11

Page 5 of 11

Summary of Test Results

Interference Radiation:

Test result: O.K.
Test data: See attached data sheet

Interference Voltage:

Test result: N.A.
Test data: N.A.

Measurement of Emissions within Band Edges

Test result: O.K.
Test data: See attached data sheet



國際電器認證中心有限公司 International Electrical Certification Centre Ltd

提供電器產品測試國際認證及諮詢服務 Technical Service in Electrical Product Testing, International Certification & etc.



Network Partner

Namko
Qualified Independent Laboratory

Approved by
 UKAS
Accredited to

FCC – Test Report

Date: 2000-03-11

No. 21958A/0/400F

Page 6 of 11

TEST EQUIPMENT LIST

Equipment	Manufacturer	Model	Serial No.	Remark
Test Receiver	Rohde & Schwarz	ESH 3	863497/015	10KHz – 30MHz
Test Receiver	Rohde & Schwarz	ESVP	860688/022	25MHz – 1,300 MHz
Artificial Mains Network (LISN)	Schwarzbeck	NSLK 8127	—	2 x 10A, 50Ω, 50μH 10KHz-30MHz
Antenna System	Schwarzbeck	BBA 9106 / UHALP 9107	—	30MHz – 1000MHz
Antenna Mast System	Schwarzbeck	AM9104	—	Max. 4 meters height
Spectrum Analyzer with Q. Peak	Tektronix	2712	B023006	9KHz – 1.8GHz
Interface for Spectrum 2712	Tektronix	TD3F14A	—	
Test Receiver	Rohde & Schwarz	ESH 3	892580/006	10KHz – 30MHz
Test Receiver	Rohde & Schwarz	ESVP	863512/012	25MHz – 1,300 MHz
Impulse Limiter	Rohde & Schwarz	ESH-3-Z2	—	
Artificial Mains Network (LISN)	Schwarzbeck	NSLK 8127	—	2 x 10A, 50Ω, 50μH 10KHz-30MHz
Antenna System	Schwarzbeck	BBA 9106 / UHALP 9107	—	30MHz – 1000MHz
Signal Generator	Rohde & Schwarz	SWS 2	879113/42	100KHz – 1040 MHz
Digital Multimeter	Tektronix	DM2510G	DM- 2510GTW10556	10KHz – 30MHz
Turntable with Controller	Drehtisch	DT312	—	φ120 cm



Network Partner



Qualified Independent Laboratory



國際電器認證中心有限公司 International Electrical Certification Centre Ltd
提供電器產品測試國際認證及諮詢服務 Technical Service in Electrical Product Testing, International Certification & Info


FCC – Test Report

No. 21958A/0/400F

Date: 2000-03-11

Page 7 of 11

Radiated Emission Test Procedure





國際電器認證中心有限公司 International Electrical Certification Centre Ltd

提供電器產品測試國際認證及諮詢服務 Technical Service in Electrical Product Testing, International Certification & Info



Network Partner



Qualified Independent Laboratory

Interference Radiation

Measurement of Radiated Emissions (30MHz-1000MHz)


App: FCC Part 15 Subpart C



IECC Ref: 21958A/0/400F
 Model: 91183 (40MHz)
 Applicant: ECHO TOYS LTD
 Ser.Nr.: 1
 Set under test: Dual Mobile
 Connected sets: -
 Operating mode: Power "On"

Test Equipment
 Receiver: ESVP Rohde & Schwarz
 Antenna: Schwarzbeck BBA 9106
 and UHALP 9107

	Frequency (MHz)	Horz. Reading dB(μV)	Vert. Reading dB(μV)	Antenna Factor (dB)	Horz. Test Result (μV/m)	Vert. Test Result (μV/m)	Limit (μV/m)
Peak	49.66	48	54	7.0	565	1128	100,000
Av	49.66	48.5	52.5	7.0	476	949	10000
Harm. 2	99.72	< 16	< 16	6.5	< 17	< 17	150
Harm. 3	149.58	< 16	< 16	13.0	< 28	< 28	150
Harm. 4	199.44	< 16	< 16	15.1	< 38	< 36	150
Harm. 5	249.3	< 16	< 16	16.7	< 43	< 43	200
Harm. 6	299.16	< 16	< 16	18.0	< 50	< 50	200
Harm. 7	349.02	< 16	< 16	17.4	< 47	< 47	200
Harm. 8	398.88	< 16	< 16	18.3	< 52	< 52	200
Harm. 9	448.74	< 16	< 16	19.0	< 56	< 58	200
Harm. 10	498.6	< 16	< 16	19.7	< 61	< 61	200
Harm. 11	548.46	< 16	< 16	20.2	< 64	< 64	200
Harm. 12	598.32	< 16	< 16	20.9	< 70	< 70	200
Harm. 13	648.18	< 16	< 16	21.6	< 76	< 78	200
Harm. 14	698.04	< 16	< 16	22.4	< 83	< 83	200
Harm. 15	747.9	< 16	< 16	23.0	< 90	< 90	200
Harm. 16	797.76	< 16	< 16	23.7	< 96	< 98	200
Harm. 17	847.62	< 16	< 16	24.3	< 104	< 104	200
Harm. 18	897.48	< 16	< 16	25.0	< 112	< 112	200
Harm. 19	947.34	< 16	< 16	25.7	< 122	< 122	200



Test result:

☒ O.K.
☐ Not O.K.

Operator: Uk

Head Office:

Unit 602-605, 6/F., 31 Lok Yip Rd., Or Lok Tuen, Fanling, N.T. Hong Kong. Tel: (852) 2305 2570 Fax: (852) 2756 4480 Home page: <http://www.iecc.com.hk> E-mail: info@iecc.com.hk
 香港新界粉嶺粉嶺路31號六樓602-605室 電話: (852) 2305 2570 傳真: (852) 2756 4480 網頁: <http://www.iecc.com.hk> 電子郵件: info@iecc.com.hk

Date: 11 MAR



國際電器認證中心有限公司 International Electrical Certification Centre Ltd

提供電器產品測試國際認證及諮詢服務 Technical Service in Electrical Product Testing, International Certification & Infor



Network Partner



Nemko
Qualified Independent Laboratory



FCC – Test Report

Date: 2000-03-11

No. 21958A/0/400F

Page 9 of 11

Notes for Radiation Measurement

1. Measurement facility:

Measurement facility located at Fanling (Hong Kong), placed on file with the FCC Pursuant to Section 2.948 of the FCC Rules.

2. Distance between the EUT and measuring antenna:

3 meters.

3. Measuring instrumentations:

Rohde & Schwarz ESVP Test Receiver (20 - 1300 MHz) with a CISPR weighting QP detector, 6 dB bandwidth set at 120 KHz.
In the frequency range above 1000 MHz Spectrum Analyzer FMSM26 and Analyzer Display Unit FSA-D are used, bandwidth set at 100 kHz.

4. Measuring antenna:

Broad-band antenna for the frequency range 30 - 300 MHz and frequency range 300 - 1000 MHz, connected with 10 meters coaxial cable. Cable loss of the coaxial cable included in the Antenna Factor for measurement data. The antennas are capable of measuring both horizontal and vertical polarizations.

In the frequency range above 1 GHz horn-antenna RGA 50/60 is used.

5. Frequency range scanned:

The frequency range 30 - 5000 MHz has been scanned. Readings of the highest emissions relating to the limit were reported as above.

6. Arrangement of EUT:

During the test, the sample was operated at rated supply voltage and arranged for maximum emissions.

7. Measuring Procedure:

In accordance with the relevant sections of the American National Standards Institute (ANSI) C63.4-1992 'Methods of Measurement of Radio Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9KHz to 40GHz'.



國際電器認證中心有限公司 International Electrical Certification Centre Ltd

提供電器產品測試國際認證及諮詢服務 Technical Service in Electrical Product Testing, International Certification & Infor



Network Partner



Nemko

Qualified Independent Laboratory

Measurement of Emissions within band edges



Acc: FCC Part 15 Subpart C

IECC Ref:

21958A/D/400F

Model:

91183 (49MHz)

Applicant:

ECHO TOYS LTD

Test Equipment

Spectrum Analyzer:

Tektronix 2712

Ser.Nr.:

1

Set under test:


Dual Mobile

Connected sets:

-

Operating mode:

Power "On"



Test result:

☒ O.K.

☐ Not O.K.

Date:

11 MAR 2000

Operator:

Head Office:

Unit 602-305, 6/F., 51 Lok Yip Rd., On Lok Tsuen, Fanling, N.T., Hong Kong. Tel: (852) 2306 2570 Fax: (852) 2756-4460 Home page: <http://www.iecc.com.hk> E-mail: info@iecc.com.hk
 香港新界粉嶺安樂村廣安路51號2樓602-305室 電話: (852) 2306 2570 傳真: (852) 2756 4460 網頁: <http://www.iecc.com.hk> 電子郵件: info@iecc.com.hk

**國際電器認證中心有限公司 International Electrical Certification Centre Ltd**


提供電器產品測試國際認證及諮詢服務 Technical Service in Electrical Product Testing, International Certification & Infor



Network Partner

**Nemko**

Qualified Independent Laboratory

**FCC – Test Report**

Date: 2000-03-11

No. 21958A/0/400F

Page 11 of 11

Notes for Measurement of Emissions within Band Edges

1. Measurement facility:

Measurement facility located at Fanling (Hong Kong) placed on file with the FCC Pursuant to Section 2.948 the FCC Rules.

2. Measuring Instrumentations:

Spectrum Analyzer: Tektronix 2712

3. Frequency range scanned:

The frequency range acc. to FCC rules and regulations part 15 subpart C - Intentional Radiators.

4. Arrangement of EUT:

During the test, the sample was operated.

5. Measuring Procedure:

In accordance with the relevant sections of American National Standards Institute (ANSI) C63.4 - 1992 'Methods of Measurement of Radio Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz'.