


6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6875MHz_TX

15/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.873725G	-6.17	6.841275G	-61.98	-46.17	-15.81	1
6.868502G	-5.66	6.906925G	-61.12	-45.66	-15.46	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

15/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.876325G	-5.33	6.90555G	-59.18	-43.34	-15.84	1
6.8737G	-4.94	6.8445G	-58.39	-43.07	-15.32	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

15/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.567799G	-3.56	6.5039G	-57.70	-43.56	-14.14	1
6.560351G	-4.17	6.504G	-57.47	-44.17	-13.30	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

15/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7985G	2.43	6.9067G	-44.45	-37.36	-7.09	1
6.7902G	2.16	6.9071G	-45.58	-37.65	-7.93	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

15/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60561G	2.59	6.4216G	-41.52	-37.39	-4.13	1
6.60362G	2.96	6.4216G	-41.72	-36.83	-4.89	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

15/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79903G	1.38	6.417G	-41.63	-38.59	-3.04	1
6.87181G	1.28	6.4166G	-40.77	-38.72	-2.05	2

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

7115MHz_TX

15/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

15/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

15/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.079701G	-0.69	7.14635G	-51.25	-40.67	-10.58	1
7.078202G	0.16	7.04705G	-35.26	-26.54	-8.72	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

15/10/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99531G	1.13	6.9308G	-37.12	-30.64	-6.48	1
6.99621G	2.02	6.9642G	-28.86	-19.48	-9.38	2


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

15/10/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92661G	3.31	6.8416G	-25.16	-19.33	-5.83	1
6.90942G	3.21	6.872G	-23.86	-17.93	-5.93	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	6.198799G	-4.38	6.22565G	-57.43	-43.03	-14.40	1
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	5.982296G	-2.30	6.0228G	-52.55	-41.62	-10.93	2
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	6.2175G	3.04	6.3496G	-41.66	-36.96	-4.70	1
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	6.00361G	3.17	6.2812G	-37.97	-36.12	-1.85	2
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	6.00343G	2.07	6.5918G	-39.86	-37.81	-2.05	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	6.508727G	-1.20	6.484425G	-54.55	-40.13	-14.42	2
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	6.437902G	-2.99	6.38395G	-55.80	-42.99	-12.81	2
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	6.4473G	2.48	6.3404G	-44.75	-37.52	-7.23	2
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	6.42942G	2.78	6.2612G	-42.25	-36.87	-5.38	2
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	6.44503G	1.65	6.9798G	-35.39	-31.45	-3.94	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	6.869651G	-5.36	6.84445G	-58.89	-44.54	-14.35	2
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	6.697797G	-2.45	6.7453G	-55.11	-42.45	-12.66	1
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	6.6993G	2.65	6.8285G	-42.92	-37.35	-5.57	1
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	6.8058G	2.77	6.5778G	-41.95	-37.00	-4.95	2
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	6.80662G	4.05	6.2446G	-42.56	-35.90	-6.66	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	7.11615G	-10.43	7.0832G	-62.78	-50.28	-12.50	1
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	7.073653G	1.34	7.05305G	-27.78	-21.84	-5.94	1
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	6.99411G	2.48	6.9493G	-25.78	-20.20	-5.58	2
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	6.92182G	2.89	6.8586G	-24.92	-18.89	-6.03	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.961798G	-3.21	5.985625G	-56.79	-41.48	-15.31	1
5955MHz	Pass	5.963498G	-3.64	5.985675G	-56.71	-42.06	-14.65	2
6195MHz	Pass	6.198799G	-4.38	6.22565G	-57.43	-43.03	-14.40	1
6195MHz	Pass	6.202548G	-3.92	6.2256G	-58.18	-42.25	-15.93	2
6415MHz	Pass	6.408027G	-5.75	6.3843G	-59.47	-43.85	-15.62	1
6415MHz	Pass	6.408177G	-4.76	6.38445G	-58.61	-43.30	-15.31	2
6435MHz	Pass	6.438674G	-5.89	6.4045G	-59.31	-43.58	-15.73	1
6435MHz	Pass	6.428777G	-5.36	6.404375G	-59.25	-44.44	-14.81	2
6475MHz	Pass	6.477274G	-4.71	6.444325G	-58.95	-42.86	-16.09	1
6475MHz	Pass	6.466302G	-4.06	6.444475G	-58.73	-42.04	-16.69	2
6515MHz	Pass	6.51355G	-1.51	6.5455G	-55.50	-40.07	-15.43	1
6515MHz	Pass	6.508727G	-1.20	6.484425G	-54.55	-40.13	-14.42	2
6535MHz	Pass	6.527752G	-5.19	6.56565G	-58.65	-43.84	-14.81	1
6535MHz	Pass	6.528777G	-4.75	6.504325G	-58.86	-43.61	-15.25	2
6695MHz	Pass	6.698199G	-4.53	6.725575G	-58.48	-42.92	-15.56	1
6695MHz	Pass	6.687752G	-4.75	6.664375G	-58.52	-43.55	-14.97	2
6875MHz	Pass	6.868202G	-5.45	6.8444G	-58.85	-43.78	-15.07	1
6875MHz	Pass	6.869651G	-5.36	6.84445G	-58.89	-44.54	-14.35	2
6895MHz	Pass	6.890501G	-5.84	6.925575G	-59.55	-44.23	-15.32	1
6895MHz	Pass	6.892526G	-5.29	6.925675G	-59.31	-44.33	-14.98	2
6995MHz	Pass	6.996225G	-5.00	6.959525G	-60.81	-45.00	-15.81	1
6995MHz	Pass	6.994075G	-4.55	6.96445G	-57.82	-42.99	-14.83	2
7095MHz	Pass	7.091501G	-4.63	7.064425G	-57.96	-43.10	-14.86	1
7095MHz	Pass	7.088602G	-3.98	7.0643G	-56.94	-42.87	-14.07	2
7115MHz	Pass	7.11615G	-10.43	7.0832G	-62.78	-50.28	-12.50	1
7115MHz	Pass	7.111326G	-9.19	7.0812G	-62.91	-49.19	-13.72	2
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.978097G	-1.67	6.02695G	-53.90	-41.67	-12.23	1
5965MHz	Pass	5.982296G	-2.30	6.0228G	-52.55	-41.62	-10.93	2
6205MHz	Pass	6.219396G	-1.83	6.26655G	-55.26	-41.83	-13.43	1
6205MHz	Pass	6.211798G	-3.05	6.26625G	-56.38	-43.05	-13.33	2
6405MHz	Pass	6.402501G	-0.80	6.34385G	-54.63	-40.80	-13.83	1
6405MHz	Pass	6.400451G	-0.11	6.34395G	-52.68	-40.11	-12.57	2
6445MHz	Pass	6.437552G	-3.35	6.3839G	-57.48	-43.35	-14.13	1
6445MHz	Pass	6.437902G	-2.99	6.38395G	-55.80	-42.99	-12.81	2
6485MHz	Pass	6.477302G	-0.30	6.42375G	-53.61	-40.30	-13.31	1
6485MHz	Pass	6.468004G	-0.04	6.42405G	-53.15	-40.04	-13.11	2
6525MHz	Pass	6.508004G	-3.05	6.46355G	-56.85	-43.05	-13.80	1
6525MHz	Pass	6.519051G	-2.75	6.4638G	-55.74	-42.75	-12.99	2
6565MHz	Pass	6.559001G	-1.69	6.504G	-55.78	-41.69	-14.09	1
6565MHz	Pass	6.560501G	-2.20	6.5038G	-56.14	-42.20	-13.94	2
6685MHz	Pass	6.697797G	-2.45	6.7453G	-55.11	-42.45	-12.66	1
6685MHz	Pass	6.697447G	-2.74	6.6237G	-56.24	-42.74	-13.50	2
6885MHz	Pass	6.875102G	-3.31	6.9462G	-56.52	-43.31	-13.21	1
6885MHz	Pass	6.872053G	-3.62	6.94635G	-57.10	-43.62	-13.48	2
6925MHz	Pass	6.920401G	-0.64	6.86335G	-54.13	-40.64	-13.49	1
6925MHz	Pass	6.913853G	-0.98	6.9865G	-54.09	-40.98	-13.11	2
7005MHz	Pass	6.999651G	-0.70	6.94375G	-52.86	-40.70	-12.16	1
7005MHz	Pass	7.002451G	-0.66	6.96125G	-43.16	-30.81	-12.35	2
7085MHz	Pass	7.073653G	1.34	7.05305G	-27.78	-21.84	-5.94	1
7085MHz	Pass	7.080551G	1.97	7.0512G	-26.53	-18.08	-8.45	2
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9964G	2.55	6.1123G	-43.29	-37.33	-5.96	1
5985MHz	Pass	5.9946G	3.06	6.0588G	-28.10	-21.20	-6.90	2


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.2175G	3.04	6.3496G	-41.66	-36.96	-4.70	1
6225MHz	Pass	6.2378G	2.59	6.3468G	-44.85	-37.22	-7.63	2
6385MHz	Pass	6.3728G	1.72	6.2633G	-47.43	-38.28	-9.15	1
6385MHz	Pass	6.3738G	2.41	6.5067G	-45.23	-37.57	-7.66	2
6465MHz	Pass	6.4539G	2.27	6.5864G	-46.00	-37.52	-8.48	1
6465MHz	Pass	6.4473G	2.48	6.3404G	-44.75	-37.52	-7.23	2
6545MHz	Pass	6.5304G	1.90	6.6649G	-46.74	-37.36	-9.38	1
6545MHz	Pass	6.5377G	1.24	6.4232G	-48.09	-38.76	-9.33	2
6625MHz	Pass	6.6152G	0.75	6.7462G	-49.21	-39.18	-10.03	1
6625MHz	Pass	6.6123G	1.04	6.5038G	-49.78	-38.96	-10.82	2
6705MHz	Pass	6.6993G	2.65	6.8285G	-42.92	-37.35	-5.57	1
6705MHz	Pass	6.7114G	2.33	6.8264G	-45.49	-37.66	-7.83	2
6785MHz	Pass	6.7739G	2.56	6.8751G	-32.98	-26.90	-6.08	1
6785MHz	Pass	6.7748G	2.42	6.9109G	-45.52	-37.35	-8.17	2
6865MHz	Pass	6.8553G	2.27	6.8074G	-27.21	-17.88	-9.33	1
6865MHz	Pass	6.8747G	1.84	6.9522G	-35.55	-24.85	-10.70	2
6945MHz	Pass	6.9322G	1.83	6.8518G	-34.50	-28.31	-6.19	1
6945MHz	Pass	6.933G	1.84	6.8808G	-31.43	-20.08	-11.35	2
7025MHz	Pass	6.99841G	2.12	6.9435G	-28.92	-21.24	-7.68	1
7025MHz	Pass	6.99411G	2.48	6.9493G	-25.78	-20.20	-5.58	2
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99921G	3.39	6.2694G	-39.11	-36.61	-2.50	1
6025MHz	Pass	6.00361G	3.17	6.2812G	-37.97	-36.12	-1.85	2
6185MHz	Pass	6.24439G	3.32	6.428G	-40.70	-36.60	-4.10	1
6185MHz	Pass	6.24878G	3.27	6.4508G	-43.69	-36.62	-7.07	2
6345MHz	Pass	6.36779G	2.36	6.609G	-45.90	-37.55	-8.35	1
6345MHz	Pass	6.32421G	2.32	6.6052G	-44.80	-36.99	-7.81	2
6505MHz	Pass	6.42982G	2.54	6.2618G	-42.78	-37.12	-5.66	1
6505MHz	Pass	6.42942G	2.78	6.2612G	-42.25	-36.87	-5.38	2
6665MHz	Pass	6.60422G	2.51	6.9334G	-43.93	-37.20	-6.73	1
6665MHz	Pass	6.60402G	2.75	6.4202G	-42.25	-37.05	-5.20	2
6825MHz	Pass	6.79801G	2.82	6.703G	-24.58	-18.38	-6.20	1
6825MHz	Pass	6.8058G	2.77	6.5778G	-41.95	-37.00	-4.95	2
6985MHz	Pass	6.92182G	2.89	6.8586G	-24.92	-18.89	-6.03	1
6985MHz	Pass	6.91022G	3.42	6.848G	-25.60	-17.92	-7.68	2
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.20577G	1.81	6.5946G	-41.45	-38.18	-3.27	1
6105MHz	Pass	6.00343G	2.07	6.5918G	-39.86	-37.81	-2.05	2
6265MHz	Pass	6.29819G	1.35	6.755G	-42.67	-38.65	-4.02	1
6265MHz	Pass	6.31099G	1.40	6.7562G	-43.23	-38.60	-4.63	2
6425MHz	Pass	6.32263G	3.51	7.0674G	-47.72	-35.46	-12.26	1
6425MHz	Pass	6.32942G	4.06	7.025G	-44.24	-35.44	-8.80	2
6585MHz	Pass	6.44503G	1.65	6.9798G	-35.39	-31.45	-3.94	1
6585MHz	Pass	6.44304G	1.74	6.0958G	-43.57	-38.26	-5.31	2
6745MHz	Pass	6.71261G	3.64	6.0614G	-46.12	-36.36	-9.76	1
6745MHz	Pass	6.71021G	3.79	6.3506G	-32.37	-22.12	-10.25	2
6905MHz	Pass	6.80662G	4.05	6.2446G	-42.56	-35.90	-6.66	1
6905MHz	Pass	6.80263G	3.84	6.251G	-42.62	-34.26	-8.36	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

16/10/2024




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

16/10/2024




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

16/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2175G	3.04	6.3496G	-41.66	-36.96	-4.70	1
6.2378G	2.59	6.3468G	-44.85	-37.22	-7.63	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

16/10/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99921G	3.39	6.2694G	-39.11	-36.61	-2.50	1
6.00361G	3.17	6.2812G	-37.97	-36.12	-1.85	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

16/10/2024

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20577G	1.81	6.5946G	-41.45	-38.18	-3.27	1
6.00343G	2.07	6.5918G	-39.86	-37.81	-2.05	2

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6515MHz_TX

16/10/2024

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.51355G	-1.51	6.5455G	-55.50	-40.07	-15.43	1
6.508727G	-1.20	6.484425G	-54.55	-40.13	-14.42	2

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6445MHz_TX

16/10/2024




6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6465MHz_TX

16/10/2024




6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6505MHz_TX

16/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42982G	2.54	6.2618G	-42.78	-37.12	-5.66	1
6.42942G	2.78	6.2612G	-42.25	-36.87	-5.38	2

6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6585MHz_TX

16/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44503G	1.65	6.9798G	-35.39	-31.45	-3.94	1
6.44304G	1.74	6.0958G	-43.57	-38.26	-5.31	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6875MHz_TX

16/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.868202G	-5.45	6.8444G	-58.85	-43.78	-15.07	1
6.869651G	-5.36	6.84445G	-58.89	-44.54	-14.35	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

16/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697797G	-2.45	6.7453G	-55.11	-42.45	-12.66	1
6.697447G	-2.74	6.6237G	-56.24	-42.74	-13.50	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

16/10/2024




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6825MHz_TX

16/10/2024



6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6905MHz_TX

16/10/2024

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80662G	4.05	6.2446G	-42.56	-35.90	-6.66	1
6.80263G	3.84	6.251G	-42.62	-34.26	-8.36	2

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

7115MHz_TX

16/10/2024

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.11615G	-10.43	7.0832G	-62.78	-50.28	-12.50	1
7.111326G	-9.19	7.0812G	-62.91	-49.19	-13.72	2

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7085MHz_TX

16/10/2024




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

7025MHz_TX

16/10/2024



6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6985MHz_TX

16/10/2024

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92182G	2.89	6.8586G	-24.92	-18.89	-6.03	1
6.91022G	3.42	6.848G	-25.60	-17.92	-7.68	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	5.962623G	-6.49	5.985825G	-57.42	-45.42	-12.00	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.218797G	-3.05	6.26615G	-54.76	-43.05	-11.71	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.0006G	1.51	6.1047G	-47.26	-38.07	-9.19	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	5.99961G	4.08	6.2666G	-39.37	-35.92	-3.45	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.30259G	2.36	6.747G	-38.78	-36.98	-1.80	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.43365G	-5.73	6.40445G	-57.04	-45.00	-12.04	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.487349G	-2.41	6.4234G	-53.07	-42.41	-10.66	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.43461G	0.62	6.3428G	-49.71	-39.38	-10.33	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.53359G	4.04	6.2922G	-35.00	-31.59	-3.41	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.39261G	2.85	6.9162G	-40.71	-37.15	-3.56	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.884023G	-7.73	6.9098G	-58.49	-47.73	-10.76	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.549754G	-1.70	6.50365G	-53.79	-41.70	-12.09	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.82821G	-1.10	6.9868G	-50.17	-40.82	-9.35	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.72958G	2.80	6.421G	-42.96	-37.17	-5.79	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.71461G	2.98	6.2586G	-38.27	-37.02	-1.25	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	7.121473G	-10.29	7.0809G	-58.95	-50.29	-8.66	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	7.010049G	-2.52	6.94385G	-53.05	-42.52	-10.53	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.99411G	0.20	6.9023G	-47.86	-39.80	-8.06	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.90882G	4.30	6.7928G	-33.11	-25.91	-7.20	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.962623G	-6.49	5.985825G	-57.42	-45.42	-12.00	1
5955MHz	Pass	5.960949G	-5.00	5.988025G	-58.38	-45.00	-13.38	2
6195MHz	Pass	6.191026G	-4.34	6.2297G	-57.94	-44.34	-13.60	1
6195MHz	Pass	6.1947G	-4.14	6.23055G	-58.39	-44.14	-14.25	2
6415MHz	Pass	6.416025G	-5.42	6.3811G	-58.73	-45.42	-13.31	1
6415MHz	Pass	6.406477G	-6.29	6.381175G	-58.71	-46.29	-12.42	2
6435MHz	Pass	6.43365G	-5.73	6.40445G	-57.04	-45.00	-12.04	1
6435MHz	Pass	6.432276G	-6.00	6.403225G	-58.71	-46.00	-12.71	2
6475MHz	Pass	6.477974G	-5.58	6.508G	-58.51	-45.58	-12.93	1
6475MHz	Pass	6.477899G	-6.19	6.5065G	-58.38	-46.19	-12.19	2
6515MHz	Pass	6.522673G	-4.38	6.48445G	-56.85	-42.82	-14.03	1
6515MHz	Pass	6.507252G	-5.42	6.5455G	-57.48	-44.16	-13.32	2
6535MHz	Pass	6.538799G	-6.02	6.502625G	-59.07	-46.02	-13.05	1
6535MHz	Pass	6.537249G	-7.05	6.565725G	-58.20	-46.43	-11.77	2
6695MHz	Pass	6.701523G	-6.70	6.66265G	-58.89	-46.70	-12.19	1
6695MHz	Pass	6.690251G	-7.51	6.734025G	-58.84	-47.51	-11.33	2
6875MHz	Pass	6.878024G	-7.20	6.91795G	-58.48	-47.20	-11.28	1
6875MHz	Pass	6.884023G	-7.73	6.9098G	-58.49	-47.73	-10.76	2
6895MHz	Pass	6.899999G	-6.68	6.939325G	-58.19	-46.68	-11.51	1
6895MHz	Pass	6.89385G	-7.87	6.929925G	-58.24	-47.87	-10.37	2
6995MHz	Pass	6.988677G	-7.75	7.03185G	-57.90	-47.75	-10.15	1
6995MHz	Pass	6.986427G	-7.28	7.027575G	-58.06	-47.28	-10.78	2
7095MHz	Pass	7.092526G	-8.43	7.06045G	-57.98	-48.43	-9.55	1
7095MHz	Pass	7.103673G	-9.00	7.0476G	-58.47	-49.00	-9.47	2
7115MHz	Pass	7.120149G	-10.13	7.0713G	-58.87	-50.13	-8.74	1
7115MHz	Pass	7.121473G	-10.29	7.0809G	-58.95	-50.29	-8.66	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.982746G	-2.57	6.02655G	-54.87	-42.57	-12.30	1
5965MHz	Pass	5.976147G	-1.75	6.02625G	-54.48	-41.75	-12.73	2
6205MHz	Pass	6.218797G	-3.05	6.26615G	-54.76	-43.05	-11.71	1
6205MHz	Pass	6.198402G	-3.43	6.2667G	-55.23	-43.43	-11.80	2
6405MHz	Pass	6.391103G	-0.99	6.34395G	-54.21	-40.99	-13.22	1
6405MHz	Pass	6.412448G	-2.28	6.34345G	-54.87	-42.28	-12.59	2
6445MHz	Pass	6.430804G	-4.12	6.38375G	-55.59	-44.12	-11.47	1
6445MHz	Pass	6.441651G	-3.84	6.38375G	-56.10	-43.84	-12.26	2
6485MHz	Pass	6.491798G	-1.77	6.4238G	-53.69	-41.77	-11.92	1
6485MHz	Pass	6.487349G	-2.41	6.4234G	-53.07	-42.41	-10.66	2
6525MHz	Pass	6.5237G	-2.37	6.4633G	-55.12	-42.37	-12.75	1
6525MHz	Pass	6.507004G	-2.66	6.58675G	-55.76	-42.66	-13.10	2
6565MHz	Pass	6.549754G	-1.70	6.50365G	-53.79	-41.70	-12.09	1
6565MHz	Pass	6.551003G	-1.69	6.50355G	-53.86	-41.69	-12.17	2
6685MHz	Pass	6.672653G	-1.56	6.62365G	-54.72	-41.56	-13.16	1
6685MHz	Pass	6.699196G	-1.74	6.62375G	-54.44	-41.74	-12.70	2
6885MHz	Pass	6.869854G	1.38	6.9461G	-51.46	-38.62	-12.84	1
6885MHz	Pass	6.891498G	0.43	6.94735G	-51.96	-39.57	-12.39	2
6925MHz	Pass	6.912103G	-2.09	6.98605G	-53.65	-42.09	-11.56	1
6925MHz	Pass	6.932848G	-2.36	6.99235G	-53.68	-42.36	-11.32	2
7005MHz	Pass	7.010049G	-2.52	6.94385G	-53.05	-42.52	-10.53	1
7005MHz	Pass	6.987304G	-1.71	6.94355G	-52.78	-41.71	-11.07	2
7085MHz	Pass	7.067104G	-1.76	7.0239G	-52.82	-41.76	-11.06	1
7085MHz	Pass	7.078252G	-2.53	7.0238G	-53.40	-42.53	-10.87	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9981G	2.18	6.1063G	-48.33	-37.82	-10.51	1
5985MHz	Pass	6.0006G	1.51	6.1047G	-47.26	-38.07	-9.19	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.2363G	2.19	6.3461G	-49.49	-37.81	-11.68	1
6225MHz	Pass	6.25459G	1.69	6.3463G	-48.00	-38.27	-9.73	2
6385MHz	Pass	6.3909G	-0.44	6.2634G	-51.21	-40.39	-10.82	1
6385MHz	Pass	6.3725G	-0.68	6.2636G	-51.67	-40.68	-10.99	2
6465MHz	Pass	6.43461G	0.62	6.3428G	-49.71	-39.38	-10.33	1
6465MHz	Pass	6.4493G	0.90	6.3419G	-50.15	-39.10	-11.05	2
6545MHz	Pass	6.51761G	0.20	6.4234G	-50.73	-39.75	-10.98	1
6545MHz	Pass	6.5605G	0.24	6.4215G	-50.39	-39.76	-10.63	2
6625MHz	Pass	6.59281G	-0.06	6.5035G	-50.26	-40.06	-10.20	1
6625MHz	Pass	6.65209G	-0.88	6.7467G	-50.78	-40.88	-9.90	2
6705MHz	Pass	6.73249G	1.42	6.5829G	-49.90	-38.58	-11.32	1
6705MHz	Pass	6.717G	1.44	6.583G	-49.18	-38.53	-10.65	2
6785MHz	Pass	6.74811G	0.66	6.6631G	-49.79	-38.90	-10.89	1
6785MHz	Pass	6.75741G	0.64	6.908G	-49.86	-39.36	-10.50	2
6865MHz	Pass	6.8782G	-0.62	6.9889G	-50.47	-40.62	-9.85	1
6865MHz	Pass	6.82821G	-1.10	6.9868G	-50.17	-40.82	-9.35	2
6945MHz	Pass	6.9365G	-1.47	6.8113G	-51.35	-41.47	-9.88	1
6945MHz	Pass	6.931G	-0.63	6.8233G	-50.98	-40.63	-10.35	2
7025MHz	Pass	6.99411G	0.20	6.9023G	-47.86	-39.80	-8.06	1
7025MHz	Pass	6.99491G	0.15	6.9038G	-48.92	-39.68	-9.24	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0428G	3.86	6.2954G	-40.70	-35.85	-4.85	1
6025MHz	Pass	5.99961G	4.08	6.2666G	-39.37	-35.92	-3.45	2
6185MHz	Pass	6.26198G	4.17	6.379G	-34.11	-28.28	-5.83	1
6185MHz	Pass	6.15841G	3.42	6.427G	-41.83	-36.06	-5.77	2
6345MHz	Pass	6.3644G	3.83	6.5888G	-41.22	-36.11	-5.11	1
6345MHz	Pass	6.40558G	3.70	6.5872G	-39.97	-36.01	-3.96	2
6505MHz	Pass	6.53359G	4.04	6.2922G	-35.00	-31.59	-3.41	1
6505MHz	Pass	6.42982G	4.62	6.75G	-39.26	-35.38	-3.88	2
6665MHz	Pass	6.6828G	3.05	6.42G	-43.39	-36.87	-6.52	1
6665MHz	Pass	6.72958G	2.80	6.421G	-42.96	-37.17	-5.79	2
6825MHz	Pass	6.88818G	3.35	6.5658G	-43.18	-36.65	-6.53	1
6825MHz	Pass	6.76222G	4.52	6.7048G	-25.34	-18.75	-6.59	2
6985MHz	Pass	6.9692G	3.11	6.7228G	-44.80	-36.89	-7.91	1
6985MHz	Pass	6.90882G	4.30	6.7928G	-33.11	-25.91	-7.20	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.00782G	2.90	6.547G	-36.54	-33.86	-2.68	1
6105MHz	Pass	6.20937G	2.59	6.5238G	-34.70	-32.20	-2.50	2
6265MHz	Pass	6.36697G	3.01	6.7726G	-41.47	-36.95	-4.52	1
6265MHz	Pass	6.30259G	2.36	6.747G	-38.78	-36.98	-1.80	2
6425MHz	Pass	6.28543G	2.82	6.9078G	-41.19	-37.06	-4.13	1
6425MHz	Pass	6.39261G	2.85	6.9162G	-40.71	-37.15	-3.56	2
6585MHz	Pass	6.55021G	4.03	6.0622G	-40.10	-35.97	-4.13	1
6585MHz	Pass	6.53701G	3.44	6.0374G	-41.79	-36.55	-5.24	2
6745MHz	Pass	6.84937G	2.78	6.1942G	-41.30	-37.07	-4.23	1
6745MHz	Pass	6.71461G	2.98	6.2586G	-38.27	-37.02	-1.25	2
6905MHz	Pass	6.87221G	3.25	6.3238G	-41.07	-36.29	-4.78	1
6905MHz	Pass	6.76424G	3.74	6.3086G	-41.09	-36.26	-4.83	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

11/11/2024

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962623G	-6.49	5.985825G	-57.42	-45.42	-12.00	1
5.960949G	-5.00	5.988025G	-58.38	-45.00	-13.38	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

11/11/2024

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.218797G	-3.05	6.26615G	-54.76	-43.05	-11.71	1
6.198402G	-3.43	6.2667G	-55.23	-43.43	-11.80	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9981G	2.18	6.1063G	-48.33	-37.82	-10.51	1
6.0006G	1.51	6.1047G	-47.26	-38.07	-9.19	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0428G	3.86	6.2954G	-40.70	-35.85	-4.85	1
5.99961G	4.08	6.2666G	-39.37	-35.92	-3.45	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

11/11/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

11/11/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.491798G	-1.77	6.4238G	-53.69	-41.77	-11.92	1
6.487349G	-2.41	6.4234G	-53.07	-42.41	-10.66	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43461G	0.62	6.3428G	-49.71	-39.38	-10.33	1
6.4493G	0.90	6.3419G	-50.15	-39.10	-11.05	2

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

11/11/2024




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

11/11/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.878024G	-7.20	6.91795G	-58.48	-47.20	-11.28	1
6.884023G	-7.73	6.9098G	-58.49	-47.73	-10.76	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.549754G	-1.70	6.50365G	-53.79	-41.70	-12.09	1
6.551003G	-1.69	6.50355G	-53.86	-41.69	-12.17	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8782G	-0.62	6.9889G	-50.47	-40.62	-9.85	1
6.82821G	-1.10	6.9868G	-50.17	-40.82	-9.35	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

11/11/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6828G	3.05	6.42G	-43.39	-36.87	-6.52	1
6.72958G	2.80	6.421G	-42.96	-37.17	-5.79	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

11/11/2024

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84937G	2.78	6.1942G	-41.30	-37.07	-4.23	1
6.71461G	2.98	6.2586G	-38.27	-37.02	-1.25	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

11/11/2024

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.120149G	-10.13	7.0713G	-58.87	-50.13	-8.74	1
7.121473G	-10.29	7.0809G	-58.95	-50.29	-8.66	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.010049G	-2.52	6.94385G	-53.05	-42.52	-10.53	1
6.987304G	-1.71	6.94355G	-52.78	-41.71	-11.07	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99411G	0.20	6.9023G	-47.86	-39.80	-8.06	1
6.99491G	0.15	6.9038G	-48.92	-39.68	-9.24	2

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

11/11/2024



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	5.956275G	-3.5	5.985975G	-55.55	-42.7	-12.85	1
a40_Nss1,(6Mbps)_1TX	Pass	6.402501G	1.32	6.36945G	-25.91	-20	-5.91	1
a80_Nss1,(6Mbps)_1TX	Pass	5.9896G	0.77	6.0621G	-24.73	-19.56	-5.17	1
a160_Nss1,(6Mbps)_1TX	Pass	6.05099G	0.9	6.1704G	-23.51	-19.28	-4.23	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	6.518749G	-2	6.546825G	-57.17	-42	-15.17	1
a40_Nss1,(6Mbps)_1TX	Pass	6.528899G	0.82	6.5622G	-27.84	-22.27	-5.57	1
a80_Nss1,(6Mbps)_1TX	Pass	6.5416G	6.38	6.4598G	-19.23	-13.88	-5.35	1
a160_Nss1,(6Mbps)_1TX	Pass	6.5004G	6.45	6.6702G	-21.53	-13.8	-7.73	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	6.878774G	-0.65	6.85915G	-35.55	-23.85	-11.7	1
a40_Nss1,(6Mbps)_1TX	Pass	6.571298G	0.87	6.6024G	-27.02	-21.82	-5.2	1
a80_Nss1,(6Mbps)_1TX	Pass	6.6195G	6.9	6.5385G	-17.62	-13.12	-4.5	1
a160_Nss1,(6Mbps)_1TX	Pass	6.6812G	5.19	6.5064G	-16.96	-14.81	-2.15	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	6.901298G	-0.46	6.9272G	-50.37	-40.46	-9.91	1
a40_Nss1,(6Mbps)_1TX	Pass	6.933648G	3.25	6.9637G	-26.27	-16.78	-9.49	1
a80_Nss1,(6Mbps)_1TX	Pass	7.00221G	6.36	6.9366G	-16.63	-13.65	-2.98	1
a160_Nss1,(6Mbps)_1TX	Pass	6.9896G	1.8	6.8282G	-23.94	-18.83	-5.11	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.956275G	-3.5	5.985975G	-55.55	-42.7	-12.85	1
6195MHz	Pass	6.1963G	-3.34	6.164G	-57.31	-43.23	-14.08	1
6415MHz	Pass	6.417524G	-2.05	6.383G	-57.04	-42.05	-14.99	1
6435MHz	Pass	6.429976G	-1.44	6.466875G	-56.88	-41.44	-15.44	1
6475MHz	Pass	6.471226G	-1.85	6.50625G	-57.38	-41.85	-15.53	1
6515MHz	Pass	6.518749G	-2	6.546825G	-57.17	-42	-15.17	1
6535MHz	Pass	6.530026G	-2.37	6.567575G	-57.4	-42.37	-15.03	1
6695MHz	Pass	6.69625G	-2.47	6.72605G	-57.55	-42.13	-15.42	1
6875MHz	Pass	6.878774G	-0.65	6.85915G	-35.55	-23.85	-11.7	1
6895MHz	Pass	6.901298G	-0.46	6.9272G	-50.37	-40.46	-9.91	1
6995MHz	Pass	6.99375G	-2.02	6.964775G	-52.2	-42.02	-10.18	1
7095MHz	Pass	7.0963G	-2.97	7.064125G	-55.07	-42.97	-12.1	1
7115MHz	Pass	7.116275G	-7.22	7.0713G	-58.09	-47.22	-10.87	1
a40_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.971398G	3.68	6.00465G	-25.69	-16.34	-9.35	1
6205MHz	Pass	6.201401G	0.24	6.2422G	-25.83	-19.9	-5.93	1
6405MHz	Pass	6.402501G	1.32	6.36945G	-25.91	-20	-5.91	1
6445MHz	Pass	6.442501G	0.82	6.4788G	-28.72	-19.38	-9.34	1
6485MHz	Pass	6.477652G	1.43	6.5227G	-26.46	-19.03	-7.43	1
6525MHz	Pass	6.528899G	0.82	6.5622G	-27.84	-22.27	-5.57	1
6565MHz	Pass	6.571298G	0.87	6.6024G	-27.02	-21.82	-5.2	1
6685MHz	Pass	6.681301G	0.7	6.6491G	-25.71	-19.8	-5.91	1
6885MHz	Pass	6.880201G	6.07	6.84015G	-23.76	-15.07	-8.69	1
6925MHz	Pass	6.933648G	3.25	6.9637G	-26.27	-16.78	-9.49	1
7005MHz	Pass	7.001101G	3.5	6.966G	-26.23	-16.4	-9.83	1
7085MHz	Pass	7.078452G	1.09	7.04475G	-29.46	-18.98	-10.48	1
a80_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9896G	0.77	6.0621G	-24.73	-19.56	-5.17	1
6225MHz	Pass	6.2194G	6.55	6.1293G	-18.95	-13.55	-5.4	1
6385MHz	Pass	6.3768G	7.17	6.3023G	-19.41	-12.87	-6.54	1
6465MHz	Pass	6.4504G	6.27	6.5622G	-23.72	-14.99	-8.73	1
6545MHz	Pass	6.5416G	6.38	6.4598G	-19.23	-13.88	-5.35	1
6625MHz	Pass	6.6195G	6.9	6.5385G	-17.62	-13.12	-4.5	1
6705MHz	Pass	6.6927G	6.03	6.6212G	-19.12	-14.62	-4.5	1
6785MHz	Pass	6.7787G	7.59	6.8831G	-17.98	-12.42	-5.56	1
6865MHz	Pass	6.83851G	7.32	6.9636G	-20.06	-12.68	-7.38	1
6945MHz	Pass	6.9376G	7.01	6.8505G	-16.32	-13.08	-3.24	1
7025MHz	Pass	7.00221G	6.36	6.9366G	-16.63	-13.65	-2.98	1
a160_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05099G	0.9	6.1704G	-23.51	-19.28	-4.23	1
6185MHz	Pass	6.1894G	5.35	6.352G	-21.36	-14.66	-6.7	1
6345MHz	Pass	6.3496G	6.49	6.5086G	-20.8	-13.68	-7.12	1
6505MHz	Pass	6.5004G	6.45	6.6702G	-21.53	-13.8	-7.73	1
6665MHz	Pass	6.6812G	5.19	6.5064G	-16.96	-14.81	-2.15	1
6825MHz	Pass	6.8188G	5.62	6.666G	-19.26	-14.38	-4.88	1
6985MHz	Pass	6.9896G	1.8	6.8282G	-23.94	-18.83	-5.11	1

5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

MASK

5955MHz_TX

09/11/2024




5.925-6.425GHz_a40_Nss1,(6Mbps)_1TX

MASK

6405MHz_TX

09/11/2024




5.925-6.425GHz_a80_Nss1,(6Mbps)_1TX

MASK

5985MHz_TX

09/11/2024




5.925-6.425GHz_a160_Nss1,(6Mbps)_1TX

MASK

6025MHz_TX

09/11/2024




6.425-6.525GHz_a20_Nss1,(6Mbps)_1TX

MASK

6515MHz_TX

09/11/2024




6.425-6.525GHz_a40_Nss1,(6Mbps)_1TX

MASK

6525MHz_TX

09/11/2024




6.425-6.525GHz_a80_Nss1,(6Mbps)_1TX

MASK

6545MHz_TX

09/11/2024




6.425-6.525GHz_a160_Nss1,(6Mbps)_1TX

MASK

6505MHz_TX

09/11/2024




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

MASK

6875MHz_TX

09/11/2024




6.525-6.875GHz_a40_Nss1,(6Mbps)_1TX

MASK

6565MHz_TX

09/11/2024




6.525-6.875GHz_a80_Nss1,(6Mbps)_1TX

MASK

6625MHz_TX

09/11/2024




6.525-6.875GHz_a160_Nss1,(6Mbps)_1TX

MASK

6665MHz_TX

09/11/2024




6.875-7.125GHz_a20_Nss1,(6Mbps)_1TX

MASK

6895MHz_TX

09/11/2024

CF (Hz)
6.895G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.901298G	-0.46	6.9272G	-50.37	-40.46	-9.91	1


6.875-7.125GHz_a40_Nss1,(6Mbps)_1TX

MASK

6925MHz_TX

09/11/2024

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.933648G	3.25	6.9637G	-26.27	-16.78	-9.49	1

6.875-7.125GHz_a80_Nss1,(6Mbps)_1TX

MASK

7025MHz_TX

09/11/2024




6.875-7.125GHz_a160_Nss1,(6Mbps)_1TX

MASK

6985MHz_TX

09/11/2024





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	PK	40.67M	31.98	40.00	-8.02	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	PK	40.67M	31.98	40.00	-8.02	3	Vertical	360	1.00
6265MHz	Pass	PK	61.04M	28.49	40.00	-11.51	3	Vertical	360	1.00
6265MHz	Pass	PK	106.63M	27.51	43.50	-15.99	3	Vertical	360	1.00
6265MHz	Pass	PK	270.56M	25.55	46.00	-20.45	3	Vertical	360	1.00
6265MHz	Pass	PK	482.99M	24.11	46.00	-21.89	3	Vertical	360	1.00
6265MHz	Pass	PK	703.18M	32.28	46.00	-13.72	3	Vertical	360	1.00
6265MHz	Pass	PK	61.04M	24.85	40.00	-15.15	3	Horizontal	0	1.00
6265MHz	Pass	PK	79.47M	25.90	40.00	-14.10	3	Horizontal	0	1.00
6265MHz	Pass	PK	107.6M	31.30	43.50	-12.20	3	Horizontal	0	1.00
6265MHz	Pass	PK	142.52M	24.58	43.50	-18.92	3	Horizontal	0	1.00
6265MHz	Pass	PK	302.57M	26.36	46.00	-19.64	3	Horizontal	0	1.00
6265MHz	Pass	PK	703.18M	34.52	46.00	-11.48	3	Horizontal	0	1.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	40.67M	31.98	40.00	-8.02	-9.09	3	Vertical	360	1.00	41.07	17.82	0.47	27.38
PK	61.04M	28.49	40.00	-11.51	-15.28	3	Vertical	360	1.00	43.77	11.48	0.58	27.34
PK	106.63M	27.51	43.50	-15.99	-10.09	3	Vertical	360	1.00	37.60	16.35	0.78	27.22
PK	270.56M	25.55	46.00	-20.45	-7.49	3	Vertical	360	1.00	33.04	17.91	1.25	26.65
PK	482.99M	24.11	46.00	-21.89	-3.87	3	Vertical	360	1.00	27.98	22.47	1.67	28.01
PK	703.18M	32.28	46.00	-13.72	-2.34	3	Vertical	360	1.00	34.62	24.00	1.99	28.33

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	61.04M	24.85	40.00	-15.15	-15.28	3	Horizontal	0	1.00	40.13	11.48	0.58	27.34
PK	79.47M	25.90	40.00	-14.10	-14.41	3	Horizontal	0	1.00	40.31	12.20	0.68	27.29
PK	107.6M	31.30	43.50	-12.20	-9.92	3	Horizontal	0	1.00	41.22	16.51	0.79	27.22
PK	142.52M	24.58	43.50	-18.92	-10.20	3	Horizontal	0	1.00	34.78	15.98	0.91	27.09
PK	302.57M	26.36	46.00	-19.64	-7.00	3	Horizontal	0	1.00	33.36	18.37	1.32	26.69
PK	703.18M	34.52	46.00	-11.48	-2.34	3	Horizontal	0	1.00	36.86	24.00	1.99	28.33

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	12.39026G	41.22	54.00	-12.78	3	Vertical	229	2.11
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	12.38942G	41.26	54.00	-12.74	3	Vertical	230	2.09
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.9248G	56.85	68.20	-11.35	3	Vertical	206	2.27
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.925G	58.49	68.20	-9.71	3	Vertical	211	2.18
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.9235G	60.83	68.20	-7.37	3	Vertical	209	2.18
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	5.925G	56.30	68.20	-11.90	3	Vertical	212	2.60
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	13.0302G	42.74	68.20	-25.46	3	Vertical	160	1.06
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	13.02972G	42.51	68.20	-25.69	3	Vertical	161	1.06
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	13.05016G	43.32	68.20	-24.88	3	Vertical	159	1.00
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	13.08944G	43.02	68.20	-25.18	3	Vertical	161	1.00
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	12.97048G	40.65	68.20	-27.55	3	Vertical	3	1.53
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	13.15992G	41.85	68.20	-26.35	3	Vertical	172	1.06
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	13.38984G	42.82	54.00	-11.18	3	Vertical	77	1.97
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	13.39058G	42.89	54.00	-11.11	3	Vertical	77	1.91
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	13.37102G	42.85	54.00	-11.15	3	Vertical	77	1.93
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	13.25084G	49.89	74.00	-24.11	3	Horizontal	185	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	13.33424G	41.61	54.00	-12.39	3	Vertical	80	1.93
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	13.55784G	42.06	68.20	-26.14	3	Horizontal	67	2.35
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	7.1255G	68.02	68.20	-0.18	3	Vertical	215	2.39
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	7.1255G	67.90	68.20	-0.30	3	Vertical	209	1.69
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	7.1252G	64.59	68.20	-3.61	3	Vertical	215	2.11
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	7.1255G	58.20	68.20	-10.00	3	Vertical	214	2.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	7.126G	62.00	68.20	-6.20	3	Vertical	217	2.44
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	7.25G	53.18	54.00	-0.82	3	Vertical	216	2.40

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	43.33	68.20	-24.87	3	Vertical	231	2.43
5955MHz	Pass	AV	5.9613G	99.00	Inf	-Inf	3	Vertical	231	2.43
5955MHz	Pass	PK	5.8929G	53.96	88.20	-34.24	3	Vertical	231	2.43
5955MHz	Pass	PK	5.9565G	107.14	Inf	-Inf	3	Vertical	231	2.43
5955MHz	Pass	AV	11.91076G	40.51	54.00	-13.49	3	Vertical	252	2.21
5955MHz	Pass	PK	11.90942G	49.22	74.00	-24.78	3	Vertical	252	2.21
5955MHz	Pass	AV	11.91698G	39.91	54.00	-14.09	3	Horizontal	55	2.65
5955MHz	Pass	PK	11.90658G	49.66	74.00	-24.34	3	Horizontal	55	2.65
6195MHz	Pass	AV	12.39026G	41.22	54.00	-12.78	3	Vertical	229	2.11
6195MHz	Pass	PK	12.3863G	50.06	74.00	-23.94	3	Vertical	229	2.11
6195MHz	Pass	AV	12.38932G	39.82	54.00	-14.18	3	Horizontal	189	1.50
6195MHz	Pass	PK	12.38438G	49.87	74.00	-24.13	3	Horizontal	189	1.50
6415MHz	Pass	AV	12.83062G	41.23	68.20	-26.97	3	Vertical	173	1.98
6415MHz	Pass	PK	12.8389G	50.55	88.20	-37.65	3	Vertical	173	1.98
6415MHz	Pass	AV	12.83648G	40.96	68.20	-27.24	3	Horizontal	348	1.50
6415MHz	Pass	PK	12.82082G	50.14	88.20	-38.06	3	Horizontal	348	1.50
6435MHz	Pass	AV	12.8693G	41.39	68.20	-26.81	3	Vertical	160	1.03
6435MHz	Pass	PK	12.87028G	50.22	88.20	-37.98	3	Vertical	160	1.03
6435MHz	Pass	AV	12.86594G	41.05	68.20	-27.15	3	Horizontal	37	1.50
6435MHz	Pass	PK	12.87952G	50.29	88.20	-37.91	3	Horizontal	37	1.50
6475MHz	Pass	AV	12.9492G	41.54	68.20	-26.66	3	Vertical	168	1.26
6475MHz	Pass	PK	12.94824G	50.33	88.20	-37.87	3	Vertical	168	1.26
6475MHz	Pass	AV	12.94764G	40.90	68.20	-27.30	3	Horizontal	74	2.56
6475MHz	Pass	PK	12.95302G	49.96	88.20	-38.24	3	Horizontal	74	2.56
6515MHz	Pass	AV	13.0302G	42.74	68.20	-25.46	3	Vertical	160	1.06
6515MHz	Pass	PK	13.03058G	51.49	88.20	-36.71	3	Vertical	160	1.06
6515MHz	Pass	AV	13.0343G	40.50	68.20	-27.70	3	Horizontal	70	2.12
6515MHz	Pass	PK	13.03544G	49.47	88.20	-38.73	3	Horizontal	70	2.12
6535MHz	Pass	AV	13.06962G	42.83	68.20	-25.37	3	Vertical	160	1.03
6535MHz	Pass	PK	13.07204G	51.94	88.20	-36.26	3	Vertical	160	1.03
6535MHz	Pass	AV	13.07272G	40.76	68.20	-27.44	3	Horizontal	191	2.71
6535MHz	Pass	PK	13.06262G	49.57	88.20	-38.63	3	Horizontal	191	2.71
6695MHz	Pass	AV	13.38984G	42.82	54.00	-11.18	3	Vertical	77	1.97
6695MHz	Pass	PK	13.38904G	51.16	74.00	-22.84	3	Vertical	77	1.97
6695MHz	Pass	AV	13.38856G	41.10	54.00	-12.90	3	Horizontal	154	2.37
6695MHz	Pass	PK	13.397G	50.59	74.00	-23.41	3	Horizontal	154	2.37
6875MHz	Pass	AV	13.75056G	42.74	68.20	-25.46	3	Vertical	165	1.57
6875MHz	Pass	PK	13.74456G	51.78	88.20	-36.42	3	Vertical	165	1.57
6875MHz	Pass	AV	13.75146G	42.18	68.20	-26.02	3	Horizontal	333	1.52
6875MHz	Pass	PK	13.7555G	50.93	88.20	-37.27	3	Horizontal	333	1.52
6895MHz	Pass	AV	13.79054G	42.46	68.20	-25.74	3	Vertical	166	1.61
6895MHz	Pass	PK	13.7823G	51.26	88.20	-36.94	3	Vertical	166	1.61
6895MHz	Pass	AV	13.78376G	41.95	68.20	-26.25	3	Horizontal	0	1.75
6895MHz	Pass	PK	13.7867G	50.67	88.20	-37.53	3	Horizontal	0	1.75
6995MHz	Pass	AV	13.98192G	42.34	68.20	-25.86	3	Vertical	273	3.00
6995MHz	Pass	PK	13.99524G	52.09	88.20	-36.11	3	Vertical	273	3.00
6995MHz	Pass	AV	13.98266G	42.43	68.20	-25.77	3	Horizontal	220	1.50
6995MHz	Pass	PK	13.98164G	51.84	88.20	-36.36	3	Horizontal	220	1.50
7095MHz	Pass	AV	7.0935G	100.37	Inf	-Inf	3	Vertical	214	2.40
7095MHz	Pass	AV	7.1253G	48.21	68.20	-19.99	3	Vertical	214	2.40
7095MHz	Pass	PK	7.0932G	107.16	Inf	-Inf	3	Vertical	214	2.40
7095MHz	Pass	PK	7.125G	61.70	88.20	-26.50	3	Vertical	214	2.40
7095MHz	Pass	AV	14.19044G	44.19	68.20	-24.01	3	Vertical	79	1.93
7095MHz	Pass	PK	14.18804G	53.50	88.20	-34.70	3	Vertical	79	1.93
7095MHz	Pass	AV	14.19082G	43.41	68.20	-24.79	3	Horizontal	166	2.82
7095MHz	Pass	PK	14.1869G	51.95	88.20	-36.25	3	Horizontal	166	2.82
7115MHz	Pass	AV	7.1095G	94.73	Inf	-Inf	3	Vertical	215	2.39
7115MHz	Pass	AV	7.1255G	68.02	68.20	-0.18	3	Vertical	215	2.39
7115MHz	Pass	PK	7.1105G	100.48	Inf	-Inf	3	Vertical	215	2.39
7115MHz	Pass	PK	7.1255G	75.94	88.20	-12.26	3	Vertical	215	2.39

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.22228G	42.96	68.20	-25.24	3	Vertical	0	1.50
7115MHz	Pass	PK	14.23638G	51.83	88.20	-36.37	3	Vertical	0	1.50
7115MHz	Pass	AV	14.221G	43.10	68.20	-25.10	3	Horizontal	190	1.50
7115MHz	Pass	PK	14.221G	51.54	88.20	-36.66	3	Horizontal	190	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	44.19	68.20	-24.01	3	Vertical	232	2.42
5955MHz	Pass	AV	5.9625G	98.94	Inf	-Inf	3	Vertical	232	2.42
5955MHz	Pass	PK	5.9241G	58.73	88.20	-29.47	3	Vertical	232	2.42
5955MHz	Pass	PK	5.9481G	109.13	Inf	-Inf	3	Vertical	232	2.42
5955MHz	Pass	AV	11.90984G	40.56	54.00	-13.44	3	Vertical	36	2.33
5955MHz	Pass	PK	11.9099G	48.65	74.00	-25.35	3	Vertical	36	2.33
5955MHz	Pass	AV	11.91298G	39.31	54.00	-14.69	3	Horizontal	47	2.59
5955MHz	Pass	PK	11.90466G	48.77	74.00	-25.23	3	Horizontal	47	2.59
6195MHz	Pass	AV	12.38942G	41.26	54.00	-12.74	3	Vertical	230	2.09
6195MHz	Pass	PK	12.38524G	49.71	74.00	-24.29	3	Vertical	230	2.09
6195MHz	Pass	AV	12.38604G	39.79	54.00	-14.21	3	Horizontal	130	1.50
6195MHz	Pass	PK	12.39058G	48.69	74.00	-25.31	3	Horizontal	130	1.50
6415MHz	Pass	AV	12.83668G	41.11	68.20	-27.09	3	Vertical	157	1.50
6415MHz	Pass	PK	12.83658G	49.50	88.20	-38.70	3	Vertical	157	1.50
6415MHz	Pass	AV	12.84G	40.95	68.20	-27.25	3	Horizontal	21	1.50
6415MHz	Pass	PK	12.8221G	50.73	88.20	-37.47	3	Horizontal	21	1.50
6435MHz	Pass	AV	12.87138G	41.02	68.20	-27.18	3	Vertical	329	1.50
6435MHz	Pass	PK	12.86692G	50.19	88.20	-38.01	3	Vertical	329	1.50
6435MHz	Pass	AV	12.8665G	41.01	68.20	-27.19	3	Horizontal	241	1.25
6435MHz	Pass	PK	12.878G	49.93	88.20	-38.27	3	Horizontal	241	1.25
6475MHz	Pass	AV	12.94968G	41.51	68.20	-26.69	3	Vertical	167	1.31
6475MHz	Pass	PK	12.95216G	50.52	88.20	-37.68	3	Vertical	167	1.31
6475MHz	Pass	AV	12.95028G	40.75	68.20	-27.45	3	Horizontal	81	1.02
6475MHz	Pass	PK	12.95864G	50.04	88.20	-38.16	3	Horizontal	81	1.02
6515MHz	Pass	AV	13.02972G	42.51	68.20	-25.69	3	Vertical	161	1.06
6515MHz	Pass	PK	13.03012G	51.74	88.20	-36.46	3	Vertical	161	1.06
6515MHz	Pass	AV	13.03146G	40.37	68.20	-27.83	3	Horizontal	35	2.68
6515MHz	Pass	PK	13.02116G	49.61	88.20	-38.59	3	Horizontal	35	2.68
6535MHz	Pass	AV	13.06958G	42.97	68.20	-25.23	3	Vertical	159	1.00
6535MHz	Pass	PK	13.06502G	51.91	88.20	-36.29	3	Vertical	159	1.00
6535MHz	Pass	AV	13.06878G	40.54	68.20	-27.66	3	Horizontal	360	1.50
6535MHz	Pass	PK	13.07952G	50.22	88.20	-37.98	3	Horizontal	360	1.50
6695MHz	Pass	AV	13.39058G	42.89	54.00	-11.11	3	Vertical	77	1.91
6695MHz	Pass	PK	13.3949G	51.52	74.00	-22.48	3	Vertical	77	1.91
6695MHz	Pass	AV	13.38888G	41.06	54.00	-12.94	3	Horizontal	41	1.50
6695MHz	Pass	PK	13.38146G	50.77	74.00	-23.23	3	Horizontal	41	1.50
6875MHz	Pass	AV	13.74954G	42.91	68.20	-25.29	3	Vertical	165	1.66
6875MHz	Pass	PK	13.74532G	52.64	88.20	-35.56	3	Vertical	165	1.66
6875MHz	Pass	AV	13.74688G	42.07	68.20	-26.13	3	Horizontal	268	1.50
6875MHz	Pass	PK	13.75604G	50.91	88.20	-37.29	3	Horizontal	268	1.50
6895MHz	Pass	AV	13.78714G	42.24	68.20	-25.96	3	Vertical	202	1.50
6895MHz	Pass	PK	13.79994G	50.59	88.20	-37.61	3	Vertical	202	1.50
6895MHz	Pass	AV	13.78216G	41.95	68.20	-26.25	3	Horizontal	263	1.94
6895MHz	Pass	PK	13.78952G	51.56	88.20	-36.64	3	Horizontal	263	1.94
6995MHz	Pass	AV	13.99978G	42.45	68.20	-25.75	3	Vertical	290	1.27
6995MHz	Pass	PK	13.99614G	51.34	88.20	-36.86	3	Vertical	290	1.27
6995MHz	Pass	AV	13.9808G	42.41	68.20	-25.79	3	Horizontal	92	1.50
6995MHz	Pass	PK	13.98232G	51.96	88.20	-36.24	3	Horizontal	92	1.50
7095MHz	Pass	AV	7.0914G	98.68	Inf	-Inf	3	Vertical	209	2.07
7095MHz	Pass	AV	7.1253G	50.00	68.20	-18.20	3	Vertical	209	2.07
7095MHz	Pass	PK	7.0884G	110.17	Inf	-Inf	3	Vertical	209	2.07
7095MHz	Pass	PK	7.1256G	65.68	88.20	-22.52	3	Vertical	209	2.07
7095MHz	Pass	AV	14.19016G	46.02	68.20	-22.18	3	Vertical	83	2.85
7095MHz	Pass	PK	14.19466G	54.58	88.20	-33.62	3	Vertical	83	2.85
7095MHz	Pass	AV	14.19036G	43.04	68.20	-25.16	3	Horizontal	292	1.05
7095MHz	Pass	PK	14.19774G	52.65	88.20	-35.55	3	Horizontal	292	1.05
7115MHz	Pass	AV	7.1105G	95.04	Inf	-Inf	3	Vertical	209	1.69

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	7.1255G	67.90	68.20	-0.30	3	Vertical	209	1.69
7115MHz	Pass	PK	7.1085G	101.38	Inf	-Inf	3	Vertical	209	1.69
7115MHz	Pass	PK	7.1255G	78.95	88.20	-9.25	3	Vertical	209	1.69
7115MHz	Pass	AV	14.223G	42.60	68.20	-25.60	3	Vertical	78	1.14
7115MHz	Pass	PK	14.2286G	52.35	88.20	-35.85	3	Vertical	78	1.14
7115MHz	Pass	AV	14.22496G	42.49	68.20	-25.71	3	Horizontal	237	3.00
7115MHz	Pass	PK	14.23298G	52.90	88.20	-35.30	3	Horizontal	237	3.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	56.85	68.20	-11.35	3	Vertical	206	2.27
5965MHz	Pass	AV	5.9782G	98.96	Inf	-Inf	3	Vertical	206	2.27
5965MHz	Pass	PK	5.9248G	75.69	88.20	-12.51	3	Vertical	206	2.27
5965MHz	Pass	PK	5.9833G	110.43	Inf	-Inf	3	Vertical	206	2.27
5965MHz	Pass	AV	11.92952G	40.21	54.00	-13.79	3	Vertical	39	2.35
5965MHz	Pass	PK	11.92056G	51.14	74.00	-22.86	3	Vertical	39	2.35
5965MHz	Pass	AV	11.93282G	39.03	54.00	-14.97	3	Horizontal	326	1.50
5965MHz	Pass	PK	11.93314G	48.45	74.00	-25.55	3	Horizontal	326	1.50
6205MHz	Pass	AV	12.41078G	41.43	54.00	-12.57	3	Vertical	180	3.00
6205MHz	Pass	PK	12.40922G	50.65	74.00	-23.35	3	Vertical	180	3.00
6205MHz	Pass	AV	12.41766G	39.88	54.00	-14.12	3	Horizontal	244	1.05
6205MHz	Pass	PK	12.40986G	49.46	74.00	-24.54	3	Horizontal	244	1.05
6405MHz	Pass	AV	12.8105G	41.22	68.20	-26.98	3	Vertical	173	2.23
6405MHz	Pass	PK	12.81158G	51.01	88.20	-37.19	3	Vertical	173	2.23
6405MHz	Pass	AV	12.81126G	40.79	68.20	-27.41	3	Horizontal	309	1.50
6405MHz	Pass	PK	12.80674G	50.81	88.20	-37.39	3	Horizontal	309	1.50
6445MHz	Pass	AV	12.8906G	40.99	68.20	-27.21	3	Vertical	360	2.47
6445MHz	Pass	PK	12.8917G	51.08	88.20	-37.12	3	Vertical	360	2.47
6445MHz	Pass	AV	12.89952G	40.95	68.20	-27.25	3	Horizontal	270	2.41
6445MHz	Pass	PK	12.88382G	50.24	88.20	-37.96	3	Horizontal	270	2.41
6485MHz	Pass	AV	12.96522G	41.35	68.20	-26.85	3	Vertical	179	1.50
6485MHz	Pass	PK	12.97716G	50.87	88.20	-37.33	3	Vertical	179	1.50
6485MHz	Pass	AV	12.96988G	40.78	68.20	-27.42	3	Horizontal	142	1.00
6485MHz	Pass	PK	12.96682G	50.02	88.20	-38.18	3	Horizontal	142	1.00
6525MHz	Pass	AV	13.05016G	43.32	68.20	-24.88	3	Vertical	159	1.00
6525MHz	Pass	PK	13.0502G	51.67	88.20	-36.53	3	Vertical	159	1.00
6525MHz	Pass	AV	13.05696G	40.38	68.20	-27.82	3	Horizontal	328	1.41
6525MHz	Pass	PK	13.05786G	50.01	88.20	-38.19	3	Horizontal	328	1.41
6565MHz	Pass	AV	13.13116G	41.99	68.20	-26.21	3	Vertical	39	1.49
6565MHz	Pass	PK	13.12234G	51.10	88.20	-37.10	3	Vertical	39	1.49
6565MHz	Pass	AV	13.13836G	40.73	68.20	-27.47	3	Horizontal	263	1.22
6565MHz	Pass	PK	13.13772G	49.15	88.20	-39.05	3	Horizontal	263	1.22
6685MHz	Pass	AV	13.37102G	42.85	54.00	-11.15	3	Vertical	77	1.93
6685MHz	Pass	PK	13.37416G	52.70	74.00	-21.30	3	Vertical	77	1.93
6685MHz	Pass	AV	13.36916G	41.56	54.00	-12.44	3	Horizontal	230	2.47
6685MHz	Pass	PK	13.37876G	50.82	74.00	-23.18	3	Horizontal	230	2.47
6885MHz	Pass	AV	13.76724G	42.51	68.20	-25.69	3	Vertical	166	1.51
6885MHz	Pass	PK	13.76808G	51.45	88.20	-36.75	3	Vertical	166	1.51
6885MHz	Pass	AV	13.77922G	41.87	68.20	-26.33	3	Horizontal	350	2.69
6885MHz	Pass	PK	13.76888G	50.78	88.20	-37.42	3	Horizontal	350	2.69
6925MHz	Pass	AV	13.8409G	42.02	68.20	-26.18	3	Vertical	166	2.74
6925MHz	Pass	PK	13.8452G	51.79	88.20	-36.41	3	Vertical	166	2.74
6925MHz	Pass	AV	13.85996G	41.64	68.20	-26.56	3	Horizontal	8	2.51
6925MHz	Pass	PK	13.8464G	50.41	88.20	-37.79	3	Horizontal	8	2.51
7005MHz	Pass	AV	14.01498G	42.61	68.20	-25.59	3	Vertical	157	1.86
7005MHz	Pass	PK	14.01312G	51.34	88.20	-36.86	3	Vertical	157	1.86
7005MHz	Pass	AV	14.01176G	42.61	68.20	-25.59	3	Horizontal	124	2.29
7005MHz	Pass	PK	14.01916G	51.80	88.20	-36.40	3	Horizontal	124	2.29
7085MHz	Pass	AV	7.0775G	97.87	Inf	-Inf	3	Vertical	215	2.11
7085MHz	Pass	AV	7.1252G	64.59	68.20	-3.61	3	Vertical	215	2.11
7085MHz	Pass	PK	7.0802G	109.08	Inf	-Inf	3	Vertical	215	2.11
7085MHz	Pass	PK	7.1252G	78.89	88.20	-9.31	3	Vertical	215	2.11
7085MHz	Pass	AV	14.16142G	43.05	68.20	-25.15	3	Vertical	267	1.50
7085MHz	Pass	PK	14.1732G	51.15	88.20	-37.05	3	Vertical	267	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	14.16074G	42.99	68.20	-25.21	3	Horizontal	18	1.50
7085MHz	Pass	PK	14.16438G	52.49	88.20	-35.71	3	Horizontal	18	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	58.49	68.20	-9.71	3	Vertical	211	2.18
5985MHz	Pass	AV	5.9915G	96.45	Inf	-Inf	3	Vertical	211	2.18
5985MHz	Pass	PK	5.919G	73.11	88.20	-15.09	3	Vertical	211	2.18
5985MHz	Pass	PK	5.995G	107.48	Inf	-Inf	3	Vertical	211	2.18
5985MHz	Pass	AV	11.964G	39.06	54.00	-14.94	3	Vertical	279	1.50
5985MHz	Pass	PK	11.98344G	48.47	74.00	-25.53	3	Vertical	279	1.50
5985MHz	Pass	AV	11.9622G	39.04	54.00	-14.96	3	Horizontal	156	2.04
5985MHz	Pass	PK	11.97588G	48.62	74.00	-25.38	3	Horizontal	156	2.04
6225MHz	Pass	AV	12.43964G	40.12	54.00	-13.88	3	Vertical	148	1.31
6225MHz	Pass	PK	12.44704G	49.08	74.00	-24.92	3	Vertical	148	1.31
6225MHz	Pass	AV	12.46004G	39.68	54.00	-14.32	3	Horizontal	344	1.50
6225MHz	Pass	PK	12.46144G	49.29	74.00	-24.71	3	Horizontal	344	1.50
6385MHz	Pass	AV	12.78572G	40.73	68.20	-27.47	3	Vertical	297	1.50
6385MHz	Pass	PK	12.75928G	49.66	88.20	-38.54	3	Vertical	297	1.50
6385MHz	Pass	AV	12.78896G	40.65	68.20	-27.55	3	Horizontal	162	1.50
6385MHz	Pass	PK	12.77812G	49.05	88.20	-39.15	3	Horizontal	162	1.50
6465MHz	Pass	AV	12.91008G	41.13	68.20	-27.07	3	Vertical	193	1.35
6465MHz	Pass	PK	12.94112G	50.33	88.20	-37.87	3	Vertical	193	1.35
6465MHz	Pass	AV	12.91172G	40.86	68.20	-27.34	3	Horizontal	274	1.50
6465MHz	Pass	PK	12.93672G	50.01	88.20	-38.19	3	Horizontal	274	1.50
6545MHz	Pass	AV	13.08944G	43.02	68.20	-25.18	3	Vertical	161	1.00
6545MHz	Pass	PK	13.102G	53.41	88.20	-34.79	3	Vertical	161	1.00
6545MHz	Pass	AV	13.09872G	41.06	68.20	-27.14	3	Horizontal	215	1.01
6545MHz	Pass	PK	13.07164G	49.91	88.20	-38.29	3	Horizontal	215	1.01
6625MHz	Pass	AV	13.2478G	42.61	68.20	-25.59	3	Vertical	78	2.88
6625MHz	Pass	PK	13.24264G	51.91	88.20	-36.29	3	Vertical	78	2.88
6625MHz	Pass	AV	13.23416G	40.92	68.20	-27.28	3	Horizontal	185	1.50
6625MHz	Pass	PK	13.25084G	49.89	74.00	-24.11	3	Horizontal	185	1.50
6705MHz	Pass	AV	13.41352G	42.37	68.20	-25.83	3	Vertical	76	1.21
6705MHz	Pass	PK	13.4118G	50.42	88.20	-37.78	3	Vertical	76	1.21
6705MHz	Pass	AV	13.41208G	41.16	68.20	-27.04	3	Horizontal	128	2.49
6705MHz	Pass	PK	13.42976G	49.84	88.20	-38.36	3	Horizontal	128	2.49
6785MHz	Pass	AV	13.55572G	42.56	68.20	-25.64	3	Vertical	208	1.40
6785MHz	Pass	PK	13.56808G	51.84	88.20	-36.36	3	Vertical	208	1.40
6785MHz	Pass	AV	13.5618G	42.16	68.20	-26.04	3	Horizontal	184	1.73
6785MHz	Pass	PK	13.57056G	50.30	88.20	-37.90	3	Horizontal	184	1.73
6865MHz	Pass	AV	13.72052G	42.60	68.20	-25.60	3	Vertical	28	1.23
6865MHz	Pass	PK	13.7112G	50.82	88.20	-37.38	3	Vertical	28	1.23
6865MHz	Pass	AV	13.71576G	42.36	68.20	-25.84	3	Horizontal	75	1.00
6865MHz	Pass	PK	13.7298G	51.13	88.20	-37.07	3	Horizontal	75	1.00
6945MHz	Pass	AV	13.8942G	42.06	68.20	-26.14	3	Vertical	95	2.85
6945MHz	Pass	PK	13.87008G	50.82	88.20	-37.38	3	Vertical	95	2.85
6945MHz	Pass	AV	13.90332G	41.99	68.20	-26.21	3	Horizontal	164	1.06
6945MHz	Pass	PK	13.90084G	49.96	88.20	-38.24	3	Horizontal	164	1.06
7025MHz	Pass	AV	6.9962G	96.77	Inf	-Inf	3	Vertical	214	2.50
7025MHz	Pass	AV	7.1255G	58.20	68.20	-10.00	3	Vertical	214	2.50
7025MHz	Pass	PK	6.9935G	107.76	Inf	-Inf	3	Vertical	214	2.50
7025MHz	Pass	PK	7.1258G	71.54	88.20	-16.66	3	Vertical	214	2.50
7025MHz	Pass	AV	14.0636G	42.79	68.20	-25.41	3	Vertical	106	2.37
7025MHz	Pass	PK	14.0336G	51.12	88.20	-37.08	3	Vertical	106	2.37
7025MHz	Pass	AV	14.06472G	42.75	68.20	-25.45	3	Horizontal	2	1.50
7025MHz	Pass	PK	14.0454G	51.88	88.20	-36.32	3	Horizontal	2	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	60.83	68.20	-7.37	3	Vertical	209	2.18
6025MHz	Pass	AV	5.993G	94.15	Inf	-Inf	3	Vertical	209	2.18
6025MHz	Pass	PK	5.9245G	73.97	88.20	-14.23	3	Vertical	209	2.18
6025MHz	Pass	PK	5.9885G	104.77	Inf	-Inf	3	Vertical	209	2.18
6025MHz	Pass	AV	12.04176G	39.45	54.00	-14.55	3	Vertical	39	2.65
6025MHz	Pass	PK	12.02984G	48.78	74.00	-25.22	3	Vertical	39	2.65

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.0104G	39.15	54.00	-14.85	3	Horizontal	287	1.50
6025MHz	Pass	PK	12.01288G	47.23	74.00	-26.77	3	Horizontal	287	1.50
6185MHz	Pass	AV	12.3556G	39.73	54.00	-14.27	3	Vertical	266	1.50
6185MHz	Pass	PK	12.36368G	48.76	74.00	-25.24	3	Vertical	266	1.50
6185MHz	Pass	AV	12.35712G	39.73	54.00	-14.27	3	Horizontal	77	1.50
6185MHz	Pass	PK	12.36952G	47.99	74.00	-26.01	3	Horizontal	77	1.50
6345MHz	Pass	AV	12.72464G	40.23	68.20	-27.97	3	Vertical	330	1.50
6345MHz	Pass	PK	12.69816G	48.90	74.00	-25.10	3	Vertical	330	1.50
6345MHz	Pass	AV	12.72472G	40.24	68.20	-27.96	3	Horizontal	51	1.50
6345MHz	Pass	PK	12.66816G	49.13	74.00	-24.87	3	Horizontal	51	1.50
6505MHz	Pass	AV	12.97048G	40.65	68.20	-27.55	3	Vertical	3	1.53
6505MHz	Pass	PK	12.99896G	48.56	88.20	-39.64	3	Vertical	3	1.53
6505MHz	Pass	AV	12.97112G	40.59	68.20	-27.61	3	Horizontal	196	1.64
6505MHz	Pass	PK	12.98128G	50.41	88.20	-37.79	3	Horizontal	196	1.64
6665MHz	Pass	AV	13.33424G	41.61	54.00	-12.39	3	Vertical	80	1.93
6665MHz	Pass	PK	13.34616G	50.55	74.00	-23.45	3	Vertical	80	1.93
6665MHz	Pass	AV	13.36992G	40.87	54.00	-13.13	3	Horizontal	259	1.50
6665MHz	Pass	PK	13.36304G	50.65	74.00	-23.35	3	Horizontal	259	1.50
6825MHz	Pass	AV	13.67048G	42.51	68.20	-25.69	3	Vertical	357	1.80
6825MHz	Pass	PK	13.6316G	50.69	88.20	-37.51	3	Vertical	357	1.80
6825MHz	Pass	AV	13.63472G	42.34	68.20	-25.86	3	Horizontal	244	2.33
6825MHz	Pass	PK	13.67048G	51.76	88.20	-36.44	3	Horizontal	244	2.33
6985MHz	Pass	AV	6.92G	95.62	Inf	-Inf	3	Vertical	217	2.44
6985MHz	Pass	AV	7.126G	62.00	68.20	-6.20	3	Vertical	217	2.44
6985MHz	Pass	PK	6.91G	106.40	Inf	-Inf	3	Vertical	217	2.44
6985MHz	Pass	PK	7.1385G	73.46	88.20	-14.74	3	Vertical	217	2.44
6985MHz	Pass	AV	14.00384G	42.40	68.20	-25.80	3	Vertical	42	1.50
6985MHz	Pass	PK	13.96184G	50.88	88.20	-37.32	3	Vertical	42	1.50
6985MHz	Pass	AV	14.01G	42.39	68.20	-25.81	3	Horizontal	351	2.56
6985MHz	Pass	PK	13.984G	50.52	88.20	-37.68	3	Horizontal	351	2.56
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	56.30	68.20	-11.90	3	Vertical	212	2.60
6105MHz	Pass	AV	5.997G	91.80	Inf	-Inf	3	Vertical	212	2.60
6105MHz	Pass	PK	5.924G	71.30	88.20	-16.90	3	Vertical	212	2.60
6105MHz	Pass	PK	5.997G	103.24	Inf	-Inf	3	Vertical	212	2.60
6105MHz	Pass	AV	12.27928G	39.68	54.00	-14.32	3	Vertical	254	1.08
6105MHz	Pass	PK	12.2444G	48.57	74.00	-25.43	3	Vertical	254	1.08
6105MHz	Pass	AV	12.27736G	39.71	54.00	-14.29	3	Horizontal	226	1.43
6105MHz	Pass	PK	12.2564G	48.17	74.00	-25.83	3	Horizontal	226	1.43
6265MHz	Pass	AV	12.50264G	39.68	54.00	-14.32	3	Vertical	187	1.90
6265MHz	Pass	PK	12.55288G	50.29	74.00	-23.71	3	Vertical	187	1.90
6265MHz	Pass	AV	12.51928G	39.66	54.00	-14.34	3	Horizontal	12	1.50
6265MHz	Pass	PK	12.58616G	48.66	74.00	-25.34	3	Horizontal	12	1.50
6425MHz	Pass	AV	12.90424G	40.94	68.20	-27.26	3	Vertical	181	2.85
6425MHz	Pass	PK	12.79896G	49.40	88.20	-38.80	3	Vertical	181	2.85
6425MHz	Pass	AV	12.90232G	40.87	68.20	-27.33	3	Horizontal	297	1.50
6425MHz	Pass	PK	12.85608G	50.19	88.20	-38.01	3	Horizontal	297	1.50
6585MHz	Pass	AV	13.15992G	41.85	68.20	-26.35	3	Vertical	172	1.06
6585MHz	Pass	PK	13.23384G	49.83	88.20	-38.37	3	Vertical	172	1.06
6585MHz	Pass	AV	13.24824G	40.75	68.20	-27.45	3	Horizontal	179	2.91
6585MHz	Pass	PK	13.1028G	49.33	88.20	-38.87	3	Horizontal	179	2.91
6745MHz	Pass	AV	13.55768G	42.04	68.20	-26.16	3	Vertical	133	1.47
6745MHz	Pass	PK	13.55192G	50.90	88.20	-37.30	3	Vertical	133	1.47
6745MHz	Pass	AV	13.55784G	42.06	68.20	-26.14	3	Horizontal	67	2.35
6745MHz	Pass	PK	13.54184G	50.49	88.20	-37.71	3	Horizontal	67	2.35
6905MHz	Pass	AV	6.87G	90.84	Inf	-Inf	3	Vertical	216	2.40
6905MHz	Pass	AV	7.25G	53.18	54.00	-0.82	3	Vertical	216	2.40
6905MHz	Pass	PK	6.867G	102.08	Inf	-Inf	3	Vertical	216	2.40
6905MHz	Pass	PK	7.25G	62.87	74.00	-11.13	3	Vertical	216	2.40
6905MHz	Pass	PK	7.252G	64.48	74.00	-9.52	3	Vertical	216	2.40
6905MHz	Pass	AV	13.74728G	42.06	68.20	-26.14	3	Vertical	226	2.34
6905MHz	Pass	PK	13.73336G	50.67	88.20	-37.53	3	Vertical	226	2.34




RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S_LPI

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	AV	13.7492G	42.00	68.20	-26.20	3	Horizontal	14	2.41
6905MHz	Pass	PK	13.84456G	51.01	88.20	-37.19	3	Horizontal	14	2.41


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	56.85	68.20	-11.35	1.89	3	Vertical	206	2.27	54.96	34.55	5.18	37.84
AV	5.9782G	98.96	Inf	-Inf	1.96	3	Vertical	206	2.27	97.00	34.50	5.26	37.80
PK	5.9248G	75.69	88.20	-12.51	1.89	3	Vertical	206	2.27	73.80	34.55	5.18	37.84
PK	5.9833G	110.43	Inf	-Inf	1.97	3	Vertical	206	2.27	108.46	34.50	5.26	37.79

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92952G	40.21	54.00	-13.79	9.58	3	Vertical	39	2.35	30.63	39.16	8.36	37.94
PK	11.92056G	51.14	74.00	-22.86	9.56	3	Vertical	39	2.35	41.58	39.14	8.36	37.94


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	60.83	68.20	-7.37	1.89	3	Vertical	209	2.18	58.94	34.55	5.18	37.84
AV	5.993G	94.15	Inf	-Inf	1.99	3	Vertical	209	2.18	92.16	34.50	5.28	37.79
PK	5.9245G	73.97	88.20	-14.23	1.89	3	Vertical	209	2.18	72.08	34.55	5.18	37.84
PK	5.9885G	104.77	Inf	-Inf	1.98	3	Vertical	209	2.18	102.79	34.50	5.27	37.79

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04176G	39.45	54.00	-14.55	9.80	3	Vertical	39	2.65	29.65	39.38	8.42	38.00
PK	12.02984G	48.78	74.00	-25.22	9.79	3	Vertical	39	2.65	38.99	39.36	8.42	37.99


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_1TX

6515MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_1TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_1TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1095G	94.73	Inf	-Inf	5.49	3	Vertical	215	2.39	89.24	36.86	5.86	37.23
AV	7.1255G	68.02	68.20	-0.18	5.61	3	Vertical	215	2.39	62.41	36.95	5.87	37.21
PK	7.1105G	100.48	Inf	-Inf	5.49	3	Vertical	215	2.39	94.99	36.86	5.86	37.23
PK	7.1255G	75.94	88.20	-12.26	5.61	3	Vertical	215	2.39	70.33	36.95	5.87	37.21

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_1TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22228G	42.96	68.20	-25.24	12.17	3	Vertical	0	1.50	30.79	40.81	9.62	38.26
PK	14.23638G	51.83	88.20	-36.37	12.13	3	Vertical	0	1.50	39.70	40.75	9.63	38.25


6.875-7.125GHz_802.11a_Nss1,(6Mbps)_1TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0775G	97.87	Inf	-Inf	5.25	3	Vertical	215	2.11	92.62	36.66	5.86	37.27
AV	7.1252G	64.59	68.20	-3.61	5.61	3	Vertical	215	2.11	58.98	36.95	5.87	37.21
PK	7.0802G	109.08	Inf	-Inf	5.27	3	Vertical	215	2.11	103.81	36.68	5.86	37.27
PK	7.1252G	78.89	88.20	-9.31	5.61	3	Vertical	215	2.11	73.28	36.95	5.87	37.21

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16142G	43.05	68.20	-25.15	12.30	3	Vertical	267	1.50	30.75	40.98	9.59	38.27
PK	14.1732G	51.15	88.20	-37.05	12.28	3	Vertical	267	1.50	38.87	40.95	9.60	38.27


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.92G	95.62	Inf	-Inf	4.72	3	Vertical	217	2.44	90.90	36.30	5.81	37.39
AV	7.126G	62.00	68.20	-6.20	5.62	3	Vertical	217	2.44	56.38	36.96	5.87	37.21
PK	6.91G	106.40	Inf	-Inf	4.72	3	Vertical	217	2.44	101.68	36.30	5.81	37.39
PK	7.1385G	73.46	88.20	-14.74	5.71	3	Vertical	217	2.44	67.75	37.03	5.87	37.19

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00384G	42.40	68.20	-25.80	12.02	3	Vertical	42	1.50	30.38	40.81	9.52	38.31
PK	13.96184G	50.88	88.20	-37.32	11.88	3	Vertical	42	1.50	39.00	40.72	9.50	38.34


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	PK	32.91M	30.62	40.00	-9.38	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	PK	32.91M	30.62	40.00	-9.38	3	Vertical	360	1.00
6265MHz	Pass	PK	61.04M	28.56	40.00	-11.44	3	Vertical	360	1.00
6265MHz	Pass	PK	89.17M	27.90	43.50	-15.60	3	Vertical	360	1.00
6265MHz	Pass	PK	271.53M	25.69	46.00	-20.31	3	Vertical	360	1.00
6265MHz	Pass	PK	302.57M	24.47	46.00	-21.53	3	Vertical	360	1.00
6265MHz	Pass	PK	671.17M	33.20	46.00	-12.80	3	Vertical	360	1.00
6265MHz	Pass	PK	61.04M	22.20	40.00	-17.80	3	Horizontal	0	1.00
6265MHz	Pass	PK	86.26M	24.97	40.00	-15.03	3	Horizontal	0	1.00
6265MHz	Pass	PK	107.6M	32.70	43.50	-10.80	3	Horizontal	0	1.00
6265MHz	Pass	PK	142.52M	24.28	43.50	-19.22	3	Horizontal	0	1.00
6265MHz	Pass	PK	271.53M	24.40	46.00	-21.60	3	Horizontal	0	1.00
6265MHz	Pass	PK	671.17M	30.48	46.00	-15.52	3	Horizontal	0	1.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	32.91M	30.62	40.00	-9.38	-4.98	3	Vertical	360	1.00	35.60	21.97	0.43	27.38
PK	61.04M	28.56	40.00	-11.44	-15.28	3	Vertical	360	1.00	43.84	11.48	0.58	27.34
PK	89.17M	27.90	43.50	-15.60	-12.63	3	Vertical	360	1.00	40.53	13.92	0.71	27.26
PK	271.53M	25.69	46.00	-20.31	-7.50	3	Vertical	360	1.00	33.19	17.90	1.25	26.65
PK	302.57M	24.47	46.00	-21.53	-7.00	3	Vertical	360	1.00	31.47	18.37	1.32	26.69
PK	671.17M	33.20	46.00	-12.80	-2.38	3	Vertical	360	1.00	35.58	24.07	1.95	28.40

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	61.04M	22.20	40.00	-17.80	-15.28	3	Horizontal	0	1.00	37.48	11.48	0.58	27.34
PK	86.26M	24.97	40.00	-15.03	-13.13	3	Horizontal	0	1.00	38.10	13.45	0.69	27.27
PK	107.6M	32.70	43.50	-10.80	-9.92	3	Horizontal	0	1.00	42.62	16.51	0.79	27.22
PK	142.52M	24.28	43.50	-19.22	-10.20	3	Horizontal	0	1.00	34.48	15.98	0.91	27.09
PK	271.53M	24.40	46.00	-21.60	-7.50	3	Horizontal	0	1.00	31.90	17.90	1.25	26.65
PK	671.17M	30.48	46.00	-15.52	-2.38	3	Horizontal	0	1.00	32.86	24.07	1.95	28.40



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.38904G	41.71	54.00	-12.29	3	Vertical	228	1.88
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.38942G	39.87	54.00	-14.13	3	Vertical	228	2.06
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	11.92862G	39.86	54.00	-14.14	3	Vertical	34	2.47
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.925G	57.94	68.20	-10.26	3	Vertical	208	2.57
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	66.39	68.20	-1.81	3	Vertical	209	2.67
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.925G	61.67	68.20	-6.53	3	Vertical	206	2.55
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.94886G	42.68	68.20	-25.52	3	Vertical	112	2.12
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.0315G	41.90	68.20	-26.30	3	Vertical	160	1.03
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.04896G	42.60	68.20	-25.60	3	Vertical	160	1.03
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.099G	42.48	68.20	-25.72	3	Vertical	36	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.00894G	40.92	68.20	-27.28	3	Vertical	178	1.31
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	13.1789G	42.24	68.20	-25.96	3	Vertical	233	1.23
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.38902G	45.19	54.00	-8.81	3	Vertical	169	1.18
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38956G	43.25	54.00	-10.75	3	Vertical	169	1.14
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.36948G	43.31	54.00	-10.69	3	Vertical	167	1.18
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.57014G	43.87	68.20	-24.33	3	Vertical	111	1.21
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.32932G	43.96	54.00	-10.04	3	Vertical	168	1.08
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.2505G	52.96	54.00	-1.04	3	Vertical	196	2.47
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	7.1255G	68.10	68.20	-0.10	3	Vertical	213	2.61
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.84	68.20	-0.36	3	Vertical	212	2.60
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	59.27	68.20	-8.93	3	Vertical	209	2.53
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	7.1711G	46.79	68.20	-21.41	3	Vertical	198	2.59
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	7.126G	65.39	68.20	-2.81	3	Vertical	200	2.46

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9202G	42.58	68.20	-25.62	3	Vertical	210	2.63
5955MHz	Pass	AV	5.9595G	98.86	Inf	-Inf	3	Vertical	210	2.63
5955MHz	Pass	PK	5.9208G	53.14	88.20	-35.06	3	Vertical	210	2.63
5955MHz	Pass	PK	5.9592G	106.24	Inf	-Inf	3	Vertical	210	2.63
5955MHz	Pass	AV	11.91234G	41.38	54.00	-12.62	3	Vertical	41	1.56
5955MHz	Pass	PK	11.90916G	50.47	74.00	-23.53	3	Vertical	41	1.56
5955MHz	Pass	AV	11.91355G	41.16	54.00	-12.84	3	Horizontal	85	2.05
5955MHz	Pass	PK	11.91203G	50.82	74.00	-23.18	3	Horizontal	85	2.05
6195MHz	Pass	AV	12.38904G	41.71	54.00	-12.29	3	Vertical	228	1.88
6195MHz	Pass	PK	12.38944G	50.69	74.00	-23.31	3	Vertical	228	1.88
6195MHz	Pass	AV	12.39216G	41.24	54.00	-12.76	3	Horizontal	107	2.07
6195MHz	Pass	PK	12.38194G	50.36	74.00	-23.64	3	Horizontal	107	2.07
6415MHz	Pass	AV	12.8325G	42.54	68.20	-25.66	3	Vertical	329	2.52
6415MHz	Pass	PK	12.82988G	51.83	88.20	-36.37	3	Vertical	329	2.52
6415MHz	Pass	AV	12.82986G	42.62	68.20	-25.58	3	Horizontal	249	1.00
6415MHz	Pass	PK	12.83276G	52.49	88.20	-35.71	3	Horizontal	249	1.00
6435MHz	Pass	AV	12.87456G	42.60	68.20	-25.60	3	Vertical	24	1.33
6435MHz	Pass	PK	12.8789G	51.97	88.20	-36.23	3	Vertical	24	1.33
6435MHz	Pass	AV	12.87508G	42.60	68.20	-25.60	3	Horizontal	166	1.50
6435MHz	Pass	PK	12.87976G	52.38	88.20	-35.82	3	Horizontal	166	1.50
6475MHz	Pass	AV	12.94886G	42.68	68.20	-25.52	3	Vertical	112	2.12
6475MHz	Pass	PK	12.94802G	51.27	88.20	-36.93	3	Vertical	112	2.12
6475MHz	Pass	AV	12.94768G	42.55	68.20	-25.65	3	Horizontal	255	2.25
6475MHz	Pass	PK	12.9444G	51.79	88.20	-36.41	3	Horizontal	255	2.25
6515MHz	Pass	PK	13.02208G	51.99	88.20	-36.21	3	Vertical	269	2.49
6515MHz	Pass	AV	13.0361G	42.17	68.20	-26.03	3	Vertical	269	2.49
6515MHz	Pass	PK	13.02422G	50.82	88.20	-37.38	3	Horizontal	31	2.36
6515MHz	Pass	AV	13.03246G	42.24	68.20	-25.96	3	Horizontal	31	2.36
6535MHz	Pass	AV	13.0682G	43.78	68.20	-24.42	3	Vertical	156	1.15
6535MHz	Pass	PK	13.0672G	52.95	88.20	-35.25	3	Vertical	156	1.15
6535MHz	Pass	AV	13.06646G	42.49	68.20	-25.71	3	Horizontal	182	1.92
6535MHz	Pass	PK	13.07626G	51.40	88.20	-36.80	3	Horizontal	182	1.92
6695MHz	Pass	AV	13.38902G	45.19	54.00	-8.81	3	Vertical	169	1.18
6695MHz	Pass	PK	13.38898G	54.13	74.00	-19.87	3	Vertical	169	1.18
6695MHz	Pass	AV	13.39764G	43.17	54.00	-10.83	3	Horizontal	341	1.50
6695MHz	Pass	PK	13.3915G	53.07	74.00	-20.93	3	Horizontal	341	1.50
6875MHz	Pass	AV	13.75098G	45.19	68.20	-23.01	3	Vertical	41	1.00
6875MHz	Pass	PK	13.75198G	54.82	88.20	-33.38	3	Vertical	41	1.00
6875MHz	Pass	AV	13.74724G	43.90	68.20	-24.30	3	Horizontal	41	1.50
6875MHz	Pass	PK	13.74582G	52.92	88.20	-35.28	3	Horizontal	41	1.50
6895MHz	Pass	AV	13.79104G	44.61	68.20	-23.59	3	Vertical	42	1.17
6895MHz	Pass	PK	13.79116G	53.58	88.20	-34.62	3	Vertical	42	1.17
6895MHz	Pass	AV	13.78758G	43.74	68.20	-24.46	3	Horizontal	256	1.50
6895MHz	Pass	PK	13.79544G	53.55	88.20	-34.65	3	Horizontal	256	1.50
6995MHz	Pass	AV	13.982G	44.51	68.20	-23.69	3	Vertical	206	2.39
6995MHz	Pass	PK	13.99904G	54.46	88.20	-33.74	3	Vertical	206	2.39
6995MHz	Pass	AV	13.98058G	44.43	68.20	-23.77	3	Horizontal	272	2.11
6995MHz	Pass	PK	13.99694G	53.63	88.20	-34.57	3	Horizontal	272	2.11
7095MHz	Pass	AV	7.0992G	99.14	Inf	-Inf	3	Vertical	213	2.63
7095MHz	Pass	AV	7.2405G	45.98	68.20	-22.22	3	Vertical	213	2.63
7095MHz	Pass	PK	7.0998G	107.02	Inf	-Inf	3	Vertical	213	2.63
7095MHz	Pass	PK	7.2444G	57.27	88.20	-30.93	3	Vertical	213	2.63
7095MHz	Pass	AV	14.18968G	46.58	68.20	-21.62	3	Vertical	76	1.91
7095MHz	Pass	PK	14.18896G	54.88	88.20	-33.32	3	Vertical	76	1.91
7095MHz	Pass	AV	14.19016G	45.33	68.20	-22.87	3	Horizontal	214	1.07
7095MHz	Pass	PK	14.1827G	54.59	88.20	-33.61	3	Horizontal	214	1.07
7115MHz	Pass	AV	7.1195G	98.03	Inf	-Inf	3	Vertical	213	2.61
7115MHz	Pass	AV	7.1255G	68.10	68.20	-0.10	3	Vertical	213	2.61
7115MHz	Pass	PK	7.1195G	103.79	Inf	-Inf	3	Vertical	213	2.61
7115MHz	Pass	PK	7.1255G	76.11	88.20	-12.09	3	Vertical	213	2.61



RSE TX above 1GHz Non-Beamforming Radio 3 2T1S LPI

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.22758G	44.93	68.20	-23.27	3	Vertical	358	3.00
7115MHz	Pass	PK	14.22932G	53.89	88.20	-34.31	3	Vertical	358	3.00
7115MHz	Pass	AV	14.2204G	44.52	68.20	-23.68	3	Horizontal	25	1.50
7115MHz	Pass	PK	14.23532G	54.42	88.20	-33.78	3	Horizontal	25	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	42.95	68.20	-25.25	3	Vertical	209	2.52
5955MHz	Pass	AV	5.9622G	98.55	Inf	-Inf	3	Vertical	209	2.52
5955MHz	Pass	PK	5.886G	53.47	88.20	-34.73	3	Vertical	209	2.52
5955MHz	Pass	PK	5.9598G	109.54	Inf	-Inf	3	Vertical	209	2.52
5955MHz	Pass	AV	11.91324G	39.24	54.00	-14.76	3	Vertical	169	1.50
5955MHz	Pass	PK	11.90524G	48.76	74.00	-25.24	3	Vertical	169	1.50
5955MHz	Pass	AV	11.9114G	39.19	54.00	-14.81	3	Horizontal	163	1.50
5955MHz	Pass	PK	11.91594G	49.13	74.00	-24.87	3	Horizontal	163	1.50
6195MHz	Pass	AV	12.38942G	39.87	54.00	-14.13	3	Vertical	228	2.06
6195MHz	Pass	PK	12.39176G	48.46	74.00	-25.54	3	Vertical	228	2.06
6195MHz	Pass	AV	12.38484G	39.17	54.00	-14.83	3	Horizontal	324	2.85
6195MHz	Pass	PK	12.38968G	49.28	74.00	-24.72	3	Horizontal	324	2.85
6415MHz	Pass	AV	12.83848G	40.44	68.20	-27.76	3	Vertical	3	1.50
6415MHz	Pass	PK	12.824G	50.26	88.20	-37.94	3	Vertical	3	1.50
6415MHz	Pass	AV	12.835G	40.45	68.20	-27.75	3	Horizontal	204	2.59
6415MHz	Pass	PK	12.82048G	49.67	88.20	-38.53	3	Horizontal	204	2.59
6435MHz	Pass	AV	12.86926G	40.53	68.20	-27.67	3	Vertical	180	1.50
6435MHz	Pass	PK	12.86838G	50.55	88.20	-37.65	3	Vertical	180	1.50
6435MHz	Pass	AV	12.86944G	40.47	68.20	-27.73	3	Horizontal	228	2.78
6435MHz	Pass	PK	12.86578G	50.08	88.20	-38.12	3	Horizontal	228	2.78
6475MHz	Pass	AV	12.94908G	40.96	68.20	-27.24	3	Vertical	167	2.78
6475MHz	Pass	PK	12.9594G	50.37	88.20	-37.83	3	Vertical	167	2.78
6475MHz	Pass	AV	12.94988G	40.39	68.20	-27.81	3	Horizontal	160	1.91
6475MHz	Pass	PK	12.9521G	50.46	88.20	-37.74	3	Horizontal	160	1.91
6515MHz	Pass	AV	13.0315G	41.90	68.20	-26.30	3	Vertical	160	1.03
6515MHz	Pass	PK	13.02938G	51.49	88.20	-36.71	3	Vertical	160	1.03
6515MHz	Pass	AV	13.03476G	40.29	68.20	-27.91	3	Horizontal	154	1.35
6515MHz	Pass	PK	13.02674G	49.79	88.20	-38.41	3	Horizontal	154	1.35
6535MHz	Pass	AV	13.06912G	43.08	68.20	-25.12	3	Vertical	158	1.04
6535MHz	Pass	PK	13.06908G	52.80	88.20	-35.40	3	Vertical	158	1.04
6535MHz	Pass	AV	13.06922G	40.58	68.20	-27.62	3	Horizontal	26	2.14
6535MHz	Pass	PK	13.06136G	50.46	88.20	-37.74	3	Horizontal	26	2.14
6695MHz	Pass	AV	13.38956G	43.25	54.00	-10.75	3	Vertical	169	1.14
6695MHz	Pass	PK	13.38762G	52.49	74.00	-21.51	3	Vertical	169	1.14
6695MHz	Pass	AV	13.3909G	41.26	54.00	-12.74	3	Horizontal	227	2.32
6695MHz	Pass	PK	13.39132G	50.72	74.00	-23.28	3	Horizontal	227	2.32
6875MHz	Pass	AV	13.74814G	42.25	68.20	-25.95	3	Vertical	354	1.50
6875MHz	Pass	PK	13.74784G	53.24	88.20	-34.96	3	Vertical	354	1.50
6875MHz	Pass	AV	13.74822G	41.97	68.20	-26.23	3	Horizontal	200	2.95
6875MHz	Pass	PK	13.75542G	51.47	88.20	-36.73	3	Horizontal	200	2.95
6895MHz	Pass	AV	13.79048G	42.73	68.20	-25.47	3	Vertical	43	1.11
6895MHz	Pass	PK	13.78022G	52.52	88.20	-35.68	3	Vertical	43	1.11
6895MHz	Pass	AV	13.78062G	41.62	68.20	-26.58	3	Horizontal	149	1.50
6895MHz	Pass	PK	13.7818G	50.81	88.20	-37.39	3	Horizontal	149	1.50
6995MHz	Pass	AV	13.98186G	42.42	68.20	-25.78	3	Vertical	229	1.50
6995MHz	Pass	PK	13.9833G	52.35	88.20	-35.85	3	Vertical	229	1.50
6995MHz	Pass	AV	13.98096G	42.39	68.20	-25.81	3	Horizontal	55	1.50
6995MHz	Pass	PK	13.99516G	52.12	88.20	-36.08	3	Horizontal	55	1.50
7095MHz	Pass	AV	7.0875G	98.43	Inf	-Inf	3	Vertical	209	2.62
7095MHz	Pass	AV	7.1256G	46.01	68.20	-22.19	3	Vertical	209	2.62
7095MHz	Pass	PK	7.0899G	109.09	Inf	-Inf	3	Vertical	209	2.62
7095MHz	Pass	PK	7.1841G	57.50	88.20	-30.70	3	Vertical	209	2.62
7095MHz	Pass	AV	14.18974G	44.76	68.20	-23.44	3	Vertical	78	1.92
7095MHz	Pass	PK	14.19218G	53.94	88.20	-34.26	3	Vertical	78	1.92
7095MHz	Pass	AV	14.18998G	43.23	68.20	-24.97	3	Horizontal	214	1.25
7095MHz	Pass	PK	14.18778G	52.84	88.20	-35.36	3	Horizontal	214	1.25
7115MHz	Pass	AV	7.1095G	96.72	Inf	-Inf	3	Vertical	212	2.60

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	7.1255G	67.84	68.20	-0.36	3	Vertical	212	2.60
7115MHz	Pass	PK	7.1095G	102.83	Inf	-Inf	3	Vertical	212	2.60
7115MHz	Pass	PK	7.1255G	78.81	88.20	-9.39	3	Vertical	212	2.60
7115MHz	Pass	AV	14.2217G	42.40	68.20	-25.80	3	Vertical	99	2.97
7115MHz	Pass	PK	14.22662G	52.10	88.20	-36.10	3	Vertical	99	2.97
7115MHz	Pass	AV	14.22208G	42.34	68.20	-25.86	3	Horizontal	53	1.50
7115MHz	Pass	PK	14.22248G	52.38	88.20	-35.82	3	Horizontal	53	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9245G	44.76	68.20	-23.44	3	Vertical	208	2.43
5965MHz	Pass	AV	5.9797G	98.94	Inf	-Inf	3	Vertical	208	2.43
5965MHz	Pass	PK	5.9248G	63.71	88.20	-24.49	3	Vertical	208	2.43
5965MHz	Pass	PK	5.98G	109.34	Inf	-Inf	3	Vertical	208	2.43
5965MHz	Pass	AV	11.92862G	39.86	54.00	-14.14	3	Vertical	34	2.47
5965MHz	Pass	PK	11.93288G	48.80	74.00	-25.20	3	Vertical	34	2.47
5965MHz	Pass	AV	11.9294G	39.07	54.00	-14.93	3	Horizontal	252	2.39
5965MHz	Pass	PK	11.92916G	48.99	74.00	-25.01	3	Horizontal	252	2.39
6205MHz	Pass	AV	12.40942G	39.63	54.00	-14.37	3	Vertical	143	2.89
6205MHz	Pass	PK	12.41124G	48.57	74.00	-25.43	3	Vertical	143	2.89
6205MHz	Pass	AV	12.41798G	39.11	54.00	-14.89	3	Horizontal	37	1.50
6205MHz	Pass	PK	12.40372G	48.84	74.00	-25.16	3	Horizontal	37	1.50
6405MHz	Pass	AV	12.80796G	40.51	68.20	-27.69	3	Vertical	209	1.50
6405MHz	Pass	PK	12.81608G	49.99	88.20	-38.21	3	Vertical	209	1.50
6405MHz	Pass	AV	12.80544G	40.46	68.20	-27.74	3	Horizontal	97	2.92
6405MHz	Pass	PK	12.80616G	50.20	88.20	-38.00	3	Horizontal	97	2.92
6445MHz	Pass	AV	12.8891G	40.45	68.20	-27.75	3	Vertical	162	1.98
6445MHz	Pass	PK	12.8967G	50.40	88.20	-37.80	3	Vertical	162	1.98
6445MHz	Pass	AV	12.88684G	40.52	68.20	-27.68	3	Horizontal	213	2.45
6445MHz	Pass	PK	12.88498G	49.68	88.20	-38.52	3	Horizontal	213	2.45
6485MHz	Pass	AV	12.9665G	41.11	68.20	-27.09	3	Vertical	178	1.38
6485MHz	Pass	PK	12.96886G	49.67	88.20	-38.53	3	Vertical	178	1.38
6485MHz	Pass	AV	12.97786G	40.36	68.20	-27.84	3	Horizontal	296	1.50
6485MHz	Pass	PK	12.96034G	50.50	88.20	-37.70	3	Horizontal	296	1.50
6525MHz	Pass	AV	13.04896G	42.60	68.20	-25.60	3	Vertical	160	1.03
6525MHz	Pass	PK	13.05386G	52.54	88.20	-35.66	3	Vertical	160	1.03
6525MHz	Pass	AV	13.0594G	40.33	68.20	-27.87	3	Horizontal	172	1.50
6525MHz	Pass	PK	13.05204G	50.30	88.20	-37.90	3	Horizontal	172	1.50
6565MHz	Pass	AV	13.1291G	42.80	68.20	-25.40	3	Vertical	35	1.54
6565MHz	Pass	PK	13.13464G	52.02	88.20	-36.18	3	Vertical	35	1.54
6565MHz	Pass	AV	13.12924G	41.52	68.20	-26.68	3	Horizontal	213	1.09
6565MHz	Pass	PK	13.13466G	50.86	88.20	-37.34	3	Horizontal	213	1.09
6685MHz	Pass	AV	13.36948G	43.31	54.00	-10.69	3	Vertical	167	1.18
6685MHz	Pass	PK	13.3694G	52.60	74.00	-21.40	3	Vertical	167	1.18
6685MHz	Pass	AV	13.37274G	40.84	54.00	-13.16	3	Horizontal	127	1.50
6685MHz	Pass	PK	13.36564G	50.50	74.00	-23.50	3	Horizontal	127	1.50
6885MHz	Pass	AV	13.77038G	43.18	68.20	-25.02	3	Vertical	42	1.14
6885MHz	Pass	PK	13.771G	52.56	88.20	-35.64	3	Vertical	42	1.14
6885MHz	Pass	AV	13.77428G	41.89	68.20	-26.31	3	Horizontal	148	3.00
6885MHz	Pass	PK	13.77196G	52.18	88.20	-36.02	3	Horizontal	148	3.00
6925MHz	Pass	AV	13.85054G	42.45	68.20	-25.75	3	Vertical	43	1.22
6925MHz	Pass	PK	13.85266G	51.62	88.20	-36.58	3	Vertical	43	1.22
6925MHz	Pass	AV	13.85952G	41.74	68.20	-26.46	3	Horizontal	212	2.75
6925MHz	Pass	PK	13.84548G	51.87	88.20	-36.33	3	Horizontal	212	2.75
7005MHz	Pass	AV	14.01162G	42.90	68.20	-25.30	3	Vertical	231	1.95
7005MHz	Pass	PK	14.00422G	52.35	88.20	-35.85	3	Vertical	231	1.95
7005MHz	Pass	AV	14.01208G	42.49	68.20	-25.71	3	Horizontal	120	2.65
7005MHz	Pass	PK	14.01674G	52.37	88.20	-35.83	3	Horizontal	120	2.65
7085MHz	Pass	AV	7.0799G	98.99	Inf	-Inf	3	Vertical	209	2.53
7085MHz	Pass	AV	7.1252G	59.27	68.20	-8.93	3	Vertical	209	2.53
7085MHz	Pass	PK	7.067G	110.07	Inf	-Inf	3	Vertical	209	2.53
7085MHz	Pass	PK	7.1276G	73.36	88.20	-14.84	3	Vertical	209	2.53
7085MHz	Pass	AV	14.16968G	44.98	68.20	-23.22	3	Vertical	77	1.93
7085MHz	Pass	PK	14.16732G	54.23	88.20	-33.97	3	Vertical	77	1.93



RSE TX above 1GHz Non-Beamforming Radio 3 2T1S LPI

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	14.16986G	43.40	68.20	-24.80	3	Horizontal	213	1.12
7085MHz	Pass	PK	14.16464G	52.68	88.20	-35.52	3	Horizontal	213	1.12
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	57.94	68.20	-10.26	3	Vertical	208	2.57
5985MHz	Pass	AV	5.9975G	99.05	Inf	-Inf	3	Vertical	208	2.57
5985MHz	Pass	PK	5.9245G	72.58	88.20	-15.62	3	Vertical	208	2.57
5985MHz	Pass	PK	5.9945G	109.66	Inf	-Inf	3	Vertical	208	2.57
5985MHz	Pass	AV	11.96364G	39.22	54.00	-14.78	3	Vertical	191	2.04
5985MHz	Pass	PK	11.96206G	48.33	74.00	-25.67	3	Vertical	191	2.04
5985MHz	Pass	AV	11.9625G	39.22	54.00	-14.78	3	Horizontal	328	1.50
5985MHz	Pass	PK	11.97656G	48.93	74.00	-25.07	3	Horizontal	328	1.50
6225MHz	Pass	AV	12.44738G	39.35	54.00	-14.65	3	Vertical	104	2.78
6225MHz	Pass	PK	12.45222G	49.38	74.00	-24.62	3	Vertical	104	2.78
6225MHz	Pass	AV	12.45884G	39.18	54.00	-14.82	3	Horizontal	315	3.00
6225MHz	Pass	PK	12.45188G	49.41	74.00	-24.59	3	Horizontal	315	3.00
6385MHz	Pass	AV	12.77422G	40.41	68.20	-27.79	3	Vertical	123	2.97
6385MHz	Pass	PK	12.7761G	51.63	88.20	-36.57	3	Vertical	123	2.97
6385MHz	Pass	AV	12.77206G	40.43	68.20	-27.77	3	Horizontal	98	1.08
6385MHz	Pass	PK	12.774G	50.43	88.20	-37.77	3	Horizontal	98	1.08
6465MHz	Pass	AV	12.92936G	41.10	68.20	-27.10	3	Vertical	165	1.50
6465MHz	Pass	PK	12.92146G	50.47	88.20	-37.73	3	Vertical	165	1.50
6465MHz	Pass	AV	12.92232G	40.43	68.20	-27.77	3	Horizontal	24	2.87
6465MHz	Pass	PK	12.92746G	50.33	88.20	-37.87	3	Horizontal	24	2.87
6545MHz	Pass	AV	13.099G	42.48	68.20	-25.72	3	Vertical	36	1.50
6545MHz	Pass	PK	13.09346G	51.43	88.20	-36.77	3	Vertical	36	1.50
6545MHz	Pass	AV	13.09924G	41.02	68.20	-27.18	3	Horizontal	24	2.89
6545MHz	Pass	PK	13.09596G	50.31	88.20	-37.89	3	Horizontal	24	2.89
6625MHz	Pass	AV	13.24424G	43.73	68.20	-24.47	3	Vertical	205	1.46
6625MHz	Pass	PK	13.24672G	53.00	88.20	-35.20	3	Vertical	205	1.46
6625MHz	Pass	AV	13.2441G	41.55	68.20	-26.65	3	Horizontal	199	2.85
6625MHz	Pass	PK	13.24682G	51.74	88.20	-36.46	3	Horizontal	199	2.85
6705MHz	Pass	AV	13.40958G	42.69	68.20	-25.51	3	Vertical	167	1.42
6705MHz	Pass	PK	13.41474G	52.20	88.20	-36.00	3	Vertical	167	1.42
6705MHz	Pass	AV	13.42G	41.39	68.20	-26.81	3	Horizontal	21	1.97
6705MHz	Pass	PK	13.40854G	51.12	88.20	-37.08	3	Horizontal	21	1.97
6785MHz	Pass	AV	13.57014G	43.87	68.20	-24.33	3	Vertical	111	1.21
6785MHz	Pass	PK	13.5728G	52.28	88.20	-35.92	3	Vertical	111	1.21
6785MHz	Pass	AV	13.5601G	42.76	68.20	-25.44	3	Horizontal	170	2.89
6785MHz	Pass	PK	13.57034G	53.14	88.20	-35.06	3	Horizontal	170	2.89
6865MHz	Pass	AV	13.72G	42.52	68.20	-25.68	3	Vertical	164	1.54
6865MHz	Pass	PK	13.73448G	53.58	88.20	-34.62	3	Vertical	164	1.54
6865MHz	Pass	AV	13.72314G	41.73	68.20	-26.47	3	Horizontal	122	1.94
6865MHz	Pass	PK	13.72092G	51.93	88.20	-36.27	3	Horizontal	122	1.94
6945MHz	Pass	AV	13.89812G	42.17	68.20	-26.03	3	Vertical	44	1.50
6945MHz	Pass	PK	13.89966G	51.92	88.20	-36.28	3	Vertical	44	1.50
6945MHz	Pass	AV	13.9G	42.16	68.20	-26.04	3	Horizontal	192	1.00
6945MHz	Pass	PK	13.88002G	52.24	88.20	-35.96	3	Horizontal	192	1.00
7025MHz	Pass	PK	7.016G	101.98	Inf	-Inf	3	Vertical	198	2.59
7025MHz	Pass	AV	7.0136G	95.11	Inf	-Inf	3	Vertical	198	2.59
7025MHz	Pass	PK	7.1621G	55.10	88.20	-33.10	3	Vertical	198	2.59
7025MHz	Pass	AV	7.1711G	46.79	68.20	-21.41	3	Vertical	198	2.59
7025MHz	Pass	AV	14.04788G	42.90	68.20	-25.30	3	Vertical	57	1.18
7025MHz	Pass	PK	14.04434G	52.95	88.20	-35.25	3	Vertical	57	1.18
7025MHz	Pass	AV	14.04674G	42.55	68.20	-25.65	3	Horizontal	263	2.15
7025MHz	Pass	PK	14.05716G	52.34	88.20	-35.86	3	Horizontal	263	2.15
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	66.39	68.20	-1.81	3	Vertical	209	2.67
6025MHz	Pass	AV	6G	99.06	Inf	-Inf	3	Vertical	209	2.67
6025MHz	Pass	PK	5.925G	74.41	88.20	-13.79	3	Vertical	209	2.67
6025MHz	Pass	PK	5.995G	107.94	Inf	-Inf	3	Vertical	209	2.67
6025MHz	Pass	AV	12.05628G	39.89	54.00	-14.11	3	Vertical	50	2.66
6025MHz	Pass	PK	12.04776G	49.66	74.00	-24.34	3	Vertical	50	2.66



RSE TX above 1GHz Non-Beamforming Radio 3 2T1S LPI

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.05448G	39.48	54.00	-14.52	3	Horizontal	157	1.50
6025MHz	Pass	PK	12.05416G	48.88	74.00	-25.12	3	Horizontal	157	1.50
6185MHz	Pass	AV	12.36186G	40.24	54.00	-13.76	3	Vertical	228	2.03
6185MHz	Pass	PK	12.3694G	49.51	74.00	-24.49	3	Vertical	228	2.03
6185MHz	Pass	AV	12.36042G	39.44	54.00	-14.56	3	Horizontal	92	2.14
6185MHz	Pass	PK	12.3794G	49.04	74.00	-24.96	3	Horizontal	92	2.14
6345MHz	Pass	AV	12.69266G	40.34	54.00	-13.66	3	Vertical	75	1.50
6345MHz	Pass	PK	12.68476G	50.25	74.00	-23.75	3	Vertical	75	1.50
6345MHz	Pass	AV	12.69268G	40.32	54.00	-13.68	3	Horizontal	124	2.51
6345MHz	Pass	PK	12.69748G	51.57	74.00	-22.43	3	Horizontal	124	2.51
6505MHz	Pass	AV	13.00894G	40.92	68.20	-27.28	3	Vertical	178	1.31
6505MHz	Pass	PK	13.0027G	50.14	88.20	-38.06	3	Vertical	178	1.31
6505MHz	Pass	AV	13.00672G	40.27	68.20	-27.93	3	Horizontal	2	2.23
6505MHz	Pass	PK	13.01788G	49.85	88.20	-38.35	3	Horizontal	2	2.23
6665MHz	Pass	AV	13.32932G	43.96	54.00	-10.04	3	Vertical	168	1.08
6665MHz	Pass	PK	13.32196G	53.15	74.00	-20.85	3	Vertical	168	1.08
6665MHz	Pass	AV	13.33254G	41.05	54.00	-12.95	3	Horizontal	214	1.50
6665MHz	Pass	PK	13.3281G	51.10	74.00	-22.90	3	Horizontal	214	1.50
6825MHz	Pass	AV	13.64508G	42.56	68.20	-25.64	3	Vertical	360	1.97
6825MHz	Pass	PK	13.65986G	51.91	88.20	-36.29	3	Vertical	360	1.97
6825MHz	Pass	AV	13.64052G	42.37	68.20	-25.83	3	Horizontal	144	2.95
6825MHz	Pass	PK	13.64138G	51.66	88.20	-36.54	3	Horizontal	144	2.95
6985MHz	Pass	PK	6.918G	108.50	Inf	-Inf	3	Vertical	200	2.46
6985MHz	Pass	AV	6.9085G	99.87	Inf	-Inf	3	Vertical	200	2.46
6985MHz	Pass	PK	7.126G	75.09	88.20	-13.11	3	Vertical	200	2.46
6985MHz	Pass	AV	7.126G	65.39	68.20	-2.81	3	Vertical	200	2.46
6985MHz	Pass	AV	13.97856G	42.66	68.20	-25.54	3	Vertical	49	1.50
6985MHz	Pass	PK	13.97086G	52.22	88.20	-35.98	3	Vertical	49	1.50
6985MHz	Pass	AV	13.97588G	42.58	68.20	-25.62	3	Horizontal	58	1.50
6985MHz	Pass	PK	13.97958G	52.07	88.20	-36.13	3	Horizontal	58	1.50
802.11be EHT320_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	PK	5.923G	72.23	88.20	-15.97	3	Vertical	206	2.55
6105MHz	Pass	AV	5.925G	61.67	68.20	-6.53	3	Vertical	206	2.55
6105MHz	Pass	PK	6.21G	105.10	Inf	-Inf	3	Vertical	206	2.55
6105MHz	Pass	AV	6.245G	95.27	Inf	-Inf	3	Vertical	206	2.55
6105MHz	Pass	AV	12.21096G	39.77	54.00	-14.23	3	Vertical	360	2.04
6105MHz	Pass	PK	12.20748G	49.89	74.00	-24.11	3	Vertical	360	2.04
6105MHz	Pass	AV	12.21732G	39.78	54.00	-14.22	3	Horizontal	0	1.50
6105MHz	Pass	PK	12.21016G	49.41	74.00	-24.59	3	Horizontal	0	1.50
6265MHz	Pass	AV	12.52816G	39.43	54.00	-14.57	3	Vertical	182	2.12
6265MHz	Pass	PK	12.53422G	49.44	74.00	-24.56	3	Vertical	182	2.12
6265MHz	Pass	AV	12.53064G	39.38	54.00	-14.62	3	Horizontal	143	1.35
6265MHz	Pass	PK	12.53156G	50.63	74.00	-23.37	3	Horizontal	143	1.35
6425MHz	Pass	AV	12.85364G	40.32	68.20	-27.88	3	Vertical	14	2.96
6425MHz	Pass	PK	12.85914G	50.13	88.20	-38.07	3	Vertical	14	2.96
6425MHz	Pass	AV	12.8536G	40.32	68.20	-27.88	3	Horizontal	272	1.14
6425MHz	Pass	PK	12.85878G	49.95	88.20	-38.25	3	Horizontal	272	1.14
6585MHz	Pass	AV	13.1789G	42.24	68.20	-25.96	3	Vertical	233	1.23
6585MHz	Pass	PK	13.1784G	53.24	88.20	-34.96	3	Vertical	233	1.23
6585MHz	Pass	AV	13.16186G	40.38	68.20	-27.82	3	Horizontal	281	2.85
6585MHz	Pass	PK	13.16826G	50.01	88.20	-38.19	3	Horizontal	281	2.85
6745MHz	Pass	AV	13.48G	41.67	68.20	-26.53	3	Vertical	120	1.05
6745MHz	Pass	PK	13.48366G	51.10	88.20	-37.10	3	Vertical	120	1.05
6745MHz	Pass	AV	13.49244G	41.27	68.20	-26.93	3	Horizontal	230	1.50
6745MHz	Pass	PK	13.4966G	51.31	88.20	-36.89	3	Horizontal	230	1.50
6905MHz	Pass	AV	6.86841G	96.54	Inf	-Inf	3	Vertical	196	2.47
6905MHz	Pass	AV	7.2505G	52.96	54.00	-1.04	3	Vertical	196	2.47
6905MHz	Pass	PK	6.8725G	103.81	Inf	-Inf	3	Vertical	196	2.47
6905MHz	Pass	PK	7.2505G	62.19	74.00	-11.81	3	Vertical	196	2.47
6905MHz	Pass	AV	13.8104G	41.93	68.20	-26.27	3	Vertical	41	1.50
6905MHz	Pass	PK	13.80936G	50.89	88.20	-37.31	3	Vertical	41	1.50
6905MHz	Pass	AV	13.8124G	41.80	68.20	-26.40	3	Horizontal	112	1.81




RSE TX above 1GHz_Non-Beamforming_Radio 3_2T1S_LPI

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	PK	13.81318G	50.75	88.20	-37.45	3	Horizontal	112	1.81


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	44.76	68.20	-23.44	1.89	3	Vertical	208	2.43	42.87	34.55	5.18	37.84
AV	5.9797G	98.94	Inf	-Inf	1.96	3	Vertical	208	2.43	96.98	34.50	5.26	37.80
PK	5.9248G	63.71	88.20	-24.49	1.89	3	Vertical	208	2.43	61.82	34.55	5.18	37.84
PK	5.98G	109.34	Inf	-Inf	1.96	3	Vertical	208	2.43	107.38	34.50	5.26	37.80

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92862G	39.86	54.00	-14.14	9.58	3	Vertical	34	2.47	30.28	39.16	8.36	37.94
PK	11.93288G	48.80	74.00	-25.20	9.60	3	Vertical	34	2.47	39.20	39.17	8.37	37.94


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	66.39	68.20	-1.81	1.89	3	Vertical	209	2.67	64.50	34.55	5.18	37.84
AV	6G	99.06	Inf	-Inf	2.01	3	Vertical	209	2.67	97.05	34.50	5.29	37.78
PK	5.925G	74.41	88.20	-13.79	1.89	3	Vertical	209	2.67	72.52	34.55	5.18	37.84
PK	5.995G	107.94	Inf	-Inf	2.00	3	Vertical	209	2.67	105.94	34.50	5.28	37.78

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05628G	39.89	54.00	-14.11	9.84	3	Vertical	50	2.66	30.05	39.41	8.43	38.00
PK	12.04776G	49.66	74.00	-24.34	9.83	3	Vertical	50	2.66	39.83	39.40	8.43	38.00


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6475MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX

