





11BE160MIMO_Ant1_6025_Large RU 996+484_4




11BE160MIMO_Ant1_6025_Puncturing 40M_4






11BE160MIMO_Ant1_6025_Puncturing 20M_8




11BE160MIMO_Ant2_6025_Large RU 996+484_4






11BE160MIMO_Ant2_6025_Puncturing 40M_4




11BE160MIMO_Ant2_6025_Puncturing 20M_8






11BE160MIMO_Ant1_6985_Large RU 996+484_1



Date: 14.JAN.2024 17:09:43


11BE160MIMO_Ant1_6985_Puncturing 40M_1




Date: 14.JAN.2024 17:14:03



11BE160MIMO_Ant1_6985_Puncturing 20M_1




11BE160MIMO_Ant2_6985_Large RU 996+484_1






11BE160MIMO_Ant2_6985_Puncturing 40M_1



Date: 14.JAN.2024 17:14:23


11BE160MIMO_Ant2_6985_Puncturing 20M_1



Date: 14.JAN.2024 17:15:12




11BE320MIMO_Ant1_6105_Large RU 2*996+484_6



Date: 21.DEC.2023 20:26:17


11BE320MIMO_Ant1_6105_Large RU 3*996_4



Date: 21.DEC.2023 20:27:16




11BE320MIMO_Ant1_6105_Large RU 3*996+484_8



Date: 21.DEC.2023 20:30:35


11BE320MIMO_Ant1_6105_Puncturing 80M+40M_6



Date: 22.DEC.2023 00:29:20




11BE320MIMO_Ant1_6105_Puncturing 80M_4



Date: 22.DEC.2023 00:33:01

11BE320MIMO_Ant1_6105_Puncturing 40M_8




Date: 22.DEC.2023 01:03:35






11BE320MIMO_Ant2_6105_Large RU 3*996+484_8



Date: 21.DEC.2023 20:31:00


11BE320MIMO_Ant2_6105_Puncturing 80M+40M_6



Date: 22.DEC.2023 00:29:41




11BE320MIMO_Ant2_6105_Puncturing 80M_4



Date: 22.DEC.2023 00:34:12


11BE320MIMO_Ant2_6105_Puncturing 40M_8



Date: 22.DEC.2023 01:04:47




11BE320MIMO_Ant1_6905_Large RU 2*996+484_7



Date: 21.DEC.2023 20:31:52


11BE320MIMO_Ant1_6905_Large RU 3*996_1



Date: 21.DEC.2023 20:44:15




11BE320MIMO_Ant1_6905_Large RU 3*996+484_1



Date: 21.DEC.2023 20:57:59


11BE320MIMO_Ant1_6905_Puncturing 80M+40M_7



Date: 22.DEC.2023 01:06:35




11BE320MIMO_Ant1_6905_Puncturing 80M_1



Date: 22.DEC.2023 01:10:43


11BE320MIMO_Ant1_6905_Puncturing 40M_1



Date: 22.DEC.2023 01:14:18




11BE320MIMO_Ant2_6905_Large RU 2*996+484_7





Date: 21.DEC.2023 20:32:25

11BE320MIMO_Ant2_6905_Large RU 3*996_1




Date: 21.DEC.2023 21:06:14






11BE320MIMO_Ant2_6905_Puncturing 80M_1



Date: 22.DEC.2023 01:12:22

11BE320MIMO_Ant2_6905_Puncturing 40M_1




Date: 22.DEC.2023 01:15:25



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
1	0.170	45.96	-18.98	64.94	35.50	0.04	10.42	QP
2	0.170	36.56	-18.38	54.94	26.10	0.04	10.42	Average
3	0.206	44.63	-18.73	63.36	34.20	0.03	10.40	QP
4	0.206	34.53	-18.83	53.36	24.10	0.03	10.40	Average
5	0.272	41.59	-19.48	61.07	31.20	0.04	10.35	QP
6	0.272	31.69	-19.38	51.07	21.30	0.04	10.35	Average
7	0.289	41.88	-18.66	60.54	31.50	0.04	10.34	QP
8	0.289	33.08	-17.46	50.54	22.70	0.04	10.34	Average
9	0.389	39.79	-18.29	58.08	29.51	0.00	10.28	QP
10	0.389	33.19	-14.89	48.08	22.91	0.00	10.28	Average
11	0.404	39.08	-18.69	57.77	28.80	0.00	10.28	QP
12 *	0.404	34.78	-12.99	47.77	24.50	0.00	10.28	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.164	46.36	-18.89	65.25	35.90	0.04	10.42	QP
2	0.164	37.06	-18.19	55.25	26.60	0.04	10.42	Average
3	0.205	45.05	-18.35	63.40	34.60	0.04	10.41	QP
4	0.205	34.85	-18.55	53.40	24.40	0.04	10.41	Average
5	0.228	44.51	-18.01	62.52	34.10	0.02	10.39	QP
6	0.228	34.81	-17.71	52.52	24.40	0.02	10.39	Average
7	0.285	40.41	-20.27	60.68	30.10	-0.03	10.34	QP
8	0.285	32.71	-17.97	50.68	22.40	-0.03	10.34	Average
9	0.323	40.47	-19.15	59.62	30.19	-0.04	10.32	QP
10	0.323	31.17	-18.45	49.62	20.89	-0.04	10.32	Average
11	0.404	39.72	-18.05	57.77	29.50	-0.06	10.28	QP
12 *	0.404	34.82	-12.95	47.77	24.60	-0.06	10.28	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Yoke Si	Relative Humidity :	41 ~ 42%
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 1+2	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	CDD 1+2	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	CDD 1+2	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	6.425-6.525	CDD 1+2	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-5	6.425-6.525	CDD 1+2	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-5	6.425-6.525	CDD 1+2	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-5	6.525-6.875	CDD 1+2	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-5	6.525-6.875	CDD 1+2	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-5	6.525-6.875	CDD 1+2	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-8	6.875-7.125	CDD 1+2	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	CDD 1+2	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	CDD 1+2	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE20	1	5955	MCS0	-	-
Mode 14	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE20	1	5955	MCS0	RU26/0	-
Mode 15	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE20	1	5955	MCS0	RU52/37	-
Mode 16	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE20	1	5955	MCS0	RU106/53	-
Mode 17	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE20	45	6175	MCS0	-	-
Mode 18	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE20	93	6415	MCS0	-	-
Mode 19	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE40	3	5965	MCS0	-	-
Mode 20	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE40	43	6165	MCS0	-	-
Mode 21	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE40	91	6405	MCS0	-	-
Mode 22	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE80	7	5985	MCS0	Full	-
Mode 23	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE80	39	6145	MCS0	Full	-
Mode 24	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE80	87	6385	MCS0	Full	-
Mode 25	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE160	15	6025	MCS0	Full	-
Mode 26	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE160	47	6185	MCS0	Full	-
Mode 27	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE160	79	6345	MCS0	Full	-
Mode 28	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE20	97	6435	MCS0	-	-
Mode 29	U-NII-5	6.425-6.525	CDD 1+2	802.11ax HE20	105	6475	MCS0	-	-
Mode 30	U-NII-5	6.425-6.525	CDD 1+2	802.11ax HE20	113	6515	MCS0	-	-
Mode 31	U-NII-5	6.425-6.525	CDD 1+2	802.11ax HE40	99	6445	MCS0	Full	-
Mode 32	U-NII-5	6.425-6.525	CDD 1+2	802.11ax HE40	107	6485	MCS0	Full	-
Mode 33	U-NII-5	6.425-6.525	CDD 1+2	802.11ax HE80	103	6465	MCS0	Full	-
Mode 34	U-NII-5	6.425-6.525	CDD 1+2	802.11ax HE40	115	6525	MCS0	Full	-
Mode 35	U-NII-5	6.425-6.525	CDD 1+2	802.11ax HE80	119	6545	MCS0	Full	-
Mode 36	U-NII-5	6.425-6.525	CDD 1+2	802.11ax HE160	111	6505	MCS0	Full	-
Mode 37	U-NII-5	6.525-6.875	CDD 1+2	802.11ax HE20	117	6535	MCS0	Full	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 38	U-NII-5	6.525-6.875	CDD 1+2	802.11ax HE20	149	6695	MCS0	Full	-
Mode 39	U-NII-5	6.525-6.875	CDD 1+2	802.11ax HE40	123	6565	MCS0	Full	-
Mode 40	U-NII-5	6.525-6.875	CDD 1+2	802.11ax HE40	147	6685	MCS0	Full	-
Mode 41	U-NII-5	6.525-6.875	CDD 1+2	802.11ax HE40	179	6845	MCS0	Full	-
Mode 42	U-NII-5	6.525-6.875	CDD 1+2	802.11ax HE80	135	6625	MCS0	Full	-
Mode 43	U-NII-5	6.525-6.875	CDD 1+2	802.11ax HE80	151	6705	MCS0	Full	-
Mode 44	U-NII-5	6.525-6.875	CDD 1+2	802.11ax HE160	143	6665	MCS0	Full	-
Mode 45	U-NII-5	6.525-6.875	CDD 1+2	802.11ax HE20	185	6875	MCS0	Full	-
Mode 46	U-NII-5	6.525-6.875	CDD 1+2	802.11ax HE80	183	6865	MCS0	Full	-
Mode 47	U-NII-5	6.525-6.875	CDD 1+2	802.11ax HE160	175	6825	MCS0	Full	-
Mode 48	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE20	189	6895	MCS0	Full	-
Mode 49	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE20	209	6995	MCS0	Full	-
Mode 50	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE20	229	7095	MCS0	Full	-
Mode 51	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE20	229	7095	MCS0	RU26/8	-
Mode 52	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE20	229	7095	MCS0	RU52/40	-
Mode 53	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE20	229	7095	MCS0	RU106/54	-
Mode 54	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE40	203	6965	MCS0	Full	-
Mode 55	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE40	227	7085	MCS0	Full	-
Mode 56	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE80	199	6945	MCS0	Full	-
Mode 57	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE80	215	7025	MCS0	Full	-
Mode 58	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE160	207	6985	MCS0	Full	-
Mode 59	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE40	187	6885	MCS0	Full	-
Mode 60	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT20	1	5955	MCS0	-	-
Mode 61	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT20	45	6175	MCS0	-	-
Mode 62	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT20	93	6415	MCS0	-	-
Mode 63	U-NII-6	6.425-6.525	CDD 1+2	802.11be EHT20	97	6435	MCS0	-	-
Mode 64	U-NII-6	6.425-6.525	CDD 1+2	802.11be EHT20	105	6475	MCS0	-	-
Mode 65	U-NII-6	6.425-6.525	CDD 1+2	802.11be EHT20	113	6515	MCS0	-	-
Mode 66	U-NII-7	6.525-6.875	CDD 1+2	802.11be EHT20	117	6535	MCS0	-	-
Mode 67	U-NII-7	6.525-6.875	CDD 1+2	802.11be EHT20	149	6695	MCS0	-	-
Mode 68	U-NII-7	6.525-6.875	CDD 1+2	802.11be EHT20	181	6855	MCS0	-	-
Mode 69	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT20	189	6895	MCS0	-	-
Mode 70	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT20	209	6995	MCS0	-	-
Mode 71	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT20	229	7095	MCS0	-	-
Mode 72	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT20	3	5965	MCS0	-	-
Mode 73	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT40	43	6165	MCS0	-	-
Mode 74	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT40	91	6405	MCS0	-	-
Mode 75	U-NII-6	6.425-6.525	CDD 1+2	802.11be EHT40	99	6445	MCS0	Full	-
Mode 76	U-NII-6	6.425-6.525	CDD 1+2	802.11be EHT40	107	6485	MCS0	Full	-
Mode 77	U-NII-6	6.425-6.525	CDD 1+2	802.11be EHT40	115	6525	MCS0	Full	-
Mode 78	U-NII-7	6.525-6.875	CDD 1+2	802.11be EHT40	123	6565	MCS0	Full	-
Mode 79	U-NII-7	6.525-6.875	CDD 1+2	802.11be EHT40	147	6685	MCS0	Full	-
Mode 80	U-NII-7	6.525-6.875	CDD 1+2	802.11be EHT40	179	6845	MCS0	Full	-
Mode 81	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT40	203	6965	MCS0	Full	-
Mode 82	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT40	227	7085	MCS0	Full	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 83	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT80	7	5985	MCS0	Full	-
Mode 84	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT80	39	6145	MCS0	Full	-
Mode 85	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT80	87	6385	MCS0	Full	-
Mode 86	U-NII-6	6.425-6.525	CDD 1+2	802.11be EHT80	103	6465	MCS0	Full	-
Mode 87	U-NII-7	6.525-6.875	CDD 1+2	802.11be EHT80	135	6625	MCS0	Full	-
Mode 88	U-NII-7	6.525-6.875	CDD 1+2	802.11be EHT80	151	6705	MCS0	Full	-
Mode 89	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT80	167	6785	MCS0	Full	-
Mode 90	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT80	199	6945	MCS0	Full	-
Mode 91	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT80	215	7025	MCS0	Full	-
Mode 92	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT160	15	6025	MCS0	Full	-
Mode 93	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT160	47	6185	MCS0	Full	-
Mode 94	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT160	79	6345	MCS0	Full	-
Mode 95	U-NII-7	6.525-6.875	CDD 1+2	802.11be EHT160	143	6665	MCS0	Full	-
Mode 96	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT160	207	6985	MCS0	Full	-
Mode 97	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT320	31	6105	MCS0	Full	-
Mode 98	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT320	63	6265	MCS0	Full	-
Mode 99	U-NII-8	6.525-7.125	CDD 1+2	802.11a	185	6875	6Mbps	-	-
Mode 100	U-NII-7	6.525-7.125	CDD 1+2	802.11be EHT20	185	6875	MCS0	Full	-
Mode 101	U-NII-8	6.525-7.125	CDD 1+2	802.11be EHT40	187	6885	MCS0	Full	-
Mode 102	U-NII-7	6.525-7.125	CDD 1+2	802.11be EHT80	183	6865	MCS0	-	-
Mode 103	U-NII-7	6.525-7.125	CDD 1+2	802.11be EHT160	175	6825	MCS0	Full	-
Mode 104	U-NII-7	6.525-7.125	CDD 1+2	802.11be EHT320	159	6745	MCS0	Full	-
Mode 105	U-NII-8	6.525-7.125	CDD 1+2	802.11be EHT320	191	6905	MCS0	Full	-
Mode 106	U-NII-7	6.425-6.875	CDD 1+2	802.11be EHT40	115	6525	MCS0	-	-
Mode 107	U-NII-7	6.425-6.875	CDD 1+2	802.11be EHT80	119	6545	MCS0	Full	-
Mode 108	U-NII-7	6.425-6.875	CDD 1+2	802.11be EHT160	111	6505	MCS0	Full	-
Mode 109	U-NII-6	5.925-6.425	CDD 1+2	802.11be EHT320	95	6425	MCS0	Full	-
Mode 110	U-NII-6	6.425-6.875	CDD 1+2	802.11be EHT320	127	6585	MCS0	Full	-
Mode 111	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT20	1	5955	MCS0	Single RU RU52/37	-
Mode 112	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT20	229	7095	MCS0	Single RU RU52/40	-
Mode 113	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT20	1	5955	MCS0	Small RU106+26	-
Mode 114	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT20	229	7095	MCS0	Small RU106+26	-
Mode 115	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	-
Mode 116	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT80	215	7025	MCS0	Puncturing 20M ①	-
Mode 117	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	-
Mode 118	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT160	207	6985	MCS0	Puncturing 40M ①	-
Mode 119	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 120	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT160	207	6985	MCS0	Puncturing 20M ①	-
Mode 121	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M ⑥	-
Mode 122	U-NII-8	6.525-7.125	CDD 1+2	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M ⑦	-
Mode 123	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	-
Mode 124	U-NII-8	6.525-7.125	CDD 1+2	802.11be EHT320	191	6905	MCS0	Puncturing 80M ①	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 125	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 126	U-NII-8	6.525-7.125	CDD 1+2	802.11be EHT320	191	6905	MCS0	Puncturing 40M ①	-
Mode 127	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 128	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT80	215	7025	MCS0	Large RU 484+242 ①	-
Mode 129	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 130	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ①	-
Mode 131	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	-
Mode 132	U-NII-8	6.525-7.125	CDD 1+2	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484 ⑦	-
Mode 133	U-NII-5	5.925-6.425	CDD 1+2	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 134	U-NII-5	6.525-7.125	CDD 1+2	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-
Mode 135	U-NII-8	6.525-7.125	CDD 1+2	802.11be EHT320	191	6905	MCS0	Large RU 996*3 ①	-
Mode 136	U-NII-8	6.525-7.125	CDD 1+2	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484 ①	-
Mode 137	U-NII-8	6.525-7.125	CDD 1+2	802.11a	233	7115	6Mbps	-	-
Mode 138	U-NII-8	6.525-7.125	CDD 1+2	802.11ax HE20	233	7115	MCS0	Full	-
Mode 139	U-NII-8	6.525-7.125	CDD 1+2	802.11be EHT20	233	7115	MCS0	Full	-
Mode 140	U-NII-8	6.525-7.125	CDD 1+2	802.11ax HE20	233	7115	MCS0	RU26/8	-
Mode 141	U-NII-8	6.525-7.125	CDD 1+2	802.11ax HE20	233	7115	MCS0	RU52/40	-
Mode 142	U-NII-8	6.525-7.125	CDD 1+2	802.11ax HE20	233	7115	MCS0	RU106/54	-
Mode 143	U-NII-8	6.525-7.125	CDD 1+2	802.11be EHT20	233	7115	MCS0	Single RU RU52/40	-
Mode 144	U-NII-8	6.525-7.125	CDD 1+2	802.11be EHT20	233	7115	MCS0	Small RU52+26	-
Mode 145	U-NII-8	6.525-7.125	CDD 1+2	802.11be EHT20	233	7115	MCS0	Full	LF
Mode 146	U-NII-2C	5.25-5.35	CDD 1+2	802.11ax HE40	38	5190	MCS0	Full	-
Co-location	U-NII-8	6.525-7.125	CDD 1+2	802.11be EHT20	233	7115	MCS0	Full	-
Mode 147	2400-2483.5	2400-2483.5	CDD	802.11ax HE40	09	2452	MCS0	Full	-
Co-location	U-NII-8	6.525-7.125	CDD	802.11be EHT20	233	7115	MCS0	Full	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5922.89	40.17	68.20	-28.03	V	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	45.15	74.00	-28.85	V	PEAK	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	45.04	54.00	-8.96	V	AVERAGE	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	49.79	88.20	-38.41	V	PEAK	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	48.94	88.20	-39.26	V	PEAK	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	48.80	88.20	-39.40	V	PEAK	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.22	50.06	88.20	-38.14	V	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.22	50.28	88.20	-37.92	V	-	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	47.88	74.00	-26.12	V	PEAK	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.22	45.49	88.20	-42.71	H	Peak	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	48.33	88.20	-39.87	V	PEAK	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	47.21	88.20	-40.99	H	PEAK	Pass	Harmonic
12	802.11a	229	7204.68	40.43	68.20	-27.77	V	AVERAGE	Pass	Band Edge
12	802.11a	229	14190.00	47.30	88.20	-40.90	V	PEAK	Pass	Harmonic
13	802.11ax HE20	1	5923.41	39.97	68.20	-28.23	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	11910.00	46.78	74.00	-27.22	V	PEAK	Pass	Harmonic
14	802.11ax HE20	1	5924.45	39.46	68.20	-28.74	V	AVERAGE	Pass	Band Edge
14	802.11ax HE20	1	11910.00	46.88	74.00	-27.12	H	PEAK	Pass	Harmonic
15	802.11ax HE20	1	5913.01	39.83	68.20	-28.37	V	AVERAGE	Pass	Band Edge
15	802.11ax HE20	1	11910.00	46.09	74.00	-27.91	H	PEAK	Pass	Harmonic
16	802.11ax HE20	1	5919.77	39.84	68.20	-28.36	V	AVERAGE	Pass	Band Edge
16	802.11ax HE20	1	11910.00	46.18	74.00	-27.82	H	PEAK	Pass	Harmonic
17	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	45	12350.00	41.82	54.00	-12.18	V	AVERAGE	Pass	Harmonic
18	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	93	12830.00	48.88	88.20	-39.32	V	PEAK	Pass	Harmonic
19	802.11ax HE40	3	5922.44	41.82	68.20	-26.38	V	AVERAGE	Pass	Band Edge
19	802.11ax HE40	3	11930.00	46.01	74.00	-27.99	V	PEAK	Pass	Harmonic
20	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE40	43	12330.00	41.62	54.00	-12.38	V	AVERAGE	Pass	Harmonic
21	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE40	91	12810.00	48.70	88.20	-39.50	V	PEAK	Pass	Harmonic
22	802.11ax HE80	7	5921.00	51.23	68.20	-16.97	V	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
22	802.11ax HE80	7	11970.00	47.33	74.00	-26.67	H	PEAK	Pass	Harmonic
23	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE80	39	12290.00	45.70	74.00	-28.30	H	PEAK	Pass	Harmonic
24	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE80	87	12770.00	45.29	88.20	-42.91	H	PEAK	Pass	Harmonic
25	802.11ax HE160	15	5922.00	57.09	68.20	-11.11	V	AVERAGE	Pass	Band Edge
25	802.11ax HE160	15	12050.00	44.21	74.00	-29.79	H	PEAK	Pass	Harmonic
26	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE160	47	12370.00	45.97	74.00	-28.03	V	PEAK	Pass	Harmonic
27	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE160	79	12690.00	45.47	74.00	-28.53	H	PEAK	Pass	Harmonic
28	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE20	97	12870.00	47.02	88.20	-41.18	H	PEAK	Pass	Harmonic
29	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE20	105	12950.00	47.42	88.20	-40.78	V	PEAK	Pass	Harmonic
30	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE20	113	13030.00	49.75	68.20	-18.45	V	AVERAGE	Pass	Harmonic
31	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	99	12890.00	49.49	68.20	-18.71	V	AVERAGE	Pass	Harmonic
32	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	107	12970.00	49.31	88.20	-38.89	V	PEAK	Pass	Harmonic
33	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE80	103	12930.00	48.68	88.20	-39.52	V	PEAK	Pass	Harmonic
34	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE40	115	13050.00	49.74	88.20	-38.46	V	PEAK	Pass	Harmonic
35	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE80	119	13090.00	48.35	88.20	-39.85	V	PEAK	Pass	Harmonic
36	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE160	111	13010.00	48.04	88.20	-40.16	V	PEAK	Pass	Harmonic
37	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	117	13070.00	49.87	88.20	-38.33	V	PEAK	Pass	Harmonic
38	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	149	13390.00	41.52	54.00	-12.48	V	AVERAGE	Pass	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	123	13130.00	49.21	88.20	-38.99	V	PEAK	Pass	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE40	147	13370.00	42.00	54.00	-12.00	V	AVERAGE	Pass	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	179	13690.00	48.67	88.20	-39.53	V	PEAK	Pass	Harmonic
42	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	135	13250.00	47.09	74.00	-26.91	V	PEAK	Pass	Harmonic
43	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	151	13410.00	47.11	88.20	-41.09	V	PEAK	Pass	Harmonic
44	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE160	143	13330.00	47.55	74.00	-26.45	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
45	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE20	185	13750.00	47.51	88.20	-40.69	H	PEAK	Pass	Harmonic
46	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE80	183	13730.00	47.34	88.20	-40.86	V	PEAK	Pass	Harmonic
47	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	175	13650.00	47.30	88.20	-40.90	H	PEAK	Pass	Harmonic
48	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE20	189	13790.00	47.68	88.20	-40.52	H	PEAK	Pass	Harmonic
49	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE20	209	13990.00	46.86	88.20	-41.34	V	PEAK	Pass	Harmonic
50	802.11ax HE20	229	7125.32	40.46	68.20	-27.74	V	AVERAGE	Pass	Band Edge
50	802.11ax HE20	229	14190.00	47.60	88.20	-40.60	V	PEAK	Pass	Harmonic
51	802.11ax HE20	229	7200.36	40.33	68.20	-27.87	V	AVERAGE	Pass	Band Edge
51	802.11ax HE20	229	14190.00	47.11	88.20	-41.09	V	PEAK	Pass	Harmonic
52	802.11ax HE20	229	7198.28	40.36	68.20	-27.84	V	AVERAGE	Pass	Band Edge
52	802.11ax HE20	229	14190.00	47.28	88.20	-40.92	V	PEAK	Pass	Harmonic
53	802.11ax HE20	229	7200.52	40.38	68.20	-27.82	V	AVERAGE	Pass	Band Edge
53	802.11ax HE20	229	14190.00	47.38	88.20	-40.82	V	PEAK	Pass	Harmonic
54	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE40	203	13930.00	47.01	88.20	-41.19	V	PEAK	Pass	Harmonic
55	802.11ax HE40	227	7126.12	45.77	68.20	-22.43	V	AVERAGE	Pass	Band Edge
55	802.11ax HE40	227	14170.00	47.43	88.20	-40.77	V	PEAK	Pass	Harmonic
56	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE80	199	13890.00	47.12	88.20	-41.08	V	PEAK	Pass	Harmonic
57	802.11ax HE80	215	7131.92	43.11	68.20	-25.09	V	AVERAGE	Pass	Band Edge
57	802.11ax HE80	215	14050.00	46.99	88.20	-41.21	H	PEAK	Pass	Harmonic
58	802.11ax HE160	207	7132.36	43.76	68.20	-24.44	V	AVERAGE	Pass	Band Edge
58	802.11ax HE160	207	13970.00	46.19	88.20	-42.01	V	PEAK	Pass	Harmonic
59	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
59	802.11ax HE40	187	13770.00	47.32	88.20	-40.88	V	PEAK	Pass	Harmonic
60	802.11be EHT20	1	5924.06	40.28	68.20	-27.92	V	AVERAGE	Pass	Band Edge
60	802.11be EHT20	1	11910.00	47.11	74.00	-26.89	V	PEAK	Pass	Harmonic
61	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
61	802.11be EHT20	45	12350.00	47.85	74.00	-26.15	V	PEAK	Pass	Harmonic
62	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
62	802.11be EHT20	93	12830.00	47.67	88.20	-40.53	V	PEAK	Pass	Harmonic
63	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT20	97	12870.00	47.72	88.20	-40.48	V	PEAK	Pass	Harmonic
64	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
64	802.11be EHT20	105	12950.00	47.83	88.20	-40.37	V	PEAK	Pass	Harmonic
65	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
65	802.11be EHT20	113	13030.22	50.29	88.20	-37.91	V	Peak	Pass	Harmonic
66	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
66	802.11be EHT20	117	13070.00	47.46	88.20	-40.74	H	PEAK	Pass	Harmonic
67	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
67	802.11be EHT20	149	13390.00	46.94	74.00	-27.06	H	PEAK	Pass	Harmonic
68	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
68	802.11be EHT20	181	13710.00	47.86	88.20	-40.34	H	PEAK	Pass	Harmonic
69	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
69	802.11be EHT20	189	13790.00	47.38	88.20	-40.82	H	PEAK	Pass	Harmonic
70	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
70	802.11be EHT20	209	13990.00	47.19	88.20	-41.01	H	PEAK	Pass	Harmonic
71	802.11be EHT20	229	7199.88	40.46	68.20	-27.74	V	AVERAGE	Pass	Band Edge
71	802.11be EHT20	229	14190.00	47.64	88.20	-40.56	V	PEAK	Pass	Harmonic
72	802.11be EHT20	3	5901.30	41.35	68.20	-26.85	V	AVERAGE	Pass	Band Edge
72	802.11be EHT20	3	11930.00	45.84	74.00	-28.16	V	PEAK	Pass	Harmonic
73	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
73	802.11be EHT40	43	12330.00	44.87	54.00	-9.13	V	AVERAGE	Pass	Harmonic
74	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
74	802.11be EHT40	91	12810.00	47.37	88.20	-40.83	V	PEAK	Pass	Harmonic
75	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
75	802.11be EHT40	99	12890.00	46.78	88.20	-41.42	V	PEAK	Pass	Harmonic
76	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
76	802.11be EHT40	107	12970.00	47.41	88.20	-40.79	V	PEAK	Pass	Harmonic
77	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
77	802.11be EHT40	115	13050.00	47.61	88.20	-40.59	V	PEAK	Pass	Harmonic
78	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
78	802.11be EHT40	123	13130.00	47.87	88.20	-40.33	V	PEAK	Pass	Harmonic
79	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
79	802.11be EHT40	147	13370.00	47.13	74.00	-26.87	H	PEAK	Pass	Harmonic
80	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
80	802.11be EHT40	179	13690.00	46.76	88.20	-41.44	V	PEAK	Pass	Harmonic
81	802.11be EHT40	203	7199.80	40.53	68.20	-27.67	V	AVERAGE	Pass	Band Edge
81	802.11be EHT40	203	13930.00	47.12	88.20	-41.08	V	PEAK	Pass	Harmonic
82	802.11be EHT40	227	7128.52	51.68	68.20	-16.52	V	AVERAGE	Pass	Band Edge
82	802.11be EHT40	227	14170.00	46.78	88.20	-41.42	V	PEAK	Pass	Harmonic
83	802.11be EHT80	7	5925.00	52.08	68.20	-16.12	V	AVERAGE	Pass	Band Edge
83	802.11be EHT80	7	11970.00	45.99	74.00	-28.01	H	PEAK	Pass	Harmonic
84	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
84	802.11be EHT80	39	12290.00	47.68	74.00	-26.32	V	PEAK	Pass	Harmonic
85	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
85	802.11be EHT80	87	12770.00	46.75	88.20	-41.45	H	PEAK	Pass	Harmonic
86	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
86	802.11be EHT80	103	12930.00	48.09	88.20	-40.11	V	PEAK	Pass	Harmonic
87	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
87	802.11be EHT80	135	13250.00	47.30	74.00	-26.70	V	PEAK	Pass	Harmonic
88	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
88	802.11be EHT80	151	13410.00	47.06	88.20	-41.14	H	PEAK	Pass	Harmonic
89	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
89	802.11be EHT80	167	13570.00	47.99	88.20	-40.21	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
90	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
90	802.11be EHT80	199	13890.00	46.86	88.20	-41.34	H	PEAK	Pass	Harmonic
91	802.11be EHT80	215	8434.00	47.30	54.00	-6.70	V	Average	Pass	Band Edge
91	802.11be EHT80	215	14050.00	47.69	88.20	-40.51	V	PEAK	Pass	Harmonic
92	802.11be EHT160	15	5921.40	49.24	68.20	-18.96	V	AVERAGE	Pass	Band Edge
92	802.11be EHT160	15	12050.00	45.89	74.00	-28.11	H	PEAK	Pass	Harmonic
93	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
93	802.11be EHT160	47	12370.00	47.87	74.00	-26.13	V	PEAK	Pass	Harmonic
94	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
94	802.11be EHT160	79	12690.00	46.90	74.00	-27.10	H	PEAK	Pass	Harmonic
95	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
95	802.11be EHT160	143	13330.00	46.95	74.00	-27.05	H	PEAK	Pass	Harmonic
96	802.11be EHT160	207	7132.12	41.56	68.20	-26.64	V	AVERAGE	Pass	Band Edge
96	802.11be EHT160	207	13970.00	46.01	88.20	-42.19	V	PEAK	Pass	Harmonic
97	802.11be EHT320	31	5798.76	55.23	68.20	-12.97	V	AVERAGE	Pass	Band Edge
97	802.11be EHT320	31	12210.00	46.70	74.00	-27.30	V	PEAK	Pass	Harmonic
98	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
98	802.11be EHT320	63	12530.00	46.17	74.00	-27.83	V	PEAK	Pass	Harmonic
99	802.11a	185	-	-	-	-	-	-	-	Band Edge
99	802.11a	185	13750.00	48.29	88.20	-39.91	V	PEAK	Pass	Harmonic
100	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
100	802.11be EHT20	185	13750.00	46.90	88.20	-41.30	V	PEAK	Pass	Harmonic
101	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
101	802.11be EHT40	187	13770.00	47.13	88.20	-41.07	V	PEAK	Pass	Harmonic
102	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
102	802.11be EHT80	183	13730.00	48.42	88.20	-39.78	V	PEAK	Pass	Harmonic
103	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
103	802.11be EHT160	175	13650.00	47.68	88.20	-40.52	V	PEAK	Pass	Harmonic
104	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
104	802.11be EHT320	159	13490.00	46.69	88.20	-41.51	V	PEAK	Pass	Harmonic
105	802.11be EHT320	191	7385.08	43.16	54.00	-10.84	V	AVERAGE	Pass	Band Edge
105	802.11be EHT320	191	13810.00	47.19	88.20	-41.01	H	PEAK	Pass	Harmonic
106	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
106	802.11be EHT40	115	13050.00	48.94	88.20	-39.26	V	PEAK	Pass	Harmonic
107	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
107	802.11be EHT80	119	13090.00	47.84	88.20	-40.36	H	PEAK	Pass	Harmonic
108	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
108	802.11be EHT160	111	13010.00	47.78	88.20	-40.42	V	PEAK	Pass	Harmonic
109	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
109	802.11be EHT320	95	12850.00	46.63	88.20	-41.57	V	PEAK	Pass	Harmonic
110	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
110	802.11be EHT320	127	13170.00	47.09	88.20	-41.11	V	PEAK	Pass	Harmonic
111	802.11be EHT20	1	5923.67	39.69	68.20	-28.51	V	AVERAGE	Pass	Band Edge
111	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
112	802.11be EHT20	229	7213.16	41.44	68.20	-26.76	V	AVERAGE	Pass	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
112	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
113	802.11be EHT20	1	5914.44	39.80	68.20	-28.40	V	AVERAGE	Pass	Band Edge
113	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
114	802.11be EHT20	229	7198.44	40.44	68.20	-27.76	H	AVERAGE	Pass	Band Edge
114	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
115	802.11be EHT80	7	5916.04	54.90	68.20	-13.30	V	AVERAGE	Pass	Band Edge
115	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
116	802.11be EHT80	215	7131.92	41.86	68.20	-26.34	V	AVERAGE	Pass	Band Edge
116	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
117	802.11be EHT160	15	5920.20	52.06	68.20	-16.14	V	AVERAGE	Pass	Band Edge
117	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
118	802.11be EHT160	207	7145.56	42.99	68.20	-25.21	V	AVERAGE	Pass	Band Edge
118	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
119	802.11be EHT160	15	5915.00	52.79	68.20	-15.41	V	AVERAGE	Pass	Band Edge
119	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
120	802.11be EHT160	207	7131.64	44.95	68.20	-23.25	V	AVERAGE	Pass	Band Edge
120	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
121	802.11be EHT320	31	5898.60	49.89	68.20	-18.31	V	AVERAGE	Pass	Band Edge
121	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
122	802.11be EHT320	191	7250.44	40.64	54.00	-13.36	V	AVERAGE	Pass	Band Edge
122	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
123	802.11be EHT320	31	5897.64	51.92	68.20	-16.28	V	AVERAGE	Pass	Band Edge
123	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
124	802.11be EHT320	191	7251.88	40.87	54.00	-13.13	V	AVERAGE	Pass	Band Edge
124	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
125	802.11be EHT320	31	5917.80	53.97	68.20	-14.23	V	AVERAGE	Pass	Band Edge
125	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
126	802.11be EHT320	191	7385.08	44.30	54.00	-9.70	V	AVERAGE	Pass	Band Edge
126	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
127	802.11be EHT80	7	5924.84	55.93	68.20	-12.27	V	AVERAGE	Pass	Band Edge
127	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
128	802.11be EHT80	215	7130.38	42.51	68.20	-25.69	V	AVERAGE	Pass	Band Edge
128	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
129	802.11be EHT160	15	5924.40	51.92	68.20	-16.28	V	AVERAGE	Pass	Band Edge
129	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
130	802.11be EHT160	207	7142.68	42.61	68.20	-25.59	V	AVERAGE	Pass	Band Edge
130	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
131	802.11be EHT320	31	5918.76	53.73	68.20	-14.47	V	AVERAGE	Pass	Band Edge
131	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
132	802.11be EHT320	191	7385.08	41.30	54.00	-12.70	V	AVERAGE	Pass	Band Edge
132	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
133	802.11be EHT320	31	5917.48	52.12	68.20	-16.08	V	AVERAGE	Pass	Band Edge
133	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
134	802.11be EHT320	31	5917.80	52.64	68.20	-15.56	V	AVERAGE	Pass	Band Edge
134	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
135	802.11be EHT320	191	7385.08	41.75	54.00	-12.25	V	AVERAGE	Pass	Band Edge
135	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
136	802.11be EHT320	191	7385.08	43.04	54.00	-10.96	V	AVERAGE	Pass	Band Edge
136	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
137	802.11a	233	7125.00	67.36	68.20	-0.84	V	AVERAGE	Pass	Band Edge
137	802.11a	233	14230.00	47.33	88.20	-40.87	H	PEAK	Pass	Harmonic
138	802.11ax HE20	233	7125.00	67.43	68.20	-0.77	V	AVERAG	Pass	Band Edge
138	802.11ax HE20	233	14230.00	47.50	88.20	-40.70	V	PEAK	Pass	Harmonic
139	802.11be EHT20	233	7125.00	67.47	68.20	-0.73	V	AVERAG	Pass	Band Edge
139	802.11be EHT20	233	14230.00	46.86	88.20	-41.34	V	PEAK	Pass	Harmonic
140	802.11ax HE20	233	7125.00	67.39	68.20	-0.81	V	AVERAG	Pass	Band Edge
140	802.11ax HE20	233	14230.00	46.83	88.20	-41.37	H	PEAK	Pass	Harmonic
141	802.11ax HE20	233	7125.00	67.39	68.20	-0.81	V	AVERAG	Pass	Band Edge
141	802.11ax HE20	233	14230.00	46.90	88.20	-41.30	H	PEAK	Pass	Harmonic
142	802.11ax HE20	233	7125.00	67.44	68.20	-0.76	V	AVERAG	Pass	Band Edge
142	802.11ax HE20	233	14230.00	46.82	88.20	-41.38	V	PEAK	Pass	Harmonic
143	802.11be EHT20	233	7125.00	64.59	68.20	-3.61	V	AVERAG	Pass	Band Edge
143	802.11be EHT20	233	14230.00	46.66	88.20	-41.54	V	PEAK	Pass	Harmonic
144	802.11be EHT20	233	7198.76	40.29	68.20	-27.91	H	AVERAGE	Pass	Band Edge
144	802.11be EHT20	233	14230.00	47.37	88.20	-40.83	H	PEAK	Pass	Harmonic
145	802.11be EHT20	233	30.00	29.58	40.00	-10.42	V	PEAK	Pass	LF
146	802.11ax HE40	38	5149.92	53.66	54.00	-0.34	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	38	10380.00	44.56	68.20	-23.64	V	PEAK	Pass	Harmonic
	802.11be EHT20	233	7125.00	66.59	68.20	-1.61	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	233	14230.00	46.66	88.20	-41.54	V	PEAK	Pass	Harmonic
147	802.11ax HE40	09	2483.50	53.45	54.00	-0.55	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	4904.00	43.00	74.00	-31.00	V	PEAK	Pass	Harmonic
	802.11be EHT20	233	7125.00	65.53	68.20-	-2.67	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	233	14230.00	48.55	88.20	-39.65	H	PEAK	Pass	Harmonic





		1																																																					
Mode		Band Edge																																																					
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																					
ANT		CDD 1+2																																																					
Pol.		Horizontal																																																					
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5857.63</td><td>50.61</td><td>88.20</td><td>-37.59</td><td>40.46</td><td>35.02</td><td>11.34</td><td>36.21</td><td>0.00</td><td>292</td><td>71</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5857.63	50.61	88.20	-37.59	40.46	35.02	11.34	36.21	0.00	292	71
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5857.63	50.61	88.20	-37.59	40.46	35.02	11.34	36.21	0.00	292	71	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.86</td><td>-----</td><td>-----</td><td>86.92</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>292</td><td>71</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.86	-----	-----	86.92	35.15	11.43	36.64	0.00	292	71
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	96.86	-----	-----	86.92	35.15	11.43	36.64	0.00	292	71	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.54</td><td>39.38</td><td>68.20</td><td>-28.82</td><td>29.46</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>292</td><td>71</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.54	39.38	68.20	-28.82	29.46	35.12	11.40	36.60	0.00	292	71
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5923.54	39.38	68.20	-28.82	29.46	35.12	11.40	36.60	0.00	292	71	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>89.73</td><td>-----</td><td>-----</td><td>79.81</td><td>35.16</td><td>11.43</td><td>36.67</td><td>0.00</td><td>292</td><td>71</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.73	-----	-----	79.81	35.16	11.43	36.67	0.00	292	71
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	89.73	-----	-----	79.81	35.16	11.43	36.67	0.00	292	71	AVERAGE																																											



Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5902.61</td><td>51.75</td><td>88.20</td><td>-36.45</td><td>41.83</td><td>35.10</td><td>11.38</td><td>36.56</td><td>0.00</td><td>202</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5902.61	51.75	88.20	-36.45	41.83	35.10	11.38	36.56	0.00	202	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>104.50</td><td>-----</td><td>-----</td><td>94.58</td><td>35.16</td><td>11.43</td><td>36.67</td><td>0.00</td><td>202</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.50	-----	-----	94.58	35.16	11.43	36.67	0.00	202	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5902.61	51.75	88.20	-36.45	41.83	35.10	11.38	36.56	0.00	202	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	104.50	-----	-----	94.58	35.16	11.43	36.67	0.00	202	360	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.89</td><td>40.17</td><td>68.20</td><td>-28.03</td><td>30.25</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>202</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.89	40.17	68.20	-28.03	30.25	35.12	11.40	36.60	0.00	202	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>96.43</td><td>-----</td><td>-----</td><td>86.49</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>202</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.43	-----	-----	86.49	35.15	11.43	36.64	0.00	202	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.89	40.17	68.20	-28.03	30.25	35.12	11.40	36.60	0.00	202	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	96.43	-----	-----	86.49	35.15	11.43	36.64	0.00	202	360	AVERAGE																																																																																							





Mode	1																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>55.86</td><td>38.63</td><td>16.62</td><td>66.12</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	44.99	74.00	-29.01	55.86	38.63	16.62	66.12	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>56.02</td><td>38.63</td><td>16.62</td><td>66.12</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.15	74.00	-28.85	56.02	38.63	16.62	66.12	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11910.00	44.99	74.00	-29.01	55.86	38.63	16.62	66.12	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11910.00	45.15	74.00	-28.85	56.02	38.63	16.62	66.12	0.00	--	PEAK																																																																																							





		2																																																																	
Mode		Harmonic																																																																	
		U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																	
ANT		CDD 1+2																																																																	
Pol.		Horizontal																																																																	
Peak Avg																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12350.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>56.08</td><td>38.84</td><td>16.91</td><td>65.76</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.07	74.00	-27.93	56.08	38.84	16.91	65.76	0.00	--	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	12350.00	46.07	74.00	-27.93	56.08	38.84	16.91	65.76	0.00	--	PEAK																																																								
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12350.00</td><td>51.04</td><td>74.00</td><td>-22.96</td><td>61.05</td><td>38.84</td><td>16.91</td><td>65.76</td><td>0.00</td><td>249</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>12350.00</td><td>45.04</td><td>54.00</td><td>-8.96</td><td>55.05</td><td>38.84</td><td>16.91</td><td>65.76</td><td>0.00</td><td>249</td><td>206</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	51.04	74.00	-22.96	61.05	38.84	16.91	65.76	0.00	249	206	PEAK	2	12350.00	45.04	54.00	-8.96	55.05	38.84	16.91	65.76	0.00	249	206	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	12350.00	51.04	74.00	-22.96	61.05	38.84	16.91	65.76	0.00	249	206	PEAK																																																							
2	12350.00	45.04	54.00	-8.96	55.05	38.84	16.91	65.76	0.00	249	206	AVERAGE																																																							





Mode	3																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak																																																																																																		
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>46.92</td><td>88.20</td><td>-41.28</td><td>55.99</td><td>39.03</td><td>17.22</td><td>65.32</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.92	88.20	-41.28	55.99	39.03	17.22	65.32	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>49.79</td><td>88.20</td><td>-38.41</td><td>58.06</td><td>39.03</td><td>17.22</td><td>65.32</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	49.79	88.20	-38.41	58.06	39.03	17.22	65.32	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12830.00	46.92	88.20	-41.28	55.99	39.03	17.22	65.32	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12830.00	49.79	88.20	-38.41	58.06	39.03	17.22	65.32	0.00	--	PEAK																																																																																							





Mode	4																																																																																																
	Harmonic																																																																																																
	U-NII-5_6.425-6.525_802.11a_CH97_6435MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>46.98</td><td>88.20</td><td>-41.22</td><td>55.96</td><td>39.05</td><td>17.25</td><td>65.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	46.98	88.20	-41.22	55.96	39.05	17.25	65.28	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>48.94</td><td>88.20</td><td>-39.26</td><td>57.92</td><td>39.05</td><td>17.25</td><td>65.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	48.94	88.20	-39.26	57.92	39.05	17.25	65.28	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12870.00	46.98	88.20	-41.22	55.96	39.05	17.25	65.28	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12870.00	48.94	88.20	-39.26	57.92	39.05	17.25	65.28	0.00	--	PEAK																																																																																						





Mode	5																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_6.425-6.525_802.11a_CH105_6475MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.85</td><td>88.20</td><td>-41.35</td><td>55.67</td><td>39.08</td><td>17.30</td><td>65.20</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	46.85	88.20	-41.35	55.67	39.08	17.30	65.20	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.80</td><td>88.20</td><td>-39.40</td><td>57.62</td><td>39.08</td><td>17.30</td><td>65.20</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.80	88.20	-39.40	57.62	39.08	17.30	65.20	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12950.00	46.85	88.20	-41.35	55.67	39.08	17.30	65.20	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12950.00	48.80	88.20	-39.40	57.62	39.08	17.30	65.20	0.00	--	PEAK																																																																																							





Mode	6																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_6.425-6.525_802.11a_CH113_6515MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>46.89</td><td>88.20</td><td>-41.31</td><td>55.57</td><td>39.09</td><td>17.36</td><td>65.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	46.89	88.20	-41.31	55.57	39.09	17.36	65.13	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.22</td><td>50.06</td><td>88.20</td><td>-38.14</td><td>58.74</td><td>39.09</td><td>17.36</td><td>65.13</td><td>0.00</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.22	50.06	88.20	-38.14	58.74	39.09	17.36	65.13	0.00	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13030.00	46.89	88.20	-41.31	55.57	39.09	17.36	65.13	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13030.22	50.06	88.20	-38.14	58.74	39.09	17.36	65.13	0.00	--	Peak																																																																																							





Mode	7																																																																																																										
	Harmonic																																																																																																										
	U-NII-5_6.525-6.875_802.11a_CH117_6535MHz																																																																																																										
ANT	CDD 1+2																																																																																																										
Pol.	Horizontal						Vertical																																																																																																				
Peak Avg																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>47.86</td><td>88.20</td><td>-40.34</td><td>56.50</td><td>39.07</td><td>17.38</td><td>65.09</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.00	47.86	88.20	-40.34	56.50	39.07	17.38	65.09	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.22</td><td>50.28</td><td>88.20</td><td>-37.92</td><td>58.92</td><td>39.07</td><td>17.38</td><td>65.09</td><td>0.00</td><td>--</td><td>--</td><td></td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.22	50.28	88.20	-37.92	58.92	39.07	17.38	65.09	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	13070.00	47.86	88.20	-40.34	56.50	39.07	17.38	65.09	0.00	--	--	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	13070.22	50.28	88.20	-37.92	58.92	39.07	17.38	65.09	0.00	--	--																																																																																																





Mode	8																																																																																																
	Harmonic																																																																																																
	U-NII-5_6.525-6.875_802.11a_CH149_6695MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>54.13</td><td>38.94</td><td>17.61</td><td>64.79</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.89	74.00	-28.11	54.13	38.94	17.61	64.79	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>56.12</td><td>38.94</td><td>17.61</td><td>64.79</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.88	74.00	-26.12	56.12	38.94	17.61	64.79	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13390.00	45.89	74.00	-28.11	54.13	38.94	17.61	64.79	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13390.00	47.88	74.00	-26.12	56.12	38.94	17.61	64.79	0.00	--	PEAK																																																																																						





Mode	9																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_6.525-6.875_802.11a_CH181_6855MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.22</td><td>45.49</td><td>88.20</td><td>-42.71</td><td>53.50</td><td>38.82</td><td>17.84</td><td>64.67</td><td>0.00</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.22	45.49	88.20	-42.71	53.50	38.82	17.84	64.67	0.00	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.22</td><td>44.97</td><td>88.20</td><td>-43.23</td><td>52.98</td><td>38.82</td><td>17.84</td><td>64.67</td><td>0.00</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.22	44.97	88.20	-43.23	52.98	38.82	17.84	64.67	0.00	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13710.22	45.49	88.20	-42.71	53.50	38.82	17.84	64.67	0.00	--	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13710.22	44.97	88.20	-43.23	52.98	38.82	17.84	64.67	0.00	--	Peak																																																																																							







Mode	10																																																																																																				
	Harmonic																																																																																																				
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																				
ANT	CDD 1+2																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13790.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>55.25</td><td>38.78</td><td>17.89</td><td>64.67</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	47.25	88.20	-40.95	55.25	38.78	17.89	64.67	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13790.00</td><td>48.33</td><td>88.20</td><td>-39.87</td><td>56.33</td><td>38.78</td><td>17.89</td><td>64.67</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	48.33	88.20	-39.87	56.33	38.78	17.89	64.67	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	13790.00	47.25	88.20	-40.95	55.25	38.78	17.89	64.67	0.00	--	--	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	13790.00	48.33	88.20	-39.87	56.33	38.78	17.89	64.67	0.00	--	--	PEAK																																																																																									







Mode	11																																																																																																
	Harmonic																																																																																																
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>47.21</td><td>88.20</td><td>-40.99</td><td>55.12</td><td>38.70</td><td>18.04</td><td>64.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	47.21	88.20	-40.99	55.12	38.70	18.04	64.65	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>46.60</td><td>88.20</td><td>-41.60</td><td>54.51</td><td>38.70</td><td>18.04</td><td>64.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	46.60	88.20	-41.60	54.51	38.70	18.04	64.65	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13990.00	47.21	88.20	-40.99	55.12	38.70	18.04	64.65	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13990.00	46.60	88.20	-41.60	54.51	38.70	18.04	64.65	0.00	--	PEAK																																																																																						





Mode	12																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.40</td><td>52.31</td><td>88.20</td><td>-35.89</td><td>40.98</td><td>35.70</td><td>12.62</td><td>36.99</td><td>0.00</td><td>274</td><td>44</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.40	52.31	88.20	-35.89	40.98	35.70	12.62	36.99	0.00	274	44	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>95.83</td><td>-----</td><td>-----</td><td>84.59</td><td>35.69</td><td>12.58</td><td>37.03</td><td>0.00</td><td>274</td><td>44</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	95.83	-----	-----	84.59	35.69	12.58	37.03	0.00	274	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7127.40	52.31	88.20	-35.89	40.98	35.70	12.62	36.99	0.00	274	44	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7095.00	95.83	-----	-----	84.59	35.69	12.58	37.03	0.00	274	44	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7201.00</td><td>40.38</td><td>68.20</td><td>-27.82</td><td>28.73</td><td>35.70</td><td>12.71</td><td>36.76</td><td>0.00</td><td>274</td><td>44</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7201.00	40.38	68.20	-27.82	28.73	35.70	12.71	36.76	0.00	274	44	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>87.93</td><td>-----</td><td>-----</td><td>76.69</td><td>35.69</td><td>12.58</td><td>37.03</td><td>0.00</td><td>274</td><td>44</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	87.93	-----	-----	76.69	35.69	12.58	37.03	0.00	274	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7201.00	40.38	68.20	-27.82	28.73	35.70	12.71	36.76	0.00	274	44	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7095.00	87.93	-----	-----	76.69	35.69	12.58	37.03	0.00	274	44	AVERAGE																																																																																							







Mode	12																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7181.32</td><td>52.23</td><td>88.20</td><td>-35.97</td><td>40.67</td><td>35.70</td><td>12.69</td><td>36.83</td><td>0.00</td><td>297</td><td>289</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7181.32	52.23	88.20	-35.97	40.67	35.70	12.69	36.83	0.00	297	289	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>102.76</td><td>-----</td><td>-----</td><td>91.52</td><td>35.69</td><td>12.58</td><td>37.03</td><td>0.00</td><td>297</td><td>289</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	102.76	-----	-----	91.52	35.69	12.58	37.03	0.00	297	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7181.32	52.23	88.20	-35.97	40.67	35.70	12.69	36.83	0.00	297	289	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7095.00	102.76	-----	-----	91.52	35.69	12.58	37.03	0.00	297	289	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7204.68</td><td>40.43</td><td>68.20</td><td>-27.77</td><td>28.79</td><td>35.70</td><td>12.71</td><td>36.77</td><td>0.00</td><td>297</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7204.68	40.43	68.20	-27.77	28.79	35.70	12.71	36.77	0.00	297	289	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>94.84</td><td>-----</td><td>-----</td><td>83.60</td><td>35.69</td><td>12.58</td><td>37.03</td><td>0.00</td><td>297</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	94.84	-----	-----	83.60	35.69	12.58	37.03	0.00	297	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7204.68	40.43	68.20	-27.77	28.79	35.70	12.71	36.77	0.00	297	289	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7095.00	94.84	-----	-----	83.60	35.69	12.58	37.03	0.00	297	289	AVERAGE																																																																																							







Mode	12																																																																																																	
	Harmonic																																																																																																	
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>46.79</td><td>88.20</td><td>-41.41</td><td>54.34</td><td>38.87</td><td>18.17</td><td>64.59</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	46.79	88.20	-41.41	54.34	38.87	18.17	64.59	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>47.30</td><td>88.20</td><td>-40.90</td><td>54.85</td><td>38.87</td><td>18.17</td><td>64.59</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	47.30	88.20	-40.90	54.85	38.87	18.17	64.59	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	14190.00	46.79	88.20	-41.41	54.34	38.87	18.17	64.59	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	14190.00	47.30	88.20	-40.90	54.85	38.87	18.17	64.59	0.00	--	PEAK																																																																																							





		13																																																					
Mode		Band Edge																																																					
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																					
ANT		CDD 1+2																																																					
Pol.		Horizontal						Fundamental																																															
Peak		 Level (dBuV/m) Frequency (MHz) WiFi 6E (Peak)																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.77</td><td>51.83</td><td>88.20</td><td>-36.37</td><td>41.66</td><td>35.01</td><td>11.34</td><td>36.18</td><td>0.00</td><td>105</td><td>79</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.77	51.83	88.20	-36.37	41.66	35.01	11.34	36.18	0.00	105	79
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5854.77	51.83	88.20	-36.37	41.66	35.01	11.34	36.18	0.00	105	79	PEAK																																											
Avg		 Level (dBuV/m) Frequency (MHz) WiFi 6E (AVG)																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.41</td><td>39.58</td><td>68.20</td><td>-28.62</td><td>29.66</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>105</td><td>79</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.41	39.58	68.20	-28.62	29.66	35.12	11.40	36.60	0.00	105	79
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5923.41	39.58	68.20	-28.62	29.66	35.12	11.40	36.60	0.00	105	79	AVERAGE																																											
Peak		 Level (dBuV/m) Frequency (MHz) WiFi 6E (Peak)																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.53</td><td>-----</td><td>-----</td><td>88.59</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>105</td><td>79</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	98.53	-----	-----	88.59	35.15	11.43	36.64	0.00	105	79
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5955.00	98.53	-----	-----	88.59	35.15	11.43	36.64	0.00	105	79	PEAK																																											
Avg		 Level (dBuV/m) Frequency (MHz) WiFi 6E (AVG)																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.86</td><td>-----</td><td>-----</td><td>88.92</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>105</td><td>79</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	90.86	-----	-----	88.92	35.15	11.43	36.64	0.00	105	79
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5955.00	90.86	-----	-----	88.92	35.15	11.43	36.64	0.00	105	79	AVERAGE																																											







		13																																																																																																						
Mode		Band Edge																																																																																																						
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																																						
ANT		CDD 1+2																																																																																																						
Pol.		Vertical						Fundamental																																																																																																
Peak																																																																																																								
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5879.47</td><td>53.12</td><td>88.20</td><td>-35.08</td><td>43.09</td><td>35.06</td><td>11.36</td><td>36.39</td><td>0.00</td><td>226</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5879.47	53.12	88.20	-35.08	43.09	35.06	11.36	36.39	0.00	226	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>104.02</td><td>-----</td><td>-----</td><td>94.08</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>226</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	104.02	-----	-----	94.08	35.15	11.43	36.64	0.00	226	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5879.47	53.12	88.20	-35.08	43.09	35.06	11.36	36.39	0.00	226	360	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5955.00	104.02	-----	-----	94.08	35.15	11.43	36.64	0.00	226	360	PEAK																																																																																												
Avg																																																																																																								
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.41</td><td>39.97</td><td>68.20</td><td>-28.23</td><td>30.05</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>226</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.41	39.97	68.20	-28.23	30.05	35.12	11.40	36.60	0.00	226	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>95.15</td><td>-----</td><td>-----</td><td>85.21</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>226</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	95.15	-----	-----	85.21	35.15	11.43	36.64	0.00	226	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5923.41	39.97	68.20	-28.23	30.05	35.12	11.40	36.60	0.00	226	360	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5955.00	95.15	-----	-----	85.21	35.15	11.43	36.64	0.00	226	360	AVERAGE																																																																																												







Mode	13																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																															
ANT	CDD 1+2																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.64</td><td>74.00</td><td>-28.36</td><td>56.51</td><td>38.63</td><td>16.62</td><td>66.12</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.64	74.00	-28.36	56.51	38.63	16.62	66.12	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>57.65</td><td>38.63</td><td>16.62</td><td>66.12</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.78	74.00	-27.22	57.65	38.63	16.62	66.12	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	11910.00	45.64	74.00	-28.36	56.51	38.63	16.62	66.12	0.00	--	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	11910.00	46.78	74.00	-27.22	57.65	38.63	16.62	66.12	0.00	--	PEAK																																																																																					





Mode	14																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5840.34</td><td>52.11</td><td>88.20</td><td>-36.09</td><td>41.96</td><td>34.98</td><td>11.32</td><td>36.15</td><td>0.00</td><td>304</td><td>147</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5840.34	52.11	88.20	-36.09	41.96	34.98	11.32	36.15	0.00	304	147	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>95.04</td><td>-----</td><td>-----</td><td>85.10</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>304</td><td>147</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.04	-----	-----	85.10	35.15	11.43	36.64	0.00	304	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5840.34	52.11	88.20	-36.09	41.96	34.98	11.32	36.15	0.00	304	147	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	95.04	-----	-----	85.10	35.15	11.43	36.64	0.00	304	147	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5914.05</td><td>39.32</td><td>68.20</td><td>-28.88</td><td>29.40</td><td>35.11</td><td>11.39</td><td>36.58</td><td>0.00</td><td>304</td><td>147</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.05	39.32	68.20	-28.88	29.40	35.11	11.39	36.58	0.00	304	147	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>87.06</td><td>-----</td><td>-----</td><td>77.12</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>304</td><td>147</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.06	-----	-----	77.12	35.15	11.43	36.64	0.00	304	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5914.05	39.32	68.20	-28.88	29.40	35.11	11.39	36.58	0.00	304	147	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	87.06	-----	-----	77.12	35.15	11.43	36.64	0.00	304	147	AVERAGE																																																																																							







		14																																																				
Mode		Band Edge																																																				
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																				
ANT		CDD 1+2																																																				
Pol.		Fundamental																																																				
Peak	Vertical																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5954.77</td><td>51.54</td><td>88.20</td><td>-36.66</td><td>41.37</td><td>35.01</td><td>11.34</td><td>36.18</td><td>0.00</td><td>303</td><td>127</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5954.77	51.54	88.20	-36.66	41.37	35.01	11.34	36.18	0.00	303	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5954.77	51.54	88.20	-36.66	41.37	35.01	11.34	36.18	0.00	303	127	PEAK																																										
Avg	Fundamental																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.79</td><td>-----</td><td>-----</td><td>92.85</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>303</td><td>127</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.79	-----	-----	92.85	35.15	11.43	36.64	0.00	303	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5955.00	102.79	-----	-----	92.85	35.15	11.43	36.64	0.00	303	127	PEAK																																										
Avg	Vertical																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>39.46</td><td>68.20</td><td>-28.74</td><td>29.54</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>303</td><td>127</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	39.46	68.20	-28.74	29.54	35.12	11.40	36.60	0.00	303	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5924.45	39.46	68.20	-28.74	29.54	35.12	11.40	36.60	0.00	303	127	AVERAGE																																										
Avg	Fundamental																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.40</td><td>-----</td><td>-----</td><td>85.46</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>303</td><td>127</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.40	-----	-----	85.46	35.15	11.43	36.64	0.00	303	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5955.00	95.40	-----	-----	85.46	35.15	11.43	36.64	0.00	303	127	AVERAGE																																										







		14																																																				
Mode		Harmonic																																																				
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																				
ANT		CDD 1+2																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>57.75</td><td>38.63</td><td>16.62</td><td>66.12</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.88	74.00	-27.12	57.75	38.63	16.62	66.12	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	46.88	74.00	-27.12	57.75	38.63	16.62	66.12	0.00	--	PEAK																																											
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>56.50</td><td>38.63</td><td>16.62</td><td>66.12</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.63	74.00	-28.37	56.50	38.63	16.62	66.12	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.63	74.00	-28.37	56.50	38.63	16.62	66.12	0.00	--	PEAK																																											





Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5913.01</td><td>50.52</td><td>88.20</td><td>-37.68</td><td>40.60</td><td>35.11</td><td>11.39</td><td>36.58</td><td>0.00</td><td>301</td><td>149</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.01	50.52	88.20	-37.68	40.60	35.11	11.39	36.58	0.00	301	149	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>96.70</td><td>-----</td><td>-----</td><td>86.76</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>301</td><td>149</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.70	-----	-----	86.76	35.15	11.43	36.64	0.00	301	149
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5913.01	50.52	88.20	-37.68	40.60	35.11	11.39	36.58	0.00	301	149	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	96.70	-----	-----	86.76	35.15	11.43	36.64	0.00	301	149	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.33</td><td>39.35</td><td>68.20</td><td>-28.85</td><td>29.42</td><td>35.12</td><td>11.40</td><td>36.59</td><td>0.00</td><td>301</td><td>149</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.33	39.35	68.20	-28.85	29.42	35.12	11.40	36.59	0.00	301	149	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>89.05</td><td>-----</td><td>-----</td><td>79.11</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>301</td><td>149</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.05	-----	-----	79.11	35.15	11.43	36.64	0.00	301	149
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5921.33	39.35	68.20	-28.85	29.42	35.12	11.40	36.59	0.00	301	149	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	89.05	-----	-----	79.11	35.15	11.43	36.64	0.00	301	149	AVERAGE																																																																																							







		15																																																																																																														
Mode		Band Edge																																																																																																														
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz																																																																																																														
ANT		CDD 1+2																																																																																																														
Pol.		Vertical						Fundamental																																																																																																								
Peak																																																																																																																
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5831.24</td><td>52.68</td><td>88.20</td><td>-35.52</td><td>42.56</td><td>34.96</td><td>11.31</td><td>36.15</td><td>0.00</td><td>202</td><td>360</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5831.24	52.68	88.20	-35.52	42.56	34.96	11.31	36.15	0.00	202	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>104.48</td><td>-----</td><td>-----</td><td>94.54</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>202</td><td>360</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.48	-----	-----	94.54	35.15	11.43	36.64	0.00	202	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5831.24	52.68	88.20	-35.52	42.56	34.96	11.31	36.15	0.00	202	360	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5955.00	104.48	-----	-----	94.54	35.15	11.43	36.64	0.00	202	360	PEAK																																																																																																				
Avg																																																																																																																
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5913.01</td><td>39.83</td><td>68.20</td><td>-28.37</td><td>29.91</td><td>35.11</td><td>11.39</td><td>36.58</td><td>0.00</td><td>202</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.01	39.83	68.20	-28.37	29.91	35.11	11.39	36.58	0.00	202	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>96.64</td><td>-----</td><td>-----</td><td>86.70</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>202</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.64	-----	-----	86.70	35.15	11.43	36.64	0.00	202	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5913.01	39.83	68.20	-28.37	29.91	35.11	11.39	36.58	0.00	202	360	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5955.00	96.64	-----	-----	86.70	35.15	11.43	36.64	0.00	202	360	AVERAGE																																																																																																				







Mode	15																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>56.96</td><td>38.63</td><td>16.62</td><td>66.12</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.09	74.00	-27.91	56.96	38.63	16.62	66.12	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.93</td><td>74.00</td><td>-28.07</td><td>56.80</td><td>38.63</td><td>16.62</td><td>66.12</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.93	74.00	-28.07	56.80	38.63	16.62	66.12	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11910.00	46.09	74.00	-27.91	56.96	38.63	16.62	66.12	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11910.00	45.93	74.00	-28.07	56.80	38.63	16.62	66.12	0.00	--	PEAK																																																																																							



Mode	16																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																																														
ANT	CDD 1+2																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5830.33</td><td>50.36</td><td>88.20</td><td>-37.84</td><td>40.24</td><td>34.96</td><td>11.31</td><td>36.15</td><td>0.00</td><td>311</td><td>71</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5830.33	50.36	88.20	-37.84	40.24	34.96	11.31	36.15	0.00	311	71	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.00</td><td>-----</td><td>-----</td><td>88.06</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>311</td><td>71</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.00	-----	-----	88.06	35.15	11.43	36.64	0.00	311	71
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5830.33	50.36	88.20	-37.84	40.24	34.96	11.31	36.15	0.00	311	71	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	90.00	-----	-----	88.06	35.15	11.43	36.64	0.00	311	71	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.82</td><td>39.36</td><td>68.20</td><td>-28.84</td><td>29.44</td><td>35.12</td><td>11.39</td><td>36.59</td><td>0.00</td><td>311</td><td>71</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.82	39.36	68.20	-28.84	29.44	35.12	11.39	36.59	0.00	311	71	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>89.25</td><td>-----</td><td>-----</td><td>79.31</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>311</td><td>71</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.25	-----	-----	79.31	35.15	11.43	36.64	0.00	311	71
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5917.82	39.36	68.20	-28.84	29.44	35.12	11.39	36.59	0.00	311	71	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	89.25	-----	-----	79.31	35.15	11.43	36.64	0.00	311	71	AVERAGE																																																																																																			



Mode	16																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																																														
ANT	CDD 1+2																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5871.02</td><td>51.35</td><td>88.20</td><td>-36.85</td><td>41.28</td><td>35.04</td><td>11.35</td><td>36.32</td><td>0.00</td><td>202</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5871.02	51.35	88.20	-36.85	41.28	35.04	11.35	36.32	0.00	202	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>105.67</td><td>-----</td><td>-----</td><td>95.73</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>202</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.67	-----	-----	95.73	35.15	11.43	36.64	0.00	202	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5871.02	51.35	88.20	-36.85	41.28	35.04	11.35	36.32	0.00	202	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	105.67	-----	-----	95.73	35.15	11.43	36.64	0.00	202	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.77</td><td>39.84</td><td>68.20</td><td>-28.36</td><td>29.91</td><td>35.12</td><td>11.40</td><td>36.59</td><td>0.00</td><td>202</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.77	39.84	68.20	-28.36	29.91	35.12	11.40	36.59	0.00	202	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.40</td><td>-----</td><td>-----</td><td>86.46</td><td>35.15</td><td>11.43</td><td>36.64</td><td>0.00</td><td>202</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.40	-----	-----	86.46	35.15	11.43	36.64	0.00	202	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5919.77	39.84	68.20	-28.36	29.91	35.12	11.40	36.59	0.00	202	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	96.40	-----	-----	86.46	35.15	11.43	36.64	0.00	202	360	AVERAGE																																																																																																			