







11AX20MIMO_Ant1_5825




11AX20MIMO_Ant2_5825




11AX40MIMO_Ant1_5190




11AX40MIMO_Ant2_5190




11AX40MIMO_Ant1_5230




11AX40MIMO_Ant2_5230




11AX40MIMO_Ant1_5270




11AX40MIMO_Ant2_5270




11AX40MIMO_Ant1_5310




11AX40MIMO_Ant2_5310




11AX40MIMO_Ant1_5510




11AX40MIMO_Ant2_5510




11AX40MIMO_Ant1_5550




11AX40MIMO_Ant2_5550




11AX40MIMO_Ant1_5670




11AX40MIMO_Ant2_5670




11AX40MIMO_Ant1_5710




11AX40MIMO_Ant2_5710




11AX40MIMO_Ant1_5755




11AX40MIMO_Ant2_5755




11AX40MIMO_Ant1_5795




11AX40MIMO_Ant2_5795




11AX80MIMO_Ant1_5210




11AX80MIMO_Ant2_5210




11AX80MIMO_Ant1_5290




11AX80MIMO_Ant2_5290




11AX80MIMO_Ant1_5530




11AX80MIMO_Ant2_5530




11AX80MIMO_Ant1_5610




11AX80MIMO_Ant2_5610




11AX80MIMO_Ant1_5690




11AX80MIMO_Ant2_5690



11AX80MIMO_Ant1_5775




11AX80MIMO_Ant2_5775



5. 6dB Bandwidth

5.1. Block diagram of test setup



5.2. Limits

FCC Part15, Subpart E/ RSS-247		
Test Item	Limit	Frequency Range (MHz)
6 dB Bandwidth	Minimum 500 kHz	5725 - 5850

5.3. Test procedure

Connect EUT's antenna output to spectrum analyzer by RF cable.

Center Frequency	The center frequency of the channel under test
Detector	Peak
RBW	For 6 dB Bandwidth: RBW=100 kHz For 26 dB Bandwidth: approximately 1% of the emission bandwidth.
VBW	For 6 dB Bandwidth: VBW=300 kHz For 26 dB Bandwidth: >3 RBW
Trace	Max hold
Sweep	Auto couple


Allow the trace to stabilize, measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

5.4. Test result B4


Test Engineer:	Zhongyao	Test Site:	RF Measurement System 3#
Ambient Condition:	24.2-25.3℃,42.2-48.3%RH	Test Date:	2024.11.14-2025.02.10
Test Power Supply:	AC 120V/60Hz	Sample Number:	S24111413-003


Test Mode	Antenna	Frequency [MHz]	6db EBW [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
11A	Ant1	5745	16.04	5737.04	5753.08	0.5	PASS
	Ant2	5745	16.24	5736.84	5753.08	0.5	PASS
	Ant1	5785	16.28	5776.84	5793.12	0.5	PASS
	Ant2	5785	16.24	5776.84	5793.08	0.5	PASS
	Ant1	5825	16.28	5816.80	5833.08	0.5	PASS
	Ant2	5825	16.28	5816.80	5833.08	0.5	PASS
11N20MIMO	Ant1	5745	16.64	5737.04	5753.68	0.5	PASS
	Ant2	5745	17.56	5736.16	5753.72	0.5	PASS
	Ant1	5785	16.64	5777.04	5793.68	0.5	PASS
	Ant2	5785	17.56	5776.16	5793.72	0.5	PASS
	Ant1	5825	17.28	5816.40	5833.68	0.5	PASS
	Ant2	5825	17.56	5816.16	5833.72	0.5	PASS
11N40MIMO	Ant1	5755	35.04	5737.40	5772.44	0.5	PASS
	Ant2	5755	35.04	5737.40	5772.44	0.5	PASS
	Ant1	5795	35.04	5777.48	5812.52	0.5	PASS
	Ant2	5795	35.04	5777.48	5812.52	0.5	PASS
11AC20MIMO	Ant1	5745	16.44	5737.04	5753.48	0.5	PASS
	Ant2	5745	17.32	5736.40	5753.72	0.5	PASS
	Ant1	5785	16.44	5777.04	5793.48	0.5	PASS
	Ant2	5785	17.56	5776.16	5793.72	0.5	PASS
	Ant1	5825	17.24	5816.44	5833.68	0.5	PASS
	Ant2	5825	17.56	5816.16	5833.72	0.5	PASS
11AC40MIMO	Ant1	5755	35.04	5737.40	5772.44	0.5	PASS
	Ant2	5755	33.76	5738.68	5772.44	0.5	PASS
	Ant1	5795	35.04	5777.48	5812.52	0.5	PASS
	Ant2	5795	34.96	5777.48	5812.44	0.5	PASS
11AC80MIMO	Ant1	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant2	5775	75.20	5737.40	5812.60	0.5	PASS
11AX20MIMO	Ant1	5745	18.76	5735.56	5754.32	0.5	PASS
	Ant2	5745	18.76	5735.48	5754.24	0.5	PASS
	Ant1	5785	18.84	5775.48	5794.32	0.5	PASS
	Ant2	5785	18.88	5775.48	5794.36	0.5	PASS
	Ant1	5825	18.76	5815.64	5834.40	0.5	PASS
	Ant2	5825	18.88	5815.48	5834.36	0.5	PASS
11AX40MIMO	Ant1	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant2	5755	35.04	5737.40	5772.44	0.5	PASS
	Ant1	5795	35.12	5777.40	5812.52	0.5	PASS
	Ant2	5795	35.12	5777.40	5812.52	0.5	PASS
11AX80MIMO	Ant1	5775	75.68	5736.92	5812.60	0.5	PASS
	Ant2	5775	75.20	5737.40	5812.60	0.5	PASS

5.5. Test graphs B4


















11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825









11AX20MIMO_Ant1_5745




11AX20MIMO_Ant2_5745




11AX20MIMO_Ant1_5785







11AX40MIMO_Ant1_5755




11AX40MIMO_Ant2_5755




11AX40MIMO_Ant1_5795




11AX40MIMO_Ant2_5795



11AX80MIMO_Ant1_5775




11AX80MIMO_Ant2_5775



6. 99% Bandwidth

6.1. Block diagram of test setup



6.2. Limits

Just for Report.

6.3. Test procedure

(1) Connect EUT's antenna output to spectrum analyzer by RF cable.

Center Frequency	The center frequency of the channel under test
Detector	Peak
RBW	1% to 5% of the OBW
VBW	approximately three times the RBW
Trace	Max hold

Use the 99% power bandwidth function of the instrument (if available) and report the measured bandwidth.

6.4. Test result

Test Engineer:	Zhongyao	Test Site:	RF Measurement System 3#
Ambient Condition:	24.2-25.3℃,42.2-48.3%RH	Test Date:	2024.11.14-2025.02.10
Test Power Supply:	AC 120V/60Hz	Sample Number:	S24111413-003

Test Mode	Antenna	Frequency [MHz]	OCB [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
11A	Ant1	5180	19.141	5170.3297	5189.4705	---	---
	Ant2	5180	19.221	5170.2897	5189.5105	---	---
	Ant1	5200	19.261	5190.2098	5209.4705	---	---
	Ant2	5200	19.261	5190.2498	5209.5105	---	---
	Ant1	5240	17.183	5231.3287	5248.5115	---	---
	Ant2	5240	17.183	5231.3287	5248.5115	---	---
	Ant1	5260	19.221	5250.2897	5269.5105	---	---
	Ant2	5260	19.261	5250.2897	5269.5504	---	---
	Ant1	5280	19.221	5270.2897	5289.5105	---	---
	Ant2	5280	19.221	5270.3297	5289.5504	---	---
	Ant1	5320	19.261	5310.3297	5329.5904	---	---
	Ant2	5320	19.261	5310.2897	5329.5504	---	---
	Ant1	5500	19.301	5490.2897	5509.5904	---	---
	Ant2	5500	19.341	5490.2498	5509.5904	---	---
	Ant1	5580	19.141	5570.2897	5589.4306	---	---
	Ant2	5580	19.221	5570.2498	5589.4705	---	---
	Ant1	5700	19.221	5690.2897	5709.5105	---	---
	Ant2	5700	19.261	5690.2897	5709.5504	---	---
	Ant1	5720	19.261	5710.2498	5729.5105	---	---
	Ant2	5720	19.261	5710.2498	5729.5105	---	---
	Ant1	5720 UNII-2C	14.75	5710.2498	5725	---	---
	Ant2	5720 UNII-2C	14.75	5710.2498	5725	---	---
	Ant1	5720 UNII-3	4.511	5725	5729.5105	---	---
	Ant2	5720 UNII-3	4.511	5725	5729.5105	---	---
	Ant1	5745	19.181	5735.3297	5754.5105	---	---
	Ant2	5745	19.181	5735.3297	5754.5105	---	---
	Ant1	5785	19.261	5775.2897	5794.5504	---	---
	Ant2	5785	19.341	5775.2498	5794.5904	---	---
	Ant1	5825	19.301	5815.2498	5834.5504	---	---
	Ant2	5825	19.301	5815.2098	5834.5105	---	---
11N20MIMO	Ant1	5180	19.7	5170.0899	5189.7902	---	---
	Ant2	5180	18.342	5170.8092	5189.1508	---	---
	Ant1	5200	19.78	5190.0100	5209.7902	---	---
	Ant2	5200	18.382	5190.8092	5209.1908	---	---
	Ant1	5240	17.942	5230.9690	5248.9111	---	---
	Ant2	5240	17.582	5231.1289	5248.7113	---	---
	Ant1	5260	19.86	5249.9700	5269.8302	---	---
	Ant2	5260	18.262	5250.8891	5269.1508	---	---
	Ant1	5280	19.94	5269.9301	5289.8701	---	---
	Ant2	5280	18.222	5270.8891	5289.1109	---	---
	Ant1	5320	19.82	5310.1299	5329.9500	---	---
	Ant2	5320	18.382	5310.8092	5329.1908	---	---
	Ant1	5500	19.86	5490.0899	5509.9500	---	---
	Ant2	5500	18.382	5490.7692	5509.1508	---	---
	Ant1	5580	19.86	5569.9301	5589.7902	---	---
	Ant2	5580	18.222	5570.8891	5589.1109	---	---
	Ant1	5700	19.78	5690.0899	5709.8701	---	---
	Ant2	5700	18.382	5690.7692	5709.1508	---	---
	Ant1	5720	19.94	5709.8901	5729.8302	---	---
	Ant2	5720	18.182	5710.8891	5729.0709	---	---
	Ant1	5720 UNII-2C	15.11	5709.8901	5725	---	---
	Ant2	5720 UNII-2C	14.111	5710.8891	5725	---	---
	Ant1	5720 UNII-3	4.83	5725	5729.8302	---	---
	Ant2	5720 UNII-3	4.071	5725	5729.0709	---	---
	Ant1	5745	19.86	5734.9700	5754.8302	---	---

	Ant2	5745	18.222	5735.8891	5754.1109	---	---
	Ant1	5785	19.94	5774.9301	5794.8701	---	---
	Ant2	5785	18.222	5775.8891	5794.1109	---	---
	Ant1	5825	20.02	5814.8901	5834.9101	---	---
	Ant2	5825	18.262	5815.8092	5834.0709	---	---
11N40MIMO	Ant1	5190	35.884	5172.0979	5207.9820	---	---
	Ant2	5190	36.044	5171.9381	5207.9820	---	---
	Ant1	5230	36.044	5211.9381	5247.9820	---	---
	Ant2	5230	35.964	5211.9381	5247.9021	---	---
	Ant1	5270	35.884	5252.0180	5287.9021	---	---
	Ant2	5270	36.124	5251.9381	5288.0619	---	---
	Ant1	5310	35.964	5292.0180	5327.9820	---	---
	Ant2	5310	36.124	5291.8581	5327.9820	---	---
	Ant1	5510	35.964	5492.0180	5527.9820	---	---
	Ant2	5510	36.124	5491.8581	5527.9820	---	---
	Ant1	5550	35.964	5531.9381	5567.9021	---	---
	Ant2	5550	36.044	5531.8581	5567.9021	---	---
	Ant1	5670	36.044	5651.9381	5687.9820	---	---
	Ant2	5670	36.044	5651.9381	5687.9820	---	---
	Ant1	5710	35.964	5691.9381	5727.9021	---	---
	Ant2	5710	36.124	5691.8581	5727.9820	---	---
	Ant1	5710 UNII-2C	33.062	5691.9381	5725	---	---
	Ant2	5710 UNII-2C	33.142	5691.8581	5725	---	---
	Ant1	5710 UNII-3	2.902	5725	5727.9021	---	---
	Ant2	5710 UNII-3	2.982	5725	5727.9820	---	---
	Ant1	5755	35.964	5736.9381	5772.9021	---	---
	Ant2	5755	35.964	5736.9381	5772.9021	---	---
	Ant1	5795	35.964	5777.0180	5812.9820	---	---
	Ant2	5795	36.044	5776.9381	5812.9820	---	---
11AC20MIMO	Ant1	5180	19.78	5170.0500	5189.8302	---	---
	Ant2	5180	18.262	5170.8492	5189.1109	---	---
	Ant1	5200	19.9	5189.9301	5209.8302	---	---
	Ant2	5200	18.342	5190.8492	5209.1908	---	---
	Ant1	5240	17.942	5230.9690	5248.9111	---	---
	Ant2	5240	17.622	5231.1289	5248.7512	---	---
	Ant1	5260	19.78	5250.0500	5269.8302	---	---
	Ant2	5260	18.262	5250.8891	5269.1508	---	---
	Ant1	5280	19.82	5270.0100	5289.8302	---	---
	Ant2	5280	18.182	5270.9291	5289.1109	---	---
	Ant1	5320	19.94	5310.0500	5329.9900	---	---
	Ant2	5320	18.342	5310.8492	5329.1908	---	---
	Ant1	5500	19.9	5490.0100	5509.9101	---	---
	Ant2	5500	18.342	5490.8092	5509.1508	---	---
	Ant1	5580	19.78	5570.0100	5589.7902	---	---
	Ant2	5580	18.222	5570.8891	5589.1109	---	---
	Ant1	5700	19.9	5690.0500	5709.9500	---	---
	Ant2	5700	18.342	5690.8092	5709.1508	---	---
	Ant1	5720	19.86	5709.9700	5729.8302	---	---
	Ant2	5720	18.222	5710.8891	5729.1109	---	---
	Ant1	5720 UNII-2C	15.03	5709.9700	5725	---	---
	Ant2	5720 UNII-2C	14.111	5710.8891	5725	---	---
	Ant1	5720 UNII-3	4.83	5725	5729.8302	---	---
	Ant2	5720 UNII-3	4.111	5725	5729.1109	---	---
	Ant1	5745	19.82	5735.0500	5754.8701	---	---
	Ant2	5745	18.222	5735.8891	5754.1109	---	---
	Ant1	5785	19.9	5775.0100	5794.9101	---	---
	Ant2	5785	18.262	5775.8891	5794.1508	---	---
	Ant1	5825	19.9	5815.0100	5834.9101	---	---
	Ant2	5825	18.222	5815.8492	5834.0709	---	---
11AC40MIMO	Ant1	5190	35.884	5172.0180	5207.9021	---	---
	Ant2	5190	36.204	5171.8581	5208.0619	---	---
	Ant1	5230	35.884	5212.0180	5247.9021	---	---
	Ant2	5230	36.044	5211.9381	5247.9820	---	---
	Ant1	5270	35.884	5252.0180	5287.9021	---	---

	Ant2	5270	36.044	5252.0180	5288.0619	---	---
	Ant1	5310	35.884	5292.0180	5327.9021	---	---
	Ant2	5310	36.204	5291.8581	5328.0619	---	---
	Ant1	5510	35.884	5492.0180	5527.9021	---	---
	Ant2	5510	36.204	5491.8581	5528.0619	---	---
	Ant1	5550	35.884	5532.0180	5567.9021	---	---
	Ant2	5550	36.124	5531.9381	5568.0619	---	---
	Ant1	5670	35.804	5652.0180	5687.8222	---	---
	Ant2	5670	36.124	5651.9381	5688.0619	---	---
	Ant1	5710	35.884	5692.0180	5727.9021	---	---
	Ant2	5710	36.124	5691.9381	5728.0619	---	---
	Ant1	5710 UNII-2C	32.982	5692.0180	5725	---	---
	Ant2	5710 UNII-2C	33.062	5691.9381	5725	---	---
	Ant1	5710 UNII-3	2.902	5725	5727.9021	---	---
	Ant2	5710 UNII-3	3.062	5725	5728.0619	---	---
	Ant1	5755	35.804	5737.0180	5772.8222	---	---
	Ant2	5755	36.044	5736.9381	5772.9820	---	---
	Ant1	5795	35.884	5777.0180	5812.9021	---	---
	Ant2	5795	36.124	5776.9381	5813.0619	---	---
11AC80MIMO	Ant1	5210	75.285	5172.2777	5247.5624	---	---
	Ant2	5210	75.125	5172.4376	5247.5624	---	---
	Ant1	5290	75.445	5252.2777	5327.7223	---	---
	Ant2	5290	74.965	5252.5974	5327.5624	---	---
	Ant1	5530	75.285	5492.2777	5567.5624	---	---
	Ant2	5530	75.125	5492.4376	5567.5624	---	---
	Ant1	5610	75.285	5572.2777	5647.5624	---	---
	Ant2	5610	74.965	5572.4376	5647.4026	---	---
	Ant1	5690	75.285	5652.2777	5727.5624	---	---
	Ant2	5690	74.965	5652.5974	5727.5624	---	---
	Ant1	5690 UNII-2C	72.722	5652.2777	5725	---	---
	Ant2	5690 UNII-2C	72.403	5652.5974	5725	---	---
	Ant1	5690 UNII-3	2.562	5725	5727.5624	---	---
	Ant2	5690 UNII-3	2.562	5725	5727.5624	---	---
	Ant1	5775	75.285	5737.2777	5812.5624	---	---
	Ant2	5775	75.125	5737.4376	5812.5624	---	---
11AX20MIMO	Ant1	5180	19.341	5170.2897	5189.6304	---	---
	Ant2	5180	19.301	5170.2897	5189.5904	---	---
	Ant1	5200	19.421	5190.2098	5209.6304	---	---
	Ant2	5200	19.301	5190.2897	5209.5904	---	---
	Ant1	5240	18.901	5230.4895	5249.3906	---	---
	Ant2	5240	18.901	5230.4895	5249.3906	---	---
	Ant1	5260	19.381	5250.2498	5269.6304	---	---
	Ant2	5260	19.341	5250.2897	5269.6304	---	---
	Ant1	5280	19.421	5270.2498	5289.6703	---	---
	Ant2	5280	19.301	5270.2897	5289.5904	---	---
	Ant1	5320	19.421	5310.2498	5329.6703	---	---
	Ant2	5320	19.341	5310.2897	5329.6304	---	---
	Ant1	5500	19.421	5490.2498	5509.6703	---	---
	Ant2	5500	19.341	5490.2498	5509.5904	---	---
	Ant1	5580	19.341	5570.2498	5589.5904	---	---
	Ant2	5580	19.341	5570.2498	5589.5904	---	---
	Ant1	5700	19.381	5690.2498	5709.6304	---	---
	Ant2	5700	19.301	5690.2498	5709.5504	---	---
	Ant1	5720	19.421	5710.2098	5729.6304	---	---
	Ant2	5720	19.301	5710.2897	5729.5904	---	---
	Ant1	5720 UNII-2C	14.79	5710.2098	5725	---	---
	Ant2	5720 UNII-2C	14.71	5710.2897	5725	---	---
	Ant1	5720 UNII-3	4.63	5725	5729.6304	---	---
	Ant2	5720 UNII-3	4.59	5725	5729.5904	---	---
	Ant1	5745	19.381	5735.2498	5754.6304	---	---
	Ant2	5745	19.341	5735.2897	5754.6304	---	---
	Ant1	5785	19.461	5775.2098	5794.6703	---	---
	Ant2	5785	19.341	5775.2897	5794.6304	---	---
	Ant1	5825	19.461	5815.2098	5834.6703	---	---

11AX40MIMO	Ant2	5825	19.301	5815.2498	5834.5504	---	---
	Ant1	5190	37.642	5171.1389	5208.7812	---	---
	Ant2	5190	37.642	5171.1389	5208.7812	---	---
	Ant1	5230	37.642	5211.1389	5248.7812	---	---
	Ant2	5230	37.642	5211.1389	5248.7812	---	---
	Ant1	5270	37.642	5251.1389	5288.7812	---	---
	Ant2	5270	37.562	5251.2188	5288.7812	---	---
	Ant1	5310	37.722	5291.0589	5328.7812	---	---
	Ant2	5310	37.722	5291.0589	5328.7812	---	---
	Ant1	5510	37.642	5491.1389	5528.7812	---	---
	Ant2	5510	37.642	5491.1389	5528.7812	---	---
	Ant1	5550	37.562	5531.1389	5568.7013	---	---
	Ant2	5550	37.562	5531.1389	5568.7013	---	---
	Ant1	5670	37.642	5651.1389	5688.7812	---	---
	Ant2	5670	37.562	5651.2188	5688.7812	---	---
	Ant1	5710	37.642	5691.0589	5728.7013	---	---
	Ant2	5710	37.642	5691.1389	5728.7812	---	---
	Ant1	5710 UNII-2C	33.941	5691.0589	5725	---	---
	Ant2	5710 UNII-2C	33.861	5691.1389	5725	---	---
	Ant1	5710 UNII-3	3.701	5725	5728.7013	---	---
	Ant2	5710 UNII-3	3.781	5725	5728.7812	---	---
	Ant1	5755	37.642	5736.1389	5773.7812	---	---
	Ant2	5755	37.562	5736.1389	5773.7013	---	---
	Ant1	5795	37.642	5776.1389	5813.7812	---	---
	Ant2	5795	37.562	5776.2188	5813.7812	---	---
11AX80MIMO	Ant1	5210	77.043	5171.3187	5248.3616	---	---
	Ant2	5210	77.203	5171.3187	5248.5215	---	---
	Ant1	5290	77.363	5251.3187	5328.6813	---	---
	Ant2	5290	77.043	5251.4785	5328.5215	---	---
	Ant1	5530	77.043	5491.4785	5568.5215	---	---
	Ant2	5530	77.203	5491.3187	5568.5215	---	---
	Ant1	5610	77.203	5571.3187	5648.5215	---	---
	Ant2	5610	77.203	5571.3187	5648.5215	---	---
	Ant1	5690	77.043	5651.4785	5728.5215	---	---
	Ant2	5690	77.363	5651.3187	5728.6813	---	---
	Ant1	5690 UNII-2C	73.521	5651.4785	5725	---	---
	Ant2	5690 UNII-2C	73.681	5651.3187	5725	---	---
	Ant1	5690 UNII-3	3.521	5725	5728.5215	---	---
	Ant2	5690 UNII-3	3.681	5725	5728.6813	---	---
	Ant1	5775	76.883	5736.4785	5813.3616	---	---
	Ant2	5775	77.363	5736.3187	5813.6813	---	---

6.5. Test graphs

