

Foldable 4-in-1 wireless charger

Manual Model: B-25

Product parts and their descriptions Foldable 4-in-1 wireless charger Headphone induction area Ambient light button 2 Mobile phone sensing area 5 TYPE-C power port Watch induction area Apple power port Type-C charging cable

Dear users, thank you for purchasing our products. In order to learn more about the product. Please read this manual carefully before use. Have a nice experience.

Foreword

Ambient light description

Use Ambient Temperature Instructions

How to solve abnormal charging

Please confirm whether your mobile phone has wireless charging function before use; Check if the phone deviates from the wireless inductive charging area of the charger; When a metal object rotates in the charging area, the charger will automatically identify and power off Protect.

When the charger temperature is too high, the protection will be automatically activated. Please unplug the power first, wait for the charger, Return to temperature before use.

Frequently Asked Questions

Why do wireless charging and induction products generate heat when charging? During the charging process, there will be a certain loss of magnetoelectric conversion, and this part of the loss will be converted into heat, it is normal for the phone and charger to generate heat.

Suggest:
When the device is fully charged, please disconnect the charging in time to avoid long-term cycle charging, resulting in
The product and charger continue to heat up;
When the mobile phone is charging, please close the mobile phone background software to run the software.

Precautions

Place or use in the environment of strong magnetic field; For your safety, please do not plug and unplug electrical appliances with wet hands; Keep out of reach of babies and children;

Do not use if the product gets into water or is stuck with dirt or dust; Non-professionals are not allowed to disassemble and repair without authorizat

Product parameters

· Model: B-25 · Input: 5V==3A Mobile phone output: 10W · Headphone output: 5W · Watch out ut: 2W

Packing list

Wireless charging stand x 1 TYPE-C Charging Cable x 1 Manual

FCC Warning
This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-Reorient or relocate the receiving antenna.

-Increase the separation between the equipment and receiver.

-Connect ed.

-Consult the dealer or an experienced radio/TV technician for

connected.
- Consult the dealer or an experienced radio/TV technician for

Consult the dealer or an experienced radio in technical and of the help.

The FCC certification of this device refers to RF exposure testing performed in typical operating conditions, where a person is no closer than 20 centimeters from the device surface at all times, except for non-repetitive patterns with transient time intervals in the order of a second. Only in the stated conditions, the device is shown to fully comply with the FCC RF Exposure requirements of KDB 447498.