


Plot 7-536. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11n – Ch. 116)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-87.43	16.06	35.63	53.98	-18.35
* 11160.00	Peak	H	-	-	-74.66	16.06	48.40	73.98	-25.58
16740.00	Peak	H	-	-	-74.78	22.43	54.65	68.20	-13.55

Table 7-151. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 196 of 352




Plot 7-537. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11n – Ch. 144)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-87.48	16.90	36.42	53.98	-17.56
* 11440.00	Peak	H	-	-	-75.17	16.90	48.73	73.98	-25.25
17160.00	Peak	H	-	-	-74.55	22.09	54.54	68.20	-13.66

Table 7-152. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 197 of 352




Plot 7-538. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11n – Ch. 149)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-85.47	19.25	40.78	53.98	-13.20
* 11490.00	Peak	H	-	-	-74.69	19.25	51.56	73.98	-22.42
17235.00	Peak	H	-	-	-75.59	25.55	56.96	68.20	-11.24

Table 7-153. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 198 of 352




Plot 7-539. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11n – Ch. 157)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-87.04	19.47	39.43	53.98	-14.55
* 11570.00	Peak	H	-	-	-75.56	19.47	50.91	73.98	-23.07
17355.00	Peak	H	-	-	-75.62	25.65	57.03	68.20	-11.17

Table 7-154. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 199 of 352




Plot 7-540. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11n – Ch. 165)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	H	-	-	-86.34	19.78	40.44	53.98	-13.54
* 11650.00	Peak	H	-	-	-75.17	19.78	51.61	73.98	-22.37
17475.00	Peak	H	-	-	-75.38	25.26	56.88	68.20	-11.32

Table 7-155. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 200 of 352




Plot 7-541. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11ax(SU) – Ch. 36)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10360.00	Peak	V	-	-	-75.88	18.13	49.25	68.20	-18.95
* 15540.00	Average	V	-	-	-87.41	23.07	42.66	53.98	-11.32
* 15540.00	Peak	V	-	-	-77.02	23.07	53.05	73.98	-20.93

Table 7-156. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 201 of 352




Plot 7-542. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11ax(SU) – Ch. 40)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	V	-	-	-76.20	17.92	48.72	68.20	-19.48
* 15600.00	Average	V	-	-	-87.58	23.15	42.57	53.98	-11.41
* 15600.00	Peak	V	-	-	-76.17	23.15	53.98	73.98	-20.00

Table 7-157. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 202 of 352




Plot 7-543. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11ax(SU) – Ch. 48)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	V	-	-	-75.62	18.33	49.71	68.20	-18.49
* 15720.00	Average	V	-	-	-87.73	24.43	43.70	53.98	-10.28
* 15720.00	Peak	V	-	-	-76.63	24.43	54.80	73.98	-19.18

Table 7-158. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 203 of 352




Plot 7-544. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11ax(SU) – Ch. 52)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	V	-	-	-75.77	18.15	49.38	68.20	-18.82
* 15780.00	Average	V	-	-	-87.92	24.73	43.81	53.98	-10.17
* 15780.00	Peak	V	-	-	-76.69	24.73	55.04	73.98	-18.94

Table 7-159. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 204 of 352




Plot 7-545. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11ax(SU) – Ch. 56)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10560.00	Peak	V	-	-	-76.54	18.41	48.87	68.20	-19.33
* 15840.00	Average	V	-	-	-87.96	24.63	43.67	53.98	-10.31
* 15840.00	Peak	V	-	-	-76.29	24.63	55.34	73.98	-18.64

Table 7-160. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 205 of 352




Plot 7-546. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11ax(SU) – Ch. 64)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	V	-	-	-86.64	18.24	38.60	53.98	-15.38
* 10640.00	Peak	V	-	-	-75.60	18.24	49.64	73.98	-24.34
* 15960.00	Average	V	-	-	-87.12	23.97	43.85	53.98	-10.13
* 15960.00	Peak	V	-	-	-76.13	23.97	54.84	73.98	-19.14

Table 7-161. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 206 of 352




Plot 7-547. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11ax(SU) – Ch. 100)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	V	-	-	-87.18	18.58	38.40	53.98	-15.58
* 11000.00	Peak	V	-	-	-76.07	18.58	49.51	73.98	-24.47
16500.00	Peak	V	-	-	-75.33	24.63	56.30	68.20	-11.90

Table 7-162. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 207 of 352




Plot 7-548. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11ax(SU) – Ch. 116)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11160.00	Average	V	-	-	-87.22	18.82	38.60	53.98	-15.38
* 11160.00	Peak	V	-	-	-76.18	18.82	49.64	73.98	-24.34
16740.00	Peak	V	-	-	-75.95	25.33	56.38	68.20	-11.82

Table 7-163. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 208 of 352




Plot 7-549. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11ax(SU) – Ch. 144)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	V	-	-	-87.44	19.10	38.66	53.98	-15.32
* 11440.00	Peak	V	-	-	-76.51	19.10	49.59	73.98	-24.39
17160.00	Peak	V	-	-	-76.03	24.93	55.90	68.20	-12.30

Table 7-164. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 209 of 352




Plot 7-550. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11ax(SU) – Ch. 149)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	V	-	-	-87.32	19.25	38.93	53.98	-15.05
* 11490.00	Peak	V	-	-	-75.71	19.25	50.54	73.98	-23.44
17235.00	Peak	V	-	-	-76.13	25.55	56.42	68.20	-11.78

Table 7-165. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 210 of 352




Plot 7-551. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11ax(SU) – Ch. 157)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-87.10	19.47	39.37	53.98	-14.61
* 11570.00	Peak	V	-	-	-75.55	19.47	50.92	73.98	-23.06
17355.00	Peak	V	-	-	-75.61	25.65	57.04	68.20	-11.16

Table 7-166. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 211 of 352



Plot 7-552. Radiated Spurious Emissions above 1GHz Antenna WF7a (802.11ax(SU) – Ch. 165)


Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	V	-	-	-86.79	19.78	39.99	53.98	-13.99
* 11650.00	Peak	V	-	-	-75.69	19.78	51.09	73.98	-22.89
17475.00	Peak	V	-	-	-76.37	25.26	55.89	68.20	-12.31

Table 7-167. Radiated Measurements Antenna WF7a

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 212 of 352

7.6.3 CDD/SDM Radiated Spurious Emission




Plot 7-553. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 36)

Mode:	802.11n
Data Rate:	MCS8
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	H	-	-	-76.06	18.13	49.07	68.20	-19.13
* 15540.00	Average	H	-	-	-87.43	23.07	42.64	53.98	-11.34
* 15540.00	Peak	H	-	-	-76.40	23.07	53.67	73.98	-20.31

Table 7-168. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 213 of 352




Plot 7-554. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 40)



Plot 7-555. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11n – Ch.40, Pol. H)

FCC ID: BCGA2588 IC: 579C-A2588	 Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 214 of 352



20:11:12 24.12.2021


Plot 7-556. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11n – Ch.40, Pol. V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10400.00	Peak	H	-	-	-75.64	17.92	49.28	68.20	-18.92
* 15600.00	Average	H	-	-	-87.38	23.15	42.77	53.98	-11.21
* 15600.00	Peak	H	-	-	-75.73	23.15	54.42	73.98	-19.56

Table 7-169. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 215 of 352




Plot 7-557. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 48)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	H	-	-	-76.15	18.33	49.18	68.20	-19.02
* 15720.00	Average	H	-	-	-87.67	24.43	43.76	53.98	-10.22
* 15720.00	Peak	H	-	-	-76.91	24.43	54.52	73.98	-19.46

Table 7-170. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 216 of 352




Plot 7-558. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 52)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	H	-	-	-75.75	18.15	49.40	68.20	-18.80
* 15780.00	Average	H	-	-	-87.80	24.73	43.93	53.98	-10.05
* 15780.00	Peak	H	-	-	-76.66	24.73	55.07	73.98	-18.91

Table 7-171. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 217 of 352




Plot 7-559. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 56)



Plot 7-560. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11n – Ch.56, Pol. H)

FCC ID: BCGA2588 IC: 579C-A2588	 PCTEST® Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 218 of 352



20:21:17 24.12.2021


Plot 7-561. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11n – Ch.56, Pol. V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10560.00	Peak	H	-	-	-76.21	18.41	49.20	68.20	-19.00
* 15840.00	Average	H	-	-	-87.99	24.63	43.64	53.98	-10.34
* 15840.00	Peak	H	-	-	-77.30	24.63	54.33	73.98	-19.65

Table 7-172. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 219 of 352




Plot 7-562. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 64)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-86.39	18.24	38.85	53.98	-15.13
* 10640.00	Peak	H	-	-	-75.69	18.24	49.55	73.98	-24.43
* 15960.00	Average	H	-	-	-87.04	23.97	43.93	53.98	-10.05
* 15960.00	Peak	H	-	-	-76.02	23.97	54.95	73.98	-19.03

Table 7-173. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 220 of 352




Plot 7-563. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 100)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-86.97	18.58	38.61	53.98	-15.37
* 11000.00	Peak	H	-	-	-75.46	18.58	50.12	73.98	-23.86
16500.00	Peak	H	-	-	-75.37	24.63	56.26	68.20	-11.94

Table 7-174. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 221 of 352




Plot 7-564. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 116)



Plot 7-565. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11n – Ch.116, Pol. H)

FCC ID: BCGA2588 IC: 579C-A2588	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 222 of 352



20:31:01 24.12.2021


Plot 7-566. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11n – Ch.116, Pol. V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-87.11	18.82	38.71	53.98	-15.27
* 11160.00	Peak	H	-	-	-76.19	18.82	49.63	73.98	-24.35
16740.00	Peak	H	-	-	-76.52	25.33	55.81	68.20	-12.39

Table 7-175. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 223 of 352




Plot 7-567. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 144)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11440.00	Average	H	-	-	-87.41	19.10	38.69	53.98	-15.29
* 11440.00	Peak	H	-	-	-76.01	19.10	50.09	73.98	-23.89
17160.00	Peak	H	-	-	-74.92	24.93	57.01	68.20	-11.19

Table 7-176. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 224 of 352




Plot 7-568. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 149)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-87.24	19.25	39.01	53.98	-14.97
* 11490.00	Peak	H	-	-	-75.53	19.25	50.72	73.98	-23.26
17235.00	Peak	H	-	-	-75.14	25.55	57.41	68.20	-10.79

Table 7-177. Radiated Measurements CDD

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 225 of 352




Plot 7-569. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 157)



Plot 7-570. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.157, Pol. H)

FCC ID: BCGA2588 IC: 579C-A2588	 PCTEST® Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 226 of 352



20:35:20 24.12.2021


Plot 7-571. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.157, Pol. V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11570.00	Average	H	-	-	-87.02	19.47	39.45	53.98	-14.53
*	11570.00	Peak	H	-	-	-75.68	19.47	50.79	73.98	-23.19
	17355.00	Peak	H	-	-	-75.21	25.65	57.44	68.20	-10.76

Table 7-178. Radiated Measurements CDD

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 227 of 352




Plot 7-572. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 165)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11650.00	Average	H	-	-	-86.54	19.78	40.24	53.98	-13.74
* 11650.00	Peak	H	-	-	-76.18	19.78	50.60	73.98	-23.38
17475.00	Peak	H	-	-	-75.48	25.26	56.78	68.20	-11.42

Table 7-179. Radiated Measurements CDD

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 228 of 352




Plot 7-573. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 36)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	H	-	-	-72.42	14.47	49.05	68.20	-19.15
* 15540.00	Average	H	-	-	-85.53	21.47	42.94	53.98	-11.04
* 15540.00	Peak	H	-	-	-74.05	21.47	54.42	73.98	-19.56

Table 7-180. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 229 of 352




Plot 7-574. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 40)



Plot 7-575. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.40, Pol. H)

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 230 of 352



20:44:02 24.12.2021


Plot 7-576. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.40, Pol. V)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	H	-	-	-73.11	14.76	48.65	68.20	-19.55
* 15600.00	Average	H	-	-	-85.69	21.11	42.42	53.98	-11.56
* 15600.00	Peak	H	-	-	-73.45	21.11	54.66	73.98	-19.32

Table 7-181. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 231 of 352




Plot 7-577. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 48)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10480.00	Peak	H	-	-	-72.47	14.47	49.00	68.20	-19.20
* 15720.00	Average	H	-	-	-86.25	22.79	43.54	53.98	-10.43
* 15720.00	Peak	H	-	-	-74.01	22.79	55.78	73.98	-18.19

Table 7-182. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 232 of 352




Plot 7-578. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 52)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	H	-	-	-72.68	14.34	48.66	68.20	-19.54
* 15780.00	Average	H	-	-	-86.32	21.93	42.61	53.98	-11.37
* 15780.00	Peak	H	-	-	-74.42	21.93	54.51	73.98	-19.47

Table 7-183. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 233 of 352




Plot 7-579. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 56)



Plot 7-580. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.56, Pol. H)

FCC ID: BCGA2588 IC: 579C-A2588	 PCTEST® Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 234 of 352



20:53:50 24.12.2021


Plot 7-581. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.56, Pol. V)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10560.00	Peak	H	-	-	-71.87	14.33	49.46	68.20	-18.74
* 15840.00	Average	H	-	-	-85.70	20.77	42.07	53.98	-11.91
* 15840.00	Peak	H	-	-	-74.37	20.77	53.40	73.98	-20.58

Table 7-184. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 235 of 352




Plot 7-582. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 64)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-84.09	14.76	37.67	53.98	-16.31
* 10640.00	Peak	H	-	-	-72.34	14.76	49.42	73.98	-24.56
* 15960.00	Average	H	-	-	-85.49	21.48	42.99	53.98	-10.99
* 15960.00	Peak	H	-	-	-74.15	21.48	54.33	73.98	-19.65

Table 7-185. Radiated Measurements CDD

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 236 of 352




Plot 7-583. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 100)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-84.57	15.29	37.72	53.98	-16.26
* 11000.00	Peak	H	-	-	-73.37	15.29	48.92	73.98	-25.06
16500.00	Peak	H	-	-	-73.15	21.43	55.28	68.20	-12.92

Table 7-186. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 237 of 352




Plot 7-584. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 116)



Plot 7-585. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.116, Pol. H)

FCC ID: BCGA2588 IC: 579C-A2588	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 238 of 352



20:57:41 24.12.2021


Plot 7-586. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.116, Pol. V)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-84.19	15.56	38.37	53.98	-15.61
* 11160.00	Peak	H	-	-	-72.62	15.56	49.94	73.98	-24.04
16740.00	Peak	H	-	-	-73.80	22.31	55.51	68.20	-12.69

Table 7-187. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 239 of 352




Plot 7-587. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 144)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11440.00	Average	H	-	-	-84.61	16.23	38.62	53.98	-15.36
* 11440.00	Peak	H	-	-	-73.22	16.23	50.01	73.98	-23.97
17160.00	Peak	H	-	-	-73.91	23.62	56.71	68.20	-11.49

Table 7-188. Radiated Measurements SDM

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 240 of 352




Plot 7-588. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 149)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-84.82	15.97	38.15	53.98	-15.83
* 11490.00	Peak	H	-	-	-73.42	15.97	49.55	73.98	-24.43
17235.00	Peak	H	-	-	-74.09	23.35	56.26	68.20	-11.94

Table 7-189. Radiated Measurements CDD

FCC ID: BCGA2588 IC: 579C-A2588		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 241 of 352



Plot 7-589. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 157)



Plot 7-590. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.157, Pol. H)

FCC ID: BCGA2588 IC: 579C-A2588	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2111150078-07.BCG	Test Dates: 12/02/2021- 02/06/2022	EUT Type: Tablet Device	Page 242 of 352