Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 1 of 22

TEST REPORT

| Application No: | SEWA2310000121RG |
|--------------------------|--|
| Applicant: | Rolling Wireless S.à r.l. |
| Address of Applicant: | 15, rue Edward Steichen, 2540 Luxembourg |
| Manufacturer: | Rolling Wireless S.à r.l. |
| Address of Manufacturer: | 15, rue Edward Steichen, 2540 Luxembourg |
| EUT Description: | RN934A |
| Model No.: | RN934A |
| Trade Mark: | Rolling Wireless |
| FCC ID: | 2AX2URN934A |
| Standard(s): | FCC 47 CFR Part 15, Subpart B |
| Date of Receipt: | 2023/09/28 |
| Date of Test: | 2023/10/17 to 2023/10/18 |
| Date of Issue: | 2023/10/31 |
| Test Result: | Pass* |

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

*r*C(1

Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawiful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: Opticek the <u>authenticity of testing finspection reports & certificate, please contact us at telephone</u>: (86-755) 8307 1443,

South of No. PFank, No.1, Runsheng Read, Suzhou Industra Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路号的6号厂房南部 邮编: 215000



 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 2 of 22

| Revision Record | | | | |
|-----------------|---------|------------|----------|----------|
| Version | Chapter | Date | Modifier | Remark |
| 01 | | 2023/10/31 | | Original |

| Prepared By | (King-p Li) / Test Engineer | |
|-------------|-----------------------------------|--|
| Checked By | Stone Ju (Stone Gu) / Reviewer | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. Terms-and-Conditions for Electronic format documents, aspx. Attention is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

South of No. Plank, No.1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 3 of 22

Test Summary

| | Emission Part | | | |
|---|-------------------------------|-----------------|-------------|--------|
| Item | Standard | Method | Requirement | Result |
| Conducted Emissions at Mains Terminals (150kHz-30MHz) | FCC 47 CFR Part 15, Subpart B | ANSI C63.4:2014 | Class B | Pass |
| Radiated Emissions (30MHz-1GHz) | FCC 47 CFR Part 15, Subpart B | ANSI C63.4:2014 | Class B | Pass |
| Radiated Emissions (above 1GHz) | FCC 47 CFR Part 15, Subpart B | ANSI C63.4:2014 | Class B | Pass |

| Internal Source | Upper Frequency | |
|--------------------|--|--|
| Below 1.705MHz | 30MHz | |
| 1.705MHz to 108MHz | 1GHz | |
| 108MHz to 500MHz | DMHz 2GHz | |
| 500MHz to 1GHz | 5GHz | |
| Above 1GHz | GHz 5th harmonic of the highest frequency or 40GHz, whichever is lower | |



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. Terms-and-Conditions for Electronic format documents, aspx. Attention is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 4 of 22

Contents

| 1 | Gen | neral Information | 5 |
|---|---|--|-------------|
| | 1.1 1.2 1.3 1.4 1.5 | Description of Support Units Test Location Test Facility Deviation from Standards Abnormalities from Standard Conditions | 6 6 6 |
| 2 | Emi | ssion Test Results | 7 |
| | 2.1. 2.2 2.2 2.2 2.2 2.2 2.3 2.3 2.3 2.3 | Conducted Emissions at Mains Terminals (150kHz-30MHz). 1 E.U.T. Operation | 78811225566 |
| 3 | Equ | ipment List1 | 9 |
| 4 | Mea | asurement Uncertainty2 | 1 |
| 5 | Pho | tographs2 | 22 |
| | 5.1 | Test Setup2 | 2 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleat extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Joccheck@sgs.com

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 5 of 22

1 General Information

| Product Name: | RN934A | RN934A | | |
|-------------------|------------------------|-----------|-----------|--|
| Model No. (EUT): | RN934A | | | |
| Trade Mark: | Rolling Wireless | | | |
| Hardware Version: | 1 | | | |
| Software Version: | AFPQ52XA_00.11.01.00 |) | | |
| IMEI: | 354360450001151 | | | |
| Frequency Bands: | Band | Tx (MHz) | Rx (MHz) | |
| | LTE Band 7 | 2500~2570 | 2620~2690 | |
| | NR Band n78 | 3450-3550 | 3450-3550 | |
| | LTE CA: LTE Band CA_7C | | | |
| | ENDC: DC_7A_n78A; | | | |
| | GNSS | 1 | 1559~1610 | |

suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleat extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Joccheck@sgs.com

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 6 of 22

1.1 Description of Support Units

The EUT has been tested as an independent unit.

1.2 Test Location

All tests were performed at:

| Company: | SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd. | |
|----------------|---|--|
| Address: | South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone | |
| Post code: | 215000 | |
| Test engineer: | King-p Li | |

1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC – Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327

1.4 Deviation from Standards

None

1.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Ooccheck@sgs.com

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 7 of 22

2 Emission Test Results

2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

| Test Requirement: | 47 CFR Part 15, Subpart B | | | |
|-------------------|--|--|-------------------|--|
| Test Method: | ANSI C63.4:2014 | ANSI C63.4:2014 | | |
| Frequency Range: | 150kHz to 30MHz | | | |
| Receiver Setup: | RBW = 9kHz, VBW = 30kHz | RBW = 9kHz, VBW = 30kHz | | |
| | | Limit(dBµV) | | |
| Limit: | Frequency Range (MHz) | Quasi-peak | average | |
| | 0.15M-0.5MHz | 66 ~ 56* | 56 ~ 46* | |
| | 0.5M-5MHz | 56 | 46 | |
| | 5M-30MHz | 60 | 50 | |
| | *Decreases with the logarithm | *Decreases with the logarithm of the frequency | | |
| | Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 3 | | n) 0.15M to 30MHz | |

2.1.1 E.U.T. Operation

S

Operating Environment:

| Temperature: | 22~23°C |
|--------------------------------|--|
| Humidity: | 44~46%RH |
| Atmospheric Pressure: | 101kPa |
| | a: adapter+usb Cable+GNSS+LTE Band 7 (RX) Low |
| Pretest these modes to | b: adapter+usb Cable+GNSS+LTE Band CA 7C (RX) Mid |
| find the worst case: | c: adapter+usb Cable+GNSS+SA Band 78 (RX) Low |
| | d: adapter+usb Cable+GNSS+NSA Band DC_7A-n78a (RX) Mid |
| The worst case for final test: | d: adapter+usb Cable+GNSS+NSA Band DC_7A-n78a (RX) Mid |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleat extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Joccheck@sgs.com

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01


 Page:
 8 of 22

2.1.2 Test Setup Procedures

1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.

- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.

8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@s.gs.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 9 of 22



6 23.4960 Remark:

3.6960

5

1. The following Quasi-Peak and Average measurements were performed on the EUT:

56.00

60.00

28.48

26.62

3.27

6.34

15.03

18.34

46.00

50.00

30.97

31.66

27.52

33.38

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

15.76

21.38

3. Margin = Limit[dBµV] – Value[dBµV]

11.76

12.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enc-Comments, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enc-Comments, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enc-Comments, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-enc-Conditions/Terms-enc-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of finis document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ss.com

South of No. PFank, No.1, Runsheng Read, Suzhou Indurán Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com


PASS

PASS

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 10 of 22



6 23.8380 Remark:

1.8465

15.6975

4

5

1. The following Quasi-Peak and Average measurements were performed on the EUT:

56.00

60.00

60.00

28.84

36.07

28.12

2.60

1.49

5.31

14.33

13.42

17.32

46.00

50.00

50.00

31.67

36.58

32.68

PASS

PASS

PASS

27.16

23.93

31.88

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

15.43

12.00

19.87

3. Margin = Limit[dBµV] – Value[dBµV]

11.73

11.93

12.01



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enc-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company hay no unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@s.s.com

South of No. PFank, No.1, Runsheng Read, Suzhou Industra Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路号的6号厂房南部 邮编: 215000

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 11 of 22

2.2 Radiated Emissions (30MHz-1GHz)

| Test Requirement: | 47 CFR Part 15, Subpart B | | | |
|-----------------------|---|---------------|------------|--|
| Test Method: | ANSI C63.4:2014 | | | |
| Frequency Range: | 30MHz to 1GHz | 30MHz to 1GHz | | |
| Measurement Distance: | 3m | 3m | | |
| | Frequency Range (MHz) | Limit(dBµV/m) | Detector | |
| | 30MHz -88MHz | 40.0 | Quasi-peak | |
| Limit: | 88MHz-216MHz | 43.5 | Quasi-peak | |
| | 216MHz-960MHz | 46.0 | Quasi-peak | |
| | 960MHz-1000MHz | 54.0 | Quasi-peak | |
| Detector: | Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz | | | |

2.2.1 E.U.T. Operation

| Temperature: | 22~23°C |
|---|---|
| Humidity: | 44~46%RH |
| Atmospheric Pressure: | 101kPa |
| Pretest these modes to find the worst case: | a: adapter+usb Cable+GNSS+LTE Band 7 (RX) Low b: adapter+usb Cable+GNSS+LTE Band CA 7C (RX) Mid c: adapter+usb Cable+GNSS+SA Band 78 (RX) Low d: adapter+usb Cable+GNSS+NSA Band DC_7A-n78a (RX) Mid |
| The worst case for final test: | a: adapter+usb Cable+GNSS+LTE Band 7 (RX) Low |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleat extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Joccheck@sgs.com

South of No. Plank, No.1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 12 of 22

2.2.2 Test Setup Procedures

1. The EUT was placed in a semi Anechoic Chamber as show below

2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.


3. The table was rotated 360 degrees to determine the position of the highest radiation.

4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.

5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.

6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.

7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



2.2.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document to excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 13 of 22



Data List

| NO. | Frequency [MHz] | Reading [dBµV] | AF [dB/m] | Factor [dB] | QP Value [dBµV/m] | QP Limit [dBµV/m] | QP Margin [dB] | Polarity |
|-----|--------------------|-------------------|--------------|----------------|----------------------|----------------------|----------------------|------------|
| 1 | 56.4325 | 29.48 | 18.94 | -33.90 | 14.52 | 40.00 | 25.48 | Horizontal |
| 2 | 98.385 | 34.35 | 15.37 | -33.49 | 16.23 | 43.50 | 27.27 | Horizontal |
| 3 | 203.8725 | 42.15 | 15.41 | -32.68 | 24.88 | 43.50 | 18.62 | Horizontal |
| 4 | 279.29 | 39.46 | 17.87 | -32.29 | 25.04 | 46.00 | 20.96 | Horizontal |
| 5 | 356.1625 | 32.85 | 20.07 | -31.80 | 21.13 | 46.00 | 24.87 | Horizontal |
| 6 | 525.185 | 28.81 | 23.85 | -30.91 | 21.75 | 46.00 | 24.25 | Horizontal |

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dBµV/m] –Value[dBµV/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document is a http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document is a http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Ooccheck@sgs.com

South of No. Plank, No.1, Runsheng Road, Suzhou Indudata Park, Suzhou Area, China (Liangsu) Pitol Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 14 of 22



Data List

| NO. | Frequency [MHz] | Reading [dBµV] | AF [dB/m] | Factor [dB] | QP Value [dBµV/m] | QP Limit [dBµV/m] | QP Margin [dB] | Polarity |
|-----|--------------------|-------------------|--------------|----------------|----------------------|----------------------|----------------------|----------|
| 1 | 38.0025 | 37.26 | 19.22 | -34.00 | 22.48 | 40.00 | 17.52 | Vertical |
| 2 | 57.4025 | 45.26 | 18.90 | -33.89 | 30.27 | 40.00 | 9.73 | Vertical |
| 3 | 70.255 | 44.33 | 17.05 | -33.74 | 27.64 | 40.00 | 12.36 | Vertical |
| 4 | 145.6725 | 33.89 | 18.51 | -33.21 | 19.19 | 43.50 | 24.31 | Vertical |
| 5 | 210.905 | 37.11 | 15.80 | -32.62 | 20.29 | 43.50 | 23.21 | Vertical |
| 6 | 348.8875 | 31.89 | 19.87 | -31.87 | 19.89 | 46.00 | 26.11 | Vertical |

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dBµV/m] –Value[dBµV/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document is a http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document is a http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Ooccheck@sgs.com

South of No. Plank, No.1, Runsheng Road, Suzhou Indudata Park, Suzhou Area, China (Liangsu) Pitol Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 15 of 22

2.3 Radiated Emissions (above 1GHz)

| Test Requirement: | 47 CFR Part 15, Subpart B | | | | |
|-----------------------|--|----------------|----------|--|--|
| Test Method: | ANSI C63.4:2014 | | | | |
| Frequency Range: | Above 1GHz | | | | |
| Measurement Distance: | 3m | | | | |
| | Frequency (MHz) | Limit (dBµV/m) | Detector | | |
| Limit: | | 74 | Peak | | |
| | Above 1GHz | 54 | Average | | |
| Detector: | Peak for pre-scan (1000kHz resolution bandwidth) 5th harmonic of the highest frequency or 40GHz, whichever is lower. | | | | |

2.3.1 E.U.T. Operation

| Temperature: | 22~23°C |
|--------------------------------|--|
| Humidity: | 44~46%RH |
| Atmospheric Pressure: | 101kPa |
| | a: adapter+usb Cable+GNSS+LTE Band 7 (RX) Low |
| Pretest these modes to | b: adapter+usb Cable+GNSS+LTE Band CA 7C (RX) Mid |
| find the worst case: | c: adapter+usb Cable+GNSS+SA Band 78 (RX) Low |
| | d: adapter+usb Cable+GNSS+NSA Band DC_7A-N78a (RX) Mid |
| The worst case for final test: | a: adapter+usb Cable+GNSS+LTE Band 7 (RX) Low |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleat extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Joccheck@sgs.com

South of No. Plank, No.1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 16 of 22

2.3.2 Test Setup Procedures

1. The EUT was placed in a full Anechoic Chamber as show below

- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation


(Distance from antenna to EUT is 1m for measurements >18GHz).

4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.

5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.

6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.

7. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.



2.3.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The three polarities of X, Y, Z were measured by EUT, but only the worst data had been displayed. Scan from 5th harmonic of the highest frequency or 40GHz, whichever is lower, the disturbance above 18GHz was very low. The points marked on below plots are the highest emissions could be found when testing, so only below points had been displayed.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company hay nouthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN Doccheck@s.gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 17 of 22



Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dBµV/m] – Level[dBµV/m]

3.1G-18G #2 is system simulator signal which can be ignored.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor rolly to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN-Ooccheck@s.gs.com

South of No. PFank, No.1, Runsheng Read, Suzhou Indurán Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 18 of 22



AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dBµV/m] – Level[dBµV/m]

3.1G-18G #2 is system simulator signal which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of finis document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company hay nuaruhtorized alteration, forgery or faislication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CM-Doccheck@s.gs.com

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 19 of 22

3 Equipment List

| CE Test System | | | | | | | |
|---|-------------------|--------------------|---------------|---------------------------|------------------------------|--|--|
| Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. date (yyyy/mm/dd) | Cal.Due date (yyyy/mm/dd) | | |
| Test receiver | ROHDE& SCHWARZ | ESR7 | SUWI-01-10-01 | 2023/02/08 | 2024/02/07 | | |
| Temperature and humidity meter | MingGao | TH101B | SUWI-01-01-06 | 2023/02/07 | 2024/02/06 | | |
| Artificial network | ROHDE& SCHWARZ | ENV216 | SUWI-01-19-03 | 2023/02/08 | 2024/02/07 | | |
| Artificial network | ROHDE& SCHWARZ | ENV216 | SUWI-01-19-04 | 2023/02/08 | 2024/02/07 | | |
| Measurement Software | Tonscend | JS32-CE 4.0.0.2 | SUWI-02-09-05 | NCR | NCR | | |
| DC Power Supply | HYELEC | HY3005B | SUWI-01-18-01 | 2023/02/06 | 2024/02/05 | | |
| Wideband Radio Communication Tester | Anritsu | MT8821C | SUWI-01-26-03 | 2022/11/23 | 2023/11/22 | | |
| UXM 5G Wireless Test Platform | KEYSIGHT | E7515B | SUWI-01-04-01 | 2023/02/06 | 2024/02/05 | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleat extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Joccheck@sgs.com

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 20 of 22

| RE Test System | | | | | | |
|--|-----------------------------------|--------------------|---------------|--------------------------|------------------------------|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date (yyyy/mm/dd) | Cal Due Date (yyyy/mm/dd) | |
| Semi-Anechoic Chamber | Brilliant-emc | N/A | SUWI-04-02-01 | 2021/05/08 | 2024/05/07 | |
| Temperature and humidity meter | MingGao | TH101B | SUWI-01-01-05 | 2023/02/07 | 2024/02/06 | |
| Signal Analyzer | ROHDE&SCHWARZ | FSW43 | SUWI-01-02-04 | 2023/05/11 | 2024/05/10 | |
| Signal Analyzer | KEYSIGHT | N9020A | SUWI-01-02-05 | 2022/11/23 | 2023/11/22 | |
| Test receiver | ROHDE&SCHWARZ | ESR7 | SUWI-01-10-01 | 2023/02/08 | 2024/02/07 | |
| Receiving antenna | SCHWRZBECK MESS- ELEKTRONIK | VULB 9163 | SUWI-01-11-01 | 2023/05/13 | 2024/05/12 | |
| Receiving antenna | SCHWRZBECK MESS- ELEKTRONIK | BBHA 9120D | SUWI-01-11-02 | 2023/05/13 | 2024/05/12 | |
| Receiving antenna | SCHWRZBECK MESS- ELEKTRONIK | BBHA 9170 | SUWI-01-11-03 | 2023/05/12 | 2024/05/11 | |
| Amplifier | Tonscend | TAP9K3G40 | SUWI-01-14-01 | 2023/02/06 | 2024/02/05 | |
| Amplifier | Tonscend | TAP01018050 | SUWI-01-14-02 | 2023/02/06 | 2024/02/05 | |
| Amplifier | Tonscend | TAP18040048 | SUWI-01-14-03 | 2023/02/08 | 2024/02/07 | |
| Wideband Radio Communication Tester | Anritsu | MT8821C | SUWI-01-26-03 | 2022/11/23 | 2023/11/22 | |
| UXM 5G Wireless Test Platform | KEYSIGHT | E7515B | SUWI-01-04-01 | 2023/02/06 | 2024/02/05 | |
| Measurement Software | Tonscend | JS32-RE 4.0.0.0 | SUWI-02-09-04 | NCR | NCR | |



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document is a http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document is a http://www.sgs.com/en/Terms-and-Conditions/Terms-enDccument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction lissues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

South of No. Plank, No.1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 21 of 22

4 Measurement Uncertainty

| No. | Item | Measurement Uncertainty | | | | |
|--|---------------------|---------------------------|--|--|--|--|
| 1 | Conduction Emission | ± 2.9dB (150kHz to 30MHz) | | | | |
| | | ± 4.8dB (30M -1GHz) | | | | |
| 2 | Radiated Emission | ± 4.8dB (1GHz to 18GHz) | | | | |
| | | ± 4.80dB (Above 18GHz) | | | | |
| Remark: The U _{lab} (lab Uncertainty) is less than U _{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results | | | | | | |

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document is a http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document is a http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Ooccheck@sgs.com

South of No. Plank, No.1, Runsheng Road, Suzhou Indudata Park, Suzhou Area, China (Liangsu) Pitol Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWA2310000121RG04

 Rev.:
 01

 Page:
 22 of 22

5 Photographs

5.1 Test Setup

Refer to Appendix A.1 15B Setup Photos.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleat extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Joccheck@sgs.com

South of No. Plank, No.1, Runsheng Road, Suzhou Indudata Park, Suzhou Area, China (Liangsu) Pitol Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000