


TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.42 mW/g, SAR (10g): 0.977 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.36 mW/g, SAR (10g): 0.938 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.34 mW/g, SAR (10g): 0.920 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.39 mW/g, SAR (10g): 0.959 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.23 mW/g, SAR (10g): 0.843 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.28 mW/g, SAR (10g): 0.880 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.07 mW/g, SAR (10g): 0.721 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.2dBm; Left Head Phantom, Ear/15degree Tilt Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.05 mW/g, SAR (10g): 0.687 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.2dBm; Left Head Phantom, Ear/15degree Tilt Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.894 mW/g, SAR (10g): 0.606 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.2dBm; Left Head Phantom, Ear/15degree Tilt Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.03 mW/g, SAR (10g): 0.679 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.2dBm; Left Head Phantom, Ear/15degree Tilt Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.796 mW/g, SAR (10g): 0.525 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.2dBm; Left Head Phantom, Ear/15degree Tilt Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.862 mW/g, SAR (10g): 0.565 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.2dBm; Left Head Phantom, Ear/15degree Tilt Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.41 mW/g, SAR (10g): 0.973 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.43 mW/g, SAR (10g): 0.993 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.36 mW/g, SAR (10g): 0.939 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch Position
Test Date -- 11/28/2001




TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.45 mW/g, SAR (10g): 0.996 mW/g

TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch Position
Test Date -- 11/28/2001




SAR_{Tot} [mW/g]



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.32 mW/g, SAR (10g): 0.907 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.28 mW/g, SAR (10g): 0.883 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.12 mW/g, SAR (10g): 0.724 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.2dBm; Right Head Phantom, Ear/15degree Tilt Position
Test Date -- 11/28/2001




TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.14 mW/g, SAR (10g): 0.724 mW/g

TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.2dBm; Right Head Phantom, Ear/15degree Tilt Position
Test Date -- 11/28/2001




SAR_{Tot} [mW/g]



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.970 mW/g, SAR (10g): 0.616 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.2dBm; Right Head Phantom, Ear/15degree Tilt Position
Test Date -- 11/28/2001




TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.14 mW/g, SAR (10g): 0.726 mW/g

TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.2dBm; Right Head Phantom, Ear/15degree Tilt Position
Test Date -- 11/28/2001




SAR_{Tot} [mW/g]



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.946 mW/g, SAR (10g): 0.600 mW/g


TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.2dBm; Right Head Phantom, Ear/15degree Tilt Position
Test Date -- 11/28/2001



TOSHIBA FCC ID: CJ6DCE45380A -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.03 mW/g, SAR (10g): 0.652 mW/g

TOSHIBA TriMode Model:CDM-9155GPX
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.2dBm; Right Head Phantom, Ear/15degree Tilt Position
Test Date -- 11/28/2001



SAR_{Tot} [mW/g]

