


40 MHz

2420.5 MHz (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



2420.5 MHz (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




40 MHz

2421.5 MHz (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2377.02	49.21	15.31	33.90	74.00	-24.79	186	198	Peak	Horizontal	
2 *	2421.50	94.94	60.75	34.19	74.00	20.94	186	198	Peak	Horizontal	
3	2869.49	50.57	16.07	34.50	74.00	-23.43	186	198	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2389.74	50.79	16.00	33.99	74.00	-23.21	213	115	Peak	Vertical	
2 *	2421.50	105.53	71.34	34.19	74.00	31.53	213	115	Peak	Vertical	
3	2829.92	50.67	16.46	34.41	74.00	-23.13	213	115	Peak	Vertical	

40 MHz

2421.5 MHz (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



2421.5 MHz (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




40 MHz

2460.5 MHz (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2378.67	48.59	14.68	33.91	74.00	-25.41	186	198	Peak	Horizontal	
2 *	2460.50	94.84	60.43	34.41	74.00	20.84	186	198	Peak	Horizontal	
3	2895.06	50.56	16.16	34.40	74.00	-23.44	186	198	Peak	Horizontal	

2460.5 MHz (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2349.58	48.95	15.22	33.73	74.00	-25.05	213	115	Peak	Vertical	
2 *	2460.50	104.94	70.53	34.41	74.00	30.94	213	115	Peak	Vertical	
3	2485.98	57.93	23.41	34.52	74.00	-16.07	213	115	Peak	Vertical	

40 MHz

2460.5 MHz (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2367.72	36.11	2.26	33.85	54.00	-17.89	186	198	Average	Horizontal	
2 *	2460.50	78.28	43.79	34.41	54.00	24.28	186	198	Average	Horizontal	
3	2483.50	37.97	3.46	34.51	54.00	-16.03	186	198	Average	Horizontal	

2460.5 MHz (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2368.09	37.31	3.33	33.98	54.00	-16.69	213	115	Average	Vertical	
2 *	2460.50	89.61	55.28	34.41	54.00	35.61	213	115	Average	Vertical	
3	2483.62	44.02	9.51	34.51	54.00	-9.98	213	115	Average	Vertical	

40 MHz

2462.5 MHz (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.17	53.68	16.41	37.27	74.00	-20.32	110	201	Peak	Horizontal	
2 *	2462.50	99.16	52.62	37.54	74.00	16.16	110	201	Peak	Horizontal	
3	2802.30	54.54	16.43	38.11	74.00	-19.46	110	201	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.41	53.27	16.00	37.27	74.00	-20.73	157	108	Peak	Vertical	
2 *	2462.50	102.37	64.83	37.54	74.00	28.37	157	108	Peak	Vertical	
3	2484.29	62.94	25.24	37.70	74.00	-11.06	157	108	Peak	Vertical	

40 MHz

2462.5 MHz (Horizontal) Average



2462.5 MHz (Vertical) Average




<ANT 1>

1.4 MHz


High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




1.4 MHz

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2354.96	40.12	2.89	37.23	54.00	-13.88	199	147	Average	Horizontal	
2 *	2477.50	101.04	63.39	37.65	54.00	47.04	199	147	Average	Horizontal	
3	2483.50	42.12	4.43	37.69	54.00	-11.88	199	147	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	40.57	3.30	37.27	54.00	-13.43	195	91	Average	Vertical	
2 *	2477.50	109.91	72.26	37.65	54.00	55.91	195	91	Average	Vertical	
3	2484.40	47.91	10.21	37.70	54.00	-6.09	195	91	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz
<ANT 0>


1.4 MHz

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.01	83.64	4.75	78.89	127.62	-43.98	100	21	QP	Open		
2	0.02	73.84	1.85	71.99	120.34	-46.50	100	214	QP	Open		
3	0.05	64.65	-0.32	64.97	113.52	-48.87	100	110	QP	Open		
4	0.09	59.57	-1.14	60.71	108.82	-49.25	100	99	QP	Open		
5	0.12	56.55	-1.59	58.14	106.07	-49.52	100	263	QP	Open		
6	0.14	54.11	-2.82	56.93	104.67	-50.56	100	64	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.19	65.97	12.03	53.94	101.94	-35.97	100	264	QP	Open		
2	2.04	50.95	12.26	38.69	69.50	-18.55	100	119	QP	Open		
3	9.39	50.55	12.82	37.73	69.50	-18.95	100	33	QP	Open		
4	15.09	50.16	12.43	37.73	69.50	-19.34	100	221	QP	Open		
5	21.63	52.63	16.67	35.96	69.50	-16.87	100	336	QP	Open		
6	26.78	51.48	17.15	34.33	69.50	-18.02	100	294	QP	Open		

1.4 MHz

High Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	84.98	5.41	79.57	128.18	-43.20	100	328	QP	Close		
2	0.02	77.62	4.79	72.83	121.77	-44.15	100	137	QP	Close		
3	0.04	66.03	-0.46	66.49	114.67	-48.64	100	128	QP	Close		
4	0.08	59.60	-2.12	61.72	109.99	-50.39	100	272	QP	Close		
5	0.11	56.30	-2.40	58.70	106.80	-50.50	100	182	QP	Close		
6	0.13	55.79	-1.74	57.53	105.33	-49.54	100	195	QP	Close		

High Channel (Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.25	64.07	12.15	51.92	99.59	-35.52	100	157	QP	Close		
2	5.26	50.48	12.11	38.37	69.50	-19.02	100	50	QP	Close		
3	13.98	50.36	12.72	37.64	69.50	-19.14	100	286	QP	Close		
4	18.23	49.73	12.95	36.78	69.50	-19.77	100	167	QP	Close		
5	22.35	49.00	13.21	35.79	69.50	-20.50	100	232	QP	Close		
6	29.19	49.09	11.36	37.73	69.50	-20.41	100	170	QP	Close		


<ANT 1>

1.4 MHz

High Channel (Open) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	84.27	4.64	79.63	128.23	-43.96	100	215	QP	Open		
2	0.03	74.44	3.01	71.43	119.23	-44.79	100	350	QP	Open		
3	0.06	63.91	-0.21	64.12	112.53	-48.62	100	342	QP	Open		
4	0.09	59.07	-1.70	60.77	108.89	-49.82	100	31	QP	Open		
5	0.12	55.88	-2.25	58.13	106.06	-50.18	100	256	QP	Open		
6	0.14	55.76	-1.35	57.11	104.86	-49.10	100	80	QP	Open		

High Channel (Open) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.25	64.86	12.04	51.92	99.59	-34.73	100	222	QP	Open		
2	5.98	52.02	13.64	38.38	69.50	-17.48	100	66	QP	Open		
3	12.80	50.93	13.52	37.41	69.50	-18.57	100	9	QP	Open		
4	21.13	51.36	15.30	36.06	69.50	-18.14	100	156	QP	Open		
5	26.18	50.13	15.81	34.32	69.50	-19.37	100	109	QP	Open		
6	29.75	51.47	12.27	39.20	69.50	-18.03	100	132	QP	Open		

1.4 MHz

High Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	83.86	4.66	79.20	127.87	-44.01	100	223	QP	Close		
2	0.03	74.47	2.97	71.50	119.36	-44.89	100	148	QP	Close		
3	0.05	64.93	0.14	64.79	113.30	-48.37	100	235	QP	Close		
4	0.07	62.26	-0.37	62.63	110.96	-48.70	100	55	QP	Close		
5	0.10	57.32	-1.74	59.06	107.31	-49.99	100	287	QP	Close		
6	0.12	57.13	-0.71	57.84	105.70	-48.57	100	132	QP	Close		

High Channel (Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.30	62.74	12.26	50.48	98.88	-35.34	100	271	QP	Close		
2	4.15	51.51	13.16	38.35	69.50	-17.99	100	259	QP	Close		
3	12.34	49.65	12.29	37.36	69.50	-19.85	100	225	QP	Close		
4	17.67	49.23	12.27	36.96	69.50	-20.27	100	335	QP	Close		
5	25.97	48.18	13.87	34.31	69.50	-21.32	100	159	QP	Close		
6	29.27	50.37	12.42	37.95	69.50	-19.13	100	22	QP	Close		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
<ANT 0>


1.4 MHz

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	38.34	22.76	29.28	-6.52	40.00	-17.24	100	46	QP	horizontal	
2	159.18	23.90	29.68	-5.98	43.50	-19.60	200	308	QP	horizontal	
3	392.00	26.56	29.65	-3.09	46.00	-19.44	100	164	QP	horizontal	
4	631.01	30.48	29.85	0.63	46.00	-15.52	100	356	QP	horizontal	
5	736.84	31.71	29.46	2.25	46.00	-14.29	400	166	QP	horizontal	
6	921.14	34.87	29.83	5.04	46.00	-11.13	100	113	QP	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	49.30	30.44	36.56	-6.12	40.00	-9.56	100	20	QP	vertical	
2	166.38	22.29	28.18	-5.89	43.50	-21.21	100	237	QP	vertical	
3	347.09	24.43	28.30	-3.87	46.00	-21.57	400	121	QP	vertical	
4	467.96	28.74	30.67	-1.93	46.00	-17.26	100	171	QP	vertical	
5	693.48	30.62	29.01	1.61	46.00	-15.38	300	124	QP	vertical	
6	844.32	34.33	30.37	3.96	46.00	-11.67	100	128	QP	vertical	

<ANT 1>


1.4 MHz

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	46.78	22.82	28.67	-5.85	48.00	-17.18	100	222	QP	horizontal	
2	101.30	22.10	33.09	-10.99	43.50	-21.40	100	274	QP	horizontal	
3	156.29	22.36	28.20	-5.84	43.50	-21.14	100	215	QP	horizontal	
4	593.96	28.46	28.38	0.08	46.00	-17.54	200	9	QP	horizontal	
5	760.70	32.25	29.48	2.77	46.00	-13.75	100	47	QP	horizontal	
6	844.90	33.14	29.17	3.97	46.00	-12.86	400	276	QP	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	49.89	30.31	36.31	-6.00	48.00	-9.69	300	0	QP	vertical	
2	160.76	22.48	28.28	-5.80	43.50	-21.02	100	47	QP	vertical	
3	366.20	25.67	29.19	-3.52	46.00	-20.33	100	91	QP	vertical	
4	572.62	30.14	30.55	-0.41	46.00	-15.86	400	146	QP	vertical	
5	735.19	31.89	29.70	2.19	46.00	-14.11	100	360	QP	vertical	
6	845.67	34.15	30.17	3.98	46.00	-11.85	100	296	QP	vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz
<ANT 0>


1.4 MHz

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4887.00	37.07	46.54	-9.47	74.00	-36.93	315	0	Peak	horizontal	
---	---------	-------	-------	-------	-------	--------	-----	---	------	------------	--



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




1	4887.00	37.86	47.33	-9.47	74.00	-36.14	300	121	Peak	vertical	
---	---------	-------	-------	-------	-------	--------	-----	-----	------	----------	--

1.4 MHz


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




1.4 MHz


High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




3 MHz


Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




3 MHz


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




3 MHz


High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




10 MHz


Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




10 MHz


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




10 MHz

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4951.00	38.46	47.70	-9.24	74.00	-35.54	300	22	Peak	horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4951.00	37.43	46.67	-9.24	74.00	-36.57	129	360	Peak	vertical	

20 MHz


Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




20 MHz

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4883.00	38.70	48.12	-9.42	74.00	-35.30	159	360	Peak	horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4883.00	39.08	48.50	-9.42	74.00	-34.92	100	270	Peak	vertical	

20 MHz


High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




40 MHz


Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




40 MHz


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




40 MHz

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4925.00	38.24	47.63	-9.39	74.00	-35.76	302	360	Peak	horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4925.00	37.71	47.10	-9.39	74.00	-36.29	149	360	Peak	vertical		

<ANT 1>


1.4 MHz

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4955.00	38.65	47.97	-9.32	74.00	-35.35	100	74 Peak	horizontal	
---	---------	-------	-------	-------	-------	--------	-----	---------	------------	--



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4955.00	38.74	48.06	-9.32	74.00	-35.26	100	360 Peak	vertical	
---	---------	-------	-------	-------	-------	--------	-----	----------	----------	--