









Mode	42																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																							
ANT	CDD 9+11																																																							
Pol.	Horizontal	Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5760.39</td><td>58.46</td><td>68.30</td><td>-9.84</td><td>39.31</td><td>34.91</td><td>14.02</td><td>29.78</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>241 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5760.39	58.46	68.30	-9.84	39.31	34.91	14.02	29.78								0.00	100									241 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5760.39	58.46	68.30	-9.84	39.31	34.91	14.02	29.78																																																
							0.00	100																																																
								241 PEAK																																																





Mode	42																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																																															
ANT	CDD 9+11																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.51</td><td>57.85</td><td>74.00</td><td>-16.15</td><td>39.77</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>317</td><td>93</td><td>PEAK</td></tr><tr><td>2</td><td>5461.71</td><td>56.72</td><td>68.30</td><td>-11.58</td><td>38.63</td><td>34.53</td><td>13.18</td><td>29.62</td><td>0.00</td><td>317</td><td>93</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.51	57.85	74.00	-16.15	39.77	34.53	13.17	29.62	0.00	317	93	PEAK	2	5461.71	56.72	68.30	-11.58	38.63	34.53	13.18	29.62	0.00	317	93	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>101.75</td><td>-----</td><td>-----</td><td>83.65</td><td>34.57</td><td>13.22</td><td>29.69</td><td>0.00</td><td>317</td><td>93</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	101.75	-----	-----	83.65	34.57	13.22	29.69	0.00	317	93
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.51	57.85	74.00	-16.15	39.77	34.53	13.17	29.62	0.00	317	93	PEAK																																																																																																				
2	5461.71	56.72	68.30	-11.58	38.63	34.53	13.18	29.62	0.00	317	93	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	101.75	-----	-----	83.65	34.57	13.22	29.69	0.00	317	93	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.23</td><td>46.49</td><td>54.00</td><td>-7.51</td><td>28.41</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>317</td><td>93</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.23	46.49	54.00	-7.51	28.41	34.53	13.17	29.62	0.00	317	93	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>92.65</td><td>-----</td><td>-----</td><td>74.57</td><td>34.58</td><td>13.21</td><td>29.71</td><td>0.00</td><td>317</td><td>93</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	92.65	-----	-----	74.57	34.58	13.21	29.71	0.00	317	93	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.23	46.49	54.00	-7.51	28.41	34.53	13.17	29.62	0.00	317	93	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	92.65	-----	-----	74.57	34.58	13.21	29.71	0.00	317	93	AVERAGE																																																																																																				







Mode	42																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																						
ANT	CDD 9+11																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5762.32</td><td>57.97</td><td>68.30</td><td>-10.33</td><td>38.00</td><td>34.92</td><td>14.03</td><td>29.78</td><td>0.00</td><td>317</td><td>93</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5762.32	57.97	68.30	-10.33	38.00	34.92	14.03	29.78	0.00	317	93	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5762.32	57.97	68.30	-10.33	38.00	34.92	14.03	29.78	0.00	317	93	PEAK																																											




Mode	42																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																																			
ANT	CDD 9+11																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>43.83</td><td>74.00</td><td>-30.17</td><td>53.18</td><td>38.16</td><td>18.16</td><td>65.67</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	43.83	74.00	-30.17	53.18	38.16	18.16	65.67	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>44.14</td><td>74.00</td><td>-29.86</td><td>53.49</td><td>38.16</td><td>18.16</td><td>65.67</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	44.14	74.00	-29.86	53.49	38.16	18.16	65.67	0.00	300	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11100.00	43.83	74.00	-30.17	53.18	38.16	18.16	65.67	0.00	100	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11100.00	44.14	74.00	-29.86	53.49	38.16	18.16	65.67	0.00	300	360	PEAK																																																																																								







Mode	43																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																																
ANT	CDD 9+11																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.77</td><td>56.94</td><td>74.00</td><td>-17.06</td><td>38.86</td><td>34.53</td><td>13.16</td><td>29.61</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>2</td><td>5469.21</td><td>57.06</td><td>68.30</td><td>-11.24</td><td>38.96</td><td>34.53</td><td>13.20</td><td>29.63</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.77	56.94	74.00	-17.06	38.86	34.53	13.16	29.61	0.00	100	237	PEAK	2	5469.21	57.06	68.30	-11.24	38.96	34.53	13.20	29.63	0.00	100	237	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>107.84</td><td>-----</td><td>-----</td><td>89.52</td><td>34.73</td><td>13.38</td><td>29.79</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.84	-----	-----	89.52	34.73	13.38	29.79	0.00	100	237	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5455.77	56.94	74.00	-17.06	38.86	34.53	13.16	29.61	0.00	100	237	PEAK																																																																																																					
2	5469.21	57.06	68.30	-11.24	38.96	34.53	13.20	29.63	0.00	100	237	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	107.84	-----	-----	89.52	34.73	13.38	29.79	0.00	100	237	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.57</td><td>46.54</td><td>54.00</td><td>-7.46</td><td>28.46</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>100</td><td>237</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.57	46.54	54.00	-7.46	28.46	34.53	13.17	29.62	0.00	100	237	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>99.46</td><td>-----</td><td>-----</td><td>81.16</td><td>34.72</td><td>13.37</td><td>29.79</td><td>0.00</td><td>100</td><td>237</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.46	-----	-----	81.16	34.72	13.37	29.79	0.00	100	237	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.57	46.54	54.00	-7.46	28.46	34.53	13.17	29.62	0.00	100	237	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	99.46	-----	-----	81.16	34.72	13.37	29.79	0.00	100	237	AVERAGE																																																																																																					




Mode	43																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																					
ANT	CDD 9+11																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5726.96</td><td>59.94</td><td>68.30</td><td>-8.36</td><td>41.17</td><td>34.84</td><td>13.72</td><td>29.79</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.96	59.94	68.30	-8.36	41.17	34.84	13.72	29.79	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5726.96	59.94	68.30	-8.36	41.17	34.84	13.72	29.79																														





Mode	43																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																													
ANT	CDD 9+11																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5411.27</td><td>58.03</td><td>74.00</td><td>-15.97</td><td>40.04</td><td>34.51</td><td>13.06</td><td>29.58</td><td>0.00</td><td>326</td><td>74 PEAK</td></tr><tr><td>2</td><td>5460.57</td><td>56.40</td><td>68.30</td><td>-11.90</td><td>38.31</td><td>34.53</td><td>13.18</td><td>29.62</td><td>0.00</td><td>326</td><td>74 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5411.27	58.03	74.00	-15.97	40.04	34.51	13.06	29.58	0.00	326	74 PEAK	2	5460.57	56.40	68.30	-11.90	38.31	34.53	13.18	29.62	0.00	326	74 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>101.87</td><td>-----</td><td>-----</td><td>83.49</td><td>34.75</td><td>13.42</td><td>29.79</td><td>0.00</td><td>326</td><td>74 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	101.87	-----	-----	83.49	34.75	13.42	29.79	0.00	326	74 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5411.27	58.03	74.00	-15.97	40.04	34.51	13.06	29.58	0.00	326	74 PEAK																																																																																																			
2	5460.57	56.40	68.30	-11.90	38.31	34.53	13.18	29.62	0.00	326	74 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5670.00	101.87	-----	-----	83.49	34.75	13.42	29.79	0.00	326	74 PEAK																																																																																																			
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.29</td><td>46.42</td><td>54.00</td><td>-7.58</td><td>28.34</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>326</td><td>74 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.29	46.42	54.00	-7.58	28.34	34.53	13.17	29.62	0.00	326	74 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>93.87</td><td>-----</td><td>-----</td><td>75.55</td><td>34.73</td><td>13.38</td><td>29.79</td><td>0.00</td><td>326</td><td>74 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	93.87	-----	-----	75.55	34.73	13.38	29.79	0.00	326	74 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5459.29	46.42	54.00	-7.58	28.34	34.53	13.17	29.62	0.00	326	74 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5670.00	93.87	-----	-----	75.55	34.73	13.38	29.79	0.00	326	74 AVERAGE																																																																																																			







Mode	43																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																							
ANT	CDD 9+11																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.93</td><td>58.04</td><td>68.30</td><td>-10.26</td><td>39.16</td><td>34.86</td><td>13.81</td><td>29.79</td><td>0.00</td><td>326</td><td>74</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.93	58.04	68.30	-10.26	39.16	34.86	13.81	29.79	0.00	326	74	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5736.93	58.04	68.30	-10.26	39.16	34.86	13.81	29.79	0.00	326	74	PEAK																																												



Mode	43																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																			
ANT	CDD 9+11																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>53.89</td><td>38.30</td><td>18.34</td><td>65.54</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	44.99	74.00	-29.01	53.89	38.30	18.34	65.54	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>53.18</td><td>38.30</td><td>18.34</td><td>65.54</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	44.28	74.00	-29.72	53.18	38.30	18.34	65.54	0.00	300	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11340.00	44.99	74.00	-29.01	53.89	38.30	18.34	65.54	0.00	100	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11340.00	44.28	74.00	-29.72	53.18	38.30	18.34	65.54	0.00	300	360	PEAK																																																																																								







Mode	44																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																																														
ANT	CDD 9+11																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5084.74</td><td>59.85</td><td>74.00</td><td>-14.15</td><td>42.44</td><td>34.27</td><td>12.39</td><td>29.25</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5084.74	59.85	74.00	-14.15	42.44	34.27	12.39	29.25	0.00	100	117	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>104.97</td><td>-----</td><td>-----</td><td>87.26</td><td>34.50</td><td>12.59</td><td>29.38</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	104.97	-----	-----	87.26	34.50	12.59	29.38	0.00	100	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5084.74	59.85	74.00	-14.15	42.44	34.27	12.39	29.25	0.00	100	117	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	104.97	-----	-----	87.26	34.50	12.59	29.38	0.00	100	117	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.73</td><td>49.16</td><td>54.00</td><td>-4.84</td><td>31.59</td><td>34.40</td><td>12.48</td><td>29.31</td><td>0.00</td><td>100</td><td>117</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.73	49.16	54.00	-4.84	31.59	34.40	12.48	29.31	0.00	100	117	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>95.66</td><td>-----</td><td>-----</td><td>77.94</td><td>34.50</td><td>12.60</td><td>29.38</td><td>0.00</td><td>100</td><td>117</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	95.66	-----	-----	77.94	34.50	12.60	29.38	0.00	100	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.73	49.16	54.00	-4.84	31.59	34.40	12.48	29.31	0.00	100	117	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	95.66	-----	-----	77.94	34.50	12.60	29.38	0.00	100	117	AVERAGE																																																																																																			





Mode	44																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																					
ANT	CDD 9+11																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5403.38</td><td>57.41</td><td>74.00</td><td>-16.59</td><td>39.44</td><td>34.50</td><td>13.04</td><td>29.57</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5403.38	57.41	74.00	-16.59	39.44	34.50	13.04	29.57	0.00	100	117 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5403.38	57.41	74.00	-16.59	39.44	34.50	13.04	29.57	0.00	100	117 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.60</td><td>46.72</td><td>54.00</td><td>-7.28</td><td>28.64</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>100</td><td>117 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.60	46.72	54.00	-7.28	28.64	34.53	13.17	29.62	0.00	100	117 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5458.60	46.72	54.00	-7.28	28.64	34.53	13.17	29.62	0.00	100	117 AVERAGE																																											



		44																																																																																								
Mode		Band Edge - L																																																																																								
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																								
ANT		CDD 9+11																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.63	59.91	74.00	-14.09	42.34	34.40	12.48	29.31	0.00	309	61 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>102.90</td><td>-----</td><td>-----</td><td>85.18</td><td>34.50</td><td>12.60</td><td>29.38</td><td>0.00</td><td>309</td><td>61 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	102.90	-----	-----	85.18	34.50	12.60	29.38	0.00	309
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5149.63	59.91	74.00	-14.09	42.34	34.40	12.48	29.31	0.00	309	61 PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5210.00	102.90	-----	-----	85.18	34.50	12.60	29.38	0.00	309	61 PEAK																																																																															
Avg																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	48.31	54.00	-5.69	30.74	34.40	12.48	29.31	0.00	309	61 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>94.20</td><td>-----</td><td>-----</td><td>76.49</td><td>34.50</td><td>12.57</td><td>29.36</td><td>0.00</td><td>309</td><td>61 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	94.20	-----	-----	76.49	34.50	12.57	29.36	0.00	309
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5149.60	48.31	54.00	-5.69	30.74	34.40	12.48	29.31	0.00	309	61 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5210.00	94.20	-----	-----	76.49	34.50	12.57	29.36	0.00	309	61 AVERAGE																																																																															







Mode	44																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																					
ANT	CDD 9+11																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5404.88</td><td>58.30</td><td>74.00</td><td>-15.70</td><td>40.33</td><td>34.50</td><td>13.04</td><td>29.57</td><td>0.00</td><td>309</td><td>61 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5404.88	58.30	74.00	-15.70	40.33	34.50	13.04	29.57	0.00	309	61 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5404.88	58.30	74.00	-15.70	40.33	34.50	13.04	29.57	0.00	309	61 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.08</td><td>46.63</td><td>54.00</td><td>-7.37</td><td>28.55</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>309</td><td>61 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.08	46.63	54.00	-7.37	28.55	34.53	13.17	29.62	0.00	309	61 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5459.08	46.63	54.00	-7.37	28.55	34.53	13.17	29.62	0.00	309	61 AVERAGE																																											





Mode	44																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																																	
ANT	CDD 9+11																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>42.73</td><td>68.30</td><td>-25.57</td><td>54.08</td><td>37.46</td><td>17.60</td><td>66.41</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	42.73	68.30	-25.57	54.08	37.46	17.60	66.41	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>44.71</td><td>68.30</td><td>-23.59</td><td>56.06</td><td>37.46</td><td>17.60</td><td>66.41</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	44.71	68.30	-23.59	56.06	37.46	17.60	66.41	0.00	300	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10420.00	42.73	68.30	-25.57	54.08	37.46	17.60	66.41	0.00	100	360	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10420.00	44.71	68.30	-23.59	56.06	37.46	17.60	66.41	0.00	300	360	PEAK																																																																																						







Mode	45																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																																												
ANT	CDD 9+11																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5062.22</td><td>59.03</td><td>74.00</td><td>-14.97</td><td>41.68</td><td>34.22</td><td>12.37</td><td>29.24</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5062.22	59.03	74.00	-14.97	41.68	34.22	12.37	29.24	0.00	100	114 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>103.82</td><td>-----</td><td>-----</td><td>86.07</td><td>34.50</td><td>12.73</td><td>29.48</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	103.82	-----	-----	86.07	34.50	12.73	29.48	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5062.22	59.03	74.00	-14.97	41.68	34.22	12.37	29.24	0.00	100	114 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5290.00	103.82	-----	-----	86.07	34.50	12.73	29.48	0.00	100	114 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5003.79</td><td>47.61</td><td>54.00</td><td>-6.39</td><td>30.37</td><td>34.11</td><td>12.33</td><td>29.20</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5003.79	47.61	54.00	-6.39	30.37	34.11	12.33	29.20	0.00	100	114 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>94.94</td><td>-----</td><td>-----</td><td>77.21</td><td>34.50</td><td>12.67</td><td>29.44</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	94.94	-----	-----	77.21	34.50	12.67	29.44	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5003.79	47.61	54.00	-6.39	30.37	34.11	12.33	29.20	0.00	100	114 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5290.00	94.94	-----	-----	77.21	34.50	12.67	29.44	0.00	100	114 AVERAGE																																																																																																		





Mode	45																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																							
ANT	CDD 9+11																																																							
Pol.	Horizontal										Fundamental																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.48</td><td>61.47</td><td>74.00</td><td>-12.53</td><td>43.61</td><td>34.50</td><td>12.88</td><td>29.52</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.48	61.47	74.00	-12.53	43.61	34.50	12.88	29.52	0.00	100	114 PEAK	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5352.48	61.47	74.00	-12.53	43.61	34.50	12.88	29.52	0.00	100	114 PEAK																																													
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.28</td><td>49.33</td><td>54.00</td><td>-4.67</td><td>31.47</td><td>34.50</td><td>12.88</td><td>29.52</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.28	49.33	54.00	-4.67	31.47	34.50	12.88	29.52	0.00	100	114 AVERAGE	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5352.28	49.33	54.00	-4.67	31.47	34.50	12.88	29.52	0.00	100	114 AVERAGE																																													





Mode	45																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																																														
ANT	CDD 9+11																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5029.43</td><td>58.97</td><td>74.00</td><td>-15.03</td><td>41.68</td><td>34.16</td><td>12.35</td><td>29.22</td><td>0.00</td><td>316</td><td>62</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5029.43	58.97	74.00	-15.03	41.68	34.16	12.35	29.22	0.00	316	62	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>102.81</td><td>-----</td><td>-----</td><td>85.08</td><td>34.50</td><td>12.68</td><td>29.45</td><td>0.00</td><td>316</td><td>62</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	102.81	-----	-----	85.08	34.50	12.68	29.45	0.00	316	62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5029.43	58.97	74.00	-15.03	41.68	34.16	12.35	29.22	0.00	316	62	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	102.81	-----	-----	85.08	34.50	12.68	29.45	0.00	316	62	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5004.72</td><td>47.62</td><td>54.00</td><td>-6.38</td><td>30.38</td><td>34.11</td><td>12.33</td><td>29.20</td><td>0.00</td><td>316</td><td>62</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5004.72	47.62	54.00	-6.38	30.38	34.11	12.33	29.20	0.00	316	62	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>93.89</td><td>-----</td><td>-----</td><td>76.15</td><td>34.50</td><td>12.68</td><td>29.44</td><td>0.00</td><td>316</td><td>62</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	93.89	-----	-----	76.15	34.50	12.68	29.44	0.00	316	62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5004.72	47.62	54.00	-6.38	30.38	34.11	12.33	29.20	0.00	316	62	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	93.89	-----	-----	76.15	34.50	12.68	29.44	0.00	316	62	AVERAGE																																																																																																			



Mode	45																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																					
ANT	CDD 9+11																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.37</td><td>59.19</td><td>74.00</td><td>-14.81</td><td>41.33</td><td>34.50</td><td>12.89</td><td>29.53</td><td>0.00</td><td>316</td><td>62 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.37	59.19	74.00	-14.81	41.33	34.50	12.89	29.53	0.00	316	62 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5355.37	59.19	74.00	-14.81	41.33	34.50	12.89	29.53	0.00	316	62 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.32</td><td>47.52</td><td>54.00</td><td>-6.48</td><td>29.66</td><td>34.50</td><td>12.88</td><td>29.52</td><td>0.00</td><td>316</td><td>62 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.32	47.52	54.00	-6.48	29.66	34.50	12.88	29.52	0.00	316	62 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5353.32	47.52	54.00	-6.48	29.66	34.50	12.88	29.52	0.00	316	62 AVERAGE																																											




Mode	45																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																																			
ANT	CDD 9+11																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.53</td><td>68.30</td><td>-23.77</td><td>55.37</td><td>37.64</td><td>17.74</td><td>66.22</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.07</td><td>68.30</td><td>-24.23</td><td>54.91</td><td>37.64</td><td>17.74</td><td>66.22</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.53	68.30	-23.77	55.37	37.64	17.74	66.22	0.00	100	360	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.07	68.30	-24.23	54.91	37.64	17.74	66.22	0.00	300	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10580.00	44.53	68.30	-23.77	55.37	37.64	17.74	66.22	0.00	100	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10580.00	44.07	68.30	-24.23	54.91	37.64	17.74	66.22	0.00	300	360	PEAK																																																																																								



		46																																																																			
Mode		Band Edge - L																																																																			
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																			
ANT		CDD 9+11																																																																			
Pol.																																																																					
Peak	Horizontal																																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.26</td><td>59.55</td><td>74.00</td><td>-14.45</td><td>41.48</td><td>34.53</td><td>13.15</td><td>29.61</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>2</td><td>5462.42</td><td>61.87</td><td>68.30</td><td>-6.43</td><td>43.78</td><td>34.53</td><td>13.18</td><td>29.62</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.26	59.55	74.00	-14.45	41.48	34.53	13.15	29.61	0.00	100	114	PEAK	2	5462.42	61.87	68.30	-6.43	43.78	34.53	13.18	29.62	0.00	100	114	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5451.26	59.55	74.00	-14.45	41.48	34.53	13.15	29.61	0.00	100	114	PEAK																																																									
2	5462.42	61.87	68.30	-6.43	43.78	34.53	13.18	29.62	0.00	100	114	PEAK																																																									
Fundamental																																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>103.60</td><td>-----</td><td>-----</td><td>85.45</td><td>34.55</td><td>13.26</td><td>29.66</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	103.60	-----	-----	85.45	34.55	13.26	29.66	0.00	100	114	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5530.00	103.60	-----	-----	85.45	34.55	13.26	29.66	0.00	100	114	PEAK																																																									
Avg	Horizontal																																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.40</td><td>49.48</td><td>54.00</td><td>-4.52</td><td>31.40</td><td>34.53</td><td>13.16</td><td>29.61</td><td>0.00</td><td>100</td><td>114</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.40	49.48	54.00	-4.52	31.40	34.53	13.16	29.61	0.00	100	114	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5453.40	49.48	54.00	-4.52	31.40	34.53	13.16	29.61	0.00	100	114	AVERAGE																																																									
Fundamental																																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>93.51</td><td>-----</td><td>-----</td><td>75.36</td><td>34.55</td><td>13.26</td><td>29.66</td><td>0.00</td><td>100</td><td>114</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.51	-----	-----	75.36	34.55	13.26	29.66	0.00	100	114	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5530.00	93.51	-----	-----	75.36	34.55	13.26	29.66	0.00	100	114	AVERAGE																																																									




Mode	46																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																												
ANT	CDD 9+11																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.50</td><td>58.13</td><td>68.30</td><td>-10.17</td><td>39.14</td><td>34.88</td><td>13.90</td><td>29.79</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5747.50	58.13	68.30	-10.17	39.14	34.88	13.90	29.79	0.00	100	114 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5747.50	58.13	68.30	-10.17	39.14	34.88	13.90	29.79	0.00	100	114 PEAK																																		





		46																																																																						
Mode		Band Edge - L																																																																						
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																						
ANT		CDD 9+11																																																																						
Pol.		Vertical																																																																						
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5452.16</td><td>58.20</td><td>74.00</td><td>-15.80</td><td>40.12</td><td>34.53</td><td>13.16</td><td>29.61</td><td>0.00</td><td>341</td><td>68 PEAK</td></tr><tr><td>2</td><td>5469.62</td><td>58.16</td><td>68.30</td><td>-10.14</td><td>40.06</td><td>34.53</td><td>13.20</td><td>29.63</td><td>0.00</td><td>341</td><td>68 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5452.16	58.20	74.00	-15.80	40.12	34.53	13.16	29.61	0.00	341	68 PEAK	2	5469.62	58.16	68.30	-10.14	40.06	34.53	13.20	29.63	0.00	341	68 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	5452.16	58.20	74.00	-15.80	40.12	34.53	13.16	29.61	0.00	341	68 PEAK																																																													
2	5469.62	58.16	68.30	-10.14	40.06	34.53	13.20	29.63	0.00	341	68 PEAK																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5530.00</td><td>100.22</td><td>-----</td><td>-----</td><td>82.07</td><td>34.55</td><td>13.26</td><td>29.66</td><td>0.00</td><td>341</td><td>68 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5530.00	100.22	-----	-----	82.07	34.55	13.26	29.66	0.00	341	68 PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	5530.00	100.22	-----	-----	82.07	34.55	13.26	29.66	0.00	341	68 PEAK																																																													
Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5453.06</td><td>47.27</td><td>54.00</td><td>-6.73</td><td>29.19</td><td>34.53</td><td>13.16</td><td>29.61</td><td>0.00</td><td>341</td><td>68 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5453.06	47.27	54.00	-6.73	29.19	34.53	13.16	29.61	0.00	341	68 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	5453.06	47.27	54.00	-6.73	29.19	34.53	13.16	29.61	0.00	341	68 AVERAGE																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5530.00</td><td>91.18</td><td>-----</td><td>-----</td><td>73.03</td><td>34.55</td><td>13.26</td><td>29.66</td><td>0.00</td><td>341</td><td>68 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5530.00	91.18	-----	-----	73.03	34.55	13.26	29.66	0.00	341	68 AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	5530.00	91.18	-----	-----	73.03	34.55	13.26	29.66	0.00	341	68 AVERAGE																																																													







Mode	46																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																							
ANT	CDD 9+11																																																							
Pol.	Vertical	Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5756.90</td><td>57.68</td><td>68.30</td><td>-10.62</td><td>38.56</td><td>34.91</td><td>13.99</td><td>29.78</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>341</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>68 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5756.90	57.68	68.30	-10.62	38.56	34.91	13.99	29.78								0.00	341									68 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5756.90	57.68	68.30	-10.62	38.56	34.91	13.99	29.78																																																
							0.00	341																																																
								68 PEAK																																																




Mode	46																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																			
ANT	CDD 9+11																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>53.85</td><td>38.14</td><td>18.13</td><td>65.70</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>43.48</td><td>74.00</td><td>-30.52</td><td>52.91</td><td>38.14</td><td>18.13</td><td>65.70</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.42	74.00	-29.58	53.85	38.14	18.13	65.70	0.00	100	360	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	43.48	74.00	-30.52	52.91	38.14	18.13	65.70	0.00	300	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11060.00	44.42	74.00	-29.58	53.85	38.14	18.13	65.70	0.00	100	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11060.00	43.48	74.00	-30.52	52.91	38.14	18.13	65.70	0.00	300	360	PEAK																																																																																								







Mode	47																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																															
ANT	CDD 9+11																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.62</td><td>57.59</td><td>74.00</td><td>-16.41</td><td>39.52</td><td>34.53</td><td>13.15</td><td>29.61</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5460.00</td><td>57.73</td><td>68.30</td><td>-10.57</td><td>39.65</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.62	57.59	74.00	-16.41	39.52	34.53	13.15	29.61	0.00	100	113	PEAK	2	5460.00	57.73	68.30	-10.57	39.65	34.53	13.17	29.62	0.00	100	113	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>103.31</td><td>-----</td><td>-----</td><td>85.26</td><td>34.62</td><td>13.19</td><td>29.76</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.31	-----	-----	85.26	34.62	13.19	29.76	0.00	100	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5451.62	57.59	74.00	-16.41	39.52	34.53	13.15	29.61	0.00	100	113	PEAK																																																																																																				
2	5460.00	57.73	68.30	-10.57	39.65	34.53	13.17	29.62	0.00	100	113	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	103.31	-----	-----	85.26	34.62	13.19	29.76	0.00	100	113	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>46.60</td><td>54.00</td><td>-7.40</td><td>28.52</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	46.60	54.00	-7.40	28.52	34.53	13.17	29.62	0.00	100	113	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>93.54</td><td>-----</td><td>-----</td><td>75.49</td><td>34.62</td><td>13.19</td><td>29.76</td><td>0.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.54	-----	-----	75.49	34.62	13.19	29.76	0.00	100	113	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.76	46.60	54.00	-7.40	28.52	34.53	13.17	29.62	0.00	100	113	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	93.54	-----	-----	75.49	34.62	13.19	29.76	0.00	100	113	AVERAGE																																																																																																				



Mode	47																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																							
ANT	CDD 9+11																																																							
Pol.	Horizontal	Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5760.43</td><td>57.91</td><td>68.30</td><td>-10.39</td><td>38.76</td><td>34.91</td><td>14.02</td><td>29.78</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>113 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5760.43	57.91	68.30	-10.39	38.76	34.91	14.02	29.78								0.00	100									113 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																
1	5760.43	57.91	68.30	-10.39	38.76	34.91	14.02	29.78																																																
							0.00	100																																																
								113 PEAK																																																



Mode	47																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																																																		
ANT	CDD 9+11																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5403.38</td><td>57.79</td><td>74.00</td><td>-16.21</td><td>39.82</td><td>34.50</td><td>13.04</td><td>29.57</td><td>0.00</td><td>363</td><td>63 PEAK</td></tr><tr><td>2</td><td>5469.26</td><td>57.51</td><td>68.30</td><td>-10.79</td><td>39.41</td><td>34.53</td><td>13.20</td><td>29.63</td><td>0.00</td><td>363</td><td>63 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5403.38	57.79	74.00	-16.21	39.82	34.50	13.04	29.57	0.00	363	63 PEAK	2	5469.26	57.51	68.30	-10.79	39.41	34.53	13.20	29.63	0.00	363	63 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>101.63</td><td>-----</td><td>-----</td><td>83.58</td><td>34.62</td><td>13.19</td><td>29.76</td><td>0.00</td><td>363</td><td>63 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	101.63	-----	-----	83.58	34.62	13.19	29.76	0.00	363
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5403.38	57.79	74.00	-16.21	39.82	34.50	13.04	29.57	0.00	363	63 PEAK																																																																																																																								
2	5469.26	57.51	68.30	-10.79	39.41	34.53	13.20	29.63	0.00	363	63 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5610.00	101.63	-----	-----	83.58	34.62	13.19	29.76	0.00	363	63 PEAK																																																																																																																								
Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.72</td><td>46.53</td><td>54.00</td><td>-7.47</td><td>28.45</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>363</td><td>63 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.72	46.53	54.00	-7.47	28.45	34.53	13.17	29.62	0.00	363	63 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>90.56</td><td>-----</td><td>-----</td><td>72.51</td><td>34.62</td><td>13.19</td><td>29.76</td><td>0.00</td><td>363</td><td>63 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	90.56	-----	-----	72.51	34.62	13.19	29.76	0.00	363	63 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5459.72	46.53	54.00	-7.47	28.45	34.53	13.17	29.62	0.00	363	63 AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5610.00	90.56	-----	-----	72.51	34.62	13.19	29.76	0.00	363	63 AVERAGE																																																																																																																								







Mode	47	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	CDD 9+11	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m)	



Mode	47																																																							
	Harmonic																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																							
ANT	CDD 9+11																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>43.71</td><td>74.00</td><td>-30.29</td><td>52.84</td><td>38.23</td><td>18.25</td><td>65.61</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	43.71	74.00	-30.29	52.84	38.23	18.25	65.61	0.00	100	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11220.00	43.71	74.00	-30.29	52.84	38.23	18.25	65.61	0.00	100	360	PEAK																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>44.06</td><td>74.00</td><td>-29.94</td><td>53.19</td><td>38.23</td><td>18.25</td><td>65.61</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	44.06	74.00	-29.94	53.19	38.23	18.25	65.61	0.00	300	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11220.00	44.06	74.00	-29.94	53.19	38.23	18.25	65.61	0.00	300	360	PEAK																																												



Mode	48																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																														
ANT	CDD 9+11																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.13</td><td>61.26</td><td>74.00</td><td>-12.74</td><td>43.70</td><td>34.39</td><td>12.48</td><td>29.31</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.13	61.26	74.00	-12.74	43.70	34.39	12.48	29.31	0.00	100	113	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>102.53</td><td>-----</td><td>-----</td><td>84.79</td><td>34.50</td><td>12.68</td><td>29.44</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	102.53	-----	-----	84.79	34.50	12.68	29.44	0.00	100	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5146.13	61.26	74.00	-12.74	43.70	34.39	12.48	29.31	0.00	100	113	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	102.53	-----	-----	84.79	34.50	12.68	29.44	0.00	100	113	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.38</td><td>48.40</td><td>54.00</td><td>-5.60</td><td>30.84</td><td>34.39</td><td>12.48</td><td>29.31</td><td>0.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.38	48.40	54.00	-5.60	30.84	34.39	12.48	29.31	0.00	100	113	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>91.65</td><td>-----</td><td>-----</td><td>73.93</td><td>34.50</td><td>12.64</td><td>29.42</td><td>0.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	91.65	-----	-----	73.93	34.50	12.64	29.42	0.00	100	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5146.38	48.40	54.00	-5.60	30.84	34.39	12.48	29.31	0.00	100	113	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	91.65	-----	-----	73.93	34.50	12.64	29.42	0.00	100	113	AVERAGE																																																																																																			



Mode	48																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																						
ANT	CDD 9+11																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.01</td><td>61.37</td><td>74.00</td><td>-12.63</td><td>43.51</td><td>34.50</td><td>12.88</td><td>29.52</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.01	61.37	74.00	-12.63	43.51	34.50	12.88	29.52	0.00	100	113	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5353.01	61.37	74.00	-12.63	43.51	34.50	12.88	29.52	0.00	100	113	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.67</td><td>49.79</td><td>54.00</td><td>-4.21</td><td>31.93</td><td>34.50</td><td>12.88</td><td>29.52</td><td>0.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.67	49.79	54.00	-4.21	31.93	34.50	12.88	29.52	0.00	100	113	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5353.67	49.79	54.00	-4.21	31.93	34.50	12.88	29.52	0.00	100	113	AVERAGE																																											







Mode	48																																																						
	Band Edge - L																																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																						
ANT	CDD 9+11																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.38</td><td>59.29</td><td>74.00</td><td>-14.71</td><td>41.73</td><td>34.39</td><td>12.48</td><td>29.31</td><td>0.00</td><td>341</td><td>64</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.38	59.29	74.00	-14.71	41.73	34.39	12.48	29.31	0.00	341	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5146.38	59.29	74.00	-14.71	41.73	34.39	12.48	29.31	0.00	341	64	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5075.13</td><td>48.24</td><td>54.00</td><td>-5.76</td><td>30.86</td><td>34.25</td><td>12.38</td><td>29.25</td><td>0.00</td><td>341</td><td>64</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5075.13	48.24	54.00	-5.76	30.86	34.25	12.38	29.25	0.00	341	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5075.13	48.24	54.00	-5.76	30.86	34.25	12.38	29.25	0.00	341	64	AVERAGE																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>100.41</td><td>-----</td><td>-----</td><td>82.69</td><td>34.50</td><td>12.63</td><td>29.41</td><td>0.00</td><td>341</td><td>64</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	100.41	-----	-----	82.69	34.50	12.63	29.41	0.00	341	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5250.00	100.41	-----	-----	82.69	34.50	12.63	29.41	0.00	341	64	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>91.36</td><td>-----</td><td>-----</td><td>73.64</td><td>34.50</td><td>12.63</td><td>29.41</td><td>0.00</td><td>341</td><td>64</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	91.36	-----	-----	73.64	34.50	12.63	29.41	0.00	341	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5250.00	91.36	-----	-----	73.64	34.50	12.63	29.41	0.00	341	64	AVERAGE																																											







Mode	48																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																					
ANT	CDD 9+11																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5402.36</td><td>61.22</td><td>74.00</td><td>-12.78</td><td>43.25</td><td>34.50</td><td>13.04</td><td>29.57</td><td>0.00</td><td>341</td><td>64 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5402.36	61.22	74.00	-12.78	43.25	34.50	13.04	29.57	0.00	341	64 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5402.36	61.22	74.00	-12.78	43.25	34.50	13.04	29.57	0.00	341	64 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.11</td><td>49.04</td><td>54.00</td><td>-4.96</td><td>31.14</td><td>34.50</td><td>12.95</td><td>29.55</td><td>0.00</td><td>341</td><td>64 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.11	49.04	54.00	-4.96	31.14	34.50	12.95	29.55	0.00	341	64 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5376.11	49.04	54.00	-4.96	31.14	34.50	12.95	29.55	0.00	341	64 AVERAGE																																											



Mode	48																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																																																																				
ANT	CDD 9+11																																																																																																																																																				
Pol.	Horizontal					Vertical																																																																																																																																															
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>10500.00</td><td>42.98</td><td>68.30</td><td>-25.32</td><td>54.08</td><td>37.55</td><td>17.67</td><td>66.32</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>360</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10500.00	42.98	68.30	-25.32	54.08	37.55	17.67	66.32	0.00										100										360										PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>10500.00</td><td>43.15</td><td>68.30</td><td>-25.15</td><td>54.25</td><td>37.55</td><td>17.67</td><td>66.32</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>360</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10500.00	43.15	68.30	-25.15	54.25	37.55	17.67	66.32	0.00										300										360									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																												
1	10500.00	42.98	68.30	-25.32	54.08	37.55	17.67	66.32	0.00																																																																																																																																												
									100																																																																																																																																												
									360																																																																																																																																												
									PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																												
1	10500.00	43.15	68.30	-25.15	54.25	37.55	17.67	66.32	0.00																																																																																																																																												
									300																																																																																																																																												
									360																																																																																																																																												
									PEAK																																																																																																																																												
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>10500.00</td><td>42.98</td><td>68.30</td><td>-25.32</td><td>54.08</td><td>37.55</td><td>17.67</td><td>66.32</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>360</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10500.00	42.98	68.30	-25.32	54.08	37.55	17.67	66.32	0.00										100										360										PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>10500.00</td><td>43.15</td><td>68.30</td><td>-25.15</td><td>54.25</td><td>37.55</td><td>17.67</td><td>66.32</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>360</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10500.00	43.15	68.30	-25.15	54.25	37.55	17.67	66.32	0.00										300										360									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																												
1	10500.00	42.98	68.30	-25.32	54.08	37.55	17.67	66.32	0.00																																																																																																																																												
									100																																																																																																																																												
									360																																																																																																																																												
									PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																												
1	10500.00	43.15	68.30	-25.15	54.25	37.55	17.67	66.32	0.00																																																																																																																																												
									300																																																																																																																																												
									360																																																																																																																																												
									PEAK																																																																																																																																												







		49																																																																																																											
Mode		Band Edge - L																																																																																																											
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																																											
ANT		CDD 9+11																																																																																																											
Pol.		Horizontal					Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.62</td><td>60.09</td><td>74.00</td><td>-13.91</td><td>42.04</td><td>34.52</td><td>13.13</td><td>29.60</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr><tr><td>2</td><td>5463.64</td><td>58.84</td><td>68.30</td><td>-9.46</td><td>40.75</td><td>34.53</td><td>13.18</td><td>29.62</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.62	60.09	74.00	-13.91	42.04	34.52	13.13	29.60	0.00	100	112 PEAK	2	5463.64	58.84	68.30	-9.46	40.75	34.53	13.18	29.62	0.00	100	112 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>100.28</td><td>-----</td><td>-----</td><td>82.18</td><td>34.57</td><td>13.22</td><td>29.69</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	100.28	-----	-----	82.18	34.57	13.22	29.69	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5443.62	60.09	74.00	-13.91	42.04	34.52	13.13	29.60	0.00	100	112 PEAK																																																																																																		
2	5463.64	58.84	68.30	-9.46	40.75	34.53	13.18	29.62	0.00	100	112 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5570.00	100.28	-----	-----	82.18	34.57	13.22	29.69	0.00	100	112 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.62</td><td>48.89</td><td>54.00</td><td>-5.11</td><td>30.81</td><td>34.53</td><td>13.16</td><td>29.61</td><td>0.00</td><td>100</td><td>112 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.62	48.89	54.00	-5.11	30.81	34.53	13.16	29.61	0.00	100	112 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>89.36</td><td>-----</td><td>-----</td><td>71.34</td><td>34.59</td><td>13.17</td><td>29.74</td><td>0.00</td><td>100</td><td>112 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	89.36	-----	-----	71.34	34.59	13.17	29.74	0.00	100	112 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5452.62	48.89	54.00	-5.11	30.81	34.53	13.16	29.61	0.00	100	112 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5570.00	89.36	-----	-----	71.34	34.59	13.17	29.74	0.00	100	112 AVERAGE																																																																																																		




Mode	49																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																					
ANT	CDD 9+11																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5744.04</td><td>59.48</td><td>68.30</td><td>-8.82</td><td>40.52</td><td>34.88</td><td>13.87</td><td>29.79</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5744.04	59.48	68.30	-8.82	40.52	34.88	13.87	29.79	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5744.04	59.48	68.30	-8.82	40.52	34.88	13.87	29.79																														





Mode	49																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																			
ANT	CDD 9+11																																																																			
Pol.	Vertical						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.98</td><td>59.66</td><td>74.00</td><td>-14.34</td><td>41.59</td><td>34.53</td><td>13.15</td><td>29.61</td><td>0.00</td><td>336</td><td>67</td><td>PEAK</td></tr><tr><td>2</td><td>5464.08</td><td>58.98</td><td>68.30</td><td>-9.32</td><td>40.89</td><td>34.53</td><td>13.18</td><td>29.62</td><td>0.00</td><td>336</td><td>67</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.98	59.66	74.00	-14.34	41.59	34.53	13.15	29.61	0.00	336	67	PEAK	2	5464.08	58.98	68.30	-9.32	40.89	34.53	13.18	29.62	0.00	336	67
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5451.98	59.66	74.00	-14.34	41.59	34.53	13.15	29.61	0.00	336	67	PEAK																																																								
2	5464.08	58.98	68.30	-9.32	40.89	34.53	13.18	29.62	0.00	336	67	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.28</td><td>48.38</td><td>54.00</td><td>-5.62</td><td>30.35</td><td>34.52</td><td>13.11</td><td>29.60</td><td>0.00</td><td>336</td><td>67</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.28	48.38	54.00	-5.62	30.35	34.52	13.11	29.60	0.00	336	67	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5433.28	48.38	54.00	-5.62	30.35	34.52	13.11	29.60	0.00	336	67	AVERAGE																																																								
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>98.22</td><td>-----</td><td>-----</td><td>80.14</td><td>34.58</td><td>13.21</td><td>29.71</td><td>0.00</td><td>336</td><td>67</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.22	-----	-----	80.14	34.58	13.21	29.71	0.00	336	67	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	98.22	-----	-----	80.14	34.58	13.21	29.71	0.00	336	67	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>88.02</td><td>-----</td><td>-----</td><td>69.97</td><td>34.58</td><td>13.19</td><td>29.72</td><td>0.00</td><td>336</td><td>67</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	88.02	-----	-----	69.97	34.58	13.19	29.72	0.00	336	67	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	88.02	-----	-----	69.97	34.58	13.19	29.72	0.00	336	67	AVERAGE																																																								






Mode	49																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																							
ANT	CDD 9+11																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5749.70</td><td>58.29</td><td>68.30</td><td>-10.01</td><td>39.27</td><td>34.89</td><td>13.92</td><td>29.79</td><td>0.00</td><td>336</td><td>67</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5749.70	58.29	68.30	-10.01	39.27	34.89	13.92	29.79	0.00	336	67	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5749.70	58.29	68.30	-10.01	39.27	34.89	13.92	29.79	0.00	336	67	PEAK																																												



Mode	49																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																																			
ANT	CDD 9+11																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>53.70</td><td>38.18</td><td>18.19</td><td>65.65</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>53.30</td><td>38.18</td><td>18.19</td><td>65.65</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	44.42	74.00	-29.58	53.70	38.18	18.19	65.65	0.00	100	360	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	44.02	74.00	-29.98	53.30	38.18	18.19	65.65	0.00	300	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11140.00	44.42	74.00	-29.58	53.70	38.18	18.19	65.65	0.00	100	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11140.00	44.02	74.00	-29.98	53.30	38.18	18.19	65.65	0.00	300	360	PEAK																																																																																								





Mode	50																																																																																													
	Band Edge																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_Full RU_5745MHz																																																																																													
ANT	CDD 9+11																																																																																													
Pol.	Horizontal																																																																																													
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5609.14</td><td>58.53</td><td>68.30</td><td>-9.77</td><td>40.49</td><td>34.62</td><td>13.18</td><td>29.76</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>57.03</td><td>68.86</td><td>-11.83</td><td>38.80</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>3</td><td>5700.20</td><td>57.19</td><td>105.35</td><td>-48.16</td><td>38.73</td><td>34.78</td><td>13.48</td><td>29.80</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>4</td><td>5721.37</td><td>61.14</td><td>114.01</td><td>-52.87</td><td>42.43</td><td>34.83</td><td>13.67</td><td>29.79</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5609.14	58.53	68.30	-9.77	40.49	34.62	13.18	29.76	0.00	100	235	PEAK	2	5650.75	57.03	68.86	-11.83	38.80	34.69	13.32	29.78	0.00	100	235	PEAK	3	5700.20	57.19	105.35	-48.16	38.73	34.78	13.48	29.80	0.00	100	235	PEAK	4	5721.37	61.14	114.01	-52.87	42.43	34.83	13.67	29.79	0.00	100	235	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5609.14	58.53	68.30	-9.77	40.49	34.62	13.18	29.76	0.00	100	235	PEAK																																																																																		
2	5650.75	57.03	68.86	-11.83	38.80	34.69	13.32	29.78	0.00	100	235	PEAK																																																																																		
3	5700.20	57.19	105.35	-48.16	38.73	34.78	13.48	29.80	0.00	100	235	PEAK																																																																																		
4	5721.37	61.14	114.01	-52.87	42.43	34.83	13.67	29.79	0.00	100	235	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>111.58</td><td>-----</td><td>-----</td><td>92.66</td><td>34.87</td><td>13.84</td><td>29.79</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	111.58	-----	-----	92.66	34.87	13.84	29.79	0.00	100	235	PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5745.00	111.58	-----	-----	92.66	34.87	13.84	29.79	0.00	100	235	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>102.84</td><td>-----</td><td>-----</td><td>83.86</td><td>34.88</td><td>13.89</td><td>29.79</td><td>0.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.84	-----	-----	83.86	34.88	13.89	29.79	0.00	100	235	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5745.00	102.84	-----	-----	83.86	34.88	13.89	29.79	0.00	100	235	AVERAGE																																																																																		




Mode	50																																																																																				
	Band Edge																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH149_Full RU_5745MHz																																																																																				
ANT	CDD 9+11																																																																																				
Pol.	Vertical																																																																																				
Peak																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.61</td><td>57.60</td><td>68.30</td><td>-10.70</td><td>39.46</td><td>34.66</td><td>13.25</td><td>29.77</td><td>0.00</td><td>300</td><td>72</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>56.80</td><td>68.32</td><td>-11.52</td><td>38.57</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>300</td><td>72</td><td>PEAK</td></tr><tr><td>3</td><td>5701.94</td><td>56.65</td><td>105.84</td><td>-49.19</td><td>38.17</td><td>34.78</td><td>13.50</td><td>29.80</td><td>0.00</td><td>300</td><td>72</td><td>PEAK</td></tr><tr><td>4</td><td>5720.64</td><td>60.09</td><td>112.36</td><td>-52.27</td><td>41.39</td><td>34.83</td><td>13.66</td><td>29.79</td><td>0.00</td><td>300</td><td>72</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5631.61	57.60	68.30	-10.70	39.46	34.66	13.25	29.77	0.00	300	72	PEAK	2	5650.03	56.80	68.32	-11.52	38.57	34.69	13.32	29.78	0.00	300	72	PEAK	3	5701.94	56.65	105.84	-49.19	38.17	34.78	13.50	29.80	0.00	300	72	PEAK	4	5720.64	60.09	112.36	-52.27	41.39	34.83	13.66	29.79	0.00	300	72	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5631.61	57.60	68.30	-10.70	39.46	34.66	13.25	29.77	0.00	300	72	PEAK																																																																									
2	5650.03	56.80	68.32	-11.52	38.57	34.69	13.32	29.78	0.00	300	72	PEAK																																																																									
3	5701.94	56.65	105.84	-49.19	38.17	34.78	13.50	29.80	0.00	300	72	PEAK																																																																									
4	5720.64	60.09	112.36	-52.27	41.39	34.83	13.66	29.79	0.00	300	72	PEAK																																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.61</td><td>57.60</td><td>68.30</td><td>-10.70</td><td>39.46</td><td>34.66</td><td>13.25</td><td>29.77</td><td>0.00</td><td>300</td><td>72</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>56.80</td><td>68.32</td><td>-11.52</td><td>38.57</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>300</td><td>72</td><td>PEAK</td></tr><tr><td>3</td><td>5701.94</td><td>56.65</td><td>105.84</td><td>-49.19</td><td>38.17</td><td>34.78</td><td>13.50</td><td>29.80</td><td>0.00</td><td>300</td><td>72</td><td>PEAK</td></tr><tr><td>4</td><td>5720.64</td><td>60.09</td><td>112.36</td><td>-52.27</td><td>41.39</td><td>34.83</td><td>13.66</td><td>29.79</td><td>0.00</td><td>300</td><td>72</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5631.61	57.60	68.30	-10.70	39.46	34.66	13.25	29.77	0.00	300	72	PEAK	2	5650.03	56.80	68.32	-11.52	38.57	34.69	13.32	29.78	0.00	300	72	PEAK	3	5701.94	56.65	105.84	-49.19	38.17	34.78	13.50	29.80	0.00	300	72	PEAK	4	5720.64	60.09	112.36	-52.27	41.39	34.83	13.66	29.79	0.00	300	72	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
1	5631.61	57.60	68.30	-10.70	39.46	34.66	13.25	29.77	0.00	300	72	PEAK																																																																									
2	5650.03	56.80	68.32	-11.52	38.57	34.69	13.32	29.78	0.00	300	72	PEAK																																																																									
3	5701.94	56.65	105.84	-49.19	38.17	34.78	13.50	29.80	0.00	300	72	PEAK																																																																									
4	5720.64	60.09	112.36	-52.27	41.39	34.83	13.66	29.79	0.00	300	72	PEAK																																																																									
Avg																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.98</td><td>-----</td><td>-----</td><td>81.06</td><td>34.87</td><td>13.84</td><td>29.79</td><td>0.00</td><td>300</td><td>72</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	99.98	-----	-----	81.06	34.87	13.84	29.79	0.00	300	72	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5745.00	99.98	-----	-----	81.06	34.87	13.84	29.79	0.00	300	72	AVERAGE																																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.98</td><td>-----</td><td>-----</td><td>81.06</td><td>34.87</td><td>13.84</td><td>29.79</td><td>0.00</td><td>300</td><td>72</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	99.98	-----	-----	81.06	34.87	13.84	29.79	0.00	300	72	AVERAGE																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
1	5745.00	99.98	-----	-----	81.06	34.87	13.84	29.79	0.00	300	72	AVERAGE																																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.98</td><td>-----</td><td>-----</td><td>81.06</td><td>34.87</td><td>13.84</td><td>29.79</td><td>0.00</td><td>300</td><td>72</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	99.98	-----	-----	81.06	34.87	13.84	29.79	0.00	300	72	AVERAGE																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
1	5745.00	99.98	-----	-----	81.06	34.87	13.84	29.79	0.00	300	72	AVERAGE																																																																									






		50																																																																																																														
Mode		Harmonic																																																																																																														
		U-NII-3_5.725-5.85_802.11a_CH149_Full RU_5745MHz																																																																																																														
ANT		CDD 9+11																																																																																																														
Pol.		Horizontal																																																																																																														
		Vertical																																																																																																														
Peak Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.76</td><td>74.00</td><td>-30.24</td><td>52.37</td><td>38.39</td><td>18.46</td><td>65.46</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	43.76	74.00	-30.24	52.37	38.39	18.46	65.46	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.67</td><td>74.00</td><td>-30.33</td><td>52.28</td><td>38.39</td><td>18.46</td><td>65.46</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	43.67	74.00	-30.33	52.28	38.39	18.46	65.46	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11490.00	43.76	74.00	-30.24	52.37	38.39	18.46	65.46	0.00	100	360	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11490.00	43.67	74.00	-30.33	52.28	38.39	18.46	65.46	0.00	100	0	PEAK																																																																																																				



		51																																																								
Mode		Harmonic																																																								
		U-NII-3_5.725-5.85_802.11a_CH157_Full RU_5785MHz																																																								
ANT		CDD 9+11																																																								
Pol.		Horizontal						Vertical																																																		
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>43.95</td><td>74.00</td><td>-30.05</td><td>52.40</td><td>38.44</td><td>18.52</td><td>65.41</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	43.95	74.00	-30.05	52.40	38.44	18.52	65.41	0.00	100	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	11570.00	43.95	74.00	-30.05	52.40	38.44	18.52	65.41	0.00	100	360	PEAK																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>43.80</td><td>74.00</td><td>-30.20</td><td>52.25</td><td>38.44</td><td>18.52</td><td>65.41</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	43.80	74.00	-30.20	52.25	38.44	18.52	65.41	0.00	100	0	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	11570.00	43.80	74.00	-30.20	52.25	38.44	18.52	65.41	0.00	100	0	PEAK																																														





Mode	52																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_Full RU_5825MHz																																																																																																																															
ANT	CDD 9+11																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5852.75</td><td>65.78</td><td>116.03</td><td>-50.25</td><td>46.45</td><td>35.08</td><td>14.04</td><td>29.79</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr><tr><td>2 5873.63</td><td>57.62</td><td>105.68</td><td>-48.06</td><td>38.39</td><td>35.11</td><td>13.91</td><td>29.79</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr><tr><td>3 5925.00</td><td>57.08</td><td>68.30</td><td>-11.22</td><td>38.02</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr><tr><td>4 5929.38</td><td>59.06</td><td>68.30</td><td>-9.24</td><td>40.02</td><td>35.19</td><td>13.68</td><td>29.83</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5852.75	65.78	116.03	-50.25	46.45	35.08	14.04	29.79	0.00	100	237 PEAK	2 5873.63	57.62	105.68	-48.06	38.39	35.11	13.91	29.79	0.00	100	237 PEAK	3 5925.00	57.08	68.30	-11.22	38.02	35.19	13.69	29.82	0.00	100	237 PEAK	4 5929.38	59.06	68.30	-9.24	40.02	35.19	13.68	29.83	0.00	100	237 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>111.11</td><td>-----</td><td>-----</td><td>91.67</td><td>35.04</td><td>14.18</td><td>29.78</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	111.11	-----	-----	91.67	35.04	14.18	29.78	0.00	100	237 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5852.75	65.78	116.03	-50.25	46.45	35.08	14.04	29.79	0.00	100	237 PEAK																																																																																																																						
2 5873.63	57.62	105.68	-48.06	38.39	35.11	13.91	29.79	0.00	100	237 PEAK																																																																																																																						
3 5925.00	57.08	68.30	-11.22	38.02	35.19	13.69	29.82	0.00	100	237 PEAK																																																																																																																						
4 5929.38	59.06	68.30	-9.24	40.02	35.19	13.68	29.83	0.00	100	237 PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5825.00	111.11	-----	-----	91.67	35.04	14.18	29.78	0.00	100	237 PEAK																																																																																																																						
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.51</td><td>-----</td><td>-----</td><td>84.07</td><td>35.04</td><td>14.18</td><td>29.78</td><td>0.00</td><td>100</td><td>237 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.51	-----	-----	84.07	35.04	14.18	29.78	0.00	100	237 AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5825.00	103.51	-----	-----	84.07	35.04	14.18	29.78	0.00	100	237 AVERAGE																																																																																																																						






Mode	52																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_Full RU_5825MHz																																																																																																																																				
ANT	CDD 9+11																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>57.43</td><td>110.90</td><td>-53.47</td><td>38.12</td><td>35.08</td><td>14.02</td><td>29.79</td><td>0.00</td><td>391</td><td>72 PEAK</td></tr><tr><td>2</td><td>5871.25</td><td>58.21</td><td>106.35</td><td>-48.14</td><td>38.97</td><td>35.11</td><td>13.92</td><td>29.79</td><td>0.00</td><td>391</td><td>72 PEAK</td></tr><tr><td>3</td><td>5923.63</td><td>57.97</td><td>69.31</td><td>-11.34</td><td>38.90</td><td>35.19</td><td>13.70</td><td>29.82</td><td>0.00</td><td>391</td><td>72 PEAK</td></tr><tr><td>4</td><td>5925.38</td><td>58.18</td><td>68.30</td><td>-10.12</td><td>39.12</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>391</td><td>72 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	57.43	110.90	-53.47	38.12	35.08	14.02	29.79	0.00	391	72 PEAK	2	5871.25	58.21	106.35	-48.14	38.97	35.11	13.92	29.79	0.00	391	72 PEAK	3	5923.63	57.97	69.31	-11.34	38.90	35.19	13.70	29.82	0.00	391	72 PEAK	4	5925.38	58.18	68.30	-10.12	39.12	35.19	13.69	29.82	0.00	391	72 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.80</td><td>-----</td><td>-----</td><td>88.36</td><td>35.04</td><td>14.18</td><td>29.78</td><td>0.00</td><td>391</td><td>72 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.80	-----	-----	88.36	35.04	14.18	29.78	0.00	391	72 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5855.00	57.43	110.90	-53.47	38.12	35.08	14.02	29.79	0.00	391	72 PEAK																																																																																																																										
2	5871.25	58.21	106.35	-48.14	38.97	35.11	13.92	29.79	0.00	391	72 PEAK																																																																																																																										
3	5923.63	57.97	69.31	-11.34	38.90	35.19	13.70	29.82	0.00	391	72 PEAK																																																																																																																										
4	5925.38	58.18	68.30	-10.12	39.12	35.19	13.69	29.82	0.00	391	72 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	107.80	-----	-----	88.36	35.04	14.18	29.78	0.00	391	72 PEAK																																																																																																																										
Avg																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.37</td><td>-----</td><td>-----</td><td>80.93</td><td>35.04</td><td>14.18</td><td>29.78</td><td>0.00</td><td>391</td><td>72 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.37	-----	-----	80.93	35.04	14.18	29.78	0.00	391	72 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.37</td><td>-----</td><td>-----</td><td>80.93</td><td>35.04</td><td>14.18</td><td>29.78</td><td>0.00</td><td>391</td><td>72 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.37	-----	-----	80.93	35.04	14.18	29.78	0.00	391	72 AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	100.37	-----	-----	80.93	35.04	14.18	29.78	0.00	391	72 AVERAGE																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	100.37	-----	-----	80.93	35.04	14.18	29.78	0.00	391	72 AVERAGE																																																																																																																										






		52																																																							
Mode		Harmonic																																																							
		U-NII-3_5.725-5.85_802.11a_CH165_Full RU_5825MHz																																																							
ANT		CDD 9+11																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>52.26</td><td>38.49</td><td>18.58</td><td>65.37</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	43.96	74.00	-30.04	52.26	38.49	18.58	65.37	0.00	100	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11650.00	43.96	74.00	-30.04	52.26	38.49	18.58	65.37	0.00	100	360	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>52.88</td><td>38.49</td><td>18.58</td><td>65.37</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	44.58	74.00	-29.42	52.88	38.49	18.58	65.37	0.00	100	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11650.00	44.58	74.00	-29.42	52.88	38.49	18.58	65.37	0.00	100	0	PEAK																																													





	53																																																																																											
Mode	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																											
ANT	CDD 9+11																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.70</td><td>58.08</td><td>68.30</td><td>-10.22</td><td>39.92</td><td>34.67</td><td>13.27</td><td>29.78</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr><tr><td>2</td><td>5651.91</td><td>57.15</td><td>69.72</td><td>-12.57</td><td>38.92</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr><tr><td>3</td><td>5719.92</td><td>64.67</td><td>110.88</td><td>-46.21</td><td>45.98</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>63.31</td><td>111.04</td><td>-47.73</td><td>44.62</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5637.70	58.08	68.30	-10.22	39.92	34.67	13.27	29.78	0.00	100	234 PEAK	2	5651.91	57.15	69.72	-12.57	38.92	34.69	13.32	29.78	0.00	100	234 PEAK	3	5719.92	64.67	110.88	-46.21	45.98	34.82	13.66	29.79	0.00	100	234 PEAK	4	5720.06	63.31	111.04	-47.73	44.62	34.82	13.66	29.79	0.00	100	234 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5637.70	58.08	68.30	-10.22	39.92	34.67	13.27	29.78	0.00	100	234 PEAK																																																																																	
2	5651.91	57.15	69.72	-12.57	38.92	34.69	13.32	29.78	0.00	100	234 PEAK																																																																																	
3	5719.92	64.67	110.88	-46.21	45.98	34.82	13.66	29.79	0.00	100	234 PEAK																																																																																	
4	5720.06	63.31	111.04	-47.73	44.62	34.82	13.66	29.79	0.00	100	234 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>111.17</td><td>-----</td><td>-----</td><td>92.12</td><td>34.89</td><td>13.94</td><td>29.78</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.17	-----	-----	92.12	34.89	13.94	29.78	0.00	100	234 PEAK																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	111.17	-----	-----	92.12	34.89	13.94	29.78	0.00	100	234 PEAK																																																																																	
Blank																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>101.85</td><td>-----</td><td>-----</td><td>82.80</td><td>34.89</td><td>13.94</td><td>29.78</td><td>0.00</td><td>100</td><td>234 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.85	-----	-----	82.80	34.89	13.94	29.78	0.00	100	234 AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	101.85	-----	-----	82.80	34.89	13.94	29.78	0.00	100	234 AVERAGE																																																																																	





Mode	53																																																																																									
	Band Edge																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																									
ANT	CDD 9+11																																																																																									
Pol.	Vertical																																																																																									
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5640.17</td><td>57.96</td><td>68.30</td><td>-10.34</td><td>39.79</td><td>34.67</td><td>13.28</td><td>29.78</td><td>0.00</td><td>313</td><td>71 PEAK</td></tr><tr><td>2</td><td>5651.33</td><td>57.31</td><td>69.29</td><td>-11.98</td><td>39.08</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>313</td><td>71 PEAK</td></tr><tr><td>3</td><td>5707.59</td><td>58.45</td><td>107.43</td><td>-48.98</td><td>39.90</td><td>34.80</td><td>13.55</td><td>29.80</td><td>0.00</td><td>313</td><td>71 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>58.10</td><td>111.04</td><td>-52.94</td><td>39.41</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>313</td><td>71 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.17	57.96	68.30	-10.34	39.79	34.67	13.28	29.78	0.00	313	71 PEAK	2	5651.33	57.31	69.29	-11.98	39.08	34.69	13.32	29.78	0.00	313	71 PEAK	3	5707.59	58.45	107.43	-48.98	39.90	34.80	13.55	29.80	0.00	313	71 PEAK	4	5720.06	58.10	111.04	-52.94	39.41	34.82	13.66	29.79	0.00	313	71 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5640.17	57.96	68.30	-10.34	39.79	34.67	13.28	29.78	0.00	313	71 PEAK																																																																															
2	5651.33	57.31	69.29	-11.98	39.08	34.69	13.32	29.78	0.00	313	71 PEAK																																																																															
3	5707.59	58.45	107.43	-48.98	39.90	34.80	13.55	29.80	0.00	313	71 PEAK																																																																															
4	5720.06	58.10	111.04	-52.94	39.41	34.82	13.66	29.79	0.00	313	71 PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>110.24</td><td>-----</td><td>-----</td><td>91.26</td><td>34.88</td><td>13.89</td><td>29.79</td><td>0.00</td><td>313</td><td>71 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.24	-----	-----	91.26	34.88	13.89	29.79	0.00	313	71 PEAK																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5745.00	110.24	-----	-----	91.26	34.88	13.89	29.79	0.00	313	71 PEAK																																																																															
Blank																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>100.16</td><td>-----</td><td>-----</td><td>81.18</td><td>34.88</td><td>13.89</td><td>29.79</td><td>0.00</td><td>313</td><td>71 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.16	-----	-----	81.18	34.88	13.89	29.79	0.00	313	71 AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5745.00	100.16	-----	-----	81.18	34.88	13.89	29.79	0.00	313	71 AVERAGE																																																																															






Mode	53																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																			
ANT	CDD 9+11																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.59</td><td>74.00</td><td>-30.41</td><td>52.20</td><td>38.39</td><td>18.46</td><td>65.46</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	43.59	74.00	-30.41	52.20	38.39	18.46	65.46	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>52.81</td><td>38.39</td><td>18.46</td><td>65.46</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.20	74.00	-29.80	52.81	38.39	18.46	65.46	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11490.00	43.59	74.00	-30.41	52.20	38.39	18.46	65.46	0.00	100	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11490.00	44.20	74.00	-29.80	52.81	38.39	18.46	65.46	0.00	100	0	PEAK																																																																																								






Mode	54																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																			
ANT	CDD 9+11																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>43.68</td><td>74.00</td><td>-30.32</td><td>52.13</td><td>38.44</td><td>18.52</td><td>65.41</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	43.68	74.00	-30.32	52.13	38.44	18.52	65.41	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>43.95</td><td>74.00</td><td>-30.05</td><td>52.40</td><td>38.44</td><td>18.52</td><td>65.41</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	43.95	74.00	-30.05	52.40	38.44	18.52	65.41	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	43.68	74.00	-30.32	52.13	38.44	18.52	65.41	0.00	100	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	43.95	74.00	-30.05	52.40	38.44	18.52	65.41	0.00	100	0	PEAK																																																																																								





		55																																																																																																																							
Mode		Band Edge																																																																																																																							
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																							
ANT		CDD 9+11																																																																																																																							
Pol.		Horizontal					Fundamental																																																																																																																		
Peak																																																																																																																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.13	61.10	112.89	-51.79	41.78	35.08	14.03	29.79	0.00	100	237 PEAK	2 5875.00	58.55	105.30	-46.75	39.33	35.11	13.90	29.79	0.00	100	237 PEAK	3 5924.25	55.92	68.85	-12.93	36.86	35.19	13.69	29.82	0.00	100	237 PEAK	4 5940.50	57.70	68.30	-10.60	38.67	35.21	13.66	29.84	0.00	100	237 PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	112.37	-----	-----	92.86	35.03	14.26	29.78	0.00	100	237 PEAK				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5854.13	61.10	112.89	-51.79	41.78	35.08	14.03	29.79	0.00	100	237 PEAK																																																																																																															
2 5875.00	58.55	105.30	-46.75	39.33	35.11	13.90	29.79	0.00	100	237 PEAK																																																																																																															
3 5924.25	55.92	68.85	-12.93	36.86	35.19	13.69	29.82	0.00	100	237 PEAK																																																																																																															
4 5940.50	57.70	68.30	-10.60	38.67	35.21	13.66	29.84	0.00	100	237 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5825.00	112.37	-----	-----	92.86	35.03	14.26	29.78	0.00	100	237 PEAK																																																																																																															
Avg	Blank																																																																																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	102.98	-----	-----	83.54	35.04	14.18	29.78	0.00	100	237 AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	102.98	-----	-----	83.54	35.04	14.18	29.78	0.00	100	237 AVERAGE																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5825.00	102.98	-----	-----	83.54	35.04	14.18	29.78	0.00	100	237 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5825.00	102.98	-----	-----	83.54	35.04	14.18	29.78	0.00	100	237 AVERAGE																																																																																																															





Mode	55																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																				
ANT	CDD 9+11																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.88</td><td>57.53</td><td>111.18</td><td>-53.65</td><td>38.22</td><td>35.08</td><td>14.02</td><td>29.79</td><td>0.00</td><td>305</td><td>71 PEAK</td></tr><tr><td>2</td><td>5869.63</td><td>58.89</td><td>106.80</td><td>-47.91</td><td>39.65</td><td>35.10</td><td>13.93</td><td>29.79</td><td>0.00</td><td>305</td><td>71 PEAK</td></tr><tr><td>3</td><td>5924.50</td><td>57.43</td><td>68.67</td><td>-11.24</td><td>38.37</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>305</td><td>71 PEAK</td></tr><tr><td>4</td><td>5925.63</td><td>59.06</td><td>68.30</td><td>-9.24</td><td>40.00</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>305</td><td>71 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.88	57.53	111.18	-53.65	38.22	35.08	14.02	29.79	0.00	305	71 PEAK	2	5869.63	58.89	106.80	-47.91	39.65	35.10	13.93	29.79	0.00	305	71 PEAK	3	5924.50	57.43	68.67	-11.24	38.37	35.19	13.69	29.82	0.00	305	71 PEAK	4	5925.63	59.06	68.30	-9.24	40.00	35.19	13.69	29.82	0.00	305	71 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>108.70</td><td>-----</td><td>-----</td><td>89.26</td><td>35.04</td><td>14.18</td><td>29.78</td><td>0.00</td><td>305</td><td>71 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.70	-----	-----	89.26	35.04	14.18	29.78	0.00	305	71 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5854.88	57.53	111.18	-53.65	38.22	35.08	14.02	29.79	0.00	305	71 PEAK																																																																																																																										
2	5869.63	58.89	106.80	-47.91	39.65	35.10	13.93	29.79	0.00	305	71 PEAK																																																																																																																										
3	5924.50	57.43	68.67	-11.24	38.37	35.19	13.69	29.82	0.00	305	71 PEAK																																																																																																																										
4	5925.63	59.06	68.30	-9.24	40.00	35.19	13.69	29.82	0.00	305	71 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5825.00	108.70	-----	-----	89.26	35.04	14.18	29.78	0.00	305	71 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.86</td><td>-----</td><td>-----</td><td>80.42</td><td>35.04</td><td>14.18</td><td>29.78</td><td>0.00</td><td>305</td><td>71 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	99.86	-----	-----	80.42	35.04	14.18	29.78	0.00	305	71 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5825.00	99.86	-----	-----	80.42	35.04	14.18	29.78	0.00	305	71 AVERAGE																																																																																																																										




		55																																																	
Mode		Harmonic																																																	
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																	
ANT		CDD 9+11																																																	
Pol.		Horizontal					Vertical																																												
Peak Avg																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>44.39</td><td>74.00</td><td>-29.61</td><td>52.69</td><td>38.49</td><td>18.58</td><td>65.37</td><td>0.00</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11650.00	44.39	74.00	-29.61	52.69	38.49	18.58	65.37	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																										
1	11650.00	44.39	74.00	-29.61	52.69	38.49	18.58	65.37	0.00																																										
																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>53.42</td><td>38.49</td><td>18.58</td><td>65.37</td><td>0.00</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11650.00	45.12	74.00	-28.88	53.42	38.49	18.58	65.37	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																										
1	11650.00	45.12	74.00	-28.88	53.42	38.49	18.58	65.37	0.00																																										





		56																																																																																
Mode		Band Edge - L																																																																																
		U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																
ANT		CDD 9+11																																																																																
Pol.		Horizontal																																																																																
Peak																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5604.65	59.05	68.30	-9.25	41.03	34.61	13.17	29.76	0.00	100	235	PEAK	2	5653.32	58.29	70.77	-12.48	40.04	34.70	13.33	29.78	0.00	100	235	PEAK	3	5719.82	65.26	110.85	-45.59	46.57	34.82	13.66	29.79	0.00	100	235	PEAK	4	5720.59	66.55	112.25	-45.70	47.85	34.83	13.66	29.79	0.00	100	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5604.65	59.05	68.30	-9.25	41.03	34.61	13.17	29.76	0.00	100	235	PEAK																																																																						
2	5653.32	58.29	70.77	-12.48	40.04	34.70	13.33	29.78	0.00	100	235	PEAK																																																																						
3	5719.82	65.26	110.85	-45.59	46.57	34.82	13.66	29.79	0.00	100	235	PEAK																																																																						
4	5720.59	66.55	112.25	-45.70	47.85	34.83	13.66	29.79	0.00	100	235	PEAK																																																																						
Avg	Blank																																																																																	
																																																																																		
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>98.81</td><td>-----</td><td>-----</td><td>79.68</td><td>34.91</td><td>14.00</td><td>29.78</td><td>0.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	98.81	-----	-----	79.68	34.91	14.00	29.78	0.00	100	235	AVERAGE																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5755.00	98.81	-----	-----	79.68	34.91	14.00	29.78	0.00	100	235	AVERAGE																																																																						




Mode	56																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																														
ANT	CDD 9+11																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>55.62</td><td>111.26</td><td>-55.64</td><td>36.31</td><td>35.08</td><td>14.02</td><td>29.79</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>2</td><td>5872.59</td><td>58.25</td><td>105.98</td><td>-47.73</td><td>39.02</td><td>35.11</td><td>13.91</td><td>29.79</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>58.09</td><td>68.56</td><td>-10.47</td><td>39.03</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>4</td><td>5931.87</td><td>58.79</td><td>68.30</td><td>-9.51</td><td>39.74</td><td>35.20</td><td>13.68</td><td>29.83</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	55.62	111.26	-55.64	36.31	35.08	14.02	29.79	0.00	100	235	PEAK	2	5872.59	58.25	105.98	-47.73	39.02	35.11	13.91	29.79	0.00	100	235	PEAK	3	5924.65	58.09	68.56	-10.47	39.03	35.19	13.69	29.82	0.00	100	235	PEAK	4	5931.87	58.79	68.30	-9.51	39.74	35.20	13.68	29.83	0.00	100	235	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.84	55.62	111.26	-55.64	36.31	35.08	14.02	29.79	0.00	100	235	PEAK																																																																																			
2	5872.59	58.25	105.98	-47.73	39.02	35.11	13.91	29.79	0.00	100	235	PEAK																																																																																			
3	5924.65	58.09	68.56	-10.47	39.03	35.19	13.69	29.82	0.00	100	235	PEAK																																																																																			
4	5931.87	58.79	68.30	-9.51	39.74	35.20	13.68	29.83	0.00	100	235	PEAK																																																																																			





Mode	56																																																																																									
	Band Edge - L																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																									
ANT	CDD 9+11																																																																																									
Pol.	Vertical																																																																																									
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5631.93</td><td>58.21</td><td>68.30</td><td>-10.09</td><td>40.06</td><td>34.66</td><td>13.26</td><td>29.77</td><td>0.00</td><td>342</td><td>74 PEAK</td></tr><tr><td>2</td><td>5652.24</td><td>56.29</td><td>69.96</td><td>-13.67</td><td>38.06</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>342</td><td>74 PEAK</td></tr><tr><td>3</td><td>5703.39</td><td>57.22</td><td>106.25</td><td>-49.03</td><td>38.72</td><td>34.79</td><td>13.51</td><td>29.80</td><td>0.00</td><td>342</td><td>74 PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>58.29</td><td>111.89</td><td>-53.60</td><td>39.60</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>342</td><td>74 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.93	58.21	68.30	-10.09	40.06	34.66	13.26	29.77	0.00	342	74 PEAK	2	5652.24	56.29	69.96	-13.67	38.06	34.69	13.32	29.78	0.00	342	74 PEAK	3	5703.39	57.22	106.25	-49.03	38.72	34.79	13.51	29.80	0.00	342	74 PEAK	4	5720.44	58.29	111.89	-53.60	39.60	34.82	13.66	29.79	0.00	342	74 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5631.93	58.21	68.30	-10.09	40.06	34.66	13.26	29.77	0.00	342	74 PEAK																																																																															
2	5652.24	56.29	69.96	-13.67	38.06	34.69	13.32	29.78	0.00	342	74 PEAK																																																																															
3	5703.39	57.22	106.25	-49.03	38.72	34.79	13.51	29.80	0.00	342	74 PEAK																																																																															
4	5720.44	58.29	111.89	-53.60	39.60	34.82	13.66	29.79	0.00	342	74 PEAK																																																																															
Avg	Blank																																																																																									
																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>95.65</td><td>-----</td><td>-----</td><td>76.52</td><td>34.91</td><td>14.00</td><td>29.78</td><td>0.00</td><td>342</td><td>74 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	95.65	-----	-----	76.52	34.91	14.00	29.78	0.00	342	74 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5755.00	95.65	-----	-----	76.52	34.91	14.00	29.78	0.00	342	74 AVERAGE																																																																															






Mode	56																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																									
ANT	CDD 9+11																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>56.36</td><td>111.71</td><td>-55.35</td><td>37.04</td><td>35.08</td><td>14.03</td><td>29.79</td><td>0.00</td><td>342</td><td>74 PEAK</td></tr><tr><td>2</td><td>5874.34</td><td>57.71</td><td>105.48</td><td>-47.77</td><td>38.49</td><td>35.11</td><td>13.90</td><td>29.79</td><td>0.00</td><td>342</td><td>74 PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>56.09</td><td>68.85</td><td>-12.76</td><td>37.03</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>342</td><td>74 PEAK</td></tr><tr><td>4</td><td>5937.52</td><td>57.79</td><td>68.30</td><td>-10.51</td><td>38.74</td><td>35.21</td><td>13.67</td><td>29.83</td><td>0.00</td><td>342</td><td>74 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	56.36	111.71	-55.35	37.04	35.08	14.03	29.79	0.00	342	74 PEAK	2	5874.34	57.71	105.48	-47.77	38.49	35.11	13.90	29.79	0.00	342	74 PEAK	3	5924.26	56.09	68.85	-12.76	37.03	35.19	13.69	29.82	0.00	342	74 PEAK	4	5937.52	57.79	68.30	-10.51	38.74	35.21	13.67	29.83	0.00	342	74 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5854.65	56.36	111.71	-55.35	37.04	35.08	14.03	29.79	0.00	342	74 PEAK																																																																															
2	5874.34	57.71	105.48	-47.77	38.49	35.11	13.90	29.79	0.00	342	74 PEAK																																																																															
3	5924.26	56.09	68.85	-12.76	37.03	35.19	13.69	29.82	0.00	342	74 PEAK																																																																															
4	5937.52	57.79	68.30	-10.51	38.74	35.21	13.67	29.83	0.00	342	74 PEAK																																																																															




		56																																																					
Mode		Harmonic																																																					
		U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																					
ANT		CDD 9+11																																																					
Pol.		Horizontal																																																					
		Vertical																																																					
Peak Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>43.41</td><td>74.00</td><td>-30.59</td><td>51.97</td><td>38.41</td><td>18.47</td><td>65.44</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	43.41	74.00	-30.59	51.97	38.41	18.47	65.44	0.00	100	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	11510.00	43.41	74.00	-30.59	51.97	38.41	18.47	65.44	0.00	100	360	PEAK																																											
Peak Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.11</td><td>74.00</td><td>-29.89</td><td>52.67</td><td>38.41</td><td>18.47</td><td>65.44</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	44.11	74.00	-29.89	52.67	38.41	18.47	65.44	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	11510.00	44.11	74.00	-29.89	52.67	38.41	18.47	65.44	0.00	100	0	PEAK																																											






		57																																																																																										
Mode	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																											
ANT	CDD 9+11																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5621.16</td><td>58.58</td><td>68.30</td><td>-9.72</td><td>40.49</td><td>34.64</td><td>13.22</td><td>29.77</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr><tr><td>2</td><td>5650.41</td><td>55.07</td><td>68.61</td><td>-13.54</td><td>36.84</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr><tr><td>3</td><td>5703.06</td><td>57.52</td><td>106.16</td><td>-48.64</td><td>39.02</td><td>34.79</td><td>13.51</td><td>29.80</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr><tr><td>4</td><td>5720.42</td><td>57.09</td><td>111.86</td><td>-54.77</td><td>38.40</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5621.16	58.58	68.30	-9.72	40.49	34.64	13.22	29.77	0.00	100	240 PEAK	2	5650.41	55.07	68.61	-13.54	36.84	34.69	13.32	29.78	0.00	100	240 PEAK	3	5703.06	57.52	106.16	-48.64	39.02	34.79	13.51	29.80	0.00	100	240 PEAK	4	5720.42	57.09	111.86	-54.77	38.40	34.82	13.66	29.79	0.00	100	240 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5621.16	58.58	68.30	-9.72	40.49	34.64	13.22	29.77	0.00	100	240 PEAK																																																																																	
2	5650.41	55.07	68.61	-13.54	36.84	34.69	13.32	29.78	0.00	100	240 PEAK																																																																																	
3	5703.06	57.52	106.16	-48.64	39.02	34.79	13.51	29.80	0.00	100	240 PEAK																																																																																	
4	5720.42	57.09	111.86	-54.77	38.40	34.82	13.66	29.79	0.00	100	240 PEAK																																																																																	
Fundamental																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>110.60</td><td>-----</td><td>-----</td><td>91.03</td><td>34.99</td><td>14.35</td><td>29.77</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	110.60	-----	-----	91.03	34.99	14.35	29.77	0.00	100	240 PEAK																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5795.00	110.60	-----	-----	91.03	34.99	14.35	29.77	0.00	100	240 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.23</td><td>-----</td><td>-----</td><td>81.66</td><td>34.99</td><td>14.35</td><td>29.77</td><td>0.00</td><td>100</td><td>240 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.23	-----	-----	81.66	34.99	14.35	29.77	0.00	100	240 AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5795.00	101.23	-----	-----	81.66	34.99	14.35	29.77	0.00	100	240 AVERAGE																																																																																	




Mode	57																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																				
ANT	CDD 9+11																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.76</td><td>57.43</td><td>111.45</td><td>-54.02</td><td>38.11</td><td>35.08</td><td>14.03</td><td>29.79</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr><tr><td>2</td><td>5874.91</td><td>58.54</td><td>105.33</td><td>-46.79</td><td>39.32</td><td>35.11</td><td>13.90</td><td>29.79</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr><tr><td>3</td><td>5924.82</td><td>57.20</td><td>68.43</td><td>-11.23</td><td>38.14</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr><tr><td>4</td><td>5926.99</td><td>59.01</td><td>68.30</td><td>-9.29</td><td>39.95</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.76	57.43	111.45	-54.02	38.11	35.08	14.03	29.79	0.00	100	240	PEAK	2	5874.91	58.54	105.33	-46.79	39.32	35.11	13.90	29.79	0.00	100	240	PEAK	3	5924.82	57.20	68.43	-11.23	38.14	35.19	13.69	29.82	0.00	100	240	PEAK	4	5926.99	59.01	68.30	-9.29	39.95	35.19	13.69	29.82	0.00	100	240	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.76	57.43	111.45	-54.02	38.11	35.08	14.03	29.79	0.00	100	240	PEAK																																																																									
2	5874.91	58.54	105.33	-46.79	39.32	35.11	13.90	29.79	0.00	100	240	PEAK																																																																									
3	5924.82	57.20	68.43	-11.23	38.14	35.19	13.69	29.82	0.00	100	240	PEAK																																																																									
4	5926.99	59.01	68.30	-9.29	39.95	35.19	13.69	29.82	0.00	100	240	PEAK																																																																									







	57																																																																																																																																		
Mode	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																		
ANT	CDD 9+11																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5630.52</td><td>57.82</td><td>68.30</td><td>-10.48</td><td>39.69</td><td>34.65</td><td>13.25</td><td>29.77</td><td>0.00</td><td>308</td><td>90 PEAK</td></tr><tr><td>2 5650.80</td><td>56.64</td><td>68.90</td><td>-12.26</td><td>38.41</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>308</td><td>90 PEAK</td></tr><tr><td>3 5701.11</td><td>56.74</td><td>105.61</td><td>-48.87</td><td>38.27</td><td>34.78</td><td>13.49</td><td>29.80</td><td>0.00</td><td>308</td><td>90 PEAK</td></tr><tr><td>4 5720.42</td><td>54.84</td><td>111.86</td><td>-57.02</td><td>36.15</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>308</td><td>90 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5630.52	57.82	68.30	-10.48	39.69	34.65	13.25	29.77	0.00	308	90 PEAK	2 5650.80	56.64	68.90	-12.26	38.41	34.69	13.32	29.78	0.00	308	90 PEAK	3 5701.11	56.74	105.61	-48.87	38.27	34.78	13.49	29.80	0.00	308	90 PEAK	4 5720.42	54.84	111.86	-57.02	36.15	34.82	13.66	29.79	0.00	308	90 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>104.95</td><td>-----</td><td>-----</td><td>85.38</td><td>34.99</td><td>14.35</td><td>29.77</td><td>0.00</td><td>308</td><td>90 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	104.95	-----	-----	85.38	34.99	14.35	29.77	0.00	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5630.52	57.82	68.30	-10.48	39.69	34.65	13.25	29.77	0.00	308	90 PEAK																																																																																																																									
2 5650.80	56.64	68.90	-12.26	38.41	34.69	13.32	29.78	0.00	308	90 PEAK																																																																																																																									
3 5701.11	56.74	105.61	-48.87	38.27	34.78	13.49	29.80	0.00	308	90 PEAK																																																																																																																									
4 5720.42	54.84	111.86	-57.02	36.15	34.82	13.66	29.79	0.00	308	90 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5795.00	104.95	-----	-----	85.38	34.99	14.35	29.77	0.00	308	90 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>95.12</td><td>-----</td><td>-----</td><td>75.55</td><td>34.99</td><td>14.35</td><td>29.77</td><td>0.00</td><td>308</td><td>90 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	95.12	-----	-----	75.55	34.99	14.35	29.77	0.00	308	90 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5795.00	95.12	-----	-----	75.55	34.99	14.35	29.77	0.00	308	90 AVERAGE																																																																																																																									






Mode	57																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																				
ANT	CDD 9+11																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.76</td><td>56.53</td><td>111.45</td><td>-54.92</td><td>37.21</td><td>35.08</td><td>14.03</td><td>29.79</td><td>0.00</td><td>300</td><td>90</td><td>PEAK</td></tr><tr><td>2</td><td>5873.67</td><td>58.07</td><td>105.67</td><td>-47.60</td><td>38.84</td><td>35.11</td><td>13.91</td><td>29.79</td><td>0.00</td><td>300</td><td>90</td><td>PEAK</td></tr><tr><td>3</td><td>5924.66</td><td>59.39</td><td>68.55</td><td>-9.16</td><td>40.33</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>300</td><td>90</td><td>PEAK</td></tr><tr><td>4</td><td>5940.78</td><td>59.12</td><td>68.30</td><td>-9.18</td><td>40.09</td><td>35.21</td><td>13.66</td><td>29.84</td><td>0.00</td><td>300</td><td>90</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.76	56.53	111.45	-54.92	37.21	35.08	14.03	29.79	0.00	300	90	PEAK	2	5873.67	58.07	105.67	-47.60	38.84	35.11	13.91	29.79	0.00	300	90	PEAK	3	5924.66	59.39	68.55	-9.16	40.33	35.19	13.69	29.82	0.00	300	90	PEAK	4	5940.78	59.12	68.30	-9.18	40.09	35.21	13.66	29.84	0.00	300	90	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.76	56.53	111.45	-54.92	37.21	35.08	14.03	29.79	0.00	300	90	PEAK																																																																									
2	5873.67	58.07	105.67	-47.60	38.84	35.11	13.91	29.79	0.00	300	90	PEAK																																																																									
3	5924.66	59.39	68.55	-9.16	40.33	35.19	13.69	29.82	0.00	300	90	PEAK																																																																									
4	5940.78	59.12	68.30	-9.18	40.09	35.21	13.66	29.84	0.00	300	90	PEAK																																																																									




Mode	57																																																																																																						
	Harmonic																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																						
ANT	CDD 9+11																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>43.22</td><td>74.00</td><td>-30.78</td><td>51.64</td><td>38.45</td><td>18.53</td><td>65.40</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	43.22	74.00	-30.78	51.64	38.45	18.53	65.40	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>43.69</td><td>74.00</td><td>-30.31</td><td>52.11</td><td>38.45</td><td>18.53</td><td>65.40</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	43.69	74.00	-30.31	52.11	38.45	18.53	65.40	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11590.00	43.22	74.00	-30.78	51.64	38.45	18.53	65.40	0.00	100	360	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11590.00	43.69	74.00	-30.31	52.11	38.45	18.53	65.40	0.00	100	0	PEAK																																																																																											
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31200.00</td><td>43.22</td><td>74.00</td><td>-30.78</td><td>51.64</td><td>38.45</td><td>18.53</td><td>65.40</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	31200.00	43.22	74.00	-30.78	51.64	38.45	18.53	65.40	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31200.00</td><td>43.69</td><td>74.00</td><td>-30.31</td><td>52.11</td><td>38.45</td><td>18.53</td><td>65.40</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	31200.00	43.69	74.00	-30.31	52.11	38.45	18.53	65.40	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	31200.00	43.22	74.00	-30.78	51.64	38.45	18.53	65.40	0.00	100	360	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	31200.00	43.69	74.00	-30.31	52.11	38.45	18.53	65.40	0.00	100	0	PEAK																																																																																											





Mode	58																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																									
ANT	CDD 9+11																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5635.35</td><td>59.12</td><td>68.30</td><td>-9.18</td><td>40.96</td><td>34.66</td><td>13.27</td><td>29.77</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>57.66</td><td>68.60</td><td>-10.94</td><td>39.43</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>3</td><td>5700.28</td><td>65.26</td><td>105.38</td><td>-40.12</td><td>46.80</td><td>34.78</td><td>13.48</td><td>29.80</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>64.73</td><td>111.41</td><td>-46.68</td><td>46.04</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.35	59.12	68.30	-9.18	40.96	34.66	13.27	29.77	0.00	100	239	PEAK	2	5650.40	57.66	68.60	-10.94	39.43	34.69	13.32	29.78	0.00	100	239	PEAK	3	5700.28	65.26	105.38	-40.12	46.80	34.78	13.48	29.80	0.00	100	239	PEAK	4	5720.23	64.73	111.41	-46.68	46.04	34.82	13.66	29.79	0.00	100	239	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>106.72</td><td>-----</td><td>-----</td><td>87.67</td><td>34.89</td><td>13.94</td><td>29.78</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	106.72	-----	-----	87.67	34.89	13.94	29.78	0.00	100	239
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5635.35	59.12	68.30	-9.18	40.96	34.66	13.27	29.77	0.00	100	239	PEAK																																																																																																																														
2	5650.40	57.66	68.60	-10.94	39.43	34.69	13.32	29.78	0.00	100	239	PEAK																																																																																																																														
3	5700.28	65.26	105.38	-40.12	46.80	34.78	13.48	29.80	0.00	100	239	PEAK																																																																																																																														
4	5720.23	64.73	111.41	-46.68	46.04	34.82	13.66	29.79	0.00	100	239	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	106.72	-----	-----	87.67	34.89	13.94	29.78	0.00	100	239	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>97.67</td><td>-----</td><td>-----</td><td>78.54</td><td>34.91</td><td>14.00</td><td>29.78</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.67	-----	-----	78.54	34.91	14.00	29.78	0.00	100	239	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	97.67	-----	-----	78.54	34.91	14.00	29.78	0.00	100	239	AVERAGE																																																																																																																														




Mode	58																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																													
ANT	CDD 9+11																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>57.90</td><td>112.15</td><td>-54.25</td><td>38.58</td><td>35.08</td><td>14.03</td><td>29.79</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>5871.95</td><td>60.10</td><td>106.15</td><td>-46.05</td><td>40.86</td><td>35.11</td><td>13.92</td><td>29.79</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>57.01</td><td>68.32</td><td>-11.31</td><td>37.95</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>4</td><td>5940.20</td><td>57.88</td><td>68.30</td><td>-10.42</td><td>38.85</td><td>35.21</td><td>13.66</td><td>29.84</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	57.90	112.15	-54.25	38.58	35.08	14.03	29.79	0.00	100	239	PEAK	2	5871.95	60.10	106.15	-46.05	40.86	35.11	13.92	29.79	0.00	100	239	PEAK	3	5924.98	57.01	68.32	-11.31	37.95	35.19	13.69	29.82	0.00	100	239	PEAK	4	5940.20	57.88	68.30	-10.42	38.85	35.21	13.66	29.84	0.00	100	239	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.45	57.90	112.15	-54.25	38.58	35.08	14.03	29.79	0.00	100	239	PEAK																																																																																		
2	5871.95	60.10	106.15	-46.05	40.86	35.11	13.92	29.79	0.00	100	239	PEAK																																																																																		
3	5924.98	57.01	68.32	-11.31	37.95	35.19	13.69	29.82	0.00	100	239	PEAK																																																																																		
4	5940.20	57.88	68.30	-10.42	38.85	35.21	13.66	29.84	0.00	100	239	PEAK																																																																																		





Mode	58																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																							
ANT	CDD 9+11																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5629.40</td><td>58.13</td><td>68.30</td><td>-10.17</td><td>40.00</td><td>34.65</td><td>13.25</td><td>29.77</td><td>0.00</td><td>296 90 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>56.01</td><td>68.60</td><td>-12.59</td><td>37.78</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>296 90 PEAK</td></tr><tr><td>3</td><td>5700.10</td><td>57.94</td><td>105.33</td><td>-47.39</td><td>39.48</td><td>34.78</td><td>13.48</td><td>29.80</td><td>0.00</td><td>296 90 PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>56.89</td><td>111.01</td><td>-54.12</td><td>38.20</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>296 90 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5629.40	58.13	68.30	-10.17	40.00	34.65	13.25	29.77	0.00	296 90 PEAK	2	5650.40	56.01	68.60	-12.59	37.78	34.69	13.32	29.78	0.00	296 90 PEAK	3	5700.10	57.94	105.33	-47.39	39.48	34.78	13.48	29.80	0.00	296 90 PEAK	4	5720.05	56.89	111.01	-54.12	38.20	34.82	13.66	29.79	0.00	296 90 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5629.40	58.13	68.30	-10.17	40.00	34.65	13.25	29.77	0.00	296 90 PEAK																																																																														
2	5650.40	56.01	68.60	-12.59	37.78	34.69	13.32	29.78	0.00	296 90 PEAK																																																																														
3	5700.10	57.94	105.33	-47.39	39.48	34.78	13.48	29.80	0.00	296 90 PEAK																																																																														
4	5720.05	56.89	111.01	-54.12	38.20	34.82	13.66	29.79	0.00	296 90 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>92.39</td><td>-----</td><td>-----</td><td>73.14</td><td>34.93</td><td>14.10</td><td>29.78</td><td>0.00</td><td>296 90 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	92.39	-----	-----	73.14	34.93	14.10	29.78	0.00	296 90 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5775.00	92.39	-----	-----	73.14	34.93	14.10	29.78	0.00	296 90 AVERAGE																																																																														






Mode	58																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																														
ANT	CDD 9+11																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>57.52</td><td>110.96</td><td>-53.44</td><td>38.21</td><td>35.08</td><td>14.02</td><td>29.79</td><td>0.00</td><td>296</td><td>90</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>57.60</td><td>105.32</td><td>-47.72</td><td>38.38</td><td>35.11</td><td>13.90</td><td>29.79</td><td>0.00</td><td>296</td><td>90</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>57.80</td><td>68.45</td><td>-10.65</td><td>38.74</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>296</td><td>90</td><td>PEAK</td></tr><tr><td>4</td><td>5947.73</td><td>58.77</td><td>68.30</td><td>-9.53</td><td>39.74</td><td>35.22</td><td>13.65</td><td>29.84</td><td>0.00</td><td>296</td><td>90</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	57.52	110.96	-53.44	38.21	35.08	14.02	29.79	0.00	296	90	PEAK	2	5874.93	57.60	105.32	-47.72	38.38	35.11	13.90	29.79	0.00	296	90	PEAK	3	5924.80	57.80	68.45	-10.65	38.74	35.19	13.69	29.82	0.00	296	90	PEAK	4	5947.73	58.77	68.30	-9.53	39.74	35.22	13.65	29.84	0.00	296	90	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.98	57.52	110.96	-53.44	38.21	35.08	14.02	29.79	0.00	296	90	PEAK																																																																																			
2	5874.93	57.60	105.32	-47.72	38.38	35.11	13.90	29.79	0.00	296	90	PEAK																																																																																			
3	5924.80	57.80	68.45	-10.65	38.74	35.19	13.69	29.82	0.00	296	90	PEAK																																																																																			
4	5947.73	58.77	68.30	-9.53	39.74	35.22	13.65	29.84	0.00	296	90	PEAK																																																																																			





Mode	58																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																			
ANT	CDD 9+11																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>43.43</td><td>74.00</td><td>-30.57</td><td>51.92</td><td>38.43</td><td>18.50</td><td>65.42</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	43.43	74.00	-30.57	51.92	38.43	18.50	65.42	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>43.95</td><td>74.00</td><td>-30.05</td><td>52.44</td><td>38.43</td><td>18.50</td><td>65.42</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	43.95	74.00	-30.05	52.44	38.43	18.50	65.42	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11550.00	43.43	74.00	-30.57	51.92	38.43	18.50	65.42	0.00	100	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11550.00	43.95	74.00	-30.05	52.44	38.43	18.50	65.42	0.00	100	0	PEAK																																																																																								






Mode	59																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																		
ANT	CDD 9+11																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak	 Level (dBuV/m) Frequency (MHz) 5G BAND 4 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.86</td><td>57.68</td><td>68.30</td><td>-10.62</td><td>39.55</td><td>34.65</td><td>13.25</td><td>29.77</td><td>0.00</td><td>102</td><td>113 PEAK</td></tr><tr><td>2</td><td>5650.17</td><td>56.09</td><td>68.43</td><td>-12.34</td><td>37.86</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>102</td><td>113 PEAK</td></tr><tr><td>3</td><td>5709.62</td><td>62.50</td><td>108.00</td><td>-45.50</td><td>43.93</td><td>34.80</td><td>13.57</td><td>29.80</td><td>0.00</td><td>102</td><td>113 PEAK</td></tr><tr><td>4</td><td>5721.22</td><td>71.59</td><td>113.68</td><td>-42.09</td><td>52.88</td><td>34.83</td><td>13.67</td><td>29.79</td><td>0.00</td><td>102</td><td>113 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5628.86	57.68	68.30	-10.62	39.55	34.65	13.25	29.77	0.00	102	113 PEAK	2	5650.17	56.09	68.43	-12.34	37.86	34.69	13.32	29.78	0.00	102	113 PEAK	3	5709.62	62.50	108.00	-45.50	43.93	34.80	13.57	29.80	0.00	102	113 PEAK	4	5721.22	71.59	113.68	-42.09	52.88	34.83	13.67	29.79	0.00	102	113 PEAK	 Level (dBuV/m) Frequency (MHz) 5G BAND 4 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>119.09</td><td>-----</td><td>-----</td><td>100.17</td><td>34.87</td><td>13.84</td><td>29.79</td><td>0.00</td><td>102</td><td>113 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	119.09	-----	-----	100.17	34.87	13.84	29.79	0.00	102	113 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5628.86	57.68	68.30	-10.62	39.55	34.65	13.25	29.77	0.00	102	113 PEAK																																																																																																								
2	5650.17	56.09	68.43	-12.34	37.86	34.69	13.32	29.78	0.00	102	113 PEAK																																																																																																								
3	5709.62	62.50	108.00	-45.50	43.93	34.80	13.57	29.80	0.00	102	113 PEAK																																																																																																								
4	5721.22	71.59	113.68	-42.09	52.88	34.83	13.67	29.79	0.00	102	113 PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5745.00	119.09	-----	-----	100.17	34.87	13.84	29.79	0.00	102	113 PEAK																																																																																																								
Avg	Blank						 Level (dBuV/m) Frequency (MHz) 5G BAND 4(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.32</td><td>-----</td><td>-----</td><td>91.40</td><td>34.87</td><td>13.84</td><td>29.79</td><td>0.00</td><td>102</td><td>113 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	110.32	-----	-----	91.40	34.87	13.84	29.79	0.00	102	113 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5745.00	110.32	-----	-----	91.40	34.87	13.84	29.79	0.00	102	113 AVERAGE																																																																																																								






Mode	59																																																																																															
	Band Edge																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																															
ANT	CDD 9+11																																																																																															
Pol.	Vertical																																																																																															
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5634.80</td><td>57.42</td><td>68.30</td><td>-10.88</td><td>39.27</td><td>34.66</td><td>13.26</td><td>29.77</td><td>0.00</td><td>300</td><td>77</td><td>PEAK</td></tr><tr><td>2</td><td>5650.17</td><td>54.18</td><td>68.43</td><td>-14.25</td><td>35.95</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>300</td><td>77</td><td>PEAK</td></tr><tr><td>3</td><td>5718.76</td><td>67.45</td><td>110.55</td><td>-43.10</td><td>48.77</td><td>34.82</td><td>13.65</td><td>29.79</td><td>0.00</td><td>300</td><td>77</td><td>PEAK</td></tr><tr><td>4</td><td>5722.09</td><td>70.60</td><td>115.67</td><td>-45.07</td><td>51.88</td><td>34.83</td><td>13.68</td><td>29.79</td><td>0.00</td><td>300</td><td>77</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.80	57.42	68.30	-10.88	39.27	34.66	13.26	29.77	0.00	300	77	PEAK	2	5650.17	54.18	68.43	-14.25	35.95	34.69	13.32	29.78	0.00	300	77	PEAK	3	5718.76	67.45	110.55	-43.10	48.77	34.82	13.65	29.79	0.00	300	77	PEAK	4	5722.09	70.60	115.67	-45.07	51.88	34.83	13.68	29.79	0.00	300	77	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5634.80	57.42	68.30	-10.88	39.27	34.66	13.26	29.77	0.00	300	77	PEAK																																																																																				
2	5650.17	54.18	68.43	-14.25	35.95	34.69	13.32	29.78	0.00	300	77	PEAK																																																																																				
3	5718.76	67.45	110.55	-43.10	48.77	34.82	13.65	29.79	0.00	300	77	PEAK																																																																																				
4	5722.09	70.60	115.67	-45.07	51.88	34.83	13.68	29.79	0.00	300	77	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>107.02</td><td>-----</td><td>-----</td><td>88.10</td><td>34.87</td><td>13.84</td><td>29.79</td><td>0.00</td><td>300</td><td>77</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.02	-----	-----	88.10	34.87	13.84	29.79	0.00	300	77	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5745.00	107.02	-----	-----	88.10	34.87	13.84	29.79	0.00	300	77	AVERAGE																																																																																				






		60																																																																																																																																	
Mode		Band Edge																																																																																																																																	
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																	
ANT		CDD 9+11																																																																																																																																	
Pol.		Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.63</td><td>72.13</td><td>111.75</td><td>-39.62</td><td>52.81</td><td>35.08</td><td>14.03</td><td>29.79</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr><tr><td>2 5855.13</td><td>69.26</td><td>110.86</td><td>-41.60</td><td>49.95</td><td>35.08</td><td>14.02</td><td>29.79</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr><tr><td>3 5924.88</td><td>56.20</td><td>68.39</td><td>-12.19</td><td>37.14</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr><tr><td>4 5943.63</td><td>58.03</td><td>68.30</td><td>-10.27</td><td>38.99</td><td>35.22</td><td>13.66</td><td>29.84</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.63	72.13	111.75	-39.62	52.81	35.08	14.03	29.79	0.00	100	256	PEAK	2 5855.13	69.26	110.86	-41.60	49.95	35.08	14.02	29.79	0.00	100	256	PEAK	3 5924.88	56.20	68.39	-12.19	37.14	35.19	13.69	29.82	0.00	100	256	PEAK	4 5943.63	58.03	68.30	-10.27	38.99	35.22	13.66	29.84	0.00	100	256	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>120.21</td><td>-----</td><td>-----</td><td>100.80</td><td>35.05</td><td>14.14</td><td>29.78</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	120.21	-----	-----	100.80	35.05	14.14	29.78	0.00	100	256
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.63	72.13	111.75	-39.62	52.81	35.08	14.03	29.79	0.00	100	256	PEAK																																																																																																																								
2 5855.13	69.26	110.86	-41.60	49.95	35.08	14.02	29.79	0.00	100	256	PEAK																																																																																																																								
3 5924.88	56.20	68.39	-12.19	37.14	35.19	13.69	29.82	0.00	100	256	PEAK																																																																																																																								
4 5943.63	58.03	68.30	-10.27	38.99	35.22	13.66	29.84	0.00	100	256	PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	120.21	-----	-----	100.80	35.05	14.14	29.78	0.00	100	256	PEAK																																																																																																																								
Avg	Blank																																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>112.13</td><td>-----</td><td>-----</td><td>92.72</td><td>35.05</td><td>14.14</td><td>29.78</td><td>0.00</td><td>100</td><td>256</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	112.13	-----	-----	92.72	35.05	14.14	29.78	0.00	100	256	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	112.13	-----	-----	92.72	35.05	14.14	29.78	0.00	100	256	AVERAGE																																																																																																																								





Mode	60																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																														
ANT	CDD 9+11																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>56.97</td><td>111.18</td><td>-54.21</td><td>37.66</td><td>35.08</td><td>14.02</td><td>29.79</td><td>0.00</td><td>382</td><td>194</td><td>PEAK</td></tr><tr><td>2</td><td>5874.88</td><td>57.77</td><td>105.33</td><td>-47.56</td><td>38.55</td><td>35.11</td><td>13.90</td><td>29.79</td><td>0.00</td><td>382</td><td>194</td><td>PEAK</td></tr><tr><td>3</td><td>5924.88</td><td>56.39</td><td>68.39</td><td>-12.00</td><td>37.33</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>382</td><td>194</td><td>PEAK</td></tr><tr><td>4</td><td>5931.38</td><td>58.49</td><td>68.30</td><td>-9.81</td><td>39.44</td><td>35.20</td><td>13.68</td><td>29.83</td><td>0.00</td><td>382</td><td>194</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.88	56.97	111.18	-54.21	37.66	35.08	14.02	29.79	0.00	382	194	PEAK	2	5874.88	57.77	105.33	-47.56	38.55	35.11	13.90	29.79	0.00	382	194	PEAK	3	5924.88	56.39	68.39	-12.00	37.33	35.19	13.69	29.82	0.00	382	194	PEAK	4	5931.38	58.49	68.30	-9.81	39.44	35.20	13.68	29.83	0.00	382	194	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>114.28</td><td>-----</td><td>-----</td><td>94.87</td><td>35.05</td><td>14.14</td><td>29.78</td><td>0.00</td><td>382</td><td>194</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	114.28	-----	-----	94.87	35.05	14.14	29.78	0.00	382	194	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5854.88	56.97	111.18	-54.21	37.66	35.08	14.02	29.79	0.00	382	194	PEAK																																																																																																																																			
2	5874.88	57.77	105.33	-47.56	38.55	35.11	13.90	29.79	0.00	382	194	PEAK																																																																																																																																			
3	5924.88	56.39	68.39	-12.00	37.33	35.19	13.69	29.82	0.00	382	194	PEAK																																																																																																																																			
4	5931.38	58.49	68.30	-9.81	39.44	35.20	13.68	29.83	0.00	382	194	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	114.28	-----	-----	94.87	35.05	14.14	29.78	0.00	382	194	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.96</td><td>-----</td><td>-----</td><td>87.55</td><td>35.05</td><td>14.14</td><td>29.78</td><td>0.00</td><td>382</td><td>194</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.96	-----	-----	87.55	35.05	14.14	29.78	0.00	382	194	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	106.96	-----	-----	87.55	35.05	14.14	29.78	0.00	382	194	AVERAGE																																																																																																																																			






	61																																																																																																																																															
Mode	Band Edge																																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																															
ANT	CDD 9+11																																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																																									
Peak																																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5616.53</td><td>58.08</td><td>68.30</td><td>-10.22</td><td>40.02</td><td>34.63</td><td>13.20</td><td>29.77</td><td>0.00</td><td>100</td><td>121 PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>56.86</td><td>68.53</td><td>-11.67</td><td>38.63</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>100</td><td>121 PEAK</td></tr><tr><td>3</td><td>5700.20</td><td>57.30</td><td>105.35</td><td>-48.05</td><td>38.84</td><td>34.78</td><td>13.48</td><td>29.80</td><td>0.00</td><td>100</td><td>121 PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>56.40</td><td>111.37</td><td>-54.97</td><td>37.71</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>100</td><td>121 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5616.53	58.08	68.30	-10.22	40.02	34.63	13.20	29.77	0.00	100	121 PEAK	2	5650.32	56.86	68.53	-11.67	38.63	34.69	13.32	29.78	0.00	100	121 PEAK	3	5700.20	57.30	105.35	-48.05	38.84	34.78	13.48	29.80	0.00	100	121 PEAK	4	5720.21	56.40	111.37	-54.97	37.71	34.82	13.66	29.79	0.00	100	121 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>115.52</td><td>-----</td><td>-----</td><td>96.60</td><td>34.87</td><td>13.84</td><td>29.79</td><td>0.00</td><td>100</td><td>121 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	115.52	-----	-----	96.60	34.87	13.84	29.79	0.00	100	121 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	5616.53	58.08	68.30	-10.22	40.02	34.63	13.20	29.77	0.00	100	121 PEAK																																																																																																																																					
2	5650.32	56.86	68.53	-11.67	38.63	34.69	13.32	29.78	0.00	100	121 PEAK																																																																																																																																					
3	5700.20	57.30	105.35	-48.05	38.84	34.78	13.48	29.80	0.00	100	121 PEAK																																																																																																																																					
4	5720.21	56.40	111.37	-54.97	37.71	34.82	13.66	29.79	0.00	100	121 PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	5745.00	115.52	-----	-----	96.60	34.87	13.84	29.79	0.00	100	121 PEAK																																																																																																																																					
Avg	Blank																																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.42</td><td>-----</td><td>-----</td><td>88.50</td><td>34.87</td><td>13.84</td><td>29.79</td><td>0.00</td><td>100</td><td>121 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	107.42	-----	-----	88.50	34.87	13.84	29.79	0.00	100	121 AVERAGE																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	5745.00	107.42	-----	-----	88.50	34.87	13.84	29.79	0.00	100	121 AVERAGE																																																																																																																																					






Mode	61																																																																																									
	Band Edge																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																									
ANT	CDD 9+11																																																																																									
Pol.	Vertical																																																																																									
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5644.37</td><td>58.79</td><td>68.30</td><td>-9.51</td><td>40.59</td><td>34.68</td><td>13.30</td><td>29.78</td><td>0.00</td><td>300</td><td>74 PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>55.17</td><td>68.86</td><td>-13.69</td><td>36.94</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>300</td><td>74 PEAK</td></tr><tr><td>3</td><td>5700.34</td><td>55.88</td><td>105.40</td><td>-49.52</td><td>37.42</td><td>34.78</td><td>13.48</td><td>29.80</td><td>0.00</td><td>300</td><td>74 PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>55.99</td><td>111.70</td><td>-55.71</td><td>37.30</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>300</td><td>74 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.37	58.79	68.30	-9.51	40.59	34.68	13.30	29.78	0.00	300	74 PEAK	2	5650.75	55.17	68.86	-13.69	36.94	34.69	13.32	29.78	0.00	300	74 PEAK	3	5700.34	55.88	105.40	-49.52	37.42	34.78	13.48	29.80	0.00	300	74 PEAK	4	5720.35	55.99	111.70	-55.71	37.30	34.82	13.66	29.79	0.00	300	74 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5644.37	58.79	68.30	-9.51	40.59	34.68	13.30	29.78	0.00	300	74 PEAK																																																																															
2	5650.75	55.17	68.86	-13.69	36.94	34.69	13.32	29.78	0.00	300	74 PEAK																																																																															
3	5700.34	55.88	105.40	-49.52	37.42	34.78	13.48	29.80	0.00	300	74 PEAK																																																																															
4	5720.35	55.99	111.70	-55.71	37.30	34.82	13.66	29.79	0.00	300	74 PEAK																																																																															
Avg	Blank																																																																																									
																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.98</td><td>-----</td><td>-----</td><td>86.06</td><td>34.87</td><td>13.84</td><td>29.79</td><td>0.00</td><td>300</td><td>74 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.98	-----	-----	86.06	34.87	13.84	29.79	0.00	300	74 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5745.00	104.98	-----	-----	86.06	34.87	13.84	29.79	0.00	300	74 AVERAGE																																																																															






Mode	62																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																				
ANT	CDD 9+11																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5853.75</td><td>63.90</td><td>113.75</td><td>-49.85</td><td>44.58</td><td>35.08</td><td>14.03</td><td>29.79</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>2 5872.88</td><td>58.37</td><td>105.89</td><td>-47.52</td><td>39.14</td><td>35.11</td><td>13.91</td><td>29.79</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>3 5924.75</td><td>57.26</td><td>68.48</td><td>-11.22</td><td>38.20</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>4 5931.50</td><td>58.11</td><td>68.30</td><td>-10.19</td><td>39.06</td><td>35.20</td><td>13.68</td><td>29.83</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5853.75	63.90	113.75	-49.85	44.58	35.08	14.03	29.79	0.00	100	243	PEAK	2 5872.88	58.37	105.89	-47.52	39.14	35.11	13.91	29.79	0.00	100	243	PEAK	3 5924.75	57.26	68.48	-11.22	38.20	35.19	13.69	29.82	0.00	100	243	PEAK	4 5931.50	58.11	68.30	-10.19	39.06	35.20	13.68	29.83	0.00	100	243	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>119.28</td><td>-----</td><td>-----</td><td>99.87</td><td>35.05</td><td>14.14</td><td>29.78</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	119.28	-----	-----	99.87	35.05	14.14	29.78	0.00	100	243	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5853.75	63.90	113.75	-49.85	44.58	35.08	14.03	29.79	0.00	100	243	PEAK																																																																																																																										
2 5872.88	58.37	105.89	-47.52	39.14	35.11	13.91	29.79	0.00	100	243	PEAK																																																																																																																										
3 5924.75	57.26	68.48	-11.22	38.20	35.19	13.69	29.82	0.00	100	243	PEAK																																																																																																																										
4 5931.50	58.11	68.30	-10.19	39.06	35.20	13.68	29.83	0.00	100	243	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	119.28	-----	-----	99.87	35.05	14.14	29.78	0.00	100	243	PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>110.04</td><td>-----</td><td>-----</td><td>90.63</td><td>35.05</td><td>14.14</td><td>29.78</td><td>0.00</td><td>100</td><td>243</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	110.04	-----	-----	90.63	35.05	14.14	29.78	0.00	100	243	AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	110.04	-----	-----	90.63	35.05	14.14	29.78	0.00	100	243	AVERAGE																																																																																																																										






Mode	62																																																																																																																																												
	Band Edge																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																												
ANT	CDD 9+11																																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																																						
Peak																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.50</td><td>57.07</td><td>112.04</td><td>-54.97</td><td>37.75</td><td>35.00</td><td>14.03</td><td>29.79</td><td>0.00</td><td>300</td><td>13</td><td>PEAK</td></tr><tr><td>2</td><td>5874.88</td><td>57.24</td><td>105.33</td><td>-48.09</td><td>38.02</td><td>35.11</td><td>13.90</td><td>29.79</td><td>0.00</td><td>300</td><td>13</td><td>PEAK</td></tr><tr><td>3</td><td>5924.38</td><td>56.29</td><td>68.76</td><td>-12.47</td><td>37.23</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>300</td><td>13</td><td>PEAK</td></tr><tr><td>4</td><td>5927.00</td><td>57.99</td><td>68.30</td><td>-10.31</td><td>38.93</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>300</td><td>13</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.50	57.07	112.04	-54.97	37.75	35.00	14.03	29.79	0.00	300	13	PEAK	2	5874.88	57.24	105.33	-48.09	38.02	35.11	13.90	29.79	0.00	300	13	PEAK	3	5924.38	56.29	68.76	-12.47	37.23	35.19	13.69	29.82	0.00	300	13	PEAK	4	5927.00	57.99	68.30	-10.31	38.93	35.19	13.69	29.82	0.00	300	13	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.39</td><td>-----</td><td>-----</td><td>85.98</td><td>35.05</td><td>14.14</td><td>29.78</td><td>0.00</td><td>300</td><td>13</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.39	-----	-----	85.98	35.05	14.14	29.78	0.00	300	13
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5854.50	57.07	112.04	-54.97	37.75	35.00	14.03	29.79	0.00	300	13	PEAK																																																																																																																																	
2	5874.88	57.24	105.33	-48.09	38.02	35.11	13.90	29.79	0.00	300	13	PEAK																																																																																																																																	
3	5924.38	56.29	68.76	-12.47	37.23	35.19	13.69	29.82	0.00	300	13	PEAK																																																																																																																																	
4	5927.00	57.99	68.30	-10.31	38.93	35.19	13.69	29.82	0.00	300	13	PEAK																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5825.00	105.39	-----	-----	85.98	35.05	14.14	29.78	0.00	300	13	PEAK																																																																																																																																	
Avg	Blank																																																																																																																																												
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.35</td><td>-----</td><td>-----</td><td>79.94</td><td>35.05</td><td>14.14</td><td>29.78</td><td>0.00</td><td>300</td><td>13</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	99.35	-----	-----	79.94	35.05	14.14	29.78	0.00	300	13	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5825.00	99.35	-----	-----	79.94	35.05	14.14	29.78	0.00	300	13	AVERAGE																																																																																																																																	






Mode	63																																																																																													
	Band Edge																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																													
ANT	CDD 9+11																																																																																													
Pol.	Horizontal																																																																																													
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5608.99</td><td>58.82</td><td>68.30</td><td>-9.48</td><td>40.78</td><td>34.62</td><td>13.18</td><td>29.76</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>5651.19</td><td>56.98</td><td>69.18</td><td>-12.20</td><td>38.75</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>3</td><td>5719.48</td><td>63.97</td><td>110.75</td><td>-46.78</td><td>45.29</td><td>34.82</td><td>13.65</td><td>29.79</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>4</td><td>5721.08</td><td>64.07</td><td>113.35</td><td>-49.28</td><td>45.36</td><td>34.83</td><td>13.67</td><td>29.79</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5608.99	58.82	68.30	-9.48	40.78	34.62	13.18	29.76	0.00	100	242	PEAK	2	5651.19	56.98	69.18	-12.20	38.75	34.69	13.32	29.78	0.00	100	242	PEAK	3	5719.48	63.97	110.75	-46.78	45.29	34.82	13.65	29.79	0.00	100	242	PEAK	4	5721.08	64.07	113.35	-49.28	45.36	34.83	13.67	29.79	0.00	100	242	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5608.99	58.82	68.30	-9.48	40.78	34.62	13.18	29.76	0.00	100	242	PEAK																																																																																		
2	5651.19	56.98	69.18	-12.20	38.75	34.69	13.32	29.78	0.00	100	242	PEAK																																																																																		
3	5719.48	63.97	110.75	-46.78	45.29	34.82	13.65	29.79	0.00	100	242	PEAK																																																																																		
4	5721.08	64.07	113.35	-49.28	45.36	34.83	13.67	29.79	0.00	100	242	PEAK																																																																																		
Fundamental																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.17</td><td>-----</td><td>-----</td><td>95.19</td><td>34.88</td><td>13.89</td><td>29.79</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	114.17	-----	-----	95.19	34.88	13.89	29.79	0.00	100	242	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5745.00	114.17	-----	-----	95.19	34.88	13.89	29.79	0.00	100	242	PEAK																																																																																		
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.35</td><td>-----</td><td>-----</td><td>87.43</td><td>34.87</td><td>13.84</td><td>29.79</td><td>0.00</td><td>100</td><td>242</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.35	-----	-----	87.43	34.87	13.84	29.79	0.00	100	242	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5745.00	106.35	-----	-----	87.43	34.87	13.84	29.79	0.00	100	242	AVERAGE																																																																																		





	63																																																																																																																																																			
Mode	Band Edge																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																																			
ANT	CDD 9+11																																																																																																																																																			
Pol.	Vertical																																																																																																																																																			
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5616.39</td><td>57.08</td><td>68.30</td><td>-11.22</td><td>39.02</td><td>34.63</td><td>13.20</td><td>29.77</td><td>0.00</td><td>300</td><td>77 PEAK</td></tr><tr><td>2</td><td>5650.46</td><td>55.72</td><td>68.64</td><td>-12.92</td><td>37.49</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>300</td><td>77 PEAK</td></tr><tr><td>3</td><td>5719.77</td><td>65.90</td><td>110.84</td><td>-44.94</td><td>47.21</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>300</td><td>77 PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>59.48</td><td>111.70</td><td>-52.22</td><td>40.79</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>300</td><td>77 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5616.39	57.08	68.30	-11.22	39.02	34.63	13.20	29.77	0.00	300	77 PEAK	2	5650.46	55.72	68.64	-12.92	37.49	34.69	13.32	29.78	0.00	300	77 PEAK	3	5719.77	65.90	110.84	-44.94	47.21	34.82	13.66	29.79	0.00	300	77 PEAK	4	5720.35	59.48	111.70	-52.22	40.79	34.82	13.66	29.79	0.00	300	77 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.40</td><td>-----</td><td>-----</td><td>92.48</td><td>34.87</td><td>13.84</td><td>29.79</td><td>0.00</td><td>300</td><td>77 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.40	-----	-----	92.48	34.87	13.84	29.79	0.00	300	77 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	5616.39	57.08	68.30	-11.22	39.02	34.63	13.20	29.77	0.00	300	77 PEAK																																																																																																																																									
2	5650.46	55.72	68.64	-12.92	37.49	34.69	13.32	29.78	0.00	300	77 PEAK																																																																																																																																									
3	5719.77	65.90	110.84	-44.94	47.21	34.82	13.66	29.79	0.00	300	77 PEAK																																																																																																																																									
4	5720.35	59.48	111.70	-52.22	40.79	34.82	13.66	29.79	0.00	300	77 PEAK																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	5745.00	111.40	-----	-----	92.48	34.87	13.84	29.79	0.00	300	77 PEAK																																																																																																																																									
Avg	Blank											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.21</td><td>-----</td><td>-----</td><td>83.29</td><td>34.87</td><td>13.84</td><td>29.79</td><td>0.00</td><td>300</td><td>77 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.21	-----	-----	83.29	34.87	13.84	29.79	0.00	300	77 AVERAGE																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	5745.00	102.21	-----	-----	83.29	34.87	13.84	29.79	0.00	300	77 AVERAGE																																																																																																																																									





		64																																																																																																																																							
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																								
ANT	CDD 9+11																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5850.63</td><td>70.28</td><td>120.87</td><td>-50.59</td><td>50.94</td><td>35.00</td><td>14.05</td><td>29.79</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>5873.38</td><td>59.30</td><td>105.75</td><td>-46.45</td><td>40.07</td><td>35.11</td><td>13.91</td><td>29.79</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>3</td><td>5924.63</td><td>56.99</td><td>68.58</td><td>-11.59</td><td>37.93</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>4</td><td>5945.13</td><td>58.18</td><td>68.30</td><td>-10.12</td><td>39.15</td><td>35.22</td><td>13.65</td><td>29.84</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5850.63	70.28	120.87	-50.59	50.94	35.00	14.05	29.79	0.00	100	242	PEAK	2	5873.38	59.30	105.75	-46.45	40.07	35.11	13.91	29.79	0.00	100	242	PEAK	3	5924.63	56.99	68.58	-11.59	37.93	35.19	13.69	29.82	0.00	100	242	PEAK	4	5945.13	58.18	68.30	-10.12	39.15	35.22	13.65	29.84	0.00	100	242	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>118.42</td><td>-----</td><td>-----</td><td>99.01</td><td>35.05</td><td>14.14</td><td>29.78</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	118.42	-----	-----	99.01	35.05	14.14	29.78	0.00	100	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5850.63	70.28	120.87	-50.59	50.94	35.00	14.05	29.79	0.00	100	242	PEAK																																																																																																																													
2	5873.38	59.30	105.75	-46.45	40.07	35.11	13.91	29.79	0.00	100	242	PEAK																																																																																																																													
3	5924.63	56.99	68.58	-11.59	37.93	35.19	13.69	29.82	0.00	100	242	PEAK																																																																																																																													
4	5945.13	58.18	68.30	-10.12	39.15	35.22	13.65	29.84	0.00	100	242	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	118.42	-----	-----	99.01	35.05	14.14	29.78	0.00	100	242	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.40</td><td>-----</td><td>-----</td><td>87.99</td><td>35.05</td><td>14.14</td><td>29.78</td><td>0.00</td><td>100</td><td>242</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.40	-----	-----	87.99	35.05	14.14	29.78	0.00	100	242	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	107.40	-----	-----	87.99	35.05	14.14	29.78	0.00	100	242	AVERAGE																																																																																																																													



		64																																																																																							
Mode	Band Edge																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																								
ANT	CDD 9+11																																																																																								
Pol.	Vertical																																																																																								
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>56.83</td><td>110.90</td><td>-54.07</td><td>37.52</td><td>35.08</td><td>14.02</td><td>29.79</td><td>0.00</td><td>384</td><td>12 PEAK</td></tr><tr><td>2</td><td>5873.75</td><td>57.45</td><td>105.65</td><td>-48.20</td><td>38.22</td><td>35.11</td><td>13.91</td><td>29.79</td><td>0.00</td><td>384</td><td>12 PEAK</td></tr><tr><td>3</td><td>5923.25</td><td>58.62</td><td>69.59</td><td>-10.97</td><td>39.56</td><td>35.18</td><td>13.70</td><td>29.82</td><td>0.00</td><td>384</td><td>12 PEAK</td></tr><tr><td>4</td><td>5935.13</td><td>58.43</td><td>68.30</td><td>-9.87</td><td>39.39</td><td>35.20</td><td>13.67</td><td>29.83</td><td>0.00</td><td>384</td><td>12 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	56.83	110.90	-54.07	37.52	35.08	14.02	29.79	0.00	384	12 PEAK	2	5873.75	57.45	105.65	-48.20	38.22	35.11	13.91	29.79	0.00	384	12 PEAK	3	5923.25	58.62	69.59	-10.97	39.56	35.18	13.70	29.82	0.00	384	12 PEAK	4	5935.13	58.43	68.30	-9.87	39.39	35.20	13.67	29.83	0.00	384
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5855.00	56.83	110.90	-54.07	37.52	35.08	14.02	29.79	0.00	384	12 PEAK																																																																														
2	5873.75	57.45	105.65	-48.20	38.22	35.11	13.91	29.79	0.00	384	12 PEAK																																																																														
3	5923.25	58.62	69.59	-10.97	39.56	35.18	13.70	29.82	0.00	384	12 PEAK																																																																														
4	5935.13	58.43	68.30	-9.87	39.39	35.20	13.67	29.83	0.00	384	12 PEAK																																																																														
Avg	Blank																																																																																								
																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.55</td><td>-----</td><td>-----</td><td>83.11</td><td>35.04</td><td>14.18</td><td>29.78</td><td>0.00</td><td>384</td><td>12 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.55	-----	-----	83.11	35.04	14.18	29.78	0.00	384	12 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5825.00	102.55	-----	-----	83.11	35.04	14.18	29.78	0.00	384	12 AVERAGE																																																																														





Mode	65																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.725-5.85_802.11a_CH144_5720MHz																																																																																																			
ANT	CDD 9+11																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>53.55</td><td>38.36</td><td>18.42</td><td>65.48</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.85	74.00	-29.15	53.55	38.36	18.42	65.48	0.00	100	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>44.87</td><td>74.00</td><td>-29.13</td><td>53.57</td><td>38.36</td><td>18.42</td><td>65.48</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.87	74.00	-29.13	53.57	38.36	18.42	65.48	0.00	100	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11440.00	44.85	74.00	-29.15	53.55	38.36	18.42	65.48	0.00	100	0	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11440.00	44.87	74.00	-29.13	53.57	38.36	18.42	65.48	0.00	100	360	PEAK																																																																																								



		66																																																																																																											
Mode		Harmonic																																																																																																											
		U-NII-2C_5.725-5.85_802.11ax HE20_CH144_Full RU_5720MHz																																																																																																											
ANT		CDD 9+11																																																																																																											
Pol.		Horizontal											Vertical																																																																																																
Peak Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>53.39</td><td>38.36</td><td>18.42</td><td>65.48</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.69	74.00	-29.31	53.39	38.36	18.42	65.48	0.00	100	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>44.47</td><td>74.00</td><td>-29.53</td><td>53.17</td><td>38.36</td><td>18.42</td><td>65.48</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.47	74.00	-29.53	53.17	38.36	18.42	65.48	0.00	100	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	11440.00	44.69	74.00	-29.31	53.39	38.36	18.42	65.48	0.00	100	0	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	11440.00	44.47	74.00	-29.53	53.17	38.36	18.42	65.48	0.00	100	360	PEAK																																																																																																	



		67																																																						
Mode		Harmonic																																																						
		U-NII-2C_5.725-5.85_802.11ax HE40_CH142_Full RU_5710MHz																																																						
ANT		CDD 9+11																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>44.17</td><td>74.00</td><td>-29.83</td><td>52.91</td><td>38.35</td><td>18.40</td><td>65.49</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	44.17	74.00	-29.83	52.91	38.35	18.40	65.49	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11420.00	44.17	74.00	-29.83	52.91	38.35	18.40	65.49	0.00	100	0	PEAK																																												
		Vertical																																																						
Peak Avg																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>44.93</td><td>74.00</td><td>-29.07</td><td>53.67</td><td>38.35</td><td>18.40</td><td>65.49</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	44.93	74.00	-29.07	53.67	38.35	18.40	65.49	0.00	100	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11420.00	44.93	74.00	-29.07	53.67	38.35	18.40	65.49	0.00	100	360	PEAK																																												





Mode	68																																																							
	Harmonic																																																							
	U-NII-2C_5.725-5.85_802.11ax HE80_CH138_Full RU_5690MHz																																																							
ANT	CDD 9+11																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>43.67</td><td>74.00</td><td>-30.33</td><td>52.49</td><td>38.33</td><td>18.37</td><td>65.52</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	43.67	74.00	-30.33	52.49	38.33	18.37	65.52	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11380.00	43.67	74.00	-30.33	52.49	38.33	18.37	65.52	0.00	100	0	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>43.64</td><td>74.00</td><td>-30.36</td><td>52.46</td><td>38.33</td><td>18.37</td><td>65.52</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	43.64	74.00	-30.36	52.46	38.33	18.37	65.52	0.00	100	360	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11380.00	43.64	74.00	-30.36	52.46	38.33	18.37	65.52	0.00	100	360	PEAK																																												





	69																																																																																																																																																																																															
Mode	LF																																																																																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																																																																																																															
ANT	CDD 9+11																																																																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																																																																									
Peak	Data: 1						Data: 2																																																																																																																																																																																									
	Site : 03CH08-KS Condition : 5G BAND 1----3 3m CBL 6111D 49922 HORIZONTAL Project : mode : IMEI : : WIFI											Site : 03CH08-KS Condition : 5G BAND 1----3 3m CBL 6111D 49922 VERTICAL Project : mode : IMEI : : WIFI																																																																																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>107.60</td><td>20.27</td><td>-23.23</td><td>43.50</td><td>33.59</td><td>16.57</td><td>1.51</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>163.86</td><td>25.25</td><td>-18.25</td><td>43.50</td><td>38.98</td><td>15.82</td><td>1.85</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>214.30</td><td>29.20</td><td>-14.30</td><td>43.50</td><td>43.71</td><td>14.75</td><td>2.14</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>277.35</td><td>26.42</td><td>-19.58</td><td>46.00</td><td>36.75</td><td>18.64</td><td>2.43</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>348.16</td><td>25.55</td><td>-20.45</td><td>46.00</td><td>34.09</td><td>20.17</td><td>2.72</td><td>31.43</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>733.25</td><td>29.74</td><td>-16.26</td><td>46.00</td><td>29.74</td><td>27.39</td><td>3.95</td><td>31.34</td><td>---</td><td>--- Peak</td></tr></table>												Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	107.60	20.27	-23.23	43.50	33.59	16.57	1.51	31.40	---	--- Peak	2	163.86	25.25	-18.25	43.50	38.98	15.82	1.85	31.40	---	--- Peak	3	214.30	29.20	-14.30	43.50	43.71	14.75	2.14	31.40	---	--- Peak	4	277.35	26.42	-19.58	46.00	36.75	18.64	2.43	31.40	---	--- Peak	5	348.16	25.55	-20.45	46.00	34.09	20.17	2.72	31.43	---	--- Peak	6	733.25	29.74	-16.26	46.00	29.74	27.39	3.95	31.34	---	--- Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>35.82</td><td>25.09</td><td>-14.91</td><td>40.00</td><td>34.21</td><td>21.71</td><td>0.57</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>86.26</td><td>24.94</td><td>-15.06</td><td>40.00</td><td>40.97</td><td>14.10</td><td>1.27</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>163.86</td><td>27.81</td><td>-15.69</td><td>43.50</td><td>41.54</td><td>15.82</td><td>1.85</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>202.66</td><td>27.61</td><td>-15.89</td><td>43.50</td><td>42.10</td><td>14.83</td><td>2.08</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>256.01</td><td>27.25</td><td>-18.75</td><td>46.00</td><td>37.01</td><td>19.31</td><td>2.33</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>418.97</td><td>25.21</td><td>-20.79</td><td>46.00</td><td>31.52</td><td>22.17</td><td>2.99</td><td>31.47</td><td>---</td><td>--- Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	35.82	25.09	-14.91	40.00	34.21	21.71	0.57	31.40	---	--- Peak	2	86.26	24.94	-15.06	40.00	40.97	14.10	1.27	31.40	---	--- Peak	3	163.86	27.81	-15.69	43.50	41.54	15.82	1.85	31.40	---	--- Peak	4	202.66	27.61	-15.89	43.50	42.10	14.83	2.08	31.40	---	--- Peak	5	256.01	27.25	-18.75	46.00	37.01	19.31	2.33	31.40	---	--- Peak	6	418.97	25.21	-20.79	46.00	31.52	22.17	2.99	31.47	---	--- Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																						
1	107.60	20.27	-23.23	43.50	33.59	16.57	1.51	31.40	---	--- Peak																																																																																																																																																																																						
2	163.86	25.25	-18.25	43.50	38.98	15.82	1.85	31.40	---	--- Peak																																																																																																																																																																																						
3	214.30	29.20	-14.30	43.50	43.71	14.75	2.14	31.40	---	--- Peak																																																																																																																																																																																						
4	277.35	26.42	-19.58	46.00	36.75	18.64	2.43	31.40	---	--- Peak																																																																																																																																																																																						
5	348.16	25.55	-20.45	46.00	34.09	20.17	2.72	31.43	---	--- Peak																																																																																																																																																																																						
6	733.25	29.74	-16.26	46.00	29.74	27.39	3.95	31.34	---	--- Peak																																																																																																																																																																																						
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																						
1	35.82	25.09	-14.91	40.00	34.21	21.71	0.57	31.40	---	--- Peak																																																																																																																																																																																						
2	86.26	24.94	-15.06	40.00	40.97	14.10	1.27	31.40	---	--- Peak																																																																																																																																																																																						
3	163.86	27.81	-15.69	43.50	41.54	15.82	1.85	31.40	---	--- Peak																																																																																																																																																																																						
4	202.66	27.61	-15.89	43.50	42.10	14.83	2.08	31.40	---	--- Peak																																																																																																																																																																																						
5	256.01	27.25	-18.75	46.00	37.01	19.31	2.33	31.40	---	--- Peak																																																																																																																																																																																						
6	418.97	25.21	-20.79	46.00	31.52	22.17	2.99	31.47	---	--- Peak																																																																																																																																																																																						







		70																																																									
Mode		Band Edge - L																																																									
		U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																									
ANT		9+11																																																									
Pol.		Horizontal						Fundamental																																																			
Peak																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.63</td><td>61.33</td><td>74.00</td><td>-12.67</td><td>43.80</td><td>34.37</td><td>12.46</td><td>29.30</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5136.63	61.33	74.00	-12.67	43.80	34.37	12.46	29.30	0.00	100	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5136.63	61.33	74.00	-12.67	43.80	34.37	12.46	29.30	0.00	100	100	PEAK																																															
Avg																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.88</td><td>49.31</td><td>54.00</td><td>-4.69</td><td>31.75</td><td>34.39</td><td>12.48</td><td>29.31</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.88	49.31	54.00	-4.69	31.75	34.39	12.48	29.31	0.00	100	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5145.88	49.31	54.00	-4.69	31.75	34.39	12.48	29.31	0.00	100	100	AVERAGE																																															



Mode	70																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																							
ANT	9+11																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.33</td><td>60.49</td><td>74.00</td><td>-13.51</td><td>42.54</td><td>34.50</td><td>13.01</td><td>29.56</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.33	60.49	74.00	-13.51	42.54	34.50	13.01	29.56	0.00	100	100	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5393.33	60.49	74.00	-13.51	42.54	34.50	13.01	29.56	0.00	100	100	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.73</td><td>49.56</td><td>54.00</td><td>-4.44</td><td>31.67</td><td>34.50</td><td>12.92</td><td>29.53</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.73	49.56	54.00	-4.44	31.67	34.50	12.92	29.53	0.00	100	100	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5364.73	49.56	54.00	-4.44	31.67	34.50	12.92	29.53	0.00	100	100	AVERAGE																																												





Mode	70																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																															
ANT	9+11																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5118.13</td><td>60.50</td><td>74.00</td><td>-13.50</td><td>43.01</td><td>34.34</td><td>12.43</td><td>29.28</td><td>0.00</td><td>300</td><td>61 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5118.13	60.50	74.00	-13.50	43.01	34.34	12.43	29.28	0.00	300	61 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2479.20</td><td>92.95</td><td>68.30</td><td>24.65</td><td>82.45</td><td>32.12</td><td>9.04</td><td>30.66</td><td>0.00</td><td>300</td><td>61 Peak</td></tr><tr><td>2</td><td>5250.00</td><td>100.36</td><td>68.30</td><td>32.06</td><td>82.63</td><td>34.50</td><td>12.68</td><td>29.45</td><td>0.00</td><td>300</td><td>61 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2479.20	92.95	68.30	24.65	82.45	32.12	9.04	30.66	0.00	300	61 Peak	2	5250.00	100.36	68.30	32.06	82.63	34.50	12.68	29.45	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5118.13	60.50	74.00	-13.50	43.01	34.34	12.43	29.28	0.00	300	61 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2479.20	92.95	68.30	24.65	82.45	32.12	9.04	30.66	0.00	300	61 Peak																																																																																																					
2	5250.00	100.36	68.30	32.06	82.63	34.50	12.68	29.45	0.00	300	61 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5106.62</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>30.60</td><td>34.31</td><td>12.41</td><td>29.27</td><td>0.00</td><td>300</td><td>61 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5106.62	48.05	54.00	-5.95	30.60	34.31	12.41	29.27	0.00	300	61 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2479.20</td><td>88.78</td><td>68.30</td><td>20.48</td><td>78.28</td><td>32.12</td><td>9.04</td><td>30.66</td><td>0.00</td><td>300</td><td>61 Average</td></tr><tr><td>2</td><td>5250.00</td><td>90.35</td><td>68.30</td><td>22.05</td><td>72.61</td><td>34.50</td><td>12.68</td><td>29.44</td><td>0.00</td><td>300</td><td>61 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2479.20	88.78	68.30	20.48	78.28	32.12	9.04	30.66	0.00	300	61 Average	2	5250.00	90.35	68.30	22.05	72.61	34.50	12.68	29.44	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5106.62	48.05	54.00	-5.95	30.60	34.31	12.41	29.27	0.00	300	61 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2479.20	88.78	68.30	20.48	78.28	32.12	9.04	30.66	0.00	300	61 Average																																																																																																					
2	5250.00	90.35	68.30	22.05	72.61	34.50	12.68	29.44	0.00	300	61 AVERAGE																																																																																																					







Mode	70																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																							
ANT	9+11																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5402.36</td><td>59.96</td><td>74.00</td><td>-14.04</td><td>41.99</td><td>34.50</td><td>13.04</td><td>29.57</td><td>0.00</td><td>300</td><td>61 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5402.36	59.96	74.00	-14.04	41.99	34.50	13.04	29.57	0.00	300	61 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5402.36	59.96	74.00	-14.04	41.99	34.50	13.04	29.57	0.00	300	61 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.46</td><td>50.09</td><td>54.00</td><td>-3.91</td><td>32.21</td><td>34.50</td><td>12.91</td><td>29.53</td><td>0.00</td><td>300</td><td>61 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.46	50.09	54.00	-3.91	32.21	34.50	12.91	29.53	0.00	300	61 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5362.46	50.09	54.00	-3.91	32.21	34.50	12.91	29.53	0.00	300	61 AVERAGE																																													







		70																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																							
ANT		9+11																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>43.38</td><td>68.30</td><td>-24.92</td><td>54.48</td><td>37.55</td><td>17.67</td><td>66.32</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	43.38	68.30	-24.92	54.48	37.55	17.67	66.32	0.00	300	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10500.00	43.38	68.30	-24.92	54.48	37.55	17.67	66.32	0.00	300	0	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>44.69</td><td>68.30</td><td>-23.61</td><td>55.79</td><td>37.55</td><td>17.67</td><td>66.32</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	44.69	68.30	-23.61	55.79	37.55	17.67	66.32	0.00	100	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10500.00	44.69	68.30	-23.61	55.79	37.55	17.67	66.32	0.00	100	0	PEAK																																													





Mode	70																																																																																																														
	Band Edge																																																																																																														
	U-NII-2C_2400-2483.5_802.11g_CH11_2462MHz																																																																																																														
ANT	9+11																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>66.33</td><td>74.00</td><td>-7.67</td><td>49.80</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>175</td><td>121</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	66.33	74.00	-7.67	49.80	32.13	9.05	30.65	6.00	175	121	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>112.80</td><td>74.00</td><td>38.80</td><td>96.41</td><td>32.10</td><td>8.99</td><td>30.70</td><td>6.00</td><td>175</td><td>121</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	112.80	74.00	38.80	96.41	32.10	8.99	30.70	6.00	175	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.58	66.33	74.00	-7.67	49.80	32.13	9.05	30.65	6.00	175	121	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	112.80	74.00	38.80	96.41	32.10	8.99	30.70	6.00	175	121	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>50.98</td><td>54.00</td><td>-3.02</td><td>34.45</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>175</td><td>121</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	50.98	54.00	-3.02	34.45	32.13	9.05	30.65	6.00	175	121	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.79</td><td>54.00</td><td>49.79</td><td>87.40</td><td>32.10</td><td>8.99</td><td>30.70</td><td>6.00</td><td>175</td><td>121</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.79	54.00	49.79	87.40	32.10	8.99	30.70	6.00	175	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.51	50.98	54.00	-3.02	34.45	32.13	9.05	30.65	6.00	175	121	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	103.79	54.00	49.79	87.40	32.10	8.99	30.70	6.00	175	121	AVERAGE																																																																																																			







Mode	70																																																																																																
	Band Edge																																																																																																
	U-NII-2C_2400-2483.5_802.11g_CH11_2462MHz																																																																																																
ANT	9+11																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>63.83</td><td>74.00</td><td>-10.17</td><td>47.30</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>121</td><td>292 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	63.83	74.00	-10.17	47.30	32.13	9.05	30.65	6.00	121	292 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.34</td><td>74.00</td><td>34.34</td><td>91.98</td><td>32.09</td><td>8.98</td><td>30.71</td><td>6.00</td><td>121</td><td>292 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.34	74.00	34.34	91.98	32.09	8.98	30.71	6.00	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.51	63.83	74.00	-10.17	47.30	32.13	9.05	30.65	6.00	121	292 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	108.34	74.00	34.34	91.98	32.09	8.98	30.71	6.00	121	292 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>49.53</td><td>54.00</td><td>-4.47</td><td>33.00</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>121</td><td>292 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	49.53	54.00	-4.47	33.00	32.13	9.05	30.65	6.00	121	292 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>99.44</td><td>54.00</td><td>45.44</td><td>83.10</td><td>32.09</td><td>8.97</td><td>30.72</td><td>6.00</td><td>121</td><td>292 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.44	54.00	45.44	83.10	32.09	8.97	30.72	6.00	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.51	49.53	54.00	-4.47	33.00	32.13	9.05	30.65	6.00	121	292 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	99.44	54.00	45.44	83.10	32.09	8.97	30.72	6.00	121	292 AVERAGE																																																																																						







Mode	70																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-2C_2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																																				
ANT	9+11																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>42.40</td><td>74.00</td><td>-31.60</td><td>60.89</td><td>34.73</td><td>12.22</td><td>65.44</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5252.00</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>70.28</td><td>35.13</td><td>12.64</td><td>65.59</td><td>0.00</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>7306.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>57.70</td><td>36.58</td><td>14.78</td><td>65.29</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4924.00	42.40	74.00	-31.60	60.89	34.73	12.22	65.44	0.00	100	360	PEAK	2	5252.00	52.46	74.00	-21.54	70.28	35.13	12.64	65.59	0.00	100	360	Peak	3	7306.00	43.77	74.00	-30.23	57.70	36.58	14.78	65.29	0.00	100	360	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>42.91</td><td>74.00</td><td>-31.09</td><td>61.40</td><td>34.73</td><td>12.22</td><td>65.44</td><td>0.00</td><td>100</td><td></td><td>0 PEAK</td></tr><tr><td>2</td><td>5256.00</td><td>49.62</td><td>74.00</td><td>-24.38</td><td>67.42</td><td>35.14</td><td>12.65</td><td>65.59</td><td>0.00</td><td>100</td><td></td><td>0 Peak</td></tr><tr><td>3</td><td>7306.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>57.75</td><td>36.58</td><td>14.78</td><td>65.29</td><td>0.00</td><td>100</td><td></td><td>0 PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4924.00	42.91	74.00	-31.09	61.40	34.73	12.22	65.44	0.00	100		0 PEAK	2	5256.00	49.62	74.00	-24.38	67.42	35.14	12.65	65.59	0.00	100		0 Peak	3	7306.00	43.82	74.00	-30.18	57.75	36.58	14.78	65.29	0.00	100	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	4924.00	42.40	74.00	-31.60	60.89	34.73	12.22	65.44	0.00	100	360	PEAK																																																																																																																																																									
2	5252.00	52.46	74.00	-21.54	70.28	35.13	12.64	65.59	0.00	100	360	Peak																																																																																																																																																									
3	7306.00	43.77	74.00	-30.23	57.70	36.58	14.78	65.29	0.00	100	360	PEAK																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	4924.00	42.91	74.00	-31.09	61.40	34.73	12.22	65.44	0.00	100		0 PEAK																																																																																																																																																									
2	5256.00	49.62	74.00	-24.38	67.42	35.14	12.65	65.59	0.00	100		0 Peak																																																																																																																																																									
3	7306.00	43.82	74.00	-30.18	57.75	36.58	14.78	65.29	0.00	100		0 PEAK																																																																																																																																																									



		71																																																					
Mode		Band Edge																																																					
		U-NII-2C_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																					
ANT		9+11																																																					
Pol.		Horizontal																																																					
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>57.91</td><td>74.00</td><td>-16.09</td><td>41.38</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>117</td><td>285</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	57.91	74.00	-16.09	41.38	32.13	9.05	30.65	6.00	117	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.68	57.91	74.00	-16.09	41.38	32.13	9.05	30.65	6.00	117	285	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.10</td><td>74.00</td><td>32.10</td><td>89.60</td><td>32.12</td><td>9.04</td><td>30.66</td><td>6.00</td><td>117</td><td>285</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.10	74.00	32.10	89.60	32.12	9.04	30.66	6.00	117	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	106.10	74.00	32.10	89.60	32.12	9.04	30.66	6.00	117	285	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.24</td><td>47.92</td><td>54.00</td><td>-6.08</td><td>31.29</td><td>32.15</td><td>9.09</td><td>30.61</td><td>6.00</td><td>117</td><td>285</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.24	47.92	54.00	-6.08	31.29	32.15	9.09	30.61	6.00	117	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2497.24	47.92	54.00	-6.08	31.29	32.15	9.09	30.61	6.00	117	285	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.90</td><td>54.00</td><td>49.90</td><td>87.40</td><td>32.12</td><td>9.04</td><td>30.66</td><td>6.00</td><td>117</td><td>285</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.90	54.00	49.90	87.40	32.12	9.04	30.66	6.00	117	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	103.90	54.00	49.90	87.40	32.12	9.04	30.66	6.00	117	285	AVERAGE																																											







Mode	71																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																		
ANT	9+11																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.64</td><td>57.78</td><td>74.00</td><td>-16.22</td><td>41.22</td><td>32.13</td><td>9.06</td><td>30.63</td><td>6.00</td><td>384</td><td>348</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.64	57.78	74.00	-16.22	41.22	32.13	9.06	30.63	6.00	384	348	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>103.24</td><td>-----</td><td>-----</td><td>86.74</td><td>32.12</td><td>9.04</td><td>30.66</td><td>6.00</td><td>384</td><td>348</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.24	-----	-----	86.74	32.12	9.04	30.66	6.00	384	348
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2487.64	57.78	74.00	-16.22	41.22	32.13	9.06	30.63	6.00	384	348	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	103.24	-----	-----	86.74	32.12	9.04	30.66	6.00	384	348	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.96</td><td>47.59</td><td>54.00</td><td>-6.41</td><td>31.02</td><td>32.13</td><td>9.07</td><td>30.63</td><td>6.00</td><td>384</td><td>348</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.96	47.59	54.00	-6.41	31.02	32.13	9.07	30.63	6.00	384	348	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>101.09</td><td>-----</td><td>-----</td><td>84.59</td><td>32.12</td><td>9.04</td><td>30.66</td><td>6.00</td><td>384</td><td>348</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.09	-----	-----	84.59	32.12	9.04	30.66	6.00	384	348
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2488.96	47.59	54.00	-6.41	31.02	32.13	9.07	30.63	6.00	384	348	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	101.09	-----	-----	84.59	32.12	9.04	30.66	6.00	384	348	AVERAGE																																																																																							





Mode	71																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2C_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																						
ANT	9+11																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>42.00</td><td>74.00</td><td>-32.00</td><td>60.38</td><td>34.00</td><td>12.27</td><td>65.45</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5254.00</td><td>54.38</td><td>74.00</td><td>-19.62</td><td>72.19</td><td>35.13</td><td>12.65</td><td>65.59</td><td>0.00</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>57.61</td><td>36.59</td><td>14.92</td><td>65.33</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	42.00	74.00	-32.00	60.38	34.00	12.27	65.45	0.00	100	360	PEAK	2	5254.00	54.38	74.00	-19.62	72.19	35.13	12.65	65.59	0.00	100	360	Peak	3	7440.00	43.79	74.00	-30.21	57.61	36.59	14.92	65.33	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.78</td><td>74.00</td><td>-32.22</td><td>60.16</td><td>34.00</td><td>12.27</td><td>65.45</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5254.00</td><td>50.61</td><td>74.00</td><td>-23.39</td><td>68.42</td><td>35.13</td><td>12.65</td><td>65.59</td><td>0.00</td><td>100</td><td>0</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>43.69</td><td>74.00</td><td>-30.31</td><td>57.51</td><td>36.59</td><td>14.92</td><td>65.33</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.78	74.00	-32.22	60.16	34.00	12.27	65.45	0.00	100	0	PEAK	2	5254.00	50.61	74.00	-23.39	68.42	35.13	12.65	65.59	0.00	100	0	Peak	3	7440.00	43.69	74.00	-30.31	57.51	36.59	14.92	65.33	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4960.00	42.00	74.00	-32.00	60.38	34.00	12.27	65.45	0.00	100	360	PEAK																																																																																																																																											
2	5254.00	54.38	74.00	-19.62	72.19	35.13	12.65	65.59	0.00	100	360	Peak																																																																																																																																											
3	7440.00	43.79	74.00	-30.21	57.61	36.59	14.92	65.33	0.00	100	360	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4960.00	41.78	74.00	-32.22	60.16	34.00	12.27	65.45	0.00	100	0	PEAK																																																																																																																																											
2	5254.00	50.61	74.00	-23.39	68.42	35.13	12.65	65.59	0.00	100	0	Peak																																																																																																																																											
3	7440.00	43.69	74.00	-30.31	57.51	36.59	14.92	65.33	0.00	100	0	PEAK																																																																																																																																											







Mode	71																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																															
ANT	9+11																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5131.88</td><td>60.86</td><td>74.00</td><td>-13.14</td><td>43.34</td><td>34.36</td><td>12.45</td><td>29.29</td><td>0.00</td><td>100</td><td>219</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5131.88	60.86	74.00	-13.14	43.34	34.36	12.45	29.29	0.00	100	219	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2461.20</td><td>107.34</td><td>68.30</td><td>39.04</td><td>96.98</td><td>32.09</td><td>8.98</td><td>30.71</td><td>0.00</td><td>100</td><td>219</td><td>Peak</td></tr><tr><td>2</td><td>5250.00</td><td>101.34</td><td>68.30</td><td>33.04</td><td>90.98</td><td>32.09</td><td>8.98</td><td>30.71</td><td>0.00</td><td>100</td><td>219</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2461.20	107.34	68.30	39.04	96.98	32.09	8.98	30.71	0.00	100	219	Peak	2	5250.00	101.34	68.30	33.04	90.98	32.09	8.98	30.71	0.00	100	219
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5131.88	60.86	74.00	-13.14	43.34	34.36	12.45	29.29	0.00	100	219	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2461.20	107.34	68.30	39.04	96.98	32.09	8.98	30.71	0.00	100	219	Peak																																																																																																				
2	5250.00	101.34	68.30	33.04	90.98	32.09	8.98	30.71	0.00	100	219	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.35</td><td>49.26</td><td>54.00</td><td>-4.74</td><td>31.70</td><td>34.39</td><td>12.48</td><td>29.31</td><td>0.00</td><td>100</td><td>219</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.35	49.26	54.00	-4.74	31.70	34.39	12.48	29.31	0.00	100	219	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2461.20</td><td>99.41</td><td>-----</td><td>-----</td><td>89.05</td><td>32.09</td><td>8.98</td><td>30.71</td><td>0.00</td><td>100</td><td>219</td><td>Average</td></tr><tr><td>2</td><td>5233.20</td><td>91.87</td><td>68.30</td><td>23.57</td><td>74.15</td><td>34.50</td><td>12.62</td><td>29.40</td><td>0.00</td><td>100</td><td>219</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2461.20	99.41	-----	-----	89.05	32.09	8.98	30.71	0.00	100	219	Average	2	5233.20	91.87	68.30	23.57	74.15	34.50	12.62	29.40	0.00	100	219
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5146.35	49.26	54.00	-4.74	31.70	34.39	12.48	29.31	0.00	100	219	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2461.20	99.41	-----	-----	89.05	32.09	8.98	30.71	0.00	100	219	Average																																																																																																				
2	5233.20	91.87	68.30	23.57	74.15	34.50	12.62	29.40	0.00	100	219	Average																																																																																																				





Mode	71																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																						
ANT	9+11																																																						
Pol.	Horizontal						Fundamental																																																
Peak							Blank																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5383.46</td><td>61.73</td><td>74.00</td><td>-12.27</td><td>43.80</td><td>34.50</td><td>12.98</td><td>29.55</td><td>0.00</td><td>100</td><td>219</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5383.46	61.73	74.00	-12.27	43.80	34.50	12.98	29.55	0.00	100	219
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5383.46	61.73	74.00	-12.27	43.80	34.50	12.98	29.55	0.00	100	219	PEAK																																											
Avg							Blank																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.76</td><td>50.93</td><td>54.00</td><td>-3.07</td><td>33.07</td><td>34.50</td><td>12.88</td><td>29.52</td><td>0.00</td><td>100</td><td>219</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.76	50.93	54.00	-3.07	33.07	34.50	12.88	29.52	0.00	100	219
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5352.76	50.93	54.00	-3.07	33.07	34.50	12.88	29.52	0.00	100	219	AVERAGE																																											





Mode	71																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																											
ANT	9+11																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5135.63</td><td>60.62</td><td>74.00</td><td>-13.38</td><td>43.09</td><td>34.37</td><td>12.46</td><td>29.30</td><td>0.00</td><td>286</td><td>67 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.63	60.62	74.00	-13.38	43.09	34.37	12.46	29.30	0.00	286	67 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2455.20</td><td>110.80</td><td>68.30</td><td>42.50</td><td>100.48</td><td>32.08</td><td>8.97</td><td>30.73</td><td>0.00</td><td>286</td><td>67 Peak</td></tr><tr><td>2</td><td>5250.00</td><td>101.80</td><td>68.30</td><td>33.50</td><td>91.48</td><td>32.08</td><td>8.97</td><td>30.73</td><td>0.00</td><td>286</td><td>67 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2455.20	110.80	68.30	42.50	100.48	32.08	8.97	30.73	0.00	286	67 Peak	2	5250.00	101.80	68.30	33.50	91.48	32.08	8.97	30.73	0.00	286
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5135.63	60.62	74.00	-13.38	43.09	34.37	12.46	29.30	0.00	286	67 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2455.20	110.80	68.30	42.50	100.48	32.08	8.97	30.73	0.00	286	67 Peak																																																																																																	
2	5250.00	101.80	68.30	33.50	91.48	32.08	8.97	30.73	0.00	286	67 PEAK																																																																																																	
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5095.00</td><td>48.15</td><td>54.00</td><td>-5.85</td><td>30.72</td><td>34.29</td><td>12.40</td><td>29.26</td><td>0.00</td><td>286</td><td>67 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5095.00	48.15	54.00	-5.85	30.72	34.29	12.40	29.26	0.00	286	67 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2455.20</td><td>101.73</td><td>-----</td><td>-----</td><td>91.41</td><td>32.08</td><td>8.97</td><td>30.73</td><td>0.00</td><td>286</td><td>67 Average</td></tr><tr><td>2</td><td>5251.20</td><td>89.16</td><td>68.30</td><td>20.86</td><td>71.44</td><td>34.50</td><td>12.64</td><td>29.42</td><td>0.00</td><td>286</td><td>67 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2455.20	101.73	-----	-----	91.41	32.08	8.97	30.73	0.00	286	67 Average	2	5251.20	89.16	68.30	20.86	71.44	34.50	12.64	29.42	0.00	286
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5095.00	48.15	54.00	-5.85	30.72	34.29	12.40	29.26	0.00	286	67 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2455.20	101.73	-----	-----	91.41	32.08	8.97	30.73	0.00	286	67 Average																																																																																																	
2	5251.20	89.16	68.30	20.86	71.44	34.50	12.64	29.42	0.00	286	67 Average																																																																																																	



Mode	71																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																												
ANT	9+11																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.04</td><td>59.44</td><td>74.00</td><td>-14.56</td><td>41.56</td><td>34.50</td><td>12.91</td><td>29.53</td><td>0.00</td><td>286</td><td>67 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.04	59.44	74.00	-14.56	41.56	34.50	12.91	29.53	0.00	286	67 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5362.04	59.44	74.00	-14.56	41.56	34.50	12.91	29.53	0.00	286	67 PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5372.75</td><td>49.24</td><td>54.00</td><td>-4.76</td><td>31.34</td><td>34.50</td><td>12.94</td><td>29.54</td><td>0.00</td><td>286</td><td>67 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.75	49.24	54.00	-4.76	31.34	34.50	12.94	29.54	0.00	286	67 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5372.75	49.24	54.00	-4.76	31.34	34.50	12.94	29.54	0.00	286	67 AVERAGE																																		







Mode	71																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																			
ANT	9+11																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>43.32</td><td>68.30</td><td>-24.98</td><td>54.42</td><td>37.55</td><td>17.67</td><td>66.32</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	43.32	68.30	-24.98	54.42	37.55	17.67	66.32	0.00	300	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>44.12</td><td>68.30</td><td>-24.18</td><td>55.22</td><td>37.55</td><td>17.67</td><td>66.32</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	44.12	68.30	-24.18	55.22	37.55	17.67	66.32	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10500.00	43.32	68.30	-24.98	54.42	37.55	17.67	66.32	0.00	300	0	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10500.00	44.12	68.30	-24.18	55.22	37.55	17.67	66.32	0.00	100	0	PEAK																																																																																								



Mode	72																																																																																																																																																																																	
	Band Edge - L																																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																																																																	
ANT	CDD 9+11																																																																																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																																																																																
Peak	Data: 4 Site : 03CH08-KS Condition : 5G BAND 4 3m CBL 6111D 49922 HORIZONTAL Project : mode : IMEI : : WIFI <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>36.79</td><td>21.71</td><td>-18.29</td><td>40.00</td><td>31.33</td><td>21.20</td><td>0.58</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>107.60</td><td>21.21</td><td>-22.29</td><td>43.50</td><td>34.53</td><td>16.57</td><td>1.51</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>163.86</td><td>25.70</td><td>-17.80</td><td>43.50</td><td>39.43</td><td>15.82</td><td>1.85</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>200.72</td><td>27.21</td><td>-16.29</td><td>43.50</td><td>41.76</td><td>14.78</td><td>2.07</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>242.43</td><td>28.60</td><td>-17.40</td><td>46.00</td><td>40.35</td><td>17.39</td><td>2.26</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>793.39</td><td>29.76</td><td>-16.24</td><td>46.00</td><td>29.00</td><td>27.97</td><td>4.09</td><td>31.30</td><td>---</td><td>--- Peak</td></tr></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	36.79	21.71	-18.29	40.00	31.33	21.20	0.58	31.40	---	--- Peak	2	107.60	21.21	-22.29	43.50	34.53	16.57	1.51	31.40	---	--- Peak	3	163.86	25.70	-17.80	43.50	39.43	15.82	1.85	31.40	---	--- Peak	4	200.72	27.21	-16.29	43.50	41.76	14.78	2.07	31.40	---	--- Peak	5	242.43	28.60	-17.40	46.00	40.35	17.39	2.26	31.40	---	--- Peak	6	793.39	29.76	-16.24	46.00	29.00	27.97	4.09	31.30	---	--- Peak	Data: 3 Site : 03CH08-KS Condition : 5G BAND 4 3m CBL 6111D 49922 VERTICAL Project : mode : IMEI : : WIFI <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>36.79</td><td>25.06</td><td>-14.94</td><td>40.00</td><td>34.68</td><td>21.20</td><td>0.58</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>86.26</td><td>24.83</td><td>-15.17</td><td>40.00</td><td>40.86</td><td>14.10</td><td>1.27</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>165.80</td><td>28.10</td><td>-15.40</td><td>43.50</td><td>41.98</td><td>15.66</td><td>1.86</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>204.60</td><td>27.68</td><td>-15.82</td><td>43.50</td><td>42.11</td><td>14.88</td><td>2.09</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>257.95</td><td>26.43</td><td>-19.57</td><td>46.00</td><td>35.86</td><td>19.63</td><td>2.34</td><td>31.40</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>684.75</td><td>28.44</td><td>-17.56</td><td>46.00</td><td>29.58</td><td>26.41</td><td>3.82</td><td>31.37</td><td>---</td><td>--- Peak</td></tr></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	36.79	25.06	-14.94	40.00	34.68	21.20	0.58	31.40	---	--- Peak	2	86.26	24.83	-15.17	40.00	40.86	14.10	1.27	31.40	---	--- Peak	3	165.80	28.10	-15.40	43.50	41.98	15.66	1.86	31.40	---	--- Peak	4	204.60	27.68	-15.82	43.50	42.11	14.88	2.09	31.40	---	--- Peak	5	257.95	26.43	-19.57	46.00	35.86	19.63	2.34	31.40	---	--- Peak	6	684.75	28.44	-17.56	46.00	29.58	26.41	3.82	31.37	---	--- Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	36.79	21.71	-18.29	40.00	31.33	21.20	0.58	31.40	---	--- Peak																																																																																																																																																																								
2	107.60	21.21	-22.29	43.50	34.53	16.57	1.51	31.40	---	--- Peak																																																																																																																																																																								
3	163.86	25.70	-17.80	43.50	39.43	15.82	1.85	31.40	---	--- Peak																																																																																																																																																																								
4	200.72	27.21	-16.29	43.50	41.76	14.78	2.07	31.40	---	--- Peak																																																																																																																																																																								
5	242.43	28.60	-17.40	46.00	40.35	17.39	2.26	31.40	---	--- Peak																																																																																																																																																																								
6	793.39	29.76	-16.24	46.00	29.00	27.97	4.09	31.30	---	--- Peak																																																																																																																																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	36.79	25.06	-14.94	40.00	34.68	21.20	0.58	31.40	---	--- Peak																																																																																																																																																																								
2	86.26	24.83	-15.17	40.00	40.86	14.10	1.27	31.40	---	--- Peak																																																																																																																																																																								
3	165.80	28.10	-15.40	43.50	41.98	15.66	1.86	31.40	---	--- Peak																																																																																																																																																																								
4	204.60	27.68	-15.82	43.50	42.11	14.88	2.09	31.40	---	--- Peak																																																																																																																																																																								
5	257.95	26.43	-19.57	46.00	35.86	19.63	2.34	31.40	---	--- Peak																																																																																																																																																																								
6	684.75	28.44	-17.56	46.00	29.58	26.41	3.82	31.37	---	--- Peak																																																																																																																																																																								







		73																																																																																										
Mode		Band Edge - L																																																																																										
		U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																										
ANT		9+11																																																																																										
Pol.		Horizontal						Fundamental																																																																																				
Peak																																																																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.78	60.16	74.00	-13.84	42.60	34.39	12.48	29.31	0.00	100	113	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>108.60</td><td>-----</td><td>-----</td><td>90.93</td><td>34.47</td><td>12.54</td><td>29.34</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	108.60	-----	-----	90.93	34.47	12.54	29.34	0.00	100	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5145.78	60.16	74.00	-13.84	42.60	34.39	12.48	29.31	0.00	100	113	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5190.00	108.60	-----	-----	90.93	34.47	12.54	29.34	0.00	100	113	PEAK																																																																																
Avg																																																																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	49.31	54.00	-4.69	31.74	34.40	12.48	29.31	0.00	100	113	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>99.37</td><td>-----</td><td>-----</td><td>81.70</td><td>34.47</td><td>12.55</td><td>29.35</td><td>0.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	99.37	-----	-----	81.70	34.47	12.55	29.35	0.00	100	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5149.90	49.31	54.00	-4.69	31.74	34.40	12.48	29.31	0.00	100	113	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5190.00	99.37	-----	-----	81.70	34.47	12.55	29.35	0.00	100	113	AVERAGE																																																																																





Mode	73																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																							
ANT	9+11																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5412.16</td><td>57.59</td><td>74.00</td><td>-16.41</td><td>39.60</td><td>34.51</td><td>13.06</td><td>29.58</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5412.16	57.59	74.00	-16.41	39.60	34.51	13.06	29.58	0.00	100	113	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5412.16	57.59	74.00	-16.41	39.60	34.51	13.06	29.58	0.00	100	113	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.92</td><td>46.57</td><td>54.00</td><td>-7.43</td><td>28.49</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.92	46.57	54.00	-7.43	28.49	34.53	13.17	29.62	0.00	100	113	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5458.92	46.57	54.00	-7.43	28.49	34.53	13.17	29.62	0.00	100	113	AVERAGE																																												





	73																																																																																																																						
Mode	Band Edge - L																																																																																																																						
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																																						
ANT	9+11																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.86</td><td>60.89</td><td>74.00</td><td>-13.11</td><td>43.32</td><td>34.40</td><td>12.48</td><td>29.31</td><td>0.00</td><td>384</td><td>31 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.86	60.89	74.00	-13.11	43.32	34.40	12.48	29.31	0.00	384	31 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>105.71</td><td>-----</td><td>-----</td><td>88.05</td><td>34.46</td><td>12.54</td><td>29.34</td><td>0.00</td><td>384</td><td>31 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	105.71	-----	-----	88.05	34.46	12.54	29.34	0.00	384
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5148.86	60.89	74.00	-13.11	43.32	34.40	12.48	29.31	0.00	384	31 PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5190.00	105.71	-----	-----	88.05	34.46	12.54	29.34	0.00	384	31 PEAK																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5150.00</td><td>48.72</td><td>54.00</td><td>-5.28</td><td>31.15</td><td>34.40</td><td>12.48</td><td>29.31</td><td>0.00</td><td>384</td><td>31 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5150.00	48.72	54.00	-5.28	31.15	34.40	12.48	29.31	0.00	384	31 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>96.63</td><td>-----</td><td>-----</td><td>78.97</td><td>34.46</td><td>12.54</td><td>29.34</td><td>0.00</td><td>384</td><td>31 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	96.63	-----	-----	78.97	34.46	12.54	29.34	0.00	384
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5150.00	48.72	54.00	-5.28	31.15	34.40	12.48	29.31	0.00	384	31 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5190.00	96.63	-----	-----	78.97	34.46	12.54	29.34	0.00	384	31 AVERAGE																																																																																																												







Mode	73																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																					
ANT	9+11																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5416.44</td><td>58.19</td><td>74.00</td><td>-15.81</td><td>40.19</td><td>34.51</td><td>13.07</td><td>29.58</td><td>0.00</td><td>384</td><td>31 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.44	58.19	74.00	-15.81	40.19	34.51	13.07	29.58	0.00	384	31 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5416.44	58.19	74.00	-15.81	40.19	34.51	13.07	29.58	0.00	384	31 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.52</td><td>46.54</td><td>54.00</td><td>-7.46</td><td>28.46</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>384</td><td>31 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.52	46.54	54.00	-7.46	28.46	34.53	13.17	29.62	0.00	384	31 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5458.52	46.54	54.00	-7.46	28.46	34.53	13.17	29.62	0.00	384	31 AVERAGE																																											





Mode	73																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																			
ANT	9+11																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10300.00</td><td>43.65</td><td>68.30</td><td>-24.65</td><td>55.12</td><td>37.42</td><td>17.57</td><td>66.46</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10300.00	43.65	68.30	-24.65	55.12	37.42	17.57	66.46	0.00	300	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10300.00</td><td>43.57</td><td>68.30</td><td>-24.73</td><td>55.04</td><td>37.42</td><td>17.57</td><td>66.46</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10300.00	43.57	68.30	-24.73	55.04	37.42	17.57	66.46	0.00	100	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10300.00	43.65	68.30	-24.65	55.12	37.42	17.57	66.46	0.00	300	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10300.00	43.57	68.30	-24.73	55.04	37.42	17.57	66.46	0.00	100	360	PEAK																																																																																								







Mode	74																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																																												
ANT	9+11																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5013.46</td><td>59.16</td><td>74.00</td><td>-14.84</td><td>41.90</td><td>34.13</td><td>12.34</td><td>29.21</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5013.46	59.16	74.00	-14.84	41.90	34.13	12.34	29.21	0.00	100	114 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>108.69</td><td>-----</td><td>-----</td><td>90.97</td><td>34.50</td><td>12.60</td><td>29.38</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	108.69	-----	-----	90.97	34.50	12.60	29.38	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5013.46	59.16	74.00	-14.84	41.90	34.13	12.34	29.21	0.00	100	114 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5230.00	108.69	-----	-----	90.97	34.50	12.60	29.38	0.00	100	114 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5007.01</td><td>47.49</td><td>54.00</td><td>-6.51</td><td>30.25</td><td>34.11</td><td>12.33</td><td>29.20</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5007.01	47.49	54.00	-6.51	30.25	34.11	12.33	29.20	0.00	100	114 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>99.29</td><td>-----</td><td>-----</td><td>81.57</td><td>34.50</td><td>12.62</td><td>29.40</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	99.29	-----	-----	81.57	34.50	12.62	29.40	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5007.01	47.49	54.00	-6.51	30.25	34.11	12.33	29.20	0.00	100	114 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5230.00	99.29	-----	-----	81.57	34.50	12.62	29.40	0.00	100	114 AVERAGE																																																																																																		





Mode	74																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																					
ANT	9+11																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.66</td><td>57.43</td><td>74.00</td><td>-16.57</td><td>39.35</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.66	57.43	74.00	-16.57	39.35	34.53	13.17	29.62	0.00	100	114 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5459.66	57.43	74.00	-16.57	39.35	34.53	13.17	29.62	0.00	100	114 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.40</td><td>46.53</td><td>54.00</td><td>-7.47</td><td>28.45</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.40	46.53	54.00	-7.47	28.45	34.53	13.17	29.62	0.00	100	114 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5459.40	46.53	54.00	-7.47	28.45	34.53	13.17	29.62	0.00	100	114 AVERAGE																																											







Mode	74																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																																														
ANT	9+11																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5007.48</td><td>59.40</td><td>74.00</td><td>-14.60</td><td>42.15</td><td>34.11</td><td>12.34</td><td>29.20</td><td>0.00</td><td>339</td><td>82</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5007.48	59.40	74.00	-14.60	42.15	34.11	12.34	29.20	0.00	339	82	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>105.21</td><td>-----</td><td>-----</td><td>87.49</td><td>34.50</td><td>12.62</td><td>29.40</td><td>0.00</td><td>339</td><td>82</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	105.21	-----	-----	87.49	34.50	12.62	29.40	0.00	339	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5007.48	59.40	74.00	-14.60	42.15	34.11	12.34	29.20	0.00	339	82	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5230.00	105.21	-----	-----	87.49	34.50	12.62	29.40	0.00	339	82	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5011.61</td><td>47.45</td><td>54.00</td><td>-6.55</td><td>30.20</td><td>34.12</td><td>12.34</td><td>29.21</td><td>0.00</td><td>339</td><td>82</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5011.61	47.45	54.00	-6.55	30.20	34.12	12.34	29.21	0.00	339	82	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>96.79</td><td>-----</td><td>-----</td><td>79.07</td><td>34.50</td><td>12.62</td><td>29.40</td><td>0.00</td><td>339</td><td>82</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	96.79	-----	-----	79.07	34.50	12.62	29.40	0.00	339	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5011.61	47.45	54.00	-6.55	30.20	34.12	12.34	29.21	0.00	339	82	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5230.00	96.79	-----	-----	79.07	34.50	12.62	29.40	0.00	339	82	AVERAGE																																																																																																			





Mode	74																																																							
	Harmonic																																																							
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																							
ANT	9+11																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>44.85</td><td>68.30</td><td>-23.45</td><td>56.06</td><td>37.51</td><td>17.64</td><td>66.36</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	44.85	68.30	-23.45	56.06	37.51	17.64	66.36	0.00	300	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10460.00	44.85	68.30	-23.45	56.06	37.51	17.64	66.36	0.00	300	0	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>43.75</td><td>68.30</td><td>-24.55</td><td>54.96</td><td>37.51</td><td>17.64</td><td>66.36</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	43.75	68.30	-24.55	54.96	37.51	17.64	66.36	0.00	100	0	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10460.00	43.75	68.30	-24.55	54.96	37.51	17.64	66.36	0.00	100	0	PEAK																																												







Mode	75																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																																														
ANT	9+11																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5004.92</td><td>59.45</td><td>74.00</td><td>-14.55</td><td>42.04</td><td>34.27</td><td>12.39</td><td>29.25</td><td>0.00</td><td>101</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5004.92	59.45	74.00	-14.55	42.04	34.27	12.39	29.25	0.00	101	116	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>108.64</td><td>-----</td><td>-----</td><td>90.90</td><td>34.50</td><td>12.68</td><td>29.44</td><td>0.00</td><td>101</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	108.64	-----	-----	90.90	34.50	12.68	29.44	0.00	101	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5004.92	59.45	74.00	-14.55	42.04	34.27	12.39	29.25	0.00	101	116	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5270.00	108.64	-----	-----	90.90	34.50	12.68	29.44	0.00	101	116	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5003.64</td><td>47.66</td><td>54.00</td><td>-6.34</td><td>30.42</td><td>34.11</td><td>12.33</td><td>29.20</td><td>0.00</td><td>101</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5003.64	47.66	54.00	-6.34	30.42	34.11	12.33	29.20	0.00	101	116	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>99.76</td><td>-----</td><td>-----</td><td>82.03</td><td>34.50</td><td>12.66</td><td>29.43</td><td>0.00</td><td>101</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	99.76	-----	-----	82.03	34.50	12.66	29.43	0.00	101	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5003.64	47.66	54.00	-6.34	30.42	34.11	12.33	29.20	0.00	101	116	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5270.00	99.76	-----	-----	82.03	34.50	12.66	29.43	0.00	101	116	AVERAGE																																																																																																			



Mode	75																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																							
ANT	9+11																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5375.17</td><td>57.38</td><td>74.00</td><td>-16.62</td><td>39.48</td><td>34.50</td><td>12.95</td><td>29.55</td><td>0.00</td><td>101</td><td>116</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.17	57.38	74.00	-16.62	39.48	34.50	12.95	29.55	0.00	101	116	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5375.17	57.38	74.00	-16.62	39.48	34.50	12.95	29.55	0.00	101	116	PEAK																																												
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.11</td><td>46.53</td><td>54.00</td><td>-7.47</td><td>28.45</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>101</td><td>116</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.11	46.53	54.00	-7.47	28.45	34.53	13.17	29.62	0.00	101	116	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5459.11	46.53	54.00	-7.47	28.45	34.53	13.17	29.62	0.00	101	116	AVERAGE																																												





Mode	75																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																																		
ANT	9+11																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5066.29</td><td>59.84</td><td>74.00</td><td>-14.16</td><td>42.47</td><td>34.23</td><td>12.38</td><td>29.24</td><td>0.00</td><td>374</td><td>64</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5066.29	59.84	74.00	-14.16	42.47	34.23	12.38	29.24	0.00	374	64	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>106.31</td><td>-----</td><td>-----</td><td>88.58</td><td>34.50</td><td>12.66</td><td>29.43</td><td>0.00</td><td>374</td><td>64</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	106.31	-----	-----	88.58	34.50	12.66	29.43	0.00	374	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5066.29	59.84	74.00	-14.16	42.47	34.23	12.38	29.24	0.00	374	64	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5270.00	106.31	-----	-----	88.58	34.50	12.66	29.43	0.00	374	64	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5021.96</td><td>47.61</td><td>54.00</td><td>-6.39</td><td>30.33</td><td>34.14</td><td>12.35</td><td>29.21</td><td>0.00</td><td>374</td><td>64</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5021.96	47.61	54.00	-6.39	30.33	34.14	12.35	29.21	0.00	374	64	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>97.13</td><td>-----</td><td>-----</td><td>79.40</td><td>34.50</td><td>12.66</td><td>29.43</td><td>0.00</td><td>374</td><td>64</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	97.13	-----	-----	79.40	34.50	12.66	29.43	0.00	374	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5021.96	47.61	54.00	-6.39	30.33	34.14	12.35	29.21	0.00	374	64	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5270.00	97.13	-----	-----	79.40	34.50	12.66	29.43	0.00	374	64	AVERAGE																																																																																							







Mode	75										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz										
ANT	9+11										
Pol.	Vertical										
Peak	Level (dBuV/m) </										



Mode	75																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																																		
ANT	9+11																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>45.51</td><td>68.30</td><td>-22.79</td><td>56.49</td><td>37.59</td><td>17.70</td><td>66.27</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	45.51	68.30	-22.79	56.49	37.59	17.70	66.27	0.00	300	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>44.69</td><td>68.30</td><td>-23.61</td><td>55.67</td><td>37.59</td><td>17.70</td><td>66.27</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	44.69	68.30	-23.61	55.67	37.59	17.70	66.27	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10540.00	45.51	68.30	-22.79	56.49	37.59	17.70	66.27	0.00	300	0	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10540.00	44.69	68.30	-23.61	55.67	37.59	17.70	66.27	0.00	100	0	PEAK																																																																																							







Mode	76																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																														
ANT	9+11																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5033.96</td><td>59.77</td><td>74.00</td><td>-14.23</td><td>42.47</td><td>34.17</td><td>12.35</td><td>29.22</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5033.96	59.77	74.00	-14.23	42.47	34.17	12.35	29.22	0.00	100	113	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>108.56</td><td>-----</td><td>-----</td><td>90.79</td><td>34.50</td><td>12.75</td><td>29.48</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	108.56	-----	-----	90.79	34.50	12.75	29.48	0.00	100	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5033.96	59.77	74.00	-14.23	42.47	34.17	12.35	29.22	0.00	100	113	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	108.56	-----	-----	90.79	34.50	12.75	29.48	0.00	100	113	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5007.30</td><td>47.63</td><td>54.00</td><td>-6.37</td><td>30.38</td><td>34.11</td><td>12.34</td><td>29.20</td><td>0.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5007.30	47.63	54.00	-6.37	30.38	34.11	12.34	29.20	0.00	100	113	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>99.31</td><td>-----</td><td>-----</td><td>81.57</td><td>34.50</td><td>12.71</td><td>29.47</td><td>0.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	99.31	-----	-----	81.57	34.50	12.71	29.47	0.00	100	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5007.30	47.63	54.00	-6.37	30.38	34.11	12.34	29.20	0.00	100	113	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	99.31	-----	-----	81.57	34.50	12.71	29.47	0.00	100	113	AVERAGE																																																																																																			





Mode	76																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																					
ANT	9+11																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.23</td><td>58.48</td><td>74.00</td><td>-15.52</td><td>40.62</td><td>34.50</td><td>12.88</td><td>29.52</td><td>0.00</td><td>100</td><td>113 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.23	58.48	74.00	-15.52	40.62	34.50	12.88	29.52	0.00	100	113 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5352.23	58.48	74.00	-15.52	40.62	34.50	12.88	29.52	0.00	100	113 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.91</td><td>48.59</td><td>54.00</td><td>-5.41</td><td>30.73</td><td>34.50</td><td>12.88</td><td>29.52</td><td>0.00</td><td>100</td><td>113 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.91	48.59	54.00	-5.41	30.73	34.50	12.88	29.52	0.00	100	113 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5352.91	48.59	54.00	-5.41	30.73	34.50	12.88	29.52	0.00	100	113 AVERAGE																																											





Mode	76																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																														
ANT	9+11																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5064.65</td><td>59.10</td><td>74.00</td><td>-14.90</td><td>41.73</td><td>34.23</td><td>12.38</td><td>29.24</td><td>0.00</td><td>368</td><td>78</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5064.65	59.10	74.00	-14.90	41.73	34.23	12.38	29.24	0.00	368	78	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>104.71</td><td>-----</td><td>-----</td><td>86.97</td><td>34.50</td><td>12.71</td><td>29.47</td><td>0.00</td><td>368</td><td>78</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	104.71	-----	-----	86.97	34.50	12.71	29.47	0.00	368	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5064.65	59.10	74.00	-14.90	41.73	34.23	12.38	29.24	0.00	368	78	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	104.71	-----	-----	86.97	34.50	12.71	29.47	0.00	368	78	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5011.02</td><td>47.62</td><td>54.00</td><td>-6.38</td><td>30.37</td><td>34.12</td><td>12.34</td><td>29.21</td><td>0.00</td><td>368</td><td>78</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5011.02	47.62	54.00	-6.38	30.37	34.12	12.34	29.21	0.00	368	78	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>95.82</td><td>-----</td><td>-----</td><td>78.07</td><td>34.50</td><td>12.73</td><td>29.48</td><td>0.00</td><td>368</td><td>78</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	95.82	-----	-----	78.07	34.50	12.73	29.48	0.00	368	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5011.02	47.62	54.00	-6.38	30.37	34.12	12.34	29.21	0.00	368	78	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	95.82	-----	-----	78.07	34.50	12.73	29.48	0.00	368	78	AVERAGE																																																																																																			







Mode	76																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																					
ANT	9+11																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5415.68</td><td>57.08</td><td>74.00</td><td>-16.92</td><td>39.08</td><td>34.51</td><td>13.07</td><td>29.58</td><td>0.00</td><td>368</td><td>78 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5415.68	57.08	74.00	-16.92	39.08	34.51	13.07	29.58	0.00	368	78 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5415.68	57.08	74.00	-16.92	39.08	34.51	13.07	29.58	0.00	368	78 PEAK																																											
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.81</td><td>46.46</td><td>54.00</td><td>-7.54</td><td>28.38</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>368</td><td>78 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.81	46.46	54.00	-7.54	28.38	34.53	13.17	29.62	0.00	368	78 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5458.81	46.46	54.00	-7.54	28.38	34.53	13.17	29.62	0.00	368	78 AVERAGE																																											




Mode	76																																																							
	Harmonic																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																							
ANT	9+11																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>56.31</td><td>37.68</td><td>17.77</td><td>66.17</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	45.59	74.00	-28.41	56.31	37.68	17.77	66.17	0.00	300	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10620.00	45.59	74.00	-28.41	56.31	37.68	17.77	66.17	0.00	300	0	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>44.24</td><td>74.00</td><td>-29.76</td><td>54.96</td><td>37.68</td><td>17.77</td><td>66.17</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	44.24	74.00	-29.76	54.96	37.68	17.77	66.17	0.00	100	0	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10620.00	44.24	74.00	-29.76	54.96	37.68	17.77	66.17	0.00	100	0	PEAK																																												







Mode	77																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																
ANT	9+11																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.77</td><td>59.04</td><td>74.00</td><td>-14.96</td><td>40.96</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>100</td><td>232</td><td>PEAK</td></tr><tr><td>2</td><td>5467.05</td><td>59.85</td><td>68.30</td><td>-8.45</td><td>41.75</td><td>34.53</td><td>13.19</td><td>29.62</td><td>0.00</td><td>100</td><td>232</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.77	59.04	74.00	-14.96	40.96	34.53	13.17	29.62	0.00	100	232	PEAK	2	5467.05	59.85	68.30	-8.45	41.75	34.53	13.19	29.62	0.00	100	232	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>106.40</td><td>-----</td><td>-----</td><td>88.24</td><td>34.55</td><td>13.25</td><td>29.64</td><td>0.00</td><td>100</td><td>232</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.40	-----	-----	88.24	34.55	13.25	29.64	0.00	100	232	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.77	59.04	74.00	-14.96	40.96	34.53	13.17	29.62	0.00	100	232	PEAK																																																																																																					
2	5467.05	59.85	68.30	-8.45	41.75	34.53	13.19	29.62	0.00	100	232	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	106.40	-----	-----	88.24	34.55	13.25	29.64	0.00	100	232	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.17</td><td>47.49</td><td>54.00</td><td>-6.51</td><td>29.41</td><td>34.53</td><td>13.16</td><td>29.61</td><td>0.00</td><td>100</td><td>232</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.17	47.49	54.00	-6.51	29.41	34.53	13.16	29.61	0.00	100	232	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>96.99</td><td>-----</td><td>-----</td><td>78.85</td><td>34.56</td><td>13.25</td><td>29.67</td><td>0.00</td><td>100</td><td>232</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.99	-----	-----	78.85	34.56	13.25	29.67	0.00	100	232	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.17	47.49	54.00	-6.51	29.41	34.53	13.16	29.61	0.00	100	232	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	96.99	-----	-----	78.85	34.56	13.25	29.67	0.00	100	232	AVERAGE																																																																																																					



Mode	77																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_ 5510MHz																																																							
ANT	9+11																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5756.21</td><td>57.93</td><td>68.30</td><td>-10.37</td><td>38.83</td><td>34.90</td><td>13.98</td><td>29.78</td><td>0.00</td><td>100</td><td>232</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5756.21	57.93	68.30	-10.37	38.83	34.90	13.98	29.78	0.00	100	232	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5756.21	57.93	68.30	-10.37	38.83	34.90	13.98	29.78	0.00	100	232	PEAK																																												





Mode	77																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_ 5510MHz																																																																																																																
ANT	9+11																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.49</td><td>57.39</td><td>74.00</td><td>-16.61</td><td>39.31</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>300</td><td>95</td><td>PEAK</td></tr><tr><td>2</td><td>5467.37</td><td>57.67</td><td>68.30</td><td>-10.63</td><td>39.57</td><td>34.53</td><td>13.19</td><td>29.62</td><td>0.00</td><td>300</td><td>95</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.49	57.39	74.00	-16.61	39.31	34.53	13.17	29.62	0.00	300	95	PEAK	2	5467.37	57.67	68.30	-10.63	39.57	34.53	13.19	29.62	0.00	300	95	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>100.62</td><td>-----</td><td>-----</td><td>82.47</td><td>34.55</td><td>13.26</td><td>29.66</td><td>0.00</td><td>300</td><td>95</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.62	-----	-----	82.47	34.55	13.26	29.66	0.00	300	95	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.49	57.39	74.00	-16.61	39.31	34.53	13.17	29.62	0.00	300	95	PEAK																																																																																																					
2	5467.37	57.67	68.30	-10.63	39.57	34.53	13.19	29.62	0.00	300	95	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	100.62	-----	-----	82.47	34.55	13.26	29.66	0.00	300	95	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.52</td><td>46.62</td><td>54.00</td><td>-7.38</td><td>28.54</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>300</td><td>95</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.52	46.62	54.00	-7.38	28.54	34.53	13.17	29.62	0.00	300	95	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>91.93</td><td>-----</td><td>-----</td><td>73.78</td><td>34.55</td><td>13.26</td><td>29.66</td><td>0.00</td><td>300</td><td>95</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	91.93	-----	-----	73.78	34.55	13.26	29.66	0.00	300	95	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.52	46.62	54.00	-7.38	28.54	34.53	13.17	29.62	0.00	300	95	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	91.93	-----	-----	73.78	34.55	13.26	29.66	0.00	300	95	AVERAGE																																																																																																					







Mode	77																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_ 5510MHz																																																					
ANT	9+11																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5740.40</td><td>57.68</td><td>68.30</td><td>-10.62</td><td>38.76</td><td>34.87</td><td>13.84</td><td>29.79</td><td>0.00</td><td>300</td><td>95 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5740.40	57.68	68.30	-10.62	38.76	34.87	13.84	29.79	0.00	300	95 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5740.40	57.68	68.30	-10.62	38.76	34.87	13.84	29.79	0.00	300	95 PEAK																																											




Mode	77																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																			
ANT	9+11																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.25</td><td>74.00</td><td>-29.75</td><td>53.76</td><td>38.11</td><td>18.10</td><td>65.72</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.27</td><td>74.00</td><td>-29.73</td><td>53.78</td><td>38.11</td><td>18.10</td><td>65.72</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	44.25	74.00	-29.75	53.76	38.11	18.10	65.72	0.00	300	0	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	44.27	74.00	-29.73	53.78	38.11	18.10	65.72	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11020.00	44.25	74.00	-29.75	53.76	38.11	18.10	65.72	0.00	300	0	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11020.00	44.27	74.00	-29.73	53.78	38.11	18.10	65.72	0.00	100	0	PEAK																																																																																								







Mode	78																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																															
ANT	9+11																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.91</td><td>57.62</td><td>74.00</td><td>-16.38</td><td>39.54</td><td>34.53</td><td>13.16</td><td>29.61</td><td>0.00</td><td>300</td><td>245</td><td>PEAK</td></tr><tr><td>2</td><td>5467.71</td><td>57.19</td><td>68.30</td><td>-11.11</td><td>39.09</td><td>34.53</td><td>13.19</td><td>29.62</td><td>0.00</td><td>300</td><td>245</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.91	57.62	74.00	-16.38	39.54	34.53	13.16	29.61	0.00	300	245	PEAK	2	5467.71	57.19	68.30	-11.11	39.09	34.53	13.19	29.62	0.00	300	245	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>107.08</td><td>-----</td><td>-----</td><td>88.99</td><td>34.57</td><td>13.22</td><td>29.70</td><td>0.00</td><td>300</td><td>245</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	107.08	-----	-----	88.99	34.57	13.22	29.70	0.00	300	245
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5452.91	57.62	74.00	-16.38	39.54	34.53	13.16	29.61	0.00	300	245	PEAK																																																																																																				
2	5467.71	57.19	68.30	-11.11	39.09	34.53	13.19	29.62	0.00	300	245	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	107.08	-----	-----	88.99	34.57	13.22	29.70	0.00	300	245	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.99</td><td>46.61</td><td>54.00</td><td>-7.39</td><td>28.53</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>300</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.99	46.61	54.00	-7.39	28.53	34.53	13.17	29.62	0.00	300	245	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>97.16</td><td>-----</td><td>-----</td><td>79.07</td><td>34.57</td><td>13.22</td><td>29.70</td><td>0.00</td><td>300</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	97.16	-----	-----	79.07	34.57	13.22	29.70	0.00	300	245	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.99	46.61	54.00	-7.39	28.53	34.53	13.17	29.62	0.00	300	245	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	97.16	-----	-----	79.07	34.57	13.22	29.70	0.00	300	245	AVERAGE																																																																																																				




Mode	78																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																
ANT	9+11																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5738.67</td><td>57.42</td><td>68.30</td><td>-10.88</td><td>38.52</td><td>34.87</td><td>13.82</td><td>29.79</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>245</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5738.67	57.42	68.30	-10.88	38.52	34.87	13.82	29.79								0.00	300									245									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																									
1	5738.67	57.42	68.30	-10.88	38.52	34.87	13.82	29.79																																																									
							0.00	300																																																									
								245																																																									
								PEAK																																																									





Mode	78																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																															
ANT	9+11																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.91</td><td>57.60</td><td>74.00</td><td>-16.40</td><td>39.55</td><td>34.52</td><td>13.14</td><td>29.61</td><td>0.00</td><td>316</td><td>68</td><td>PEAK</td></tr><tr><td>2</td><td>5465.91</td><td>55.96</td><td>68.30</td><td>-12.34</td><td>37.86</td><td>34.53</td><td>13.19</td><td>29.62</td><td>0.00</td><td>316</td><td>68</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.91	57.60	74.00	-16.40	39.55	34.52	13.14	29.61	0.00	316	68	PEAK	2	5465.91	55.96	68.30	-12.34	37.86	34.53	13.19	29.62	0.00	316	68	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>101.33</td><td>-----</td><td>-----</td><td>83.25</td><td>34.58</td><td>13.21</td><td>29.71</td><td>0.00</td><td>316</td><td>68</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	101.33	-----	-----	83.25	34.58	13.21	29.71	0.00	316	68
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5443.91	57.60	74.00	-16.40	39.55	34.52	13.14	29.61	0.00	316	68	PEAK																																																																																																				
2	5465.91	55.96	68.30	-12.34	37.86	34.53	13.19	29.62	0.00	316	68	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	101.33	-----	-----	83.25	34.58	13.21	29.71	0.00	316	68	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.40</td><td>46.52</td><td>54.00</td><td>-7.48</td><td>28.44</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>316</td><td>68</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.40	46.52	54.00	-7.48	28.44	34.53	13.17	29.62	0.00	316	68	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>92.55</td><td>-----</td><td>-----</td><td>74.47</td><td>34.58</td><td>13.21</td><td>29.71</td><td>0.00</td><td>316</td><td>68</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	92.55	-----	-----	74.47	34.58	13.21	29.71	0.00	316	68	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.40	46.52	54.00	-7.48	28.44	34.53	13.17	29.62	0.00	316	68	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	92.55	-----	-----	74.47	34.58	13.21	29.71	0.00	316	68	AVERAGE																																																																																																				



Mode	78																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																							
ANT	9+11																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.34</td><td>58.04</td><td>68.30</td><td>-10.26</td><td>39.26</td><td>34.84</td><td>13.73</td><td>29.79</td><td>0.00</td><td>316</td><td>68</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.34	58.04	68.30	-10.26	39.26	34.84	13.73	29.79	0.00	316	68	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5728.34	58.04	68.30	-10.26	39.26	34.84	13.73	29.79	0.00	316	68	PEAK																																												



Mode	78																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																		
ANT	9+11																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11100.00</td><td>44.27</td><td>74.00</td><td>-29.73</td><td>53.62</td><td>38.16</td><td>18.16</td><td>65.67</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	44.27	74.00	-29.73	53.62	38.16	18.16	65.67	0.00	300	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11100.00</td><td>45.67</td><td>74.00</td><td>-28.33</td><td>55.02</td><td>38.16</td><td>18.16</td><td>65.67</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	45.67	74.00	-28.33	55.02	38.16	18.16	65.67	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11100.00	44.27	74.00	-29.73	53.62	38.16	18.16	65.67	0.00	300	0	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11100.00	45.67	74.00	-28.33	55.02	38.16	18.16	65.67	0.00	100	0	PEAK																																																																																							

Mode

79

Band Edge - L

U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz

ANT

9+11

Pol.

Horizontal

Peak

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5350

5414

5478

5542

5606

5670

5448.73

57.32

74.00

-16.68

39.26

34.52

13.15

29.61

0.00

101

233

PEAK

5466.65

58.44

68.30

-9.86

40.34

34.53

13.19

29.62

0.00

101

233

PEAK

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

Fundamental

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

5670.00

108.04

89.74

34.72

13.37

29.79

0.00

101

233

PEAK

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

Avg

Horizontal

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5350

5414

5478

5542

5606

5670

5457.61

46.53

54.00

-7.47

28.45

34.53

13.17

29.62

0.00

101

233

AVERAGE

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

Fundamental

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

5670.00

98.17

79.89

34.71

13.35

29.78

0.00

101

233

AVERAGE

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB


dB

dB





cm

deg




Mode	79																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134 _5670MHz																																																							
ANT	9+11																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.15</td><td>59.06</td><td>68.30</td><td>-9.24</td><td>40.31</td><td>34.84</td><td>13.70</td><td>29.79</td><td>0.00</td><td>101</td><td>233</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.15	59.06	68.30	-9.24	40.31	34.84	13.70	29.79	0.00	101	233	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.15	59.06	68.30	-9.24	40.31	34.84	13.70	29.79	0.00	101	233	PEAK																																												





Mode	79																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																												
ANT	9+11																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.25</td><td>58.71</td><td>74.00</td><td>-15.29</td><td>40.63</td><td>34.53</td><td>13.16</td><td>29.61</td><td>0.00</td><td>287</td><td>92 PEAK</td></tr><tr><td>2</td><td>5464.73</td><td>56.55</td><td>68.30</td><td>-11.75</td><td>38.45</td><td>34.53</td><td>13.19</td><td>29.62</td><td>0.00</td><td>287</td><td>92 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.25	58.71	74.00	-15.29	40.63	34.53	13.16	29.61	0.00	287	92 PEAK	2	5464.73	56.55	68.30	-11.75	38.45	34.53	13.19	29.62	0.00	287	92 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>100.99</td><td>-----</td><td>-----</td><td>82.71</td><td>34.71</td><td>13.35</td><td>29.78</td><td>0.00</td><td>287</td><td>92 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.99	-----	-----	82.71	34.71	13.35	29.78	0.00	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5452.25	58.71	74.00	-15.29	40.63	34.53	13.16	29.61	0.00	287	92 PEAK																																																																																																		
2	5464.73	56.55	68.30	-11.75	38.45	34.53	13.19	29.62	0.00	287	92 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	100.99	-----	-----	82.71	34.71	13.35	29.78	0.00	287	92 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.50</td><td>46.49</td><td>54.00</td><td>-7.51</td><td>28.41</td><td>34.53</td><td>13.17</td><td>29.62</td><td>0.00</td><td>287</td><td>92 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.50	46.49	54.00	-7.51	28.41	34.53	13.17	29.62	0.00	287	92 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>92.56</td><td>-----</td><td>-----</td><td>74.24</td><td>34.73</td><td>13.38</td><td>29.79</td><td>0.00</td><td>287</td><td>92 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	92.56	-----	-----	74.24	34.73	13.38	29.79	0.00	287	92 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.50	46.49	54.00	-7.51	28.41	34.53	13.17	29.62	0.00	287	92 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	92.56	-----	-----	74.24	34.73	13.38	29.79	0.00	287	92 AVERAGE																																																																																																		







Mode	79																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134 _5670MHz																																																							
ANT	9+11																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.13</td><td>59.31</td><td>68.30</td><td>-8.99</td><td>40.48</td><td>34.85</td><td>13.77</td><td>29.79</td><td>0.00</td><td>287</td><td>92</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.13	59.31	68.30	-8.99	40.48	34.85	13.77	29.79	0.00	287	92	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5733.13	59.31	68.30	-8.99	40.48	34.85	13.77	29.79	0.00	287	92	PEAK																																												




Mode	79																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																		
ANT	9+11																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>43.91</td><td>74.00</td><td>-30.09</td><td>52.81</td><td>38.30</td><td>18.34</td><td>65.54</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	43.91	74.00	-30.09	52.81	38.30	18.34	65.54	0.00	300	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>54.18</td><td>38.30</td><td>18.34</td><td>65.54</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	45.28	74.00	-28.72	54.18	38.30	18.34	65.54	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11340.00	43.91	74.00	-30.09	52.81	38.30	18.34	65.54	0.00	300	0	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11340.00	45.28	74.00	-28.72	54.18	38.30	18.34	65.54	0.00	100	0	PEAK																																																																																							






Mode	80																																																																																														
	Band Edge - L																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																														
ANT	9+11																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.89</td><td>57.70</td><td>68.30</td><td>-10.60</td><td>39.58</td><td>34.65</td><td>13.24</td><td>29.77</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5650.69</td><td>56.79</td><td>68.81</td><td>-12.02</td><td>38.56</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr><tr><td>3</td><td>5716.72</td><td>64.19</td><td>109.98</td><td>-45.79</td><td>45.53</td><td>34.82</td><td>13.63</td><td>29.79</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>63.29</td><td>111.54</td><td>-48.25</td><td>44.60</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.89	57.70	68.30	-10.60	39.58	34.65	13.24	29.77	0.00	100	109	PEAK	2	5650.69	56.79	68.81	-12.02	38.56	34.69	13.32	29.78	0.00	100	109	PEAK	3	5716.72	64.19	109.98	-45.79	45.53	34.82	13.63	29.79	0.00	100	109	PEAK	4	5720.28	63.29	111.54	-48.25	44.60	34.82	13.66	29.79	0.00	100	109	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5625.89	57.70	68.30	-10.60	39.58	34.65	13.24	29.77	0.00	100	109	PEAK																																																																																			
2	5650.69	56.79	68.81	-12.02	38.56	34.69	13.32	29.78	0.00	100	109	PEAK																																																																																			
3	5716.72	64.19	109.98	-45.79	45.53	34.82	13.63	29.79	0.00	100	109	PEAK																																																																																			
4	5720.28	63.29	111.54	-48.25	44.60	34.82	13.66	29.79	0.00	100	109	PEAK																																																																																			
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>108.75</td><td>-----</td><td>-----</td><td>89.62</td><td>34.91</td><td>14.00</td><td>29.78</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	108.75	-----	-----	89.62	34.91	14.00	29.78	0.00	100	109	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5755.00	108.75	-----	-----	89.62	34.91	14.00	29.78	0.00	100	109	PEAK																																																																																			
Blank																																																																																															
																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.80</td><td>-----</td><td>-----</td><td>80.67</td><td>34.91</td><td>14.00</td><td>29.78</td><td>0.00</td><td>100</td><td>109</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.80	-----	-----	80.67	34.91	14.00	29.78	0.00	100	109	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5755.00	99.80	-----	-----	80.67	34.91	14.00	29.78	0.00	100	109	AVERAGE																																																																																			




Mode	80																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																														
ANT	9+11																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.06</td><td>58.25</td><td>113.04</td><td>-54.79</td><td>38.93</td><td>35.08</td><td>14.03</td><td>29.79</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5872.20</td><td>58.44</td><td>106.08</td><td>-47.64</td><td>39.20</td><td>35.11</td><td>13.92</td><td>29.79</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>56.32</td><td>68.56</td><td>-12.24</td><td>37.26</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>5928.55</td><td>58.35</td><td>68.30</td><td>-9.95</td><td>39.30</td><td>35.19</td><td>13.69</td><td>29.83</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.06	58.25	113.04	-54.79	38.93	35.08	14.03	29.79	0.00	100	109	PEAK	2	5872.20	58.44	106.08	-47.64	39.20	35.11	13.92	29.79	0.00	100	109	PEAK	3	5924.65	56.32	68.56	-12.24	37.26	35.19	13.69	29.82	0.00	100	109	PEAK	4	5928.55	58.35	68.30	-9.95	39.30	35.19	13.69	29.83	0.00	100	109	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.06	58.25	113.04	-54.79	38.93	35.08	14.03	29.79	0.00	100	109	PEAK																																																																																			
2	5872.20	58.44	106.08	-47.64	39.20	35.11	13.92	29.79	0.00	100	109	PEAK																																																																																			
3	5924.65	56.32	68.56	-12.24	37.26	35.19	13.69	29.82	0.00	100	109	PEAK																																																																																			
4	5928.55	58.35	68.30	-9.95	39.30	35.19	13.69	29.83	0.00	100	109	PEAK																																																																																			



Mode	80																																																																																									
	Band Edge - L																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																									
ANT	9+11																																																																																									
Pol.	Vertical																																																																																									
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5613.80</td><td>57.94</td><td>68.30</td><td>-10.36</td><td>39.89</td><td>34.62</td><td>13.20</td><td>29.77</td><td>0.00</td><td>279</td><td>81 PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>55.23</td><td>68.58</td><td>-13.35</td><td>37.00</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>279</td><td>81 PEAK</td></tr><tr><td>3</td><td>5706.18</td><td>58.69</td><td>107.03</td><td>-48.34</td><td>40.17</td><td>34.79</td><td>13.53</td><td>29.80</td><td>0.00</td><td>279</td><td>81 PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>59.15</td><td>111.54</td><td>-52.39</td><td>40.46</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>279</td><td>81 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5613.80	57.94	68.30	-10.36	39.89	34.62	13.20	29.77	0.00	279	81 PEAK	2	5650.38	55.23	68.58	-13.35	37.00	34.69	13.32	29.78	0.00	279	81 PEAK	3	5706.18	58.69	107.03	-48.34	40.17	34.79	13.53	29.80	0.00	279	81 PEAK	4	5720.28	59.15	111.54	-52.39	40.46	34.82	13.66	29.79	0.00	279	81 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5613.80	57.94	68.30	-10.36	39.89	34.62	13.20	29.77	0.00	279	81 PEAK																																																																															
2	5650.38	55.23	68.58	-13.35	37.00	34.69	13.32	29.78	0.00	279	81 PEAK																																																																															
3	5706.18	58.69	107.03	-48.34	40.17	34.79	13.53	29.80	0.00	279	81 PEAK																																																																															
4	5720.28	59.15	111.54	-52.39	40.46	34.82	13.66	29.79	0.00	279	81 PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>103.14</td><td>-----</td><td>-----</td><td>83.89</td><td>34.93</td><td>14.10</td><td>29.78</td><td>0.00</td><td>279</td><td>81 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	103.14	-----	-----	83.89	34.93	14.10	29.78	0.00	279	81 PEAK																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5755.00	103.14	-----	-----	83.89	34.93	14.10	29.78	0.00	279	81 PEAK																																																																															
Blank																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>94.70</td><td>-----</td><td>-----</td><td>75.57</td><td>34.91</td><td>14.00</td><td>29.78</td><td>0.00</td><td>279</td><td>81 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	94.70	-----	-----	75.57	34.91	14.00	29.78	0.00	279	81 AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5755.00	94.70	-----	-----	75.57	34.91	14.00	29.78	0.00	279	81 AVERAGE																																																																															






Mode	80																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																									
ANT	9+11																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>56.97</td><td>111.71</td><td>-54.74</td><td>37.65</td><td>35.00</td><td>14.03</td><td>29.79</td><td>0.00</td><td>279</td><td>81 PEAK</td></tr><tr><td>2</td><td>5871.03</td><td>58.25</td><td>106.41</td><td>-48.16</td><td>39.01</td><td>35.11</td><td>13.92</td><td>29.79</td><td>0.00</td><td>279</td><td>81 PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>57.43</td><td>68.85</td><td>-11.42</td><td>38.37</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>279</td><td>81 PEAK</td></tr><tr><td>4</td><td>5930.70</td><td>58.20</td><td>68.30</td><td>-10.10</td><td>39.15</td><td>35.20</td><td>13.68</td><td>29.83</td><td>0.00</td><td>279</td><td>81 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	56.97	111.71	-54.74	37.65	35.00	14.03	29.79	0.00	279	81 PEAK	2	5871.03	58.25	106.41	-48.16	39.01	35.11	13.92	29.79	0.00	279	81 PEAK	3	5924.26	57.43	68.85	-11.42	38.37	35.19	13.69	29.82	0.00	279	81 PEAK	4	5930.70	58.20	68.30	-10.10	39.15	35.20	13.68	29.83	0.00	279	81 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5854.65	56.97	111.71	-54.74	37.65	35.00	14.03	29.79	0.00	279	81 PEAK																																																																															
2	5871.03	58.25	106.41	-48.16	39.01	35.11	13.92	29.79	0.00	279	81 PEAK																																																																															
3	5924.26	57.43	68.85	-11.42	38.37	35.19	13.69	29.82	0.00	279	81 PEAK																																																																															
4	5930.70	58.20	68.30	-10.10	39.15	35.20	13.68	29.83	0.00	279	81 PEAK																																																																															




Mode	80	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz	
ANT	9+11	
Pol.	Horizontal	Vertical
Peak Avg		






Mode	81																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																								
ANT	9+11																																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5605.66</td><td>57.77</td><td>68.30</td><td>-10.53</td><td>39.75</td><td>34.61</td><td>13.17</td><td>29.76</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5650.70</td><td>57.21</td><td>68.82</td><td>-11.61</td><td>38.98</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>5703.74</td><td>57.61</td><td>106.35</td><td>-48.74</td><td>39.11</td><td>34.79</td><td>13.51</td><td>29.80</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>4</td><td>5720.51</td><td>56.28</td><td>112.06</td><td>-55.78</td><td>37.58</td><td>34.83</td><td>13.66</td><td>29.79</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5605.66	57.77	68.30	-10.53	39.75	34.61	13.17	29.76	0.00	100	110	PEAK	2	5650.70	57.21	68.82	-11.61	38.98	34.69	13.32	29.78	0.00	100	110	PEAK	3	5703.74	57.61	106.35	-48.74	39.11	34.79	13.51	29.80	0.00	100	110	PEAK	4	5720.51	56.28	112.06	-55.78	37.58	34.83	13.66	29.79	0.00	100	110	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>108.91</td><td>-----</td><td>-----</td><td>89.45</td><td>34.97</td><td>14.26</td><td>29.77</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	108.91	-----	-----	89.45	34.97	14.26	29.77	0.00	100	110	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5605.66	57.77	68.30	-10.53	39.75	34.61	13.17	29.76	0.00	100	110	PEAK																																																																																																																													
2	5650.70	57.21	68.82	-11.61	38.98	34.69	13.32	29.78	0.00	100	110	PEAK																																																																																																																													
3	5703.74	57.61	106.35	-48.74	39.11	34.79	13.51	29.80	0.00	100	110	PEAK																																																																																																																													
4	5720.51	56.28	112.06	-55.78	37.58	34.83	13.66	29.79	0.00	100	110	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	108.91	-----	-----	89.45	34.97	14.26	29.77	0.00	100	110	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.86</td><td>-----</td><td>-----</td><td>80.26</td><td>35.00</td><td>14.37</td><td>29.77</td><td>0.00</td><td>100</td><td>110</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	99.86	-----	-----	80.26	35.00	14.37	29.77	0.00	100	110	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	99.86	-----	-----	80.26	35.00	14.37	29.77	0.00	100	110	AVERAGE																																																																																																																													




Mode	81																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																														
ANT	9+11																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>57.57</td><td>110.93</td><td>-53.36</td><td>38.26</td><td>35.00</td><td>14.02</td><td>29.79</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5869.87</td><td>58.44</td><td>106.74</td><td>-48.30</td><td>39.20</td><td>35.10</td><td>13.93</td><td>29.79</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>5924.43</td><td>58.68</td><td>68.72</td><td>-10.04</td><td>39.62</td><td>35.19</td><td>13.69</td><td>29.82</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>4</td><td>5948.14</td><td>58.13</td><td>68.30</td><td>-10.17</td><td>39.10</td><td>35.22</td><td>13.65</td><td>29.84</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	57.57	110.93	-53.36	38.26	35.00	14.02	29.79	0.00	100	110	PEAK	2	5869.87	58.44	106.74	-48.30	39.20	35.10	13.93	29.79	0.00	100	110	PEAK	3	5924.43	58.68	68.72	-10.04	39.62	35.19	13.69	29.82	0.00	100	110	PEAK	4	5948.14	58.13	68.30	-10.17	39.10	35.22	13.65	29.84	0.00	100	110	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.99	57.57	110.93	-53.36	38.26	35.00	14.02	29.79	0.00	100	110	PEAK																																																																																			
2	5869.87	58.44	106.74	-48.30	39.20	35.10	13.93	29.79	0.00	100	110	PEAK																																																																																			
3	5924.43	58.68	68.72	-10.04	39.62	35.19	13.69	29.82	0.00	100	110	PEAK																																																																																			
4	5948.14	58.13	68.30	-10.17	39.10	35.22	13.65	29.84	0.00	100	110	PEAK																																																																																			





Mode	81																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																													
ANT	9+11																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5602.15</td><td>58.43</td><td>68.30</td><td>-9.87</td><td>40.43</td><td>34.60</td><td>13.16</td><td>29.76</td><td>0.00</td><td>290</td><td>80</td><td>PEAK</td></tr><tr><td>2</td><td>5650.12</td><td>56.84</td><td>68.39</td><td>-11.55</td><td>38.61</td><td>34.69</td><td>13.32</td><td>29.78</td><td>0.00</td><td>290</td><td>80</td><td>PEAK</td></tr><tr><td>3</td><td>5712.71</td><td>59.09</td><td>108.86</td><td>-49.77</td><td>40.49</td><td>34.81</td><td>13.59</td><td>29.80</td><td>0.00</td><td>290</td><td>80</td><td>PEAK</td></tr><tr><td>4</td><td>5720.32</td><td>55.54</td><td>111.62</td><td>-56.08</td><td>36.85</td><td>34.82</td><td>13.66</td><td>29.79</td><td>0.00</td><td>290</td><td>80</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5602.15	58.43	68.30	-9.87	40.43	34.60	13.16	29.76	0.00	290	80	PEAK	2	5650.12	56.84	68.39	-11.55	38.61	34.69	13.32	29.78	0.00	290	80	PEAK	3	5712.71	59.09	108.86	-49.77	40.49	34.81	13.59	29.80	0.00	290	80	PEAK	4	5720.32	55.54	111.62	-56.08	36.85	34.82	13.66	29.79	0.00	290	80	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.09</td><td>-----</td><td>-----</td><td>85.49</td><td>35.00</td><td>14.37</td><td>29.77</td><td>0.00</td><td>290</td><td>80</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	105.09	-----	-----	85.49	35.00	14.37	29.77	0.00	290	80	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	5602.15	58.43	68.30	-9.87	40.43	34.60	13.16	29.76	0.00	290	80	PEAK																																																																																																																																		
2	5650.12	56.84	68.39	-11.55	38.61	34.69	13.32	29.78	0.00	290	80	PEAK																																																																																																																																		
3	5712.71	59.09	108.86	-49.77	40.49	34.81	13.59	29.80	0.00	290	80	PEAK																																																																																																																																		
4	5720.32	55.54	111.62	-56.08	36.85	34.82	13.66	29.79	0.00	290	80	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5795.00	105.09	-----	-----	85.49	35.00	14.37	29.77	0.00	290	80	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.96</td><td>-----</td><td>-----</td><td>76.36</td><td>35.00</td><td>14.37</td><td>29.77</td><td>0.00</td><td>290</td><td>80</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	95.96	-----	-----	76.36	35.00	14.37	29.77	0.00	290	80	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5795.00	95.96	-----	-----	76.36	35.00	14.37	29.77	0.00	290	80	AVERAGE																																																																																																																																		





Mode	81																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																													
ANT	9+11																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>56.94</td><td>110.93</td><td>-53.99</td><td>37.63</td><td>35.00</td><td>14.02</td><td>29.79</td><td>0.00</td><td>290</td><td>00</td><td>PEAK</td></tr><tr><td>2</td><td>5870.49</td><td>59.14</td><td>106.56</td><td>-47.42</td><td>39.89</td><td>35.11</td><td>13.93</td><td>29.79</td><td>0.00</td><td>290</td><td>00</td><td>PEAK</td></tr><tr><td>3</td><td>5922.10</td><td>58.68</td><td>70.44</td><td>-11.76</td><td>39.62</td><td>35.18</td><td>13.70</td><td>29.82</td><td>0.00</td><td>290</td><td>00</td><td>PEAK</td></tr><tr><td>4</td><td>5936.05</td><td>58.75</td><td>68.30</td><td>-9.55</td><td>39.71</td><td>35.20</td><td>13.67</td><td>29.83</td><td>0.00</td><td>290</td><td>00</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	56.94	110.93	-53.99	37.63	35.00	14.02	29.79	0.00	290	00	PEAK	2	5870.49	59.14	106.56	-47.42	39.89	35.11	13.93	29.79	0.00	290	00	PEAK	3	5922.10	58.68	70.44	-11.76	39.62	35.18	13.70	29.82	0.00	290	00	PEAK	4	5936.05	58.75	68.30	-9.55	39.71	35.20	13.67	29.83	0.00	290	00	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.99	56.94	110.93	-53.99	37.63	35.00	14.02	29.79	0.00	290	00	PEAK																																																																																		
2	5870.49	59.14	106.56	-47.42	39.89	35.11	13.93	29.79	0.00	290	00	PEAK																																																																																		
3	5922.10	58.68	70.44	-11.76	39.62	35.18	13.70	29.82	0.00	290	00	PEAK																																																																																		
4	5936.05	58.75	68.30	-9.55	39.71	35.20	13.67	29.83	0.00	290	00	PEAK																																																																																		



Mode	81																																																						
	Harmonic																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																						
ANT	9+11																																																						
Pol.	Horizontal						Vertical																																																
Peak Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>43.98</td><td>74.00</td><td>-30.02</td><td>52.40</td><td>38.45</td><td>18.53</td><td>65.40</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	43.98	74.00	-30.02	52.40	38.45	18.53	65.40	0.00	300	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	11590.00	43.98	74.00	-30.02	52.40	38.45	18.53	65.40	0.00	300	0	PEAK																																											
Peak Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>52.70</td><td>38.45</td><td>18.53</td><td>65.40</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	44.28	74.00	-29.72	52.70	38.45	18.53	65.40	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	11590.00	44.28	74.00	-29.72	52.70	38.45	18.53	65.40	0.00	100	0	PEAK																																											




Mode	82																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.725-5.85_802.11ac VHT40_CH142_5710MHz																																																																																																													
ANT	9+11																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>53.83</td><td>38.35</td><td>18.40</td><td>65.49</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 DEG</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	45.09	74.00	-28.91	53.83	38.35	18.40	65.49								0.00	300									0 DEG	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>44.55</td><td>74.00</td><td>-29.45</td><td>53.29</td><td>38.35</td><td>18.40</td><td>65.49</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 DEG</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	44.55	74.00	-29.45	53.29	38.35	18.40	65.49								0.00	100									0 DEG
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	11420.00	45.09	74.00	-28.91	53.83	38.35	18.40	65.49																																																																																																						
							0.00	300																																																																																																						
								0 DEG																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	11420.00	44.55	74.00	-29.45	53.29	38.35	18.40	65.49																																																																																																						
							0.00	100																																																																																																						
								0 DEG																																																																																																						


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.32	-	-	10HZ
802.11ax HE20	100	-	-	10HZ
802.11ax HE40	100	-	-	10HZ
802.11ax HE80	100	-	-	10HZ
802.11ax HE160	100	-	-	10HZ


802.11a



802.11ax HE20




802.11ax HE40





802.11ax HE80



802.11ax HE160

