

Contents

1. Effective (Isotropic) Radiated Power Output Data.....	2
2. Occupied Bandwidth.....	25
3. Out-of-band Emissions at the Band Edge.....	30
4. Spurious Radiation	96
5. Frequency Stability	144

1. Effective (Isotropic) Radiated Power Output Data

Test Result

NR Band n258b (Beam ID: 47+303)

DFT-s Maximum Average EIRP [dBm]

Channel	BW [MHz]	Waveform	Modulation	RB Size	RB Offset	Ant.Pol	EIRP [dBm]	MIMO EIRP [dBm]	Limit [dBm]
Low	50M	DFT-S	BPSK	1	0	H	35.65	40.49	55
Low	50M	DFT-S	BPSK			V	38.77		
Low	50M	DFT-S	BPSK	1	31	H	36.22	40.81	55
Low	50M	DFT-S	BPSK			V	38.95		
Low	50M	DFT-S	BPSK	8	4	H	43.95	48.65	55
Low	50M	DFT-S	BPSK			V	46.86		
Low	50M	DFT-S	BPSK	8	11	H	43.84	48.64	55
Low	50M	DFT-S	BPSK			V	46.9		
Low	50M	DFT-S	BPSK	8	14	H	44.1	48.72	55
Low	50M	DFT-S	BPSK			V	46.88		
Low	50M	DFT-S	BPSK	8	20	H	44.39	49.15	55
Low	50M	DFT-S	BPSK			V	47.38		
Low	50M	DFT-S	BPSK	10	11	H	47.52	50.44	55
Low	50M	DFT-S	BPSK			V	47.33		
Low	50M	DFT-S	BPSK	16	8	H	47.14	50.20	55
Low	50M	DFT-S	BPSK			V	47.24		
Low	50M	DFT-S	BPSK	32	0	H	41.81	45.72	55
Low	50M	DFT-S	BPSK			V	43.45		
Low	50M	DFT-S	QPSK	1	0	H	37.67	40.73	55
Low	50M	DFT-S	QPSK			V	37.77		
Low	50M	DFT-S	QPSK	1	31	H	30.31	42.09	55
Low	50M	DFT-S	QPSK			V	41.79		
Low	50M	DFT-S	QPSK	8	4	H	45.78	49.69	55
Low	50M	DFT-S	QPSK			V	47.42		
Low	50M	DFT-S	QPSK	8	11	H	46.25	50.18	55
Low	50M	DFT-S	QPSK			V	47.93		
Low	50M	DFT-S	QPSK	8	14	H	46.22	50.10	55
Low	50M	DFT-S	QPSK			V	47.81		
Low	50M	DFT-S	QPSK	8	20	H	46.03	50.08	55
Low	50M	DFT-S	QPSK			V	47.91		
Low	50M	DFT-S	QPSK	10	11	H	47.25	50.29	55
Low	50M	DFT-S	QPSK			V	47.31		

Low	50M	DFT-S	QPSK	16	8	H	45.65	49.79	55
Low	50M	DFT-S	QPSK			V	47.67		
Low	50M	DFT-S	QPSK	32	0	H	41.77	45.70	55
Low	50M	DFT-S	QPSK			V	43.44		
Low	50M	DFT-S	16QAM	1	0	H	37.21	40.67	55
Low	50M	DFT-S	16QAM			V	38.07		
Low	50M	DFT-S	16QAM	1	31	H	28.23	42.02	55
Low	50M	DFT-S	16QAM			V	41.83		
Low	50M	DFT-S	16QAM	8	4	H	43.59	47.67	55
Low	50M	DFT-S	16QAM			V	45.52		
Low	50M	DFT-S	16QAM	8	11	H	45.27	48.85	55
Low	50M	DFT-S	16QAM			V	46.35		
Low	50M	DFT-S	16QAM	8	14	H	45	48.82	55
Low	50M	DFT-S	16QAM			V	46.5		
Low	50M	DFT-S	16QAM	8	20	H	43.61	47.94	55
Low	50M	DFT-S	16QAM			V	45.94		
Low	50M	DFT-S	16QAM	10	11	H	46.44	49.73	55
Low	50M	DFT-S	16QAM			V	46.98		
Low	50M	DFT-S	16QAM	16	8	H	43.5	47.62	55
Low	50M	DFT-S	16QAM			V	45.5		
Low	50M	DFT-S	16QAM	32	0	H	41.81	45.76	55
Low	50M	DFT-S	16QAM			V	43.52		
Low	50M	DFT-S	64QAM	1	0	H	36.6	40.42	55
Low	50M	DFT-S	64QAM			V	38.09		
Low	50M	DFT-S	64QAM	1	31	H	29.42	41.67	55
Low	50M	DFT-S	64QAM			V	41.4		
Low	50M	DFT-S	64QAM	8	4	H	40.76	44.51	55
Low	50M	DFT-S	64QAM			V	42.13		
Low	50M	DFT-S	64QAM	8	11	H	41.59	45.52	55
Low	50M	DFT-S	64QAM			V	43.27		
Low	50M	DFT-S	64QAM	8	14	H	41.75	45.67	55
Low	50M	DFT-S	64QAM			V	43.41		
Low	50M	DFT-S	64QAM	8	20	H	40.29	44.68	55
Low	50M	DFT-S	64QAM			V	42.72		
Low	50M	DFT-S	64QAM	10	11	H	43.7	46.81	55
Low	50M	DFT-S	64QAM			V	43.9		
Low	50M	DFT-S	64QAM	16	8	H	40.18	44.50	55
Low	50M	DFT-S	64QAM			V	42.5		
Low	50M	DFT-S	64QAM	32	0	H	40.22	43.14	55
Low	50M	DFT-S	64QAM			V	40.03		
Mid	50M	DFT-S	BPSK	1	0	H	31.34	41.73	55
Mid	50M	DFT-S	BPSK			V	41.31		
Mid	50M	DFT-S	BPSK	1	31	H	36.24	41.72	55

Mid	50M	DFT-S	BPSK			V	40.27		
Mid	50M	DFT-S	BPSK	8	4	H	46.68	50.21	55
Mid	50M	DFT-S	BPSK			V	47.66		
Mid	50M	DFT-S	BPSK	8	11	H	46.69	50.09	55
Mid	50M	DFT-S	BPSK			V	47.44		
Mid	50M	DFT-S	BPSK	8	14	H	46.87	50.06	55
Mid	50M	DFT-S	BPSK			V	47.22		
Mid	50M	DFT-S	BPSK	8	20	H	46.68	50.08	55
Mid	50M	DFT-S	BPSK			V	47.43		
Mid	50M	DFT-S	BPSK	10	11	H	47.52	50.73	55
Mid	50M	DFT-S	BPSK			V	47.91		
Mid	50M	DFT-S	BPSK	16	8	H	46.6	50.27	55
Mid	50M	DFT-S	BPSK			V	47.83		
Mid	50M	DFT-S	BPSK	32	0	H	42.11	45.87	55
Mid	50M	DFT-S	BPSK			V	43.5		
Mid	50M	DFT-S	QPSK	1	0	H	30.18	41.68	55
Mid	50M	DFT-S	QPSK			V	41.36		
Mid	50M	DFT-S	QPSK	1	31	H	35.92	41.46	55
Mid	50M	DFT-S	QPSK			V	40.04		
Mid	50M	DFT-S	QPSK	8	4	H	46.42	50.02	55
Mid	50M	DFT-S	QPSK			V	47.52		
Mid	50M	DFT-S	QPSK	8	11	H	46.59	50.02	55
Mid	50M	DFT-S	QPSK			V	47.39		
Mid	50M	DFT-S	QPSK	8	14	H	46.67	49.96	55
Mid	50M	DFT-S	QPSK			V	47.21		
Mid	50M	DFT-S	QPSK	8	20	H	46.55	49.95	55
Mid	50M	DFT-S	QPSK			V	47.3		
Mid	50M	DFT-S	QPSK	10	11	H	47.57	50.58	55
Mid	50M	DFT-S	QPSK			V	47.56		
Mid	50M	DFT-S	QPSK	16	8	H	46.44	50.09	55
Mid	50M	DFT-S	QPSK			V	47.63		
Mid	50M	DFT-S	QPSK	32	0	H	41.93	45.87	55
Mid	50M	DFT-S	QPSK			V	43.63		
Mid	50M	DFT-S	16QAM	1	0	H	29.63	41.26	55
Mid	50M	DFT-S	16QAM			V	40.95		
Mid	50M	DFT-S	16QAM	1	31	H	35.65	41.33	55
Mid	50M	DFT-S	16QAM			V	39.96		
Mid	50M	DFT-S	16QAM	8	4	H	44.33	47.96	55
Mid	50M	DFT-S	16QAM			V	45.5		
Mid	50M	DFT-S	16QAM	8	11	H	45.49	49.03	55
Mid	50M	DFT-S	16QAM			V	46.5		
Mid	50M	DFT-S	16QAM	8	14	H	45.68	48.96	55
Mid	50M	DFT-S	16QAM			V	46.21		

Mid	50M	DFT-S	16QAM	8	20	H	44.46	47.85	55
Mid	50M	DFT-S	16QAM			V	45.19		
Mid	50M	DFT-S	16QAM	10	11	H	46.29	49.57	55
Mid	50M	DFT-S	16QAM			V	46.82		
Mid	50M	DFT-S	16QAM	16	8	H	44.34	47.86	55
Mid	50M	DFT-S	16QAM			V	45.31		
Mid	50M	DFT-S	16QAM	32	0	H	42.01	45.92	55
Mid	50M	DFT-S	16QAM			V	43.66		
Mid	50M	DFT-S	64QAM	1	0	H	29.51	41.47	55
Mid	50M	DFT-S	64QAM			V	41.18		
Mid	50M	DFT-S	64QAM	1	31	H	35.87	41.39	55
Mid	50M	DFT-S	64QAM			V	39.96		
Mid	50M	DFT-S	64QAM	8	4	H	41.31	44.88	55
Mid	50M	DFT-S	64QAM			V	42.36		
Mid	50M	DFT-S	64QAM	8	11	H	42.33	45.81	55
Mid	50M	DFT-S	64QAM			V	43.22		
Mid	50M	DFT-S	64QAM	8	14	H	42.64	45.87	55
Mid	50M	DFT-S	64QAM			V	43.06		
Mid	50M	DFT-S	64QAM	8	20	H	41.41	44.80	55
Mid	50M	DFT-S	64QAM			V	42.14		
Mid	50M	DFT-S	64QAM	10	11	H	43.04	46.40	55
Mid	50M	DFT-S	64QAM			V	43.72		
Mid	50M	DFT-S	64QAM	16	8	H	41.27	44.96	55
Mid	50M	DFT-S	64QAM			V	42.54		
Mid	50M	DFT-S	64QAM	32	0	H	40.32	43.80	55
Mid	50M	DFT-S	64QAM			V	41.22		
High	50M	DFT-S	BPSK	1	0	H	41.46	44.42	55
High	50M	DFT-S	BPSK			V	41.35		
High	50M	DFT-S	BPSK	1	31	H	33.99	41.30	55
High	50M	DFT-S	BPSK			V	40.41		
High	50M	DFT-S	BPSK	8	4	H	44.39	49.06	55
High	50M	DFT-S	BPSK			V	47.25		
High	50M	DFT-S	BPSK	8	11	H	44.57	49.27	55
High	50M	DFT-S	BPSK			V	47.48		
High	50M	DFT-S	BPSK	8	14	H	44.53	49.32	55
High	50M	DFT-S	BPSK			V	47.57		
High	50M	DFT-S	BPSK	8	20	H	44.34	49.42	55
High	50M	DFT-S	BPSK			V	47.81		
High	50M	DFT-S	BPSK	10	11	H	47.26	50.34	55
High	50M	DFT-S	BPSK			V	47.39		
High	50M	DFT-S	BPSK	16	8	H	44.69	49.43	55
High	50M	DFT-S	BPSK			V	47.65		
High	50M	DFT-S	BPSK	32	0	H	42.22	46.03	55

High	50M	DFT-S	BPSK			V	43.7		
High	50M	DFT-S	QPSK	1	0	H	28.1	41.34	55
High	50M	DFT-S	QPSK			V	41.13		
High	50M	DFT-S	QPSK	1	31	H	34.09	40.90	55
High	50M	DFT-S	QPSK			V	39.88		
High	50M	DFT-S	QPSK	8	4	H	44.2	49.11	55
High	50M	DFT-S	QPSK			V	47.41		
High	50M	DFT-S	QPSK	8	11	H	44.46	49.30	55
High	50M	DFT-S	QPSK			V	47.58		
High	50M	DFT-S	QPSK	8	14	H	44.6	49.22	55
High	50M	DFT-S	QPSK			V	47.38		
High	50M	DFT-S	QPSK	8	20	H	44.59	49.41	55
High	50M	DFT-S	QPSK			V	47.68		
High	50M	DFT-S	QPSK	10	11	H	47.56	50.63	55
High	50M	DFT-S	QPSK			V	47.67		
High	50M	DFT-S	QPSK	16	8	H	44.42	49.41	55
High	50M	DFT-S	QPSK			V	47.75		
High	50M	DFT-S	QPSK	32	0	H	42.32	46.17	55
High	50M	DFT-S	QPSK			V	43.86		
High	50M	DFT-S	16QAM	1	0	H	26.84	41.38	55
High	50M	DFT-S	16QAM			V	41.22		
High	50M	DFT-S	16QAM	1	31	H	34.1	40.96	55
High	50M	DFT-S	16QAM			V	39.96		
High	50M	DFT-S	16QAM	8	4	H	42.34	47.31	55
High	50M	DFT-S	16QAM			V	45.65		
High	50M	DFT-S	16QAM	8	11	H	43.48	48.43	55
High	50M	DFT-S	16QAM			V	46.75		
High	50M	DFT-S	16QAM	8	14	H	43.67	48.23	55
High	50M	DFT-S	16QAM			V	46.36		
High	50M	DFT-S	16QAM	8	20	H	42.38	47.35	55
High	50M	DFT-S	16QAM			V	45.69		
High	50M	DFT-S	16QAM	10	11	H	46.26	49.62	55
High	50M	DFT-S	16QAM			V	46.94		
High	50M	DFT-S	16QAM	16	8	H	42.34	47.22	55
High	50M	DFT-S	16QAM			V	45.51		
High	50M	DFT-S	16QAM	32	0	H	42.26	46.06	55
High	50M	DFT-S	16QAM			V	43.71		
High	50M	DFT-S	64QAM	1	0	H	27.31	41.32	55
High	50M	DFT-S	64QAM			V	41.14		
High	50M	DFT-S	64QAM	1	31	H	34.2	40.89	55
High	50M	DFT-S	64QAM			V	39.84		
High	50M	DFT-S	64QAM	8	4	H	39.17	44.11	55
High	50M	DFT-S	64QAM			V	42.43		

High	50M	DFT-S	64QAM	8	11	H	40.2	45.07	55
High	50M	DFT-S	64QAM			V	43.36		
High	50M	DFT-S	64QAM	8	14	H	40.62	45.13	55
High	50M	DFT-S	64QAM			V	43.24		
High	50M	DFT-S	64QAM	8	20	H	39.23	44.05	55
High	50M	DFT-S	64QAM			V	42.32		
High	50M	DFT-S	64QAM	10	11	H	43.33	46.59	55
High	50M	DFT-S	64QAM			V	43.82		
High	50M	DFT-S	64QAM	16	8	H	39.19	44.27	55
High	50M	DFT-S	64QAM			V	42.65		
High	50M	DFT-S	64QAM	32	0	H	39.58	42.85	55
High	50M	DFT-S	64QAM			V	40.08		
Low	100M	DFT-S	BPSK	1	0	H	36.07	40.08	55
Low	100M	DFT-S	BPSK			V	37.88		
Low	100M	DFT-S	BPSK	1	65	H	36.43	40.43	55
Low	100M	DFT-S	BPSK			V	38.23		
Low	100M	DFT-S	BPSK	8	4	H	44.48	48.87	55
Low	100M	DFT-S	BPSK			V	46.91		
Low	100M	DFT-S	BPSK	8	22	H	44.72	49.11	55
Low	100M	DFT-S	BPSK			V	47.15		
Low	100M	DFT-S	BPSK	8	36	H	44.8	49.21	55
Low	100M	DFT-S	BPSK			V	47.25		
Low	100M	DFT-S	BPSK	8	54	H	44.53	49.00	55
Low	100M	DFT-S	BPSK			V	47.08		
Low	100M	DFT-S	BPSK	20	23	H	47.18	50.58	55
Low	100M	DFT-S	BPSK			V	47.93		
Low	100M	DFT-S	BPSK	32	16	H	43.92	48.57	55
Low	100M	DFT-S	BPSK			V	46.75		
Low	100M	DFT-S	BPSK	64	0	H	41.76	45.63	55
Low	100M	DFT-S	BPSK			V	43.34		
Low	100M	DFT-S	QPSK	1	0	H	30.11	40.72	55
Low	100M	DFT-S	QPSK			V	40.33		
Low	100M	DFT-S	QPSK	1	65	H	37.56	40.24	55
Low	100M	DFT-S	QPSK			V	36.88		
Low	100M	DFT-S	QPSK	8	4	H	43.69	48.46	55
Low	100M	DFT-S	QPSK			V	46.7		
Low	100M	DFT-S	QPSK	8	22	H	43.87	48.55	55
Low	100M	DFT-S	QPSK			V	46.75		
Low	100M	DFT-S	QPSK	8	36	H	44.03	48.71	55
Low	100M	DFT-S	QPSK			V	46.91		
Low	100M	DFT-S	QPSK	8	54	H	43.91	48.59	55
Low	100M	DFT-S	QPSK			V	46.78		
Low	100M	DFT-S	QPSK	20	23	H	47.33	50.41	55

Low	100M	DFT-S	QPSK			V	47.47		
Low	100M	DFT-S	QPSK	32	16	H	45.39	49.34	55
Low	100M	DFT-S	QPSK			V	47.1		
Low	100M	DFT-S	QPSK	64	0	H	41.8	45.62	55
Low	100M	DFT-S	QPSK			V	43.29		
Low	100M	DFT-S	16QAM	1	0	H	36.45	41.42	55
Low	100M	DFT-S	16QAM			V	39.76		
Low	100M	DFT-S	16QAM	1	65	H	39.62	41.24	55
Low	100M	DFT-S	16QAM			V	36.17		
Low	100M	DFT-S	16QAM	8	4	H	43.61	47.38	55
Low	100M	DFT-S	16QAM			V	45.01		
Low	100M	DFT-S	16QAM	8	22	H	44.85	48.74	55
Low	100M	DFT-S	16QAM			V	46.46		
Low	100M	DFT-S	16QAM	8	36	H	44.98	48.92	55
Low	100M	DFT-S	16QAM			V	46.67		
Low	100M	DFT-S	16QAM	8	54	H	44.09	47.91	55
Low	100M	DFT-S	16QAM			V	45.58		
Low	100M	DFT-S	16QAM	20	23	H	46.24	49.49	55
Low	100M	DFT-S	16QAM			V	46.7		
Low	100M	DFT-S	16QAM	32	16	H	44.29	47.95	55
Low	100M	DFT-S	16QAM			V	45.5		
Low	100M	DFT-S	16QAM	64	0	H	41.87	45.69	55
Low	100M	DFT-S	16QAM			V	43.37		
Low	100M	DFT-S	64QAM	1	0	H	33.97	40.75	55
Low	100M	DFT-S	64QAM			V	39.73		
Low	100M	DFT-S	64QAM	1	65	H	39.45	41.25	55
Low	100M	DFT-S	64QAM			V	36.55		
Low	100M	DFT-S	64QAM	8	4	H	40.7	44.43	55
Low	100M	DFT-S	64QAM			V	42.03		
Low	100M	DFT-S	64QAM	8	22	H	41.88	45.60	55
Low	100M	DFT-S	64QAM			V	43.2		
Low	100M	DFT-S	64QAM	8	36	H	41.83	45.78	55
Low	100M	DFT-S	64QAM			V	43.55		
Low	100M	DFT-S	64QAM	8	54	H	40.96	44.69	55
Low	100M	DFT-S	64QAM			V	42.3		
Low	100M	DFT-S	64QAM	20	23	H	43.08	46.33	55
Low	100M	DFT-S	64QAM			V	43.54		
Low	100M	DFT-S	64QAM	32	16	H	41.08	44.79	55
Low	100M	DFT-S	64QAM			V	42.38		
Low	100M	DFT-S	64QAM	64	0	H	39.69	42.99	55
Low	100M	DFT-S	64QAM			V	40.26		
Mid	100M	DFT-S	BPSK	1	0	H	41.09	41.87	55
Mid	100M	DFT-S	BPSK			V	34.02		

Mid	100M	DFT-S	BPSK	1	65	H	33.36	41.75	55
Mid	100M	DFT-S	BPSK			V	41.07		
Mid	100M	DFT-S	BPSK	8	4	H	46.34	49.40	55
Mid	100M	DFT-S	BPSK			V	46.43		
Mid	100M	DFT-S	BPSK	8	22	H	46.26	49.45	55
Mid	100M	DFT-S	BPSK			V	46.62		
Mid	100M	DFT-S	BPSK	8	36	H	46.23	49.30	55
Mid	100M	DFT-S	BPSK			V	46.34		
Mid	100M	DFT-S	BPSK	8	54	H	47.37	50.45	55
Mid	100M	DFT-S	BPSK			V	47.51		
Mid	100M	DFT-S	BPSK	20	23	H	47.29	50.53	55
Mid	100M	DFT-S	BPSK			V	47.74		
Mid	100M	DFT-S	BPSK	32	16	H	46.3	49.91	55
Mid	100M	DFT-S	BPSK			V	47.43		
Mid	100M	DFT-S	BPSK	64	0	H	42	45.75	55
Mid	100M	DFT-S	BPSK			V	43.38		
Mid	100M	DFT-S	QPSK	1	0	H	41.18	41.83	55
Mid	100M	DFT-S	QPSK			V	33.29		
Mid	100M	DFT-S	QPSK	1	65	H	29.45	41.47	55
Mid	100M	DFT-S	QPSK			V	41.19		
Mid	100M	DFT-S	QPSK	8	4	H	46.12	49.22	55
Mid	100M	DFT-S	QPSK			V	46.29		
Mid	100M	DFT-S	QPSK	8	22	H	46.12	49.23	55
Mid	100M	DFT-S	QPSK			V	46.31		
Mid	100M	DFT-S	QPSK	8	36	H	47.13	49.81	55
Mid	100M	DFT-S	QPSK			V	46.45		
Mid	100M	DFT-S	QPSK	8	54	H	46.25	49.98	55
Mid	100M	DFT-S	QPSK			V	47.58		
Mid	100M	DFT-S	QPSK	20	23	H	47.6	50.68	55
Mid	100M	DFT-S	QPSK			V	47.73		
Mid	100M	DFT-S	QPSK	32	16	H	46.28	49.95	55
Mid	100M	DFT-S	QPSK			V	47.51		
Mid	100M	DFT-S	QPSK	64	0	H	42.03	45.74	55
Mid	100M	DFT-S	QPSK			V	43.34		
Mid	100M	DFT-S	16QAM	1	0	H	40.94	41.67	55
Mid	100M	DFT-S	16QAM			V	33.54		
Mid	100M	DFT-S	16QAM	1	65	H	29.25	41.67	55
Mid	100M	DFT-S	16QAM			V	41.41		
Mid	100M	DFT-S	16QAM	8	4	H	45.1	48.15	55
Mid	100M	DFT-S	16QAM			V	45.17		
Mid	100M	DFT-S	16QAM	8	22	H	46	49.21	55
Mid	100M	DFT-S	16QAM			V	46.39		
Mid	100M	DFT-S	16QAM	8	36	H	46.14	49.29	55

Mid	100M	DFT-S	16QAM			V	46.41		
Mid	100M	DFT-S	16QAM	8	54	H	45.06	48.27	55
Mid	100M	DFT-S	16QAM			V	45.45		
Mid	100M	DFT-S	16QAM	20	23	H	46.25	49.41	55
Mid	100M	DFT-S	16QAM			V	46.55		
Mid	100M	DFT-S	16QAM	32	16	H	45.11	48.28	55
Mid	100M	DFT-S	16QAM			V	45.43		
Mid	100M	DFT-S	16QAM	64	0	H	42	45.77	55
Mid	100M	DFT-S	16QAM			V	43.4		
Mid	100M	DFT-S	64QAM	1	0	H	41.02	41.77	55
Mid	100M	DFT-S	64QAM			V	33.75		
Mid	100M	DFT-S	64QAM	1	65	H	40.6	41.87	55
Mid	100M	DFT-S	64QAM			V	35.92		
Mid	100M	DFT-S	64QAM	8	4	H	42.29	45.13	55
Mid	100M	DFT-S	64QAM			V	41.95		
Mid	100M	DFT-S	64QAM	8	22	H	43.18	46.24	55
Mid	100M	DFT-S	64QAM			V	43.28		
Mid	100M	DFT-S	64QAM	8	36	H	42.93	46.23	55
Mid	100M	DFT-S	64QAM			V	43.49		
Mid	100M	DFT-S	64QAM	8	54	H	42.16	45.17	55
Mid	100M	DFT-S	64QAM			V	42.15		
Mid	100M	DFT-S	64QAM	20	23	H	43.11	46.23	55
Mid	100M	DFT-S	64QAM			V	43.32		
Mid	100M	DFT-S	64QAM	32	16	H	42.13	45.30	55
Mid	100M	DFT-S	64QAM			V	42.45		
Mid	100M	DFT-S	64QAM	64	0	H	39.86	43.04	55
Mid	100M	DFT-S	64QAM			V	40.20		
High	100M	DFT-S	BPSK	1	0	H	36.8	41.19	55
High	100M	DFT-S	BPSK			V	39.22		
High	100M	DFT-S	BPSK	1	65	H	36.72	41.14	55
High	100M	DFT-S	BPSK			V	39.2		
High	100M	DFT-S	BPSK	8	4	H	45.44	49.50	55
High	100M	DFT-S	BPSK			V	47.33		
High	100M	DFT-S	BPSK	8	22	H	45.2	49.59	55
High	100M	DFT-S	BPSK			V	47.62		
High	100M	DFT-S	BPSK	8	36	H	45.21	49.65	55
High	100M	DFT-S	BPSK			V	47.71		
High	100M	DFT-S	BPSK	8	54	H	45.33	49.56	55
High	100M	DFT-S	BPSK			V	47.5		
High	100M	DFT-S	BPSK	20	23	H	47.45	50.60	55
High	100M	DFT-S	BPSK			V	47.73		
High	100M	DFT-S	BPSK	32	16	H	45.35	49.41	55
High	100M	DFT-S	BPSK			V	47.25		

High	100M	DFT-S	BPSK	64	0	H	42.44	46.04	55
High	100M	DFT-S	BPSK			V	43.55		
High	100M	DFT-S	QPSK	1	0	H	39.18	40.49	55
High	100M	DFT-S	QPSK			V	34.65		
High	100M	DFT-S	QPSK	1	65	H	28.07	41.54	55
High	100M	DFT-S	QPSK			V	41.34		
High	100M	DFT-S	QPSK	8	4	H	45.24	49.51	55
High	100M	DFT-S	QPSK			V	47.48		
High	100M	DFT-S	QPSK	8	22	H	45.29	49.46	55
High	100M	DFT-S	QPSK			V	47.37		
High	100M	DFT-S	QPSK	8	36	H	45.44	49.70	55
High	100M	DFT-S	QPSK			V	47.66		
High	100M	DFT-S	QPSK	8	54	H	45.32	49.62	55
High	100M	DFT-S	QPSK			V	47.6		
High	100M	DFT-S	QPSK	20	23	H	47.39	50.53	55
High	100M	DFT-S	QPSK			V	47.65		
High	100M	DFT-S	QPSK	32	16	H	45.41	49.62	55
High	100M	DFT-S	QPSK			V	47.55		
High	100M	DFT-S	QPSK	64	0	H	42.49	46.06	55
High	100M	DFT-S	QPSK			V	43.54		
High	100M	DFT-S	16QAM	1	0	H	39.33	40.55	55
High	100M	DFT-S	16QAM			V	34.44		
High	100M	DFT-S	16QAM	1	65	H	28.01	41.54	55
High	100M	DFT-S	16QAM			V	41.34		
High	100M	DFT-S	16QAM	8	4	H	43.23	47.48	55
High	100M	DFT-S	16QAM			V	45.44		
High	100M	DFT-S	16QAM	8	22	H	44.27	48.51	55
High	100M	DFT-S	16QAM			V	46.45		
High	100M	DFT-S	16QAM	8	36	H	44.28	48.54	55
High	100M	DFT-S	16QAM			V	46.5		
High	100M	DFT-S	16QAM	8	54	H	43.03	47.28	55
High	100M	DFT-S	16QAM			V	45.23		
High	100M	DFT-S	16QAM	20	23	H	46.25	49.51	55
High	100M	DFT-S	16QAM			V	46.73		
High	100M	DFT-S	16QAM	32	16	H	43.41	47.63	55
High	100M	DFT-S	16QAM			V	45.56		
High	100M	DFT-S	16QAM	64	0	H	42.55	46.08	55
High	100M	DFT-S	16QAM			V	43.53		
High	100M	DFT-S	64QAM	1	0	H	39.11	40.26	55
High	100M	DFT-S	64QAM			V	33.92		
High	100M	DFT-S	64QAM	1	65	H	28.03	41.57	55
High	100M	DFT-S	64QAM			V	41.37		
High	100M	DFT-S	64QAM	8	4	H	40.21	44.40	55

High	100M	DFT-S	64QAM			V	42.32		
High	100M	DFT-S	64QAM	8	22	H	41.15	45.42	55
High	100M	DFT-S	64QAM			V	43.38		
High	100M	DFT-S	64QAM	8	36	H	41.27	45.43	55
High	100M	DFT-S	64QAM			V	43.32		
High	100M	DFT-S	64QAM	8	54	H	40	43.14	55
High	100M	DFT-S	64QAM			V	40.25		
High	100M	DFT-S	64QAM	20	23	H	43.24	46.45	55
High	100M	DFT-S	64QAM			V	43.63		
High	100M	DFT-S	64QAM	32	16	H	40.04	44.40	55
High	100M	DFT-S	64QAM			V	42.42		
High	100M	DFT-S	64QAM	64	0	H	40.56	43.43	55
High	100M	DFT-S	64QAM			V	40.28		
Low	200M	DFT-S	BPSK	1	0	H	36.7	40.58	55
Low	200M	DFT-S	BPSK			V	38.3		
Low	200M	DFT-S	BPSK	1	131	H	36.5	40.69	55
Low	200M	DFT-S	BPSK			V	38.6		
Low	200M	DFT-S	BPSK	8	4	H	43.35	47.28	55
Low	200M	DFT-S	BPSK			V	45.02		
Low	200M	DFT-S	BPSK	8	44	H	45.43	49.25	55
Low	200M	DFT-S	BPSK			V	46.92		
Low	200M	DFT-S	BPSK	8	80	H	46.06	49.67	55
Low	200M	DFT-S	BPSK			V	47.18		
Low	200M	DFT-S	BPSK	8	120	H	44.13	47.75	55
Low	200M	DFT-S	BPSK			V	45.28		
Low	200M	DFT-S	BPSK	40	44	H	47.75	50.83	55
Low	200M	DFT-S	BPSK			V	47.88		
Low	200M	DFT-S	BPSK	64	32	H	44.4	48.01	55
Low	200M	DFT-S	BPSK			V	45.53		
Low	200M	DFT-S	BPSK	128	0	H	41.92	45.70	55
Low	200M	DFT-S	BPSK			V	43.35		
Low	200M	DFT-S	QPSK	1	0	H	37.25	40.64	55
Low	200M	DFT-S	QPSK			V	37.98		
Low	200M	DFT-S	QPSK	1	131	H	40.74	41.18	55
Low	200M	DFT-S	QPSK			V	31.02		
Low	200M	DFT-S	QPSK	8	4	H	43.92	47.57	55
Low	200M	DFT-S	QPSK			V	45.12		
Low	200M	DFT-S	QPSK	8	44	H	46.14	49.72	55
Low	200M	DFT-S	QPSK			V	47.21		
Low	200M	DFT-S	QPSK	8	80	H	46.62	50.05	55
Low	200M	DFT-S	QPSK			V	47.42		
Low	200M	DFT-S	QPSK	8	120	H	44.76	48.12	55
Low	200M	DFT-S	QPSK			V	45.43		

Low	200M	DFT-S	QPSK	40	44	H	47.69	50.74	55
Low	200M	DFT-S	QPSK			V	47.76		
Low	200M	DFT-S	QPSK	64	32	H	44.25	47.88	55
Low	200M	DFT-S	QPSK			V	45.42		
Low	200M	DFT-S	QPSK	128	0	H	41.96	45.70	55
Low	200M	DFT-S	QPSK			V	43.31		
Low	200M	DFT-S	16QAM	1	0	H	37.14	40.50	55
Low	200M	DFT-S	16QAM			V	37.82		
Low	200M	DFT-S	16QAM	1	131	H	41.05	41.44	55
Low	200M	DFT-S	16QAM			V	30.82		
Low	200M	DFT-S	16QAM	8	4	H	42.74	46.40	55
Low	200M	DFT-S	16QAM			V	43.96		
Low	200M	DFT-S	16QAM	8	44	H	44.82	48.40	55
Low	200M	DFT-S	16QAM			V	45.9		
Low	200M	DFT-S	16QAM	8	80	H	45.33	48.88	55
Low	200M	DFT-S	16QAM			V	46.35		
Low	200M	DFT-S	16QAM	8	120	H	43.53	46.87	55
Low	200M	DFT-S	16QAM			V	44.16		
Low	200M	DFT-S	16QAM	40	44	H	46.04	49.24	55
Low	200M	DFT-S	16QAM			V	46.42		
Low	200M	DFT-S	16QAM	64	32	H	43.33	46.84	55
Low	200M	DFT-S	16QAM			V	44.27		
Low	200M	DFT-S	16QAM	128	0	H	41.91	45.65	55
Low	200M	DFT-S	16QAM			V	43.27		
Low	200M	DFT-S	64QAM	1	0	H	37.21	40.71	55
Low	200M	DFT-S	64QAM			V	38.14		
Low	200M	DFT-S	64QAM	1	131	H	40.62	41.13	55
Low	200M	DFT-S	64QAM			V	31.59		
Low	200M	DFT-S	64QAM	8	4	H	40.75	44.41	55
Low	200M	DFT-S	64QAM			V	41.96		
Low	200M	DFT-S	64QAM	8	44	H	41.93	45.57	55
Low	200M	DFT-S	64QAM			V	43.11		
Low	200M	DFT-S	64QAM	8	80	H	42.52	45.95	55
Low	200M	DFT-S	64QAM			V	43.32		
Low	200M	DFT-S	64QAM	8	120	H	41.55	44.92	55
Low	200M	DFT-S	64QAM			V	42.24		
Low	200M	DFT-S	64QAM	40	44	H	43.14	46.35	55
Low	200M	DFT-S	64QAM			V	43.53		
Low	200M	DFT-S	64QAM	64	32	H	41.21	44.93	55
Low	200M	DFT-S	64QAM			V	42.53		
Low	200M	DFT-S	64QAM	128	0	H	39.56	42.93	55
Low	200M	DFT-S	64QAM			V	40.25		
Mid	200M	DFT-S	BPSK	1	0	H	36.3	41.91	55

Mid	200M	DFT-S	BPSK			V	40.52		
Mid	200M	DFT-S	BPSK	1	131	H	37.05	42.02	55
Mid	200M	DFT-S	BPSK			V	40.35		
Mid	200M	DFT-S	BPSK	8	4	H	45.98	47.01	55
Mid	200M	DFT-S	BPSK			V	40.25		
Mid	200M	DFT-S	BPSK	8	44	H	46.01	48.90	55
Mid	200M	DFT-S	BPSK			V	45.76		
Mid	200M	DFT-S	BPSK	8	80	H	46.02	49.82	55
Mid	200M	DFT-S	BPSK			V	47.47		
Mid	200M	DFT-S	BPSK	8	120	H	45.07	48.55	55
Mid	200M	DFT-S	BPSK			V	45.96		
Mid	200M	DFT-S	BPSK	40	44	H	47.73	50.51	55
Mid	200M	DFT-S	BPSK			V	47.26		
Mid	200M	DFT-S	BPSK	64	32	H	45.79	48.66	55
Mid	200M	DFT-S	BPSK			V	45.51		
Mid	200M	DFT-S	BPSK	128	0	H	42.06	45.75	55
Mid	200M	DFT-S	BPSK			V	43.33		
Mid	200M	DFT-S	QPSK	1	0	H	37.13	41.84	55
Mid	200M	DFT-S	QPSK			V	40.05		
Mid	200M	DFT-S	QPSK	1	131	H	36.75	41.72	55
Mid	200M	DFT-S	QPSK			V	40.05		
Mid	200M	DFT-S	QPSK	8	4	H	45.62	48.48	55
Mid	200M	DFT-S	QPSK			V	45.32		
Mid	200M	DFT-S	QPSK	8	44	H	47.3	50.03	55
Mid	200M	DFT-S	QPSK			V	46.71		
Mid	200M	DFT-S	QPSK	8	80	H	46.96	49.65	55
Mid	200M	DFT-S	QPSK			V	46.29		
Mid	200M	DFT-S	QPSK	8	120	H	45.87	48.40	55
Mid	200M	DFT-S	QPSK			V	44.86		
Mid	200M	DFT-S	QPSK	40	44	H	47.81	50.69	55
Mid	200M	DFT-S	QPSK			V	47.55		
Mid	200M	DFT-S	QPSK	64	32	H	45.8	48.63	55
Mid	200M	DFT-S	QPSK			V	45.43		
Mid	200M	DFT-S	QPSK	128	0	H	42.01	45.85	55
Mid	200M	DFT-S	QPSK			V	43.54		
Mid	200M	DFT-S	16QAM	1	0	H	36.25	41.01	55
Mid	200M	DFT-S	16QAM			V	39.24		
Mid	200M	DFT-S	16QAM	1	131	H	35.42	40.75	55
Mid	200M	DFT-S	16QAM			V	39.24		
Mid	200M	DFT-S	16QAM	8	4	H	44.14	47.11	55
Mid	200M	DFT-S	16QAM			V	44.05		
Mid	200M	DFT-S	16QAM	8	44	H	47.05	49.28	55
Mid	200M	DFT-S	16QAM			V	45.32		

Mid	200M	DFT-S	16QAM	8	80	H	46.54	50.07	55
Mid	200M	DFT-S	16QAM			V	47.53		
Mid	200M	DFT-S	16QAM	8	120	H	44.21	46.76	55
Mid	200M	DFT-S	16QAM			V	43.24		
Mid	200M	DFT-S	16QAM	40	44	H	46.58	49.74	55
Mid	200M	DFT-S	16QAM			V	46.87		
Mid	200M	DFT-S	16QAM	64	32	H	44.24	47.16	55
Mid	200M	DFT-S	16QAM			V	44.05		
Mid	200M	DFT-S	16QAM	128	0	H	42.1	45.78	55
Mid	200M	DFT-S	16QAM			V	43.35		
Mid	200M	DFT-S	64QAM	1	0	H	35.24	40.13	55
Mid	200M	DFT-S	64QAM			V	38.42		
Mid	200M	DFT-S	64QAM	1	131	H	34.21	39.98	55
Mid	200M	DFT-S	64QAM			V	38.65		
Mid	200M	DFT-S	64QAM	8	4	H	43.04	46.19	55
Mid	200M	DFT-S	64QAM			V	43.32		
Mid	200M	DFT-S	64QAM	8	44	H	46.32	48.38	55
Mid	200M	DFT-S	64QAM			V	44.15		
Mid	200M	DFT-S	64QAM	8	80	H	45.43	49.04	55
Mid	200M	DFT-S	64QAM			V	46.55		
Mid	200M	DFT-S	64QAM	8	120	H	43.25	45.74	55
Mid	200M	DFT-S	64QAM			V	42.14		
Mid	200M	DFT-S	64QAM	40	44	H	45.39	48.58	55
Mid	200M	DFT-S	64QAM			V	45.74		
Mid	200M	DFT-S	64QAM	64	32	H	43.32	46.23	55
Mid	200M	DFT-S	64QAM			V	43.11		
Mid	200M	DFT-S	64QAM	128	0	H	40.02	43.67	55
Mid	200M	DFT-S	64QAM			V	41.22		
High	200M	DFT-S	BPSK	1	0	H	40.65	41.19	55
High	200M	DFT-S	BPSK			V	31.86		
High	200M	DFT-S	BPSK	1	131	H	37.82	41.97	55
High	200M	DFT-S	BPSK			V	39.86		
High	200M	DFT-S	BPSK	8	4	H	44.12	47.91	55
High	200M	DFT-S	BPSK			V	45.56		
High	200M	DFT-S	BPSK	8	44	H	46.02	49.84	55
High	200M	DFT-S	BPSK			V	47.52		
High	200M	DFT-S	BPSK	8	80	H	46.05	49.90	55
High	200M	DFT-S	BPSK			V	47.59		
High	200M	DFT-S	BPSK	8	120	H	44.05	48.10	55
High	200M	DFT-S	BPSK			V	45.92		
High	200M	DFT-S	BPSK	40	44	H	47.4	50.60	55
High	200M	DFT-S	BPSK			V	47.78		
High	200M	DFT-S	BPSK	64	32	H	44.35	48.05	55

High	200M	DFT-S	BPSK			V	45.63		
High	200M	DFT-S	BPSK	128	0	H	42.31	45.93	55
High	200M	DFT-S	BPSK			V	43.46		
High	200M	DFT-S	QPSK	1	0	H	40.28	41.06	55
High	200M	DFT-S	QPSK			V	33.21		
High	200M	DFT-S	QPSK	1	131	H	37.82	41.84	55
High	200M	DFT-S	QPSK			V	39.65		
High	200M	DFT-S	QPSK	8	4	H	44.23	48.00	55
High	200M	DFT-S	QPSK			V	45.63		
High	200M	DFT-S	QPSK	8	44	H	46.03	49.75	55
High	200M	DFT-S	QPSK			V	47.35		
High	200M	DFT-S	QPSK	8	80	H	46.08	49.96	55
High	200M	DFT-S	QPSK			V	47.68		
High	200M	DFT-S	QPSK	8	120	H	44.53	48.18	55
High	200M	DFT-S	QPSK			V	45.72		
High	200M	DFT-S	QPSK	40	44	H	47.74	50.75	55
High	200M	DFT-S	QPSK			V	47.73		
High	200M	DFT-S	QPSK	64	32	H	43.98	47.89	55
High	200M	DFT-S	QPSK			V	45.62		
High	200M	DFT-S	QPSK	128	0	H	42.3	45.93	55
High	200M	DFT-S	QPSK			V	43.47		
High	200M	DFT-S	16QAM	1	0	H	39.54	40.28	55
High	200M	DFT-S	16QAM			V	32.24		
High	200M	DFT-S	16QAM	1	131	H	36.25	40.30	55
High	200M	DFT-S	16QAM			V	38.12		
High	200M	DFT-S	16QAM	8	4	H	43.65	46.99	55
High	200M	DFT-S	16QAM			V	44.28		
High	200M	DFT-S	16QAM	8	44	H	45.18	48.81	55
High	200M	DFT-S	16QAM			V	46.35		
High	200M	DFT-S	16QAM	8	80	H	45.07	49.07	55
High	200M	DFT-S	16QAM			V	46.87		
High	200M	DFT-S	16QAM	8	120	H	43.52	46.89	55
High	200M	DFT-S	16QAM			V	44.21		
High	200M	DFT-S	16QAM	40	44	H	46.55	49.46	55
High	200M	DFT-S	16QAM			V	46.34		
High	200M	DFT-S	16QAM	64	32	H	42.35	46.59	55
High	200M	DFT-S	16QAM			V	44.54		
High	200M	DFT-S	16QAM	128	0	H	42.26	45.93	55
High	200M	DFT-S	16QAM			V	43.49		
High	200M	DFT-S	64QAM	1	0	H	38.44	39.22	55
High	200M	DFT-S	64QAM			V	31.35		
High	200M	DFT-S	64QAM	1	131	H	35.26	39.29	55
High	200M	DFT-S	64QAM			V	37.11		

High	200M	DFT-S	64QAM	8	4	H	42.36	45.90	55
High	200M	DFT-S	64QAM			V	43.36		
High	200M	DFT-S	64QAM	8	44	H	44.29	47.86	55
High	200M	DFT-S	64QAM			V	45.35		
High	200M	DFT-S	64QAM	8	80	H	44.15	47.96	55
High	200M	DFT-S	64QAM			V	45.63		
High	200M	DFT-S	64QAM	8	120	H	42.52	46.12	55
High	200M	DFT-S	64QAM			V	43.63		
High	200M	DFT-S	64QAM	40	44	H	45.14	48.25	55
High	200M	DFT-S	64QAM			V	45.33		
High	200M	DFT-S	64QAM	64	32	H	41.25	45.44	55
High	200M	DFT-S	64QAM			V	43.35		
High	200M	DFT-S	64QAM	128	0	H	40.23	43.18	55
High	200M	DFT-S	64QAM			V	40.11		

NR Band n258I-b (Beam ID: 47+303)
DFT-s Maximum Average EIRP [dBm]

Channel	BW [MHz]	Waveform	Modulation	RB Size	RB Offset	Ant. Pol	EIRP [dBm]	MIMO EIRP [dBm]	Limit [dBm]
Low	100M 4CC	DFT-S	BPSK	1	0	H	39.74	44.25	55
Low	100M 4CC	DFT-S	BPSK			V	42.36		
Low	100M 4CC	DFT-S	BPSK	1	65	H	39.43	44.14	55
Low	100M 4CC	DFT-S	BPSK			V	42.35		
Low	100M 4CC	DFT-S	BPSK	8	4	H	40.26	45.08	55
Low	100M 4CC	DFT-S	BPSK			V	43.35		
Low	100M 4CC	DFT-S	BPSK	8	22	H	41.25	44.68	55
Low	100M 4CC	DFT-S	BPSK			V	42.06		
Low	100M 4CC	DFT-S	BPSK	8	36	H	43.24	45.91	55
Low	100M 4CC	DFT-S	BPSK			V	42.54		
Low	100M 4CC	DFT-S	BPSK	8	54	H	43.22	45.28	55
Low	100M 4CC	DFT-S	BPSK			V	41.06		
Low	100M 4CC	DFT-S	BPSK	20	23	H	42.35	44.36	55
Low	100M 4CC	DFT-S	BPSK			V	40.05		
Low	100M 4CC	DFT-S	BPSK	32	16	H	41.62	44.81	55
Low	100M 4CC	DFT-S	BPSK			V	41.97		
Low	100M 4CC	DFT-S	BPSK	64	0	H	41.35	45.23	55
Low	100M 4CC	DFT-S	BPSK			V	42.95		
Low	100M 4CC	DFT-S	QPSK	1	0	H	40.03	44.17	55
Low	100M 4CC	DFT-S	QPSK			V	42.05		
Low	100M 4CC	DFT-S	QPSK	1	65	H	40.26	43.95	55
Low	100M 4CC	DFT-S	QPSK			V	41.53		
Low	100M 4CC	DFT-S	QPSK	8	4	H	42.25	44.75	55
Low	100M 4CC	DFT-S	QPSK			V	41.16		
Low	100M 4CC	DFT-S	QPSK	8	22	H	42.35	44.85	55
Low	100M 4CC	DFT-S	QPSK			V	41.26		
Low	100M 4CC	DFT-S	QPSK	8	36	H	43.24	45.77	55
Low	100M 4CC	DFT-S	QPSK			V	42.21		
Low	100M 4CC	DFT-S	QPSK	8	54	H	40.26	43.37	55
Low	100M 4CC	DFT-S	QPSK			V	40.46		
Low	100M 4CC	DFT-S	QPSK	20	23	H	41.26	44.32	55
Low	100M 4CC	DFT-S	QPSK			V	41.35		
Low	100M 4CC	DFT-S	QPSK	32	16	H	41.35	44.71	55
Low	100M 4CC	DFT-S	QPSK			V	42.02		
Low	100M 4CC	DFT-S	QPSK	64	0	H	41.39	45.27	55
Low	100M 4CC	DFT-S	QPSK			V	42.98		
Low	100M 4CC	DFT-S	16QAM	1	0	H	39.86	43.46	55


Low	100M 4CC	DFT-S	16QAM			V	40.96		
Low	100M 4CC	DFT-S	16QAM	1	65	H	38.01	42.28	55
Low	100M 4CC	DFT-S	16QAM			V	40.24		
Low	100M 4CC	DFT-S	16QAM	8	4	H	40.03	42.96	55
Low	100M 4CC	DFT-S	16QAM			V	39.86		
Low	100M 4CC	DFT-S	16QAM	8	22	H	40.06	43.48	55
Low	100M 4CC	DFT-S	16QAM			V	40.85		
Low	100M 4CC	DFT-S	16QAM	8	36	H	39.87	42.87	55
Low	100M 4CC	DFT-S	16QAM			V	39.85		
Low	100M 4CC	DFT-S	16QAM	8	54	H	38.63	42.40	55
Low	100M 4CC	DFT-S	16QAM			V	40.03		
Low	100M 4CC	DFT-S	16QAM	20	23	H	40.24	42.36	55
Low	100M 4CC	DFT-S	16QAM			V	38.22		
Low	100M 4CC	DFT-S	16QAM	32	16	H	40.65	43.85	55
Low	100M 4CC	DFT-S	16QAM			V	41.03		
Low	100M 4CC	DFT-S	16QAM	64	0	H	41.03	43.87	55
Low	100M 4CC	DFT-S	16QAM			V	40.68		
Low	100M 4CC	DFT-S	64QAM	1	0	H	35.68	38.98	55
Low	100M 4CC	DFT-S	64QAM			V	36.24		
Low	100M 4CC	DFT-S	64QAM	1	65	H	36.43	38.89	55
Low	100M 4CC	DFT-S	64QAM			V	35.24		
Low	100M 4CC	DFT-S	64QAM	8	4	H	35.86	38.44	55
Low	100M 4CC	DFT-S	64QAM			V	34.96		
Low	100M 4CC	DFT-S	64QAM	8	22	H	35.02	38.55	55
Low	100M 4CC	DFT-S	64QAM			V	36.01		
Low	100M 4CC	DFT-S	64QAM	8	36	H	35.98	38.88	55
Low	100M 4CC	DFT-S	64QAM			V	35.76		
Low	100M 4CC	DFT-S	64QAM	8	54	H	36.02	39.08	55
Low	100M 4CC	DFT-S	64QAM			V	36.11		
Low	100M 4CC	DFT-S	64QAM	20	23	H	35.68	39.02	55
Low	100M 4CC	DFT-S	64QAM			V	36.32		
Low	100M 4CC	DFT-S	64QAM	32	16	H	38.68	41.93	55
Low	100M 4CC	DFT-S	64QAM			V	39.14		
Low	100M 4CC	DFT-S	64QAM	64	0	H	42.36	44.89	55
Low	100M 4CC	DFT-S	64QAM			V	41.35		
Mid	100M 4CC	DFT-S	BPSK	1	0	H	39.63	44.82	55
Mid	100M 4CC	DFT-S	BPSK			V	43.25		
Mid	100M 4CC	DFT-S	BPSK	1	65	H	41.66	44.97	55
Mid	100M 4CC	DFT-S	BPSK			V	42.24		
Mid	100M 4CC	DFT-S	BPSK	8	4	H	43.56	45.80	55
Mid	100M 4CC	DFT-S	BPSK			V	41.85		
Mid	100M 4CC	DFT-S	BPSK	8	22	H	42.24	44.49	55
Mid	100M 4CC	DFT-S	BPSK			V	40.56		

Mid	100M 4CC	DFT-S	BPSK	8	36	H	42.53	46.09	55
Mid	100M 4CC	DFT-S	BPSK			V	43.57		
Mid	100M 4CC	DFT-S	BPSK	8	54	H	40.96	44.68	55
Mid	100M 4CC	DFT-S	BPSK			V	42.28		
Mid	100M 4CC	DFT-S	BPSK	20	23	H	43.28	46.88	55
Mid	100M 4CC	DFT-S	BPSK			V	44.38		
Mid	100M 4CC	DFT-S	BPSK	32	16	H	42.63	44.47	55
Mid	100M 4CC	DFT-S	BPSK			V	39.86		
Mid	100M 4CC	DFT-S	BPSK	64	0	H	41.51	45.36	55
Mid	100M 4CC	DFT-S	BPSK			V	43.06		
Mid	100M 4CC	DFT-S	QPSK	1	0	H	40.96	43.63	55
Mid	100M 4CC	DFT-S	QPSK			V	40.25		
Mid	100M 4CC	DFT-S	QPSK	1	65	H	40.35	43.83	55
Mid	100M 4CC	DFT-S	QPSK			V	41.25		
Mid	100M 4CC	DFT-S	QPSK	8	4	H	40.22	43.30	55
Mid	100M 4CC	DFT-S	QPSK			V	40.36		
Mid	100M 4CC	DFT-S	QPSK	8	22	H	42.25	44.83	55
Mid	100M 4CC	DFT-S	QPSK			V	41.35		
Mid	100M 4CC	DFT-S	QPSK	8	36	H	42.55	45.72	55
Mid	100M 4CC	DFT-S	QPSK			V	42.86		
Mid	100M 4CC	DFT-S	QPSK	8	54	H	40.63	43.96	55
Mid	100M 4CC	DFT-S	QPSK			V	41.25		
Mid	100M 4CC	DFT-S	QPSK	20	23	H	43.27	46.86	55
Mid	100M 4CC	DFT-S	QPSK			V	44.36		
Mid	100M 4CC	DFT-S	QPSK	32	16	H	42.86	44.69	55
Mid	100M 4CC	DFT-S	QPSK			V	40.06		
Mid	100M 4CC	DFT-S	QPSK	64	0	H	41.53	45.33	55
Mid	100M 4CC	DFT-S	QPSK			V	42.99		
Mid	100M 4CC	DFT-S	16QAM	1	0	H	37.26	40.07	55
Mid	100M 4CC	DFT-S	16QAM			V	36.86		
Mid	100M 4CC	DFT-S	16QAM	1	65	H	38.54	40.96	55
Mid	100M 4CC	DFT-S	16QAM			V	37.26		
Mid	100M 4CC	DFT-S	16QAM	8	4	H	36.63	40.52	55
Mid	100M 4CC	DFT-S	16QAM			V	38.24		
Mid	100M 4CC	DFT-S	16QAM	8	22	H	41.26	43.78	55
Mid	100M 4CC	DFT-S	16QAM			V	40.21		
Mid	100M 4CC	DFT-S	16QAM	8	36	H	41.23	44.29	55
Mid	100M 4CC	DFT-S	16QAM			V	41.33		
Mid	100M 4CC	DFT-S	16QAM	8	54	H	39.86	43.13	55
Mid	100M 4CC	DFT-S	16QAM			V	40.36		
Mid	100M 4CC	DFT-S	16QAM	20	23	H	41.25	45.16	55
Mid	100M 4CC	DFT-S	16QAM			V	42.89		
Mid	100M 4CC	DFT-S	16QAM	32	16	H	41.65	43.77	55

Mid	100M 4CC	DFT-S	16QAM			V	39.63		
Mid	100M 4CC	DFT-S	16QAM	64	0	H	38.68	41.18	55
Mid	100M 4CC	DFT-S	16QAM			V	37.59		
Mid	100M 4CC	DFT-S	64QAM	1	0	H	37.26	40.07	55
Mid	100M 4CC	DFT-S	64QAM			V	36.86		
Mid	100M 4CC	DFT-S	64QAM	1	65	H	38.54	40.96	55
Mid	100M 4CC	DFT-S	64QAM			V	37.26		
Mid	100M 4CC	DFT-S	64QAM	8	4	H	36.63	40.52	55
Mid	100M 4CC	DFT-S	64QAM			V	38.24		
Mid	100M 4CC	DFT-S	64QAM	8	22	H	41.26	43.78	55
Mid	100M 4CC	DFT-S	64QAM			V	40.21		
Mid	100M 4CC	DFT-S	64QAM	8	36	H	41.23	44.29	55
Mid	100M 4CC	DFT-S	64QAM			V	41.33		
Mid	100M 4CC	DFT-S	64QAM	8	54	H	39.86	43.13	55
Mid	100M 4CC	DFT-S	64QAM			V	40.36		
Mid	100M 4CC	DFT-S	64QAM	20	23	H	41.25	45.16	55
Mid	100M 4CC	DFT-S	64QAM			V	42.89		
Mid	100M 4CC	DFT-S	64QAM	32	16	H	41.65	43.77	55
Mid	100M 4CC	DFT-S	64QAM			V	39.63		
Mid	100M 4CC	DFT-S	64QAM	64	0	H	38.68	41.18	55
Mid	100M 4CC	DFT-S	64QAM			V	37.59		
High	100M 4CC	DFT-S	BPSK	1	0	H	40.02	42.95	55
High	100M 4CC	DFT-S	BPSK			V	39.86		
High	100M 4CC	DFT-S	BPSK	1	65	H	39.96	43.10	55
High	100M 4CC	DFT-S	BPSK			V	40.22		
High	100M 4CC	DFT-S	BPSK	8	4	H	41.35	44.73	55
High	100M 4CC	DFT-S	BPSK			V	42.06		
High	100M 4CC	DFT-S	BPSK	8	22	H	43.26	46.80	55
High	100M 4CC	DFT-S	BPSK			V	44.26		
High	100M 4CC	DFT-S	BPSK	8	36	H	41.63	43.86	55
High	100M 4CC	DFT-S	BPSK			V	39.89		
High	100M 4CC	DFT-S	BPSK	8	54	H	40.25	44.61	55
High	100M 4CC	DFT-S	BPSK			V	42.63		
High	100M 4CC	DFT-S	BPSK	20	23	H	42.56	45.23	55
High	100M 4CC	DFT-S	BPSK			V	41.86		
High	100M 4CC	DFT-S	BPSK	32	16	H	39.96	43.26	55
High	100M 4CC	DFT-S	BPSK			V	40.52		
High	100M 4CC	DFT-S	BPSK	64	0	H	41.72	45.52	55
High	100M 4CC	DFT-S	BPSK			V	43.18		
High	100M 4CC	DFT-S	QPSK	1	0	H	41.32	43.83	55
High	100M 4CC	DFT-S	QPSK			V	40.25		
High	100M 4CC	DFT-S	QPSK	1	65	H	40.63	44.24	55
High	100M 4CC	DFT-S	QPSK			V	41.75		

High	100M 4CC	DFT-S	QPSK	8	4	H	41.35	44.83	55
High	100M 4CC	DFT-S	QPSK			V	42.24		
High	100M 4CC	DFT-S	QPSK	8	22	H	43.26	46.80	55
High	100M 4CC	DFT-S	QPSK			V	44.26		
High	100M 4CC	DFT-S	QPSK	8	36	H	41.25	43.49	55
High	100M 4CC	DFT-S	QPSK			V	39.55		
High	100M 4CC	DFT-S	QPSK	8	54	H	40.28	44.21	55
High	100M 4CC	DFT-S	QPSK			V	41.96		
High	100M 4CC	DFT-S	QPSK	20	23	H	41.99	45.02	55
High	100M 4CC	DFT-S	QPSK			V	42.03		
High	100M 4CC	DFT-S	QPSK	32	16	H	40.24	43.76	55
High	100M 4CC	DFT-S	QPSK			V	41.21		
High	100M 4CC	DFT-S	QPSK	64	0	H	41.73	45.47	55
High	100M 4CC	DFT-S	QPSK			V	43.09		
High	100M 4CC	DFT-S	16QAM	1	0	H	39.65	41.73	55
High	100M 4CC	DFT-S	16QAM			V	37.54		
High	100M 4CC	DFT-S	16QAM	1	65	H	39.53	42.91	55
High	100M 4CC	DFT-S	16QAM			V	40.24		
High	100M 4CC	DFT-S	16QAM	8	4	H	39.63	42.98	55
High	100M 4CC	DFT-S	16QAM			V	40.28		
High	100M 4CC	DFT-S	16QAM	8	22	H	41.04	44.75	55
High	100M 4CC	DFT-S	16QAM			V	42.35		
High	100M 4CC	DFT-S	16QAM	8	36	H	40.06	42.02	55
High	100M 4CC	DFT-S	16QAM			V	37.63		
High	100M 4CC	DFT-S	16QAM	8	54	H	39.86	42.97	55
High	100M 4CC	DFT-S	16QAM			V	40.05		
High	100M 4CC	DFT-S	16QAM	20	23	H	40.05	43.59	55
High	100M 4CC	DFT-S	16QAM			V	41.05		
High	100M 4CC	DFT-S	16QAM	32	16	H	38.63	42.20	55
High	100M 4CC	DFT-S	16QAM			V	39.68		
High	100M 4CC	DFT-S	16QAM	64	0	H	37.26	39.80	55
High	100M 4CC	DFT-S	16QAM			V	36.27		
High	100M 4CC	DFT-S	64QAM	1	0	H	37.63	39.61	55
High	100M 4CC	DFT-S	64QAM			V	35.24		
High	100M 4CC	DFT-S	64QAM	1	65	H	36.54	38.56	55
High	100M 4CC	DFT-S	64QAM			V	34.26		
High	100M 4CC	DFT-S	64QAM	8	4	H	36.24	39.78	55
High	100M 4CC	DFT-S	64QAM			V	37.24		
High	100M 4CC	DFT-S	64QAM	8	22	H	36.26	41.27	55
High	100M 4CC	DFT-S	64QAM			V	39.63		
High	100M 4CC	DFT-S	64QAM	8	36	H	39.35	40.52	55
High	100M 4CC	DFT-S	64QAM			V	34.26		
High	100M 4CC	DFT-S	64QAM	8	54	H	36.54	40.47	55


High	100M 4CC	DFT-S	64QAM			V	38.22		
High	100M 4CC	DFT-S	64QAM	20	23	H	37.56	41.33	55
High	100M 4CC	DFT-S	64QAM			V	38.96		
High	100M 4CC	DFT-S	64QAM	32	16	H	36.35	39.78	55
High	100M 4CC	DFT-S	64QAM			V	37.16		
High	100M 4CC	DFT-S	64QAM	64	0	H	39.63	42.84	55
High	100M 4CC	DFT-S	64QAM			V	40.03		




2. Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)
n258b	200MHz	BPSK	Mid	128RB#0	184.747
n258b	200MHz	QPSK	Mid	128RB#0	184.951
n258b	200MHz	16QAM	Mid	128RB#0	189.019
n258b	200MHz	64QAM	Mid	128RB#0	189.263
n258b	100MHz	BPSK	Mid	64RB#0	89.390
n258b	100MHz	QPSK	Mid	64RB#0	89.663
n258b	100MHz	16QAM	Mid	64RB#0	89.623
n258b	100MHz	64QAM	Mid	64RB#0	90.599
n258b	50MHz	BPSK	Mid	32RB#0	46.263
n258b	50MHz	QPSK	Mid	32RB#0	46.373
n258b	50MHz	16QAM	Mid	32RB#0	46.297
n258b	50MHz	64QAM	Mid	32RB#0	46.397




n258-b 50MHz-BPSK-Mid CH-32RB0





n258-b 50MHz-QPSK-Mid CH-32RB0



n258-b 50MHz-16QAM-Mid CH-32RB0




n258-b 50MHz-64QAM-Mid CH-32RB0



Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)
n258I-b	100M 4CC	BPSK	Mid	64RB#0	390.421
n258I-b	100M 4CC	QPSK	Mid	64RB#0	390.284
n258I-b	100M 4CC	16QAM	Mid	64RB#0	390.078
n258I-b	100M 4CC	64QAM	Mid	64RB#0	389.708


Test Graphs




3. Out-of-band Emissions at the Band Edge

Test Graphs


n258-b 50MHz-BPSK-Low -H-1RB0




n258-b 50MHz-BPSK-Low -V-1RB0




n258-b 50MHz-BPSK-Low -H-32RB0




n258-b 50MHz-BPSK-Low -V-32RB0



n258-b 50MHz-QPSK-Low -H-1RB0




n258-b 50MHz-QPSK-Low -V-1RB0




n258-b 50MHz-QPSK-Low -H-32RB0




n258-b 50MHz-QPSK-Low -V-32RB0




n258-b 50MHz-16QAM-Low -H-1RB0




n258-b 50MHz-16QAM -Low -V-1RB0




n258-b 50MHz-16QAM -Low -H-32RB0




n258-b 50MHz-16QAM -Low -V-32RB0




n258-b 50MHz-64QAM-Low -H-1RB0




n258-b 50MHz-64QAM -Low -V-1RB0




n258-b 50MHz-64QAM -Low -H-32RB0




n258-b 50MHz-64QAM -Low -V-32RB0




n258-b 50MHz-BPSK-High -H-1RB31




n258-b 50MHz-BPSK- High -V-1RB31




n258-b 50MHz-BPSK- High -H-32RB0




n258-b 50MHz-BPSK- High -V-32RB0




n258-b 50MHz-QPSK- High -H-1RB31




n258-b 50MHz-QPSK- High -V-1RB31




n258-b 50MHz-QPSK- High -H-32RB0



n258-b 50MHz-QPSK- High -V-32RB0




n258-b 50MHz-16QAM- High -H-1RB31




n258-b 50MHz-16QAM - High -V-1RB31




n258-b 50MHz-16QAM - High -H-32RB0




n258-b 50MHz-16QAM - High -V-32RB0




n258-b 50MHz-64QAM- High -H-1RB31




n258-b 50MHz-64QAM - High -V-1RB31




n258-b 50MHz-64QAM - High -H-32RB0




n258-b 50MHz-64QAM - High -V-32RB0



n258-b 100MHz-BPSK-Low -H-1RB0




n258-b 100MHz-BPSK-Low -V-1RB0



n258-b 100MHz-BPSK-Low -H-64RB0




n258-b 100MHz-BPSK-Low -V-64RB0




n258-b 100MHz-QPSK-Low -H-1RB0

n258-b 100MHz-QPSK-Low -V-1RB0



n258-b 100MHz-QPSK-Low -H-64RB0





n258-b 100MHz-QPSK-Low -V-64RB0




n258-b 100MHz-16QAM-Low -H-1RB0




n258-b 100MHz-16QAM -Low -V-1RB0




n258-b 100MHz-16QAM -Low -H-64RB0




n258-b 100MHz-16QAM -Low -V-64RB0




n258-b 100MHz-64QAM -Low -H-1RB0




n258-b 100MHz-64QAM -Low -V-1RB0




n258-b 100MHz-64QAM -Low -H-64RB0




n258-b 100MHz-64QAM -Low -V-64RB0



n258-b 100MHz-BPSK-High -H-1RB65



n258-b 100MHz-BPSK- High -V-1RB65




n258-b 100MHz-BPSK- High -H-64RB0




n258-b 100MHz-BPSK- High -V-64RB0



n258-b 100MHz-QPSK- High -H-1RB65




n258-b 100MHz-QPSK- High -V-1RB65




n258-b 100MHz-QPSK- High -H-64RB0




n258-b 100MHz-QPSK- High -V-64RB0




n258-b 100MHz-16QAM- High -H-1RB65




n258-b 100MHz-16QAM - High -V-1RB65




n258-b 100MHz-16QAM - High -H-64RB0




n258-b 100MHz-16QAM - High -V-64RB0




n258-b 100MHz-64QAM- High -H-1RB65




n258-b 100MHz-64QAM - High -V-1RB65




n258-b 100MHz-64QAM - High -H-64RB0




n258-b 100MHz-64QAM - High -V-64RB0




n258-b 200MHz-BPSK-Low -H-1RB0



n258-b 200MHz -BPSK-Low -V-1RB0




n258-b 200MHz-BPSK-Low -H-128RB0




n258-b 200MHz -BPSK-Low -V-128RB0



n258-b 200MHz-QPSK-Low -H-1RB0




n258-b 200MHz-QPSK-Low -V-1RB0




n258-b 200MHz-QPSK-Low -H-128RB0




n258-b 200MHz-QPSK-Low -V-128RB0




n258-b 200MHz-16QAM-Low -H-1RB0



n258-b 200MHz-16QAM -Low -V-1RB0




n258-b 200MHz-16QAM -Low -H-128RB0




n258-b 200MHz-16QAM -Low -V-128RB0



n258-b 200MHz-64QAM-Low -H-1RB0




n258-b 200MHz-64QAM -Low -V-1RB0




n258-b 200MHz -64QAM -Low -H-128RB0




n258-b 200MHz-64QAM -Low -V-128RB0



n258-b 200MHz-BPSK-High -H-1RB131



n258-b 50MHz-BPSK- High -V-1RB131




n258-b 200MHz-BPSK- High -H-128RB0




n258-b 200MHz-BPSK- High -V-128RB0




n258-b 200MHz-QPSK- High -H-1RB131



n258-b 200MHz-QPSK- High -V-1RB131




n258-b 200MHz-QPSK- High -H-128RB0




n258-b 200MHz-QPSK- High -V-128RB0



n258-b 200MHz-16QAM- High -H-1RB131



n258-b 200MHz-16QAM - High -V-1RB131




n258-b 200MHz -16QAM - High -H-128RB0




n258-b 200MHz -16QAM - High -V-128RB0



n258-b 200MHz-64QAM- High -H-1RB131



n258-b 200MHz-64QAM - High -V-1RB131



n258-b 200MHz-64QAM - High -H-128RB0




n258-b 200MHz -64QAM - High -V-128RB0




n258I-b 100M 4CC -BPSK-Low -H-1RB0

n258I-b 100M 4CC -BPSK-Low -V-1RB0



n258I-b 100M 4CC -BPSK-Low -H-64RB0



n258I-b 100M 4CC -BPSK-Low -V-64RB0



n258I-b 100M 4CC -QPSK-Low -H-1RB0



n258I-b 100M 4CC -QPSK-Low -V-1RB0

