



Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 71 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.0675MHz	-76.39	-13.00	-63.39	PK	Hor
2*	60.5550MHz	-78.16	-13.00	-65.16	PK	Hor
3*	165.9213MHz	-76.16	-13.00	-63.16	PK	Hor
4*	377.3813MHz	-74.67	-13.00	-61.67	PK	Hor
5*	483.4750MHz	-71.47	-13.00	-58.47	PK	Hor
6*	945.6800MHz	-60.61	-13.00	-47.61	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	30.0000MHz	-77.79	-13.00	-64.79	PK	Ver
2*	45.7625MHz	-76.46	-13.00	-63.46	PK	Ver
3*	67.4663MHz	-78.61	-13.00	-65.61	PK	Ver
4*	159.6163MHz	-76.73	-13.00	-63.73	PK	Ver
5*	509.3013MHz	-71.44	-13.00	-58.44	PK	Ver
6*	997.2113MHz	-60.89	-13.00	-47.89	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 71 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.7325MHz	-77.73	-13.00	-64.73	PK	Hor
2*	49.4000MHz	-77.68	-13.00	-64.68	PK	Hor
3*	146.4000MHz	-76.53	-13.00	-63.53	PK	Hor
4*	299.6600MHz	-76.63	-13.00	-63.63	PK	Hor
5*	604.6038MHz	-66.14	-13.00	-53.14	PK	Hor
6*	984.1163MHz	-60.39	-13.00	-47.39	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	30.0000MHz	-75.96	-13.00	-62.96	PK	Ver
2*	50.1275MHz	-77.53	-13.00	-64.53	PK	Ver
3*	75.7113MHz	-79.97	-13.00	-66.97	PK	Ver
4*	162.4050MHz	-77.63	-13.00	-64.63	PK	Ver
5*	364.6500MHz	-74.42	-13.00	-61.42	PK	Ver
6*	972.3550MHz	-60.45	-13.00	-47.45	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.6970GHz	-54.98	-13.00	-41.98	PK	Hor
2*	2.8147GHz	-49.72	-13.00	-36.72	PK	Hor
3*	5.3605GHz	-47.85	-13.00	-34.85	PK	Hor
4*	7.1497GHz	-45.25	-13.00	-32.25	PK	Hor
5*	7.5769GHz	-43.04	-13.00	-30.04	PK	Hor
6*	17.9362GHz	-37.86	-13.00	-24.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3187GHz	-54.86	-13.00	-41.86	PK	Ver
2*	2.5427GHz	-51.45	-13.00	-38.45	PK	Ver
3*	4.3150GHz	-48.17	-13.00	-35.17	PK	Ver
4*	7.1476GHz	-44.91	-13.00	-31.91	PK	Ver
5*	7.5917GHz	-43.76	-13.00	-30.76	PK	Ver
6*	17.8385GHz	-37.09	-13.00	-24.09	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4229GHz	-55.89	-13.00	-42.89	PK	Hor
2*	1.7990GHz	-54.12	-13.00	-41.12	PK	Hor
3*	3.1271GHz	-48.84	-13.00	-35.84	PK	Hor
4*	4.8377GHz	-47.05	-13.00	-34.05	PK	Hor
5*	8.4694GHz	-42.60	-13.00	-29.60	PK	Hor
6*	17.8236GHz	-37.31	-13.00	-24.31	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3995GHz	-55.81	-13.00	-42.81	PK	Ver
2*	2.3642GHz	-51.12	-13.00	-38.12	PK	Ver
3*	4.3660GHz	-48.51	-13.00	-35.51	PK	Ver
4*	7.5896GHz	-43.41	-13.00	-30.41	PK	Ver
5*	8.9305GHz	-43.36	-13.00	-30.36	PK	Ver
6*	17.9532GHz	-38.49	-13.00	-25.49	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4760GHz	-56.32	-13.00	-43.32	PK	Hor
2*	2.3260GHz	-51.93	-13.00	-38.93	PK	Hor
3*	2.9699GHz	-48.42	-13.00	-35.42	PK	Hor
4*	6.1425GHz	-46.52	-13.00	-33.52	PK	Hor
5*	8.9305GHz	-42.39	-13.00	-29.39	PK	Hor
6*	17.8257GHz	-37.40	-13.00	-24.40	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1934GHz	-56.95	-13.00	-43.95	PK	Ver
2*	1.5206GHz	-55.08	-13.00	-42.08	PK	Ver
3*	2.7574GHz	-49.98	-13.00	-36.98	PK	Ver
4*	4.8420GHz	-47.24	-13.00	-34.24	PK	Ver
5*	7.1582GHz	-43.67	-13.00	-30.67	PK	Ver
6*	17.8364GHz	-37.59	-13.00	-24.59	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7280GHz	-54.66	-13.00	-41.66	PK	Hor
2*	2.5860GHz	-49.48	-13.00	-36.48	PK	Hor
3*	4.3760GHz	-48.03	-13.00	-35.03	PK	Hor
4*	7.5820GHz	-43.13	-13.00	-30.13	PK	Hor
5*	13.7560GHz	-41.62	-13.00	-28.62	PK	Hor
6*	16.3620GHz	-40.31	-13.00	-27.31	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3200GHz	-56.60	-13.00	-43.60	PK	Ver
2*	1.4680GHz	-55.66	-13.00	-42.66	PK	Ver
3*	2.9120GHz	-50.07	-13.00	-37.07	PK	Ver
4*	4.2840GHz	-48.35	-13.00	-35.35	PK	Ver
5*	7.5900GHz	-43.95	-13.00	-30.95	PK	Ver
6*	14.4080GHz	-41.59	-13.00	-28.59	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3180GHz	-56.36	-13.00	-43.36	PK	Hor
2*	1.8020GHz	-54.46	-13.00	-41.46	PK	Hor
3*	3.2040GHz	-49.81	-13.00	-36.81	PK	Hor
4*	6.7100GHz	-45.65	-13.00	-32.65	PK	Hor
5*	8.5920GHz	-42.95	-13.00	-29.95	PK	Hor
6*	16.4840GHz	-40.15	-13.00	-27.15	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1380GHz	-56.71	-13.00	-43.71	PK	Ver
2*	2.2400GHz	-51.60	-13.00	-38.60	PK	Ver
3*	3.2240GHz	-49.07	-13.00	-36.07	PK	Ver
4*	4.7900GHz	-47.53	-13.00	-34.53	PK	Ver
5*	8.9220GHz	-42.81	-13.00	-29.81	PK	Ver
6*	16.3840GHz	-40.74	-13.00	-27.74	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4120GHz	-54.97	-13.00	-41.97	PK	Hor
2*	2.3260GHz	-51.52	-13.00	-38.52	PK	Hor
3*	3.0560GHz	-48.99	-13.00	-35.99	PK	Hor
4*	5.6780GHz	-47.59	-13.00	-34.59	PK	Hor
5*	7.5900GHz	-43.21	-13.00	-30.21	PK	Hor
6*	16.9380GHz	-40.10	-13.00	-27.10	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3360GHz	-56.75	-13.00	-43.75	PK	Ver
2*	2.4100GHz	-52.53	-13.00	-39.53	PK	Ver
3*	3.3080GHz	-48.79	-13.00	-35.79	PK	Ver
4*	6.6680GHz	-45.11	-13.00	-32.11	PK	Ver
5*	8.9300GHz	-43.50	-13.00	-30.50	PK	Ver
6*	16.4740GHz	-39.93	-13.00	-26.93	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3960GHz	-54.74	-13.00	-41.74	PK	Hor
2*	1.9690GHz	-52.52	-13.00	-39.52	PK	Hor
3*	2.8530GHz	-49.55	-13.00	-36.55	PK	Hor
4*	3.3020GHz	-48.84	-13.00	-35.84	PK	Hor
5*	4.8280GHz	-47.15	-13.00	-34.15	PK	Hor
6*	8.9230GHz	-43.82	-13.00	-30.82	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2760GHz	-54.95	-13.00	-41.95	PK	Ver
2*	1.7170GHz	-54.89	-13.00	-41.89	PK	Ver
3*	2.1690GHz	-52.46	-13.00	-39.46	PK	Ver
4*	4.3210GHz	-47.72	-13.00	-34.72	PK	Ver
5*	6.2770GHz	-46.72	-13.00	-33.72	PK	Ver
6*	7.5790GHz	-44.20	-13.00	-31.20	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5690GHz	-54.76	-13.00	-41.76	PK	Hor
2*	2.2340GHz	-51.59	-13.00	-38.59	PK	Hor
3*	2.9170GHz	-49.67	-13.00	-36.67	PK	Hor
4*	4.8380GHz	-47.45	-13.00	-34.45	PK	Hor
5*	6.5830GHz	-45.89	-13.00	-32.89	PK	Hor
6*	8.9280GHz	-43.30	-13.00	-30.30	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1830GHz	-56.68	-13.00	-43.68	PK	Ver
2*	1.4080GHz	-54.81	-13.00	-41.81	PK	Ver
3*	2.7830GHz	-50.09	-13.00	-37.09	PK	Ver
4*	3.1240GHz	-48.02	-13.00	-35.02	PK	Ver
5*	6.1790GHz	-46.23	-13.00	-33.23	PK	Ver
6*	8.9350GHz	-43.24	-13.00	-30.24	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2300GHz	-55.72	-13.00	-42.72	PK	Hor
2*	1.8140GHz	-54.11	-13.00	-41.11	PK	Hor
3*	2.7300GHz	-49.85	-13.00	-36.85	PK	Hor
4*	4.2230GHz	-49.51	-13.00	-36.51	PK	Hor
5*	6.1270GHz	-46.63	-13.00	-33.63	PK	Hor
6*	8.9380GHz	-43.46	-13.00	-30.46	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2780GHz	-56.11	-13.00	-43.11	PK	Ver
2*	2.1170GHz	-52.79	-13.00	-39.79	PK	Ver
3*	2.8670GHz	-49.30	-13.00	-36.30	PK	Ver
4*	4.3170GHz	-48.41	-13.00	-35.41	PK	Ver
5*	7.4740GHz	-44.10	-13.00	-31.10	PK	Ver
6*	8.9370GHz	-44.02	-13.00	-31.02	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 12 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7732GHz	-54.53	-13.00	-41.53	PK	Hor
2*	2.2727GHz	-52.44	-13.00	-39.44	PK	Hor
3*	3.0625GHz	-49.15	-13.00	-36.15	PK	Hor
4*	4.3052GHz	-49.08	-13.00	-36.08	PK	Hor
5*	4.7837GHz	-47.52	-13.00	-34.52	PK	Hor
6*	6.6565GHz	-46.29	-13.00	-33.29	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2685GHz	-55.45	-13.00	-42.45	PK	Ver
2*	1.3195GHz	-54.94	-13.00	-41.94	PK	Ver
3*	2.0582GHz	-52.84	-13.00	-39.84	PK	Ver
4*	2.9470GHz	-49.01	-13.00	-36.01	PK	Ver
5*	4.2790GHz	-48.71	-13.00	-35.71	PK	Ver
6*	6.6932GHz	-45.74	-13.00	-32.74	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3397GHz	-56.07	-13.00	-43.07	PK	Hor
2*	1.7890GHz	-54.41	-13.00	-41.41	PK	Hor
3*	2.5450GHz	-50.80	-13.00	-37.80	PK	Hor
4*	3.2222GHz	-49.34	-13.00	-36.34	PK	Hor
5*	4.7072GHz	-47.38	-13.00	-34.38	PK	Hor
6*	6.6520GHz	-45.66	-13.00	-32.66	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3195GHz	-55.61	-13.00	-42.61	PK	Ver
2*	1.5617GHz	-55.22	-13.00	-42.22	PK	Ver
3*	2.1535GHz	-52.49	-13.00	-39.49	PK	Ver
4*	2.9680GHz	-49.44	-13.00	-36.44	PK	Ver
5*	4.8505GHz	-46.82	-13.00	-33.82	PK	Ver
6*	6.6520GHz	-44.42	-13.00	-31.42	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 12 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1005GHz	-56.76	-13.00	-43.76	PK	Hor
2*	1.4380GHz	-55.08	-13.00	-42.08	PK	Hor
3*	1.9262GHz	-52.68	-13.00	-39.68	PK	Hor
4*	2.9507GHz	-49.03	-13.00	-36.03	PK	Hor
5*	4.3112GHz	-48.06	-13.00	-35.06	PK	Hor
6*	6.6272GHz	-45.86	-13.00	-32.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3405GHz	-55.38	-13.00	-42.38	PK	Ver
2*	1.8055GHz	-54.18	-13.00	-41.18	PK	Ver
3*	2.4527GHz	-51.62	-13.00	-38.62	PK	Ver
4*	2.7415GHz	-49.46	-13.00	-36.46	PK	Ver
5*	5.3755GHz	-46.10	-13.00	-33.10	PK	Ver
6*	6.6925GHz	-44.24	-13.00	-31.24	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 13 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4680GHz	-55.10	-13.00	-42.10	PK	Hor
2*	1.9375GHz	-53.99	-13.00	-40.99	PK	Hor
3*	2.4617GHz	-49.91	-13.00	-36.91	PK	Hor
4*	3.2162GHz	-48.98	-13.00	-35.98	PK	Hor
5*	4.8797GHz	-46.24	-13.00	-33.24	PK	Hor
6*	6.8192GHz	-45.54	-13.00	-32.54	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2692GHz	-55.96	-13.00	-42.96	PK	Ver
2*	1.7980GHz	-54.04	-13.00	-41.04	PK	Ver
3*	2.3072GHz	-52.41	-13.00	-39.41	PK	Ver
4*	3.0917GHz	-49.24	-13.00	-36.24	PK	Ver
5*	4.8032GHz	-47.00	-13.00	-34.00	PK	Ver
6*	6.1660GHz	-45.46	-13.00	-32.46	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.0690GHz	-56.40	-13.00	-43.40	PK	Hor
2*	1.5047GHz	-55.05	-13.00	-42.05	PK	Hor
3*	2.2022GHz	-52.52	-13.00	-39.52	PK	Hor
4*	3.1315GHz	-48.69	-13.00	-35.69	PK	Hor
5*	4.9435GHz	-47.39	-13.00	-34.39	PK	Hor
6*	6.1337GHz	-46.40	-13.00	-33.40	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.0975GHz	-56.25	-13.00	-43.25	PK	Ver
2*	1.4822GHz	-55.83	-13.00	-42.83	PK	Ver
3*	2.0372GHz	-52.93	-13.00	-39.93	PK	Ver
4*	3.0130GHz	-48.21	-13.00	-35.21	PK	Ver
5*	4.7335GHz	-46.25	-13.00	-33.25	PK	Ver
6*	6.5822GHz	-45.76	-13.00	-32.76	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 13 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2302GHz	-56.19	-13.00	-43.19	PK	Hor
2*	1.4702GHz	-54.99	-13.00	-41.99	PK	Hor
3*	2.8667GHz	-49.50	-13.00	-36.50	PK	Hor
4*	3.1330GHz	-49.05	-13.00	-36.05	PK	Hor
5*	4.8917GHz	-46.74	-13.00	-33.74	PK	Hor
6*	6.7142GHz	-44.78	-13.00	-31.78	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1222GHz	-56.92	-13.00	-43.92	PK	Ver
2*	1.2400GHz	-54.85	-13.00	-41.85	PK	Ver
3*	2.2240GHz	-50.83	-13.00	-37.83	PK	Ver
4*	3.1292GHz	-48.74	-13.00	-35.74	PK	Ver
5*	4.5460GHz	-47.56	-13.00	-34.56	PK	Ver
6*	6.5860GHz	-45.09	-13.00	-32.09	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 25 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3081GHz	-54.84	-13.00	-41.84	PK	Hor
2*	2.3196GHz	-52.18	-13.00	-39.18	PK	Hor
3*	4.7166GHz	-48.34	-13.00	-35.34	PK	Hor
4*	8.4481GHz	-44.60	-13.00	-31.60	PK	Hor
5*	8.9220GHz	-44.10	-13.00	-31.10	PK	Hor
6*	17.8321GHz	-37.68	-13.00	-24.68	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.1390GHz	-52.46	-13.00	-39.46	PK	Ver
2*	3.0124GHz	-49.90	-13.00	-36.90	PK	Ver
3*	4.8356GHz	-46.74	-13.00	-33.74	PK	Ver
4*	7.7086GHz	-44.31	-13.00	-31.31	PK	Ver
5*	14.3322GHz	-41.12	-13.00	-28.12	PK	Ver
6*	17.9384GHz	-36.26	-13.00	-23.26	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 25 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2805GHz	-56.61	-13.00	-43.61	PK	Hor
2*	2.2644GHz	-53.08	-13.00	-40.08	PK	Hor
3*	4.3660GHz	-48.77	-13.00	-35.77	PK	Hor
4*	7.1604GHz	-43.95	-13.00	-30.95	PK	Hor
5*	8.5884GHz	-43.40	-13.00	-30.40	PK	Hor
6*	17.8321GHz	-37.67	-13.00	-24.67	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4951GHz	-54.93	-13.00	-41.93	PK	Ver
2*	2.0519GHz	-52.39	-13.00	-39.39	PK	Ver
3*	3.2206GHz	-48.94	-13.00	-35.94	PK	Ver
4*	5.7812GHz	-47.18	-13.00	-34.18	PK	Ver
5*	14.6892GHz	-41.74	-13.00	-28.74	PK	Ver
6*	17.9384GHz	-37.68	-13.00	-24.68	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 25 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.2686GHz	-51.44	-13.00	-38.44	PK	Hor
2*	3.2737GHz	-49.17	-13.00	-36.17	PK	Hor
3*	7.5556GHz	-44.20	-13.00	-31.20	PK	Hor
4*	9.0197GHz	-43.81	-13.00	-30.81	PK	Hor
5*	14.3492GHz	-41.04	-13.00	-28.04	PK	Hor
6*	17.7216GHz	-37.64	-13.00	-24.64	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1785GHz	-56.26	-13.00	-43.26	PK	Ver
2*	2.0965GHz	-52.69	-13.00	-39.69	PK	Ver
3*	3.1356GHz	-49.40	-13.00	-36.40	PK	Ver
4*	4.8314GHz	-45.99	-13.00	-32.99	PK	Ver
5*	9.0155GHz	-43.56	-13.00	-30.56	PK	Ver
6*	17.8321GHz	-37.71	-13.00	-24.71	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 26 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3510GHz	-55.23	-13.00	-42.23	PK	Hor
2*	1.8830GHz	-54.06	-13.00	-41.06	PK	Hor
3*	2.9570GHz	-50.09	-13.00	-37.09	PK	Hor
4*	4.4740GHz	-48.10	-13.00	-35.10	PK	Hor
5*	7.1280GHz	-44.40	-13.00	-31.40	PK	Hor
6*	8.9240GHz	-43.27	-13.00	-30.27	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4670GHz	-54.35	-13.00	-41.35	PK	Ver
2*	1.9340GHz	-53.31	-13.00	-40.31	PK	Ver
3*	2.5620GHz	-50.38	-13.00	-37.38	PK	Ver
4*	3.0590GHz	-48.65	-13.00	-35.65	PK	Ver
5*	4.6020GHz	-46.90	-13.00	-33.90	PK	Ver
6*	8.4820GHz	-43.38	-13.00	-30.38	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 26 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3100GHz	-55.79	-13.00	-42.79	PK	Hor
2*	2.0990GHz	-53.20	-13.00	-40.20	PK	Hor
3*	3.0060GHz	-49.36	-13.00	-36.36	PK	Hor
4*	4.7100GHz	-48.21	-13.00	-35.21	PK	Hor
5*	6.1580GHz	-45.70	-13.00	-32.70	PK	Hor
6*	8.9320GHz	-43.54	-13.00	-30.54	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2570GHz	-55.79	-13.00	-42.79	PK	Ver
2*	1.7600GHz	-53.96	-13.00	-40.96	PK	Ver
3*	2.7380GHz	-48.62	-13.00	-35.62	PK	Ver
4*	4.3280GHz	-49.04	-13.00	-36.04	PK	Ver
5*	6.2250GHz	-46.34	-13.00	-33.34	PK	Ver
6*	8.9310GHz	-42.75	-13.00	-29.75	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 26 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2340GHz	-56.09	-13.00	-43.09	PK	Hor
2*	1.4770GHz	-56.08	-13.00	-43.08	PK	Hor
3*	2.7670GHz	-50.10	-13.00	-37.10	PK	Hor
4*	4.3070GHz	-48.59	-13.00	-35.59	PK	Hor
5*	6.6520GHz	-44.74	-13.00	-31.74	PK	Hor
6*	8.9340GHz	-43.34	-13.00	-30.34	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2570GHz	-56.14	-13.00	-43.14	PK	Ver
2*	1.4180GHz	-54.85	-13.00	-41.85	PK	Ver
3*	2.2130GHz	-51.95	-13.00	-38.95	PK	Ver
4*	3.3030GHz	-48.55	-13.00	-35.55	PK	Ver
5*	7.1290GHz	-45.09	-13.00	-32.09	PK	Ver
6*	7.5850GHz	-43.31	-13.00	-30.31	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 41 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.0519GHz	-52.72	-13.00	-39.72	PK	Hor
2*	2.9762GHz	-49.35	-13.00	-36.35	PK	Hor
3*	4.3724GHz	-47.74	-13.00	-34.74	PK	Hor
4*	7.1752GHz	-43.76	-13.00	-30.76	PK	Hor
5*	9.0304GHz	-43.06	-13.00	-30.06	PK	Hor
6*	17.9405GHz	-37.37	-13.00	-24.37	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7544GHz	-55.14	-13.00	-42.14	PK	Ver
2*	3.6520GHz	-49.36	-13.00	-36.36	PK	Ver
3*	6.2147GHz	-46.83	-13.00	-33.83	PK	Ver
4*	9.0389GHz	-43.33	-13.00	-30.33	PK	Ver
5*	14.7041GHz	-41.82	-13.00	-28.82	PK	Ver
6*	17.8342GHz	-37.43	-13.00	-24.43	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.8415GHz	-54.06	-13.00	-41.06	PK	Hor
2*	2.6001GHz	-50.86	-13.00	-37.86	PK	Hor
3*	3.5989GHz	-49.98	-13.00	-36.98	PK	Hor
4*	6.7141GHz	-46.02	-13.00	-33.02	PK	Hor
5*	9.0134GHz	-43.18	-13.00	-30.18	PK	Hor
6*	17.8300GHz	-37.90	-13.00	-24.90	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4760GHz	-55.11	-13.00	-42.11	PK	Ver
2*	2.5406GHz	-49.96	-13.00	-36.96	PK	Ver
3*	4.6996GHz	-48.21	-13.00	-35.21	PK	Ver
4*	7.6810GHz	-42.73	-13.00	-29.73	PK	Ver
5*	9.0176GHz	-43.54	-13.00	-30.54	PK	Ver
6*	17.9384GHz	-37.47	-13.00	-24.47	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 41 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.9286GHz	-54.17	-13.00	-41.17	PK	Hor
2*	2.9104GHz	-49.93	-13.00	-36.93	PK	Hor
3*	4.8909GHz	-47.96	-13.00	-34.96	PK	Hor
4*	9.0070GHz	-42.36	-13.00	-29.36	PK	Hor
5*	14.4109GHz	-41.62	-13.00	-28.62	PK	Hor
6*	17.9235GHz	-37.51	-13.00	-24.51	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3315GHz	-55.87	-13.00	-42.87	PK	Ver
2*	2.0986GHz	-52.67	-13.00	-39.67	PK	Ver
3*	3.7327GHz	-49.75	-13.00	-36.75	PK	Ver
4*	7.4812GHz	-45.20	-13.00	-32.20	PK	Ver
5*	8.9199GHz	-43.96	-13.00	-30.96	PK	Ver
6*	17.8342GHz	-37.00	-13.00	-24.00	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 66 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4420GHz	-55.71	-13.00	-42.71	PK	Hor
2*	1.7720GHz	-54.85	-13.00	-41.85	PK	Hor
3*	4.3220GHz	-48.55	-13.00	-35.55	PK	Hor
4*	7.1360GHz	-44.51	-13.00	-31.51	PK	Hor
5*	8.9360GHz	-42.50	-13.00	-29.50	PK	Hor
6*	16.4740GHz	-40.53	-13.00	-27.53	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4180GHz	-55.29	-13.00	-42.29	PK	Ver
2*	1.8760GHz	-53.50	-13.00	-40.50	PK	Ver
3*	2.8380GHz	-49.66	-13.00	-36.66	PK	Ver
4*	4.7560GHz	-46.28	-13.00	-33.28	PK	Ver
5*	9.0240GHz	-42.54	-13.00	-29.54	PK	Ver
6*	16.8340GHz	-40.40	-13.00	-27.40	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4020GHz	-55.40	-13.00	-42.40	PK	Hor
2*	2.0380GHz	-52.87	-13.00	-39.87	PK	Hor
3*	3.0560GHz	-48.13	-13.00	-35.13	PK	Hor
4*	6.5840GHz	-45.87	-13.00	-32.87	PK	Hor
5*	7.9080GHz	-44.08	-13.00	-31.08	PK	Hor
6*	14.7040GHz	-40.77	-13.00	-27.77	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.9560GHz	-53.39	-13.00	-40.39	PK	Ver
2*	2.6180GHz	-49.82	-13.00	-36.82	PK	Ver
3*	4.3120GHz	-46.85	-13.00	-33.85	PK	Ver
4*	6.7060GHz	-44.45	-13.00	-31.45	PK	Ver
5*	8.9340GHz	-42.99	-13.00	-29.99	PK	Ver
6*	16.9440GHz	-40.80	-13.00	-27.80	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 66 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2680GHz	-55.64	-13.00	-42.64	PK	Hor
2*	1.9380GHz	-52.95	-13.00	-39.95	PK	Hor
3*	2.9780GHz	-48.73	-13.00	-35.73	PK	Hor
4*	6.1000GHz	-46.87	-13.00	-33.87	PK	Hor
5*	8.9360GHz	-43.40	-13.00	-30.40	PK	Hor
6*	16.7060GHz	-40.72	-13.00	-27.72	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1580GHz	-56.81	-13.00	-43.81	PK	Ver
2*	1.5400GHz	-56.09	-13.00	-43.09	PK	Ver
3*	2.9460GHz	-49.25	-13.00	-36.25	PK	Ver
4*	5.7320GHz	-47.40	-13.00	-34.40	PK	Ver
5*	8.9300GHz	-43.38	-13.00	-30.38	PK	Ver
6*	14.4200GHz	-41.20	-13.00	-28.20	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 71 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.0072GHz	-53.81	-13.00	-40.81	PK	Hor
2*	2.8976GHz	-49.81	-13.00	-36.81	PK	Hor
3*	4.3660GHz	-48.15	-13.00	-35.15	PK	Hor
4*	7.5917GHz	-43.21	-13.00	-30.21	PK	Hor
5*	9.0155GHz	-43.13	-13.00	-30.13	PK	Hor
6*	17.9426GHz	-37.31	-13.00	-24.31	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5100GHz	-55.42	-13.00	-42.42	PK	Ver
2*	1.9945GHz	-53.62	-13.00	-40.62	PK	Ver
3*	3.1335GHz	-49.00	-13.00	-36.00	PK	Ver
4*	6.2041GHz	-47.11	-13.00	-34.11	PK	Ver
5*	7.5832GHz	-43.93	-13.00	-30.93	PK	Ver
6*	17.8279GHz	-36.09	-13.00	-23.09	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 71 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5142GHz	-55.62	-13.00	-42.62	PK	Hor
2*	2.7701GHz	-48.83	-13.00	-35.83	PK	Hor
3*	4.7612GHz	-46.94	-13.00	-33.94	PK	Hor
4*	7.5875GHz	-43.70	-13.00	-30.70	PK	Hor
5*	14.3280GHz	-41.38	-13.00	-28.38	PK	Hor
6*	17.8321GHz	-37.20	-13.00	-24.20	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1849GHz	-56.65	-13.00	-43.65	PK	Ver
2*	1.7692GHz	-54.09	-13.00	-41.09	PK	Ver
3*	3.1377GHz	-49.55	-13.00	-36.55	PK	Ver
4*	4.8356GHz	-46.62	-13.00	-33.62	PK	Ver
5*	8.9326GHz	-43.19	-13.00	-30.19	PK	Ver
6*	17.7174GHz	-36.67	-13.00	-23.67	PK	Ver

Project: LGT23G101	Test Engineer: Xiangdong Ma
EUT: Smartphone	Temperature: 26.5°C
M/N: Vortex CM62	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-08-12
Test Mode: LTE Band 71 Upper	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7947GHz	-54.45	-13.00	-41.45	PK	Hor
2*	2.5024GHz	-51.08	-13.00	-38.08	PK	Hor
3*	3.2504GHz	-48.96	-13.00	-35.96	PK	Hor
4*	6.6822GHz	-45.96	-13.00	-32.96	PK	Hor
5*	11.1469GHz	-44.61	-13.00	-31.61	PK	Hor
6*	17.7174GHz	-37.27	-13.00	-24.27	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7395GHz	-55.03	-13.00	-42.03	PK	Ver
2*	2.6766GHz	-48.90	-13.00	-35.90	PK	Ver
3*	4.8462GHz	-46.39	-13.00	-33.39	PK	Ver
4*	7.5854GHz	-43.08	-13.00	-30.08	PK	Ver
5*	13.8052GHz	-42.28	-13.00	-29.28	PK	Ver
6*	17.9362GHz	-36.93	-13.00	-23.93	PK	Ver

※※※※※END OF THE REPORT※※※※※