



EXHIBIT 8**Section 2.1033 (c)(11) EQUIPMENT IDENTIFICATION LABEL**

A photograph or drawing of the equipment identification plate or label showing the information to be placed thereon.

Response

The equipment label to be affixed to the AS5CMP-46 SBCBR transceiver will contain the following information. The engineering drawing of the label is attached to this exhibit. The photo showing the label placement is given in this exhibit as well.





RI.52 TYP.

Lucent Technologies

Flexent CDMA Baseband Radio (Cellular)

PART NO. BNJ62

FCC ID: AS5CMP-46

848931937

25.40

66.55


METRIC

848931937

DETAILER: JEC		
ENGINEER: JEC		
11-14-02	PROI REV	PROI VER
INITIAL RELEASE		
11-25-02	1	2

1. UNLESS OTHERWISE SPECIFIED, PRIMARY DIMENSIONS ARE IN MILLIMETERS. SECONDARY DIMENSIONS ARE EXPRESSED IN INCHES AND ARE ENCLOSED IN BRACKETS. NON-LIMITED DIMENSIONS OTHER THAN THE SIZE OF RAW MATERIAL, SHALL BE HELD TO +/- 0.8 [.03] EXCEPT AS FOLLOWS:
EDGE TO HOLE: +/- 0.38 [.015]
BETWEEN HOLES:
IN FLAT: +/- 0.13 [.005]
BETWEEN FLANGES: +/- 0.38 [.015]
HOLES:
STANDARD: +/- 0.13 [.005]
FOR PRESS FIT: +0.08 [.0031]-0.00 [.0001]
ANGLES: +/- .5 DEGREES
2. THIS IS A PRO/ENGINEER PARAMETRIC COMPUTER GENERATED DRAWING. ANY CHANGES MUST BE MADE WITHIN THE FILES. THE FILES ARE LOCATED AT THE LUCENT TECHNOLOGIES WHIPPANY LOCATION.
3. THIS DRAWING COMPLEMENTS THE ELECTRONIC DATA FILES LISTED IN THE PDM/IGES REVISION FILE TABLE. BOTH THE ELECTRONIC DATA FILES AND THE DRAWING ARE REQUIRED FOR COMPLETE MANUFACTURING INFORMATION.
4. LABEL SHALL BE .010 INCH THICK POLYCARBONATE. TEXT SHALL BE REAR PRINTED BLACK ON LUCENT CENTRAL OFFICE WHITE BACKGROUND PER OS-11148, BACKED WITH .3M 468 PERMANENT ACRYLIC ADHESIVE OR EQUIVALENT. FINISH SHALL BE MATTE OVER CLEAR.
5. FILM POSITIVE ART MASTER (ISSUE 1) FOR THE CREATION OF LABELS SHALL BE PREPARED BY: SERIGRAPH INC. PRODUCT MARKING GROUP 3801 E. DECORAH RD WEST BEND, WI 53095 973-702-2325
6. LABEL SHALL MEET UL 969 REQUIREMENTS. MATERIAL MUST BE OF UL RECOGNIZED COMPONENT PLASTIC. VENDOR MUST BE UL APPROVED.
7. A CERTIFICATION SHEET VERIFYING THE VENDORS UL APPROVAL FOR THIS MATERIAL SHALL BE PROVIDED BY THE VENDOR WITH EACH PACKAGE/CONTAINER OR VERIFICATION MAY BE PART OF THE ADHESIVE RELEASE LINER

CBR	BNJ62
FLEXENT CDMA	
MODELL	
FLEXENT	
RADIO SYS	
USED ON	DRAWING
DISTN CODE: XG01	

TITLE		LABEL, FCC		(P)	
THIRD ANGLE PROJ 		LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS			
Lucent Technologies	848931937	SHEET 1 OF 1	REV/ISS	VER	DWG SIZE
			1	2	C2/AIR
			Released		

ICES FILE NAME	PRO/E FILE NAME	PRO/E FILE TYPE	PRO/I REV.	PRO/I VER.	PRO/I RELEASE
	848931937	PART		0	
	848931937	DRAWING		1 2	

Photograph of Label Placement

The left side view of the AS5CMP-46 SBCBR transceiver is attached here.

