


Test Mode	UNII-2A_TX A Mode 5320 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5322.6000	71.39	37.63	109.02	68.20	40.82	Peak	NO Limit
2	5322.6000	66.38	37.63	104.01	68.20	35.81	AVG	NO Limit
3	5352.7500	23.35	37.75	61.10	74.00	-12.90	Peak	
4	5352.7500	9.23	37.75	46.98	54.00	-7.02	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX A Mode 5320 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10638.8500	56.57	-9.34	47.23	74.00	-26.77	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX A Mode 5320 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5321.5500	69.18	37.62	106.80	68.20	38.60	Peak	NO Limit
2	5321.5500	64.82	37.62	102.44	68.20	34.24	AVG	NO Limit
3	5355.4500	22.19	37.76	59.95	74.00	-14.05	Peak	
4	5355.4500	6.60	37.76	44.36	54.00	-9.64	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX A Mode 5320 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10638.8500	56.21	-9.34	46.87	74.00	-27.13	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT20) Mode 5260 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5261.4000	71.67	37.59	109.26	68.20	41.06	Peak	
2	5261.4000	64.81	37.59	102.40	68.20	34.20	AVG	
3	5353.0500	22.83	37.75	60.58	74.00	-13.42	Peak	
4	5353.0500	7.93	37.75	45.68	54.00	-8.32	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT20) Mode 5260 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10525.7500	57.29	-9.45	47.84	68.20	-20.36	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT20) Mode 5260 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5261.2500	69.18	37.59	106.77	68.20	38.57	Peak	NO Limit
2	5261.2500	62.54	37.59	100.13	68.20	31.93	AVG	NO Limit
3	5379.7500	22.86	37.86	60.72	74.00	-13.28	Peak	
4	5379.7500	6.51	37.86	44.37	54.00	-9.63	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT20) Mode 5260 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10514.0500	54.30	-9.46	44.84	68.20	-23.36	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT20) Mode 5300 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5299.3500	72.95	37.54	110.49	68.20	42.29	Peak	NO Limit
2	5299.3500	65.24	37.54	102.78	68.20	34.58	AVG	NO Limit
3	5353.3500	22.58	37.75	60.33	74.00	-13.67	Peak	
4	5353.3500	8.13	37.75	45.88	54.00	-8.12	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT20) Mode 5300 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10601.8000	56.14	-9.36	46.78	74.00	-27.22	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT20) Mode 5300 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5300.7000	69.51	37.54	107.05	68.20	38.85	Peak	NO Limit
2	5300.7000	63.40	37.54	100.94	68.20	32.74	AVG	NO Limit
3	5364.6000	22.39	37.80	60.19	74.00	-13.81	Peak	
4	5364.6000	6.60	37.80	44.40	54.00	-9.60	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT20) Mode 5300 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10600.0000	52.28	-9.36	42.92	68.20	-25.28	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT20) Mode 5320 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5317.9500	70.77	37.61	108.38	68.20	40.18	Peak	NO Limit
2	5317.9500	64.81	37.61	102.42	68.20	34.22	AVG	NO Limit
3	5350.0000	24.18	37.74	61.92	74.00	-12.08	Peak	
4	5350.0000	9.17	37.74	46.91	54.00	-7.09	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT20) Mode 5320 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10640.8000	56.15	-9.34	46.81	74.00	-27.19	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT20) Mode 5320 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5319.1500	62.11	37.61	99.72	68.20	31.52	Peak	NO Limit
2 *	5319.1500	68.09	37.61	105.70	68.20	37.50	AVG	NO Limit
3	5350.0000	23.21	37.74	60.95	74.00	-13.05	Peak	
4	5350.0000	6.20	37.74	43.94	54.00	-10.06	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT20) Mode 5320 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10640.0000	52.63	-9.34	43.29	74.00	-30.71	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT40) Mode 5270 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5266.6500	69.28	37.58	106.86	68.20	38.66	Peak	NO Limit
2	5266.6500	62.75	37.58	100.33	68.20	32.13	AVG	NO Limit
3	5350.0000	23.27	37.74	61.01	74.00	-12.99	Peak	
4	5350.0000	7.09	37.74	44.83	54.00	-9.17	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT40) Mode 5270 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10535.5000	55.57	-9.44	46.13	68.20	-22.07	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT40) Mode 5270 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5268.7500	67.45	37.58	105.03	68.20	36.83	Peak	NO Limit
2	5268.7500	59.65	37.58	97.23	68.20	29.03	AVG	NO Limit
3	5361.7500	21.64	37.79	59.43	74.00	-14.57	Peak	
4	5361.7500	6.45	37.79	44.24	54.00	-9.76	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT40) Mode 5270 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10540.0000	52.82	-9.43	43.39	68.20	-24.81	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT40) Mode 5310 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5306.8500	69.49	37.56	107.05	68.20	38.85	Peak	NO Limit
2	5306.8500	62.56	37.56	100.12	68.20	31.92	AVG	NO Limit
3	5350.0000	25.38	37.74	63.12	74.00	-10.88	Peak	
4	5350.0000	13.63	37.74	51.37	54.00	-2.63	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT40) Mode 5310 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10619.3500	55.13	-9.35	45.78	74.00	-28.22	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT40) Mode 5310 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5306.5500	67.66	37.56	105.22	68.20	37.02	Peak	NO Limit
2	5306.5500	60.15	37.56	97.71	68.20	29.51	AVG	NO Limit
3	5350.0000	24.83	37.74	62.57	74.00	-11.43	Peak	
4	5350.0000	11.12	37.74	48.86	54.00	-5.14	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT40) Mode 5310 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10620.0000	53.40	-9.35	44.05	74.00	-29.95	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT80) Mode 5290 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5293.6500	64.19	37.54	101.73	68.20	33.53	Peak	NO Limit
2	5293.6500	57.68	37.54	95.22	68.20	27.02	AVG	NO Limit
3	5361.7500	24.04	37.79	61.83	74.00	-12.17	Peak	
4	5361.7500	13.33	37.79	51.12	54.00	-2.88	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT80) Mode 5290 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10580.0000	53.08	-9.38	43.70	68.20	-24.50	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT80) Mode 5290 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5293.5000	61.64	37.54	99.18	68.20	30.98	Peak	NO Limit
2	5293.5000	55.13	37.54	92.67	68.20	24.47	AVG	NO Limit
3	5350.8000	23.13	37.74	60.87	74.00	-13.13	Peak	
4	5350.8000	11.55	37.74	49.29	54.00	-4.71	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT80) Mode 5290 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10580.0000	52.05	-9.38	42.67	68.20	-25.53	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5500 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	23.38	38.12	61.50	74.00	-12.50	Peak	
2	5460.0000	4.84	38.12	42.96	54.00	-11.04	AVG	
3	5470.0000	22.43	38.15	60.58	68.20	-7.62	Peak	
4 *	5498.9850	71.57	38.24	109.81	68.20	41.61	Peak	NO Limit
5	5498.9850	65.50	38.24	103.74	68.20	35.54	AVG	NO Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5500 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10998.4550	55.39	-8.86	46.53	54.00	-7.47	AVG	
2	11005.4500	61.54	-8.86	52.68	74.00	-21.32	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5500 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	21.30	38.12	59.42	74.00	-14.58	Peak	
2	5460.0000	4.32	38.12	42.44	54.00	-11.56	AVG	
3	5470.0000	22.38	38.15	60.53	68.20	-7.67	Peak	
4 *	5498.5700	69.91	38.24	108.15	68.20	39.95	Peak	NO Limit
5	5498.5700	64.32	38.24	102.56	68.20	34.36	AVG	NO Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5500 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10999.6000	57.01	-8.86	48.15	74.00	-25.85	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5580 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	22.26	38.12	60.38	74.00	-13.62	Peak	
2	5460.0000	4.27	38.12	42.39	54.00	-11.61	AVG	
3	5470.0000	23.45	38.15	61.60	68.20	-6.60	Peak	
4 *	5577.8350	71.66	38.32	109.98	68.20	41.78	Peak	NO Limit
5	5577.8350	66.29	38.32	104.61	68.20	36.41	AVG	NO Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5580 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11157.5500	60.92	-8.95	51.97	74.00	-22.03	Peak	
2 *	11163.7080	54.84	-8.96	45.88	54.00	-8.12	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5580 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	22.88	38.12	61.00	74.00	-13.00	Peak	
2	5460.0000	3.92	38.12	42.04	54.00	-11.96	AVG	
3	5470.0000	22.07	38.15	60.22	68.20	-7.98	Peak	
4 *	5580.7400	70.38	38.32	108.70	68.20	40.50	Peak	NO Limit
5	5580.7400	65.16	38.32	103.48	68.20	35.28	AVG	NO Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5580 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11163.4000	57.49	-8.96	48.53	74.00	-25.47	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5700 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5699.4300	71.90	38.40	110.30	68.20	42.10	Peak	NO Limit
2	5699.4300	66.71	38.40	105.11	68.20	36.91	AVG	NO Limit
3	5725.0000	22.83	38.50	61.33	68.20	-6.87	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5700 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11403.6200	55.20	-8.54	46.66	54.00	-7.34	AVG	
2	11409.1000	62.64	-8.53	54.11	74.00	-19.89	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5700 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5699.6370	69.47	38.40	107.87	68.20	39.67	Peak	NO Limit
2	5699.6370	64.15	38.40	102.55	68.20	34.35	AVG	NO Limit
3	5725.0000	20.96	38.50	59.46	68.20	-8.74	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5700 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11395.4500	56.52	-8.56	47.96	74.00	-26.04	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5500 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	22.52	38.12	60.64	74.00	-13.36	Peak	
2	5460.0000	6.10	38.12	44.22	54.00	-9.78	AVG	
3	5470.0000	23.65	38.15	61.80	68.20	-6.40	Peak	
4 *	5502.3050	71.33	38.24	109.57	68.20	41.37	Peak	NO Limit
5	5502.3050	63.92	38.24	102.16	68.20	33.96	AVG	NO Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5500 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10993.7500	62.17	-8.87	53.30	74.00	-20.70	Peak	
2 *	11001.8620	54.11	-8.86	45.25	54.00	-8.75	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5500 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	22.62	38.12	60.74	74.00	-13.26	Peak	
2	5460.0000	5.21	38.12	43.33	54.00	-10.67	AVG	
3	5470.0000	21.95	38.15	60.10	68.20	-8.10	Peak	
4 *	5499.1930	69.20	38.24	107.44	68.20	39.24	Peak	NO Limit
5	5499.1930	62.77	38.24	101.01	68.20	32.81	AVG	NO Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5500 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10997.6500	56.72	-8.86	47.86	74.00	-26.14	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5428.0200	21.79	38.02	59.81	74.00	-14.19	Peak	
2	5428.0200	5.70	38.02	43.72	54.00	-10.28	AVG	
3	5470.0000	23.64	38.15	61.79	68.20	-6.41	Peak	
4 *	5578.0419	71.90	38.32	110.22	68.20	42.02	Peak	NO Limit
5	5578.0419	64.72	38.32	103.04	68.20	34.84	AVG	NO Limit
6	5725.0000	23.13	38.50	61.63	68.20	-6.57	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11159.5000	59.14	-8.96	50.18	74.00	-23.82	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5455.2030	22.98	38.11	61.09	74.00	-12.91	Peak	
2	5455.2030	6.85	38.11	44.96	54.00	-9.04	AVG	
3	5470.0000	23.39	38.15	61.54	68.20	-6.66	Peak	
4 *	5578.0419	69.56	38.32	107.88	68.20	39.68	Peak	NO Limit
5	5578.0419	63.51	38.32	101.83	68.20	33.63	AVG	NO Limit
6	5725.0000	23.22	38.50	61.72	68.20	-6.48	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11155.6000	56.05	-8.95	47.10	74.00	-26.90	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5702.3350	71.53	38.41	109.94	68.20	41.74	Peak	NO Limit
2	5702.3350	64.97	38.41	103.38	68.20	35.18	AVG	NO Limit
3	5725.0000	22.95	38.50	61.45	68.20	-6.75	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11397.4000	58.35	-8.56	49.79	74.00	-24.21	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5702.5419	69.01	38.41	107.42	68.20	39.22	Peak	NO Limit
2	5702.5419	62.49	38.41	100.90	68.20	32.70	AVG	NO Limit
3	5725.0000	21.70	38.50	60.20	68.20	-8.00	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11401.3000	55.29	-8.55	46.74	74.00	-27.26	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	22.66	38.12	60.78	74.00	-13.22	Peak	
2	5460.0000	8.67	38.12	46.79	54.00	-7.21	AVG	
3	5470.0000	24.46	38.15	62.61	68.20	-5.59	Peak	
4 *	5506.6629	68.31	38.25	106.56	68.20	38.36	Peak	NO Limit
5	5506.6629	61.29	38.25	99.54	68.20	31.34	AVG	NO Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11019.1000	59.00	-8.87	50.13	74.00	-23.87	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	21.80	38.12	59.92	74.00	-14.08	Peak	
2	5460.0000	5.65	38.12	43.77	54.00	-10.23	AVG	
3	5470.0000	22.38	38.15	60.53	68.20	-7.67	Peak	
4 *	5511.4350	67.81	38.25	106.06	68.20	37.86	Peak	NO Limit
5	5511.4350	59.70	38.25	97.95	68.20	29.75	AVG	NO Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11036.6500	56.10	-8.88	47.22	74.00	-26.78	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5447.3180	21.68	38.08	59.76	74.00	-14.24	Peak	
2	5447.3180	7.17	38.08	45.25	54.00	-8.75	AVG	
3	5470.0000	22.57	38.15	60.72	68.20	-7.48	Peak	
4 *	5547.7480	68.52	38.29	106.81	68.20	38.61	Peak	NO Limit
5	5547.7480	61.09	38.29	99.38	68.20	31.18	AVG	NO Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11093.2000	60.11	-8.92	51.19	74.00	-22.81	Peak	
2 *	11099.0560	52.05	-8.92	43.13	54.00	-10.87	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5357.0550	22.00	37.77	59.77	74.00	-14.23	Peak	
2	5357.0550	7.39	37.77	45.16	54.00	-8.84	AVG	
3	5470.0000	22.47	38.15	60.62	68.20	-7.58	Peak	
4 *	5548.1629	67.83	38.29	106.12	68.20	37.92	Peak	NO Limit
5	5548.1629	60.32	38.29	98.61	68.20	30.41	AVG	NO Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11089.3000	54.95	-8.91	46.04	74.00	-27.96	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5664.9850	69.13	38.38	107.51	68.20	39.31	Peak	NO Limit
2	5664.9850	62.47	38.38	100.85	68.20	32.65	AVG	NO Limit
3	5725.0000	22.30	38.50	60.80	68.20	-7.40	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11335.0000	58.76	-8.69	50.07	74.00	-23.93	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5668.7200	66.70	38.38	105.08	68.20	36.88	Peak	NO Limit
2	5668.7200	59.92	38.38	98.30	68.20	30.10	AVG	NO Limit
3	5725.0000	21.83	38.50	60.33	68.20	-7.87	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11340.0000	51.96	-8.68	43.28	74.00	-30.72	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5458.5230	24.71	38.12	62.83	74.00	-11.17	Peak	
2	5458.5230	12.96	38.12	51.08	54.00	-2.92	AVG	
3	5470.0000	23.68	38.15	61.83	68.20	-6.37	Peak	
4 *	5533.6370	64.60	38.27	102.87	68.20	34.67	Peak	NO Limit
5	5533.6370	56.67	38.27	94.94	68.20	26.74	AVG	NO Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11079.5500	59.26	-8.91	50.35	74.00	-23.65	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5458.9380	22.25	38.12	60.37	74.00	-13.63	Peak	
2	5458.9380	12.17	38.12	50.29	54.00	-3.71	AVG	
3	5470.0000	22.75	38.15	60.90	68.20	-7.30	Peak	
4 *	5533.8450	63.29	38.27	101.56	68.20	33.36	Peak	NO Limit
5	5533.8450	55.69	38.27	93.96	68.20	25.76	AVG	NO Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11054.2000	54.01	-8.89	45.12	74.00	-28.88	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5643.0000	24.95	38.37	63.32	68.20	-4.88	Peak	
2	5715.0000	21.84	38.46	60.30	109.40	-49.10	Peak	
3	5725.0000	30.18	38.50	68.68	122.20	-53.52	Peak	
4	5747.6000	72.94	38.58	111.52	122.20	-10.68	Peak	
5 *	5973.6000	26.50	39.20	65.70	68.20	-2.50	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11488.2200	55.96	-8.36	47.60	54.00	-6.40	AVG	
2	11494.9000	62.94	-8.35	54.59	74.00	-19.41	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5628.8000	24.33	38.36	62.69	68.20	-5.51	Peak	
2	5715.0000	21.46	38.46	59.92	109.40	-49.48	Peak	
3	5725.0000	29.14	38.50	67.64	122.20	-54.56	Peak	
4	5742.4000	70.13	38.56	108.69	122.20	-13.51	Peak	
5 *	5989.4000	24.95	39.23	64.18	68.20	-4.02	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11489.0500	56.11	-8.36	47.75	74.00	-26.25	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5621.6000	25.05	38.35	63.40	68.20	-4.80	Peak	
2	5715.0000	22.24	38.46	60.70	109.40	-48.70	Peak	
3	5725.0000	22.04	38.50	60.54	122.20	-61.66	Peak	
4	5789.8000	73.95	38.74	112.69	122.20	-9.51	Peak	
5	5850.0000	23.38	38.91	62.29	122.20	-59.91	Peak	
6	5860.0000	22.84	38.94	61.78	109.40	-47.62	Peak	
7 *	5967.2000	25.70	39.18	64.88	68.20	-3.32	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11563.1500	63.85	-8.20	55.65	74.00	-18.35	Peak	
2 *	11568.8820	58.42	-8.19	50.23	54.00	-3.77	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5640.0000	24.58	38.37	62.95	68.20	-5.25	Peak	
2	5715.0000	22.71	38.46	61.17	109.40	-48.23	Peak	
3	5725.0000	22.93	38.50	61.43	122.20	-60.77	Peak	
4	5784.4000	70.41	38.72	109.13	122.20	-13.07	Peak	
5	5850.0000	22.00	38.91	60.91	122.20	-61.29	Peak	
6	5860.0000	22.42	38.94	61.36	109.40	-48.04	Peak	
7 *	5990.4000	24.98	39.23	64.21	68.20	-3.99	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11570.9500	57.31	-8.18	49.13	74.00	-24.87	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5638.0000	24.18	38.36	62.54	68.20	-5.66	Peak	
2	5824.4000	74.53	38.85	113.38	122.20	-8.82	Peak	
3	5850.0000	26.37	38.91	65.28	122.20	-56.92	Peak	
4	5860.0000	23.30	38.94	62.24	109.40	-47.16	Peak	
5 *	5995.2000	25.00	39.24	64.24	68.20	-3.96	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11648.9070	59.10	-8.25	50.85	54.00	-3.15	AVG	
2	11648.9500	63.80	-8.25	55.55	74.00	-18.45	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5630.6000	24.23	38.36	62.59	68.20	-5.61	Peak	
2	5824.6000	70.39	38.85	109.24	122.20	-12.96	Peak	
3	5850.0000	23.54	38.91	62.45	122.20	-59.75	Peak	
4	5860.0000	22.92	38.94	61.86	109.40	-47.54	Peak	
5 *	5989.2000	25.02	39.23	64.25	68.20	-3.95	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11648.9500	57.82	-8.25	49.57	74.00	-24.43	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5616.6000	24.33	38.35	62.68	68.20	-5.52	Peak	
2	5715.0000	23.69	38.46	62.15	109.40	-47.25	Peak	
3	5725.0000	32.50	38.50	71.00	122.20	-51.20	Peak	
4	5743.8000	72.99	38.57	111.56	122.20	-10.64	Peak	
5 *	5993.8000	25.33	39.24	64.57	68.20	-3.63	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11485.1500	62.07	-8.37	53.70	74.00	-20.30	Peak	
2 *	11490.5380	55.42	-8.36	47.06	54.00	-6.94	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5649.0000	24.09	38.37	62.46	68.20	-5.74	Peak	
2	5715.0000	23.21	38.46	61.67	109.40	-47.73	Peak	
3	5725.0000	31.60	38.50	70.10	122.20	-52.10	Peak	
4	5743.2000	69.60	38.57	108.17	122.20	-14.03	Peak	
5 *	5992.6000	25.30	39.24	64.54	68.20	-3.66	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11487.1000	56.43	-8.36	48.07	74.00	-25.93	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5634.2000	24.55	38.36	62.91	68.20	-5.29	Peak	
2	5715.0000	22.06	38.46	60.52	109.40	-48.88	Peak	
3	5725.0000	22.43	38.50	60.93	122.20	-61.27	Peak	
4	5783.8000	72.28	38.72	111.00	122.20	-11.20	Peak	
5	5850.0000	22.48	38.91	61.39	122.20	-60.81	Peak	
6	5860.0000	22.40	38.94	61.34	109.40	-48.06	Peak	
7 *	5989.4000	24.97	39.23	64.20	68.20	-4.00	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11567.0500	62.47	-8.19	54.28	74.00	-19.72	Peak	
2 *	11570.3470	55.88	-8.18	47.70	54.00	-6.30	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5602.8000	24.24	38.34	62.58	68.20	-5.62	Peak	
2	5715.0000	22.06	38.46	60.52	109.40	-48.88	Peak	
3	5725.0000	22.14	38.50	60.64	122.20	-61.56	Peak	
4	5787.4000	69.90	38.73	108.63	122.20	-13.57	Peak	
5	5850.0000	22.38	38.91	61.29	122.20	-60.91	Peak	
6	5860.0000	21.95	38.94	60.89	109.40	-48.51	Peak	
7 *	5970.6000	25.47	39.19	64.66	68.20	-3.54	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11574.8500	57.91	-8.17	49.74	74.00	-24.26	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5640.4000	24.16	38.37	62.53	68.20	-5.67	Peak	
2	5827.2000	73.51	38.85	112.36	122.20	-9.84	Peak	
3	5850.0000	26.32	38.91	65.23	122.20	-56.97	Peak	
4	5860.0000	22.60	38.94	61.54	109.40	-47.86	Peak	
5 *	5999.8000	25.30	39.25	64.55	68.20	-3.65	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11647.0000	63.17	-8.24	54.93	74.00	-19.07	Peak	
2 *	11650.0030	56.81	-8.25	48.56	54.00	-5.44	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5610.8000	23.78	38.35	62.13	68.20	-6.07	Peak	
2	5827.6000	70.13	38.85	108.98	122.20	-13.22	Peak	
3	5850.0000	23.85	38.91	62.76	122.20	-59.44	Peak	
4	5860.0000	22.55	38.94	61.49	109.40	-47.91	Peak	
5 *	5990.2000	25.38	39.23	64.61	68.20	-3.59	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11650.9000	58.58	-8.25	50.33	74.00	-23.67	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5606.4000	24.16	38.34	62.50	68.20	-5.70	Peak	
2	5715.0000	32.62	38.46	71.08	109.40	-38.32	Peak	
3	5725.0000	35.91	38.50	74.41	122.20	-47.79	Peak	
4	5750.0000	69.99	38.59	108.58	122.20	-13.62	Peak	
5 *	5998.6000	25.85	39.25	65.10	68.20	-3.10	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11508.7630	52.47	-8.32	44.15	54.00	-9.85	AVG	
2	11518.3000	60.25	-8.30	51.95	74.00	-22.05	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5603.8000	25.52	38.34	63.86	68.20	-4.34	Peak	
2	5715.0000	30.34	38.46	68.80	109.40	-40.60	Peak	
3	5725.0000	33.85	38.50	72.35	122.20	-49.85	Peak	
4	5753.8000	66.67	38.61	105.28	122.20	-16.92	Peak	
5 *	5997.8000	25.64	39.25	64.89	68.20	-3.31	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11506.6000	55.31	-8.32	46.99	74.00	-27.01	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5614.2000	24.57	38.35	62.92	68.20	-5.28	Peak	
2	5787.2000	69.41	38.73	108.14	122.20	-14.06	Peak	
3	5850.0000	23.35	38.91	62.26	122.20	-59.94	Peak	
4	5860.0000	23.76	38.94	62.70	109.40	-46.70	Peak	
5 *	5931.4000	25.32	39.11	64.43	68.20	-3.77	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11584.6000	60.26	-8.15	52.11	74.00	-21.89	Peak	
2 *	11589.1520	54.09	-8.14	45.95	54.00	-8.05	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5610.0000	24.35	38.35	62.70	68.20	-5.50	Peak	
2	5793.2000	66.60	38.75	105.35	122.20	-16.85	Peak	
3	5850.0000	23.01	38.91	61.92	122.20	-60.28	Peak	
4	5860.0000	23.89	38.94	62.83	109.40	-46.57	Peak	
5 *	5980.2000	25.28	39.21	64.49	68.20	-3.71	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11590.4500	55.60	-8.14	47.46	74.00	-26.54	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5622.2000	24.10	38.35	62.45	68.20	-5.75	Peak	
2	5715.0000	34.46	38.46	72.92	109.40	-36.48	Peak	
3	5725.0000	36.49	38.50	74.99	122.20	-47.21	Peak	
4	5773.4000	68.73	38.68	107.41	122.20	-14.79	Peak	
5	5773.4000	68.73	38.68	107.41	122.20	-14.79	Peak	
6	5850.0000	28.86	38.91	67.77	122.20	-54.43	Peak	
7	5860.0000	31.84	38.94	70.78	109.40	-38.62	Peak	
8 *	5959.0000	25.09	39.17	64.26	68.20	-3.94	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11567.0500	59.07	-8.19	50.88	74.00	-23.12	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5602.4000	24.24	38.34	62.58	68.20	-5.62	Peak	
2	5715.0000	32.90	38.46	71.36	109.40	-38.04	Peak	
3	5725.0000	34.13	38.50	72.63	122.20	-49.57	Peak	
4	5772.6000	64.56	38.68	103.24	122.20	-18.96	Peak	
5	5850.0000	26.71	38.91	65.62	122.20	-56.58	Peak	
6	5860.0000	24.39	38.94	63.33	109.40	-46.07	Peak	
7 *	5947.6000	25.38	39.15	64.53	68.20	-3.67	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11549.5000	53.36	-8.23	45.13	74.00	-28.87	Peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.399	16.800
40	5200	20.559	17.000
48	5240	21.059	17.000

CH36




Date: 9.SEP.2021 16:14:47

CH40
26 dB Bandwidth




Date: 9.SEP.2021 16:19:13

CH48




Date: 9.SEP.2021 16:20:42


99 % Occupied Bandwidth



Date: 9.SEP.2021 16:14:17



Date: 9.SEP.2021 16:18:44




Date: 9.SEP.2021 16:20:13

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.800	17.800
40	5200	21.000	17.900
48	5240	21.090	18.000

CH36




Date: 9.SEP.2021 19:59:26

CH40
26 dB Bandwidth




Date: 9.SEP.2021 20:06:26

CH48




Date: 9.SEP.2021 20:08:48


99 % Occupied Bandwidth



Date: 9.SEP.2021 19:59:26



Date: 9.SEP.2021 20:05:56




Date: 9.SEP.2021 20:08:12

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	56.586	37.000
46	5230	48.300	36.800

CH38




Date: 9,SEP,2021 21:15:51

CH46
26 dB Bandwidth




Date: 9,SEP,2021 21:17:19

99 % Occupied Bandwidth



Date: 9,SEP,2021 21:14:59




Date: 9,SEP,2021 21:16:43

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	107.400	76.000

CH42 26 dB Bandwidth



Date: 9.SEP.2021 21:50:33

99 % Occupied Bandwidth



Date: 9.SEP.2021 21:50:00