



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220500019602 Page: 1 of 82

TEST REPORT

Application No.:	FYCR2205000196AT		
Applicant:	Fortinet Inc.		
Address of Applicant:	899 Kifer Road, Sunnyvale, California 94086 United States		
Manufacturer:	: Fortinet Inc.		
Address of Manufacturer:	899 Kifer Road, Sunnyvale, California 94086 United States		
Equipment Under Test (EUT):		
EUT Name:	Secured Network Extension Device		
Model No.:	FortiExtender 201F-AMxxxxxxxx,		
	FORTIEXTENDER-201F-AMxxxxxxxx, FEX-201F-AMxxxxxxx(where "x" can be used as "A-Z", or "0-9", or "-", or blank for software changes or marketing purposes only)		
*	Please refer to section 2 of this report which indicates which model was actually tested and which were electrically identical.		
Trade Mark:	FORTINET		
FCC ID:	TVE-2401M01A		
Standard(s) :	47 CFR Part 15, Subpart C 15.247		
Date of Receipt:	2022-05-26		
Date of Test:	2022-06-24 to 2022-07-12		
Date of Issue:	2022-07-19		
Test Result:	Pass*		

* In the configuration tested, the EUT complied with the standards specified above.

WinkeyWang

Winkey Wang EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@s.gs.com



Report No.: FYCR220500019602 Page: 2 of 82

	Revision Record					
Version	Chapter	Date	Modifier	Remark		
01		2022-07-19		Original		

Authorized for issue by:		
	Gree Zhan	
	Tree Zhan/Project Engineer	
	WinkeyWang	
	Winkey Wang/Reviewer	•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counditions/Terms-end-Conditions/Terms-ende-Conditions/Terms-end-Conditions



Report No.: FYCR220500019602 Page: 3 of 82

2 Test Summary

Radio Spectrum Technical Requirement				
Item Standard Method Requirement Result				
Antenna Requirement	47 CFR Part 15, Subpart C 15.247	N/A	47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)	Pass

Radio Spectrum Matter Part					
Item	Standard	Method	Requirement	Result	
Conducted Emissions at AC Power Line (150kHz-30MHz)		ANSI C63.10 (2013) Section 6.2	47 CFR Part 15, Subpart C 15.207	Pass	
Conducted Peak Output Power		ANSI C63.10 (2013) Section 11.9.1	47 CFR Part 15, Subpart C 15.247(b)(3)	Pass	
Minimum 6dB Bandwidth		ANSI C63.10 (2013) Section 11.8.1	47 CFR Part 15, Subpart C 15.247a(2)	Pass	
Power Spectrum Density		ANSI C63.10 (2013) Section 11.10.2	47 CFR Part 15, Subpart C 15.247(e)	Pass	
Conducted Band Edges Measurement		ANSI C63.10 (2013) Section 11.13.3.2	47 CFR Part 15, Subpart C 15.247(d)	Pass	
Conducted Spurious Emissions	47 CFR Part 15, Subpart C 15.247	ANSI C63.10 (2013) Section 11.11	47 CFR Part 15, Subpart C 15.247(d)	Pass	
Radiated Emissions which fall in the restricted bands		ANSI C63.10 (2013) Section 6.10.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass	
Radiated Spurious Emissions Below 1GHz		ANSI C63.10 (2013) Section 6.4,6.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass	
Radiated Spurious Emissions Above 1GHz		ANSI C63.10 (2013) Section 6.6	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass	
Duty Cycle		ANSI C63.10 Section 11.6	ANSI C63.10 Section 11.6	Pass	

Declaration of EUT Family Grouping:

Model No.: FortiExtender 201F-AMxxxxxxx, FORTIEXTENDER-201F-AMxxxxxxxx, FEX-201F-AMxxxxxxxx(where "x" can be used as "A-Z", or "0-9", or "-", or blank for software changes or marketing purposes only)

Only the model FEX-201F-AM was tested, since according to the declaration from the applicant, the electrical circuit design, PCB layout, components used, internal wiring and functions were identical for all the above models, with only difference as below: "x" can be used as "A-Z", or "0-9", or "-", or blank for software changes or marketing purposes only.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/an/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: FYCR220500019602 Page: 4 of 82

3 Contents

		Page
1	1 COVER PAGE	1
2	2 TEST SUMMARY	3
3	3 CONTENTS	4
4		
	4.1 DETAILS OF E.U.T.	
	 4.2 DESCRIPTION OF SUPPORT UNITS 4.3 MEASUREMENT UNCERTAINTY 	
	4.4 Test Location	
	4.5 TEST FACILITY	_
	4.6 DEVIATION FROM STANDARDS	
	4.7 ABNORMALITIES FROM STANDARD CONDITIONS	
5	5 EQUIPMENT LIST	9
6	6 RADIO SPECTRUM TECHNICAL REQUIREMENT	
•	6.1 ANTENNA REQUIREMENT	
	6.1.1 Test Requirement:	
	6.1.2 Conclusion	
7	7 RADIO SPECTRUM MATTER TEST RESULTS	15
	7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150KHz-30MHz)	
	7.1.1 E.U.T. Operation	
	7.1.2 Test Mode Description	
	7.1.3 Test Setup Diagram	
	 7.1.4 Measurement Procedure and Data 7.2 CONDUCTED PEAK OUTPUT POWER 	
	7.2.1 E.U.T. Operation	
	7.2.2 Test Mode Description	
	7.2.3 Test Setup Diagram	
	7.2.4 Measurement Procedure and Data7.3 MINIMUM 6DB BANDWIDTH	
	7.3.1 E.U.T. Operation	
	7.3.2 Test Mode Description	
	7.3.3 Test Setup Diagram	
	7.3.4 Measurement Procedure and Data 7.4 POWER SPECTRUM DENSITY	
	7.4 POWER SPECTRUM DENSITY 7.4.1 E.U.T. Operation	
	7.4.2 Test Mode Description	
	7.4.3 Test Setup Diagram	
	7.4.4 Measurement Procedure and Data	
	7.5 CONDUCTED BAND EDGES MEASUREMENT 7.5.1 E.U.T. Operation	
	7.5.2 Test Mode Description	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T

SGS

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR220500019602 Page: 5 of 82

7	7.5.3	Test Setup Diagram	23
7	7.5.4	Measurement Procedure and Data	24
7.6	С	ONDUCTED SPURIOUS EMISSIONS	
7	7.6.1	E.U.T. Operation	
7	7.6.2	Test Mode Description	25
7	7.6.3	Test Setup Diagram	
7	7.6.4	Measurement Procedure and Data	
7.7	R	ADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS	
7	7.7.1	E.U.T. Operation	27
7	7.7.2	Test Mode Description	27
7	7.7.3	Test Setup Diagram	
7	7.7.4	Measurement Procedure and Data	
7.8		ADIATED SPURIOUS EMISSIONS BELOW 1GHZ	37
7	7.8.1	E.U.T. Operation	
7	7.8.2	Test Mode Description	37
7	7.8.3	Test Setup Diagram	
7	7.8.4	Measurement Procedure and Data	
7.9	R	ADIATED SPURIOUS EMISSIONS ABOVE 1GHZ	41
7	7.9.1	E.U.T. Operation	41
7	7.9.2	Test Mode Description	41
7	7.9.3	Test Setup Diagram	
7	7.9.4	Measurement Procedure and Data	42
7.1	0 D	UTY CYCLE	55
7	7.10.1	E.U.T. Operation	55
7	7.10.2	Test Mode Description	55
7	7.10.3	Test Setup Diagram	55
7	7.10.4	Measurement Procedure and Data	55
8 7	FEST S	ЕТИР РНОТО	56
9 E	EUT C	ONSTRUCTIONAL DETAILS (EUT PHOTOS)	56
10		IDIX	57



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counditions/Terms-end-Conditions/Terms-ende-Conditions/Terms-end-Conditions



Report No.: FYCR220500019602 Page: 6 of 82

4 General Information

11	Details	of	ΕI	1.1	т
4.1	Detalls	UI.	Ε.	J.	ι.,

Power supply:	DC 12V by AC adapter or POE adapter.
	AC adapter, model: WA-36W12R
	Input: AC 100-240V, 50/60Hz. 0.9A Max
	Output: DC 12V, 3.0A, 36.0W
	POE Adapter: PD-9001GR/AC
	Input: AC 100-240V 50/60Hz, 0.67A
	Output: DC 55V 0.6A
	The EUT support two type adapters (AC to DC adapter and POE adapter), all the mode had been tested and only record the worst case in the report.
Cable(s):	DC cable from the adapter 150cm without core;
	3 PCS antennas 21.5cm
Operation Frequency:	2402MHz to 2480MHz
Bluetooth Version:	V5.0 Dual mode
Modulation Type:	GFSK
Data Rate:	1M/bps, 2M/bps
Number of Channels:	40
Channel Spacing:	2MHz
Antenna Type:	PIFA Antenna
Antenna Gain:	3.5dBi
Remark: EUT was tested VAC, 60Hz were retained	at 120 VAC, 50 / 60Hz and 240 VAC, 50 / 60Hz, and only the worst data 120 d in the report.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
The EUT has been tested as	an independent unit.		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions</u>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>, for electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 days only. or email: CN Doccheckfors.com 0 testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheckfors.com



Report No.: FYCR220500019602 Page: 7 of 82

4.3 Measurement Uncertainty

Test Item	Measurement Uncertainty
Conducted Emissions at AC Power Line (150kHz-30MHz)	± 2.1 dB (9kHz to 30MHz)
Conducted Peak Output Power	± 0.8dB
Minimum 6dB Bandwidth	± 0.3%
Power Spectrum Density	± 0.4dB
Conducted Band Edges Measurement	± 2.7dB
Conducted Spurious Emissions	± 2.7dB
Radiated Emissions which fall in the restricted bands	± 4.4dB (Above 1GHz)
Radiated Spurious Emissions Below 1GHz	± 3.1dB (Below 1GHz)
Radiated Spurious Emissions Above 1GHz	± 4.4dB (Above 1GHz)
Duty Cycle	± 0.3%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions</u>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>, for electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 days only. or email: CN Doccheckfors.com 0 testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheckfors.com



Report No.: FYCR220500019602 Page: 8 of 82

4.4 Test Location

All tests were performed at:

 $\label{eq:compliance} \mbox{Compliance Certification Services (Kunshan) Inc. Shenzhen branch.}$

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC –Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.6 Deviation from Standards

4.7 Abnormalities from Standard Conditions None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend for 30 days only. Attention: To breek the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 83071443, Attention: To breek the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 83071443,



Report No.: FYCR220500019602 Page: 9 of 82

5 Equipment List

Conducted Emissions at AC Power Line (150kHz-30MHz)					
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
Shielding Room	CRT	N/A	SEM001-14	2021/7/13	2024/7/12
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-01	2021/7/13	2022/7/12
Two-Line V-Network	Rohde & Schwarz	ENV216	SEM007-16	2021/7/13	2022/7/12
Two-Line V-Network	Rohde & Schwarz	ESH3-Z5	SEM007-22	2022/1/10	2023/1/9
Measurement software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A

Conducted Peak Output Power								
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date			
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2021/7/13	2022/7/12			
MXA Signal Analyzer	Agilent	N9020A	SEM004-20	2021/7/13	2022/7/12			
Signal Generator	Agilent	N5173B	SEM006-05	2021/7/13	2022/7/12			
ESG Vector Signal Generator	Agilent	E4438C	SEM006-15	2021/7/13	2022/7/12			
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2021/7/13	2022/7/12			
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2021/7/13	2022/7/12			
Wideband Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-08	2021/7/13	2022/7/12			
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2021/7/13	2022/7/12			
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2021/7/13	2022/7/12			
Measurement software	TST PASS	TST PASS V2.0	N/A	N/A	N/A			

Minimum 6dB Bandwidt	h				
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2021/7/13	2022/7/12
MXA Signal Analyzer	Agilent	N9020A	SEM004-20	2021/7/13	2022/7/12
Signal Generator	Agilent	N5173B	SEM006-05	2021/7/13	2022/7/12
ESG Vector Signal Generator	Agilent	E4438C	SEM006-15	2021/7/13	2022/7/12
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2021/7/13	2022/7/12
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2021/7/13	2022/7/12
Wideband Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-08	2021/7/13	2022/7/12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T



Report No.: FYCR220500019602 Page: 10 of 82

Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2021/7/13	2022/7/12
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2021/7/13	2022/7/12
Measurement software	TST PASS	TST PASS V2.0	N/A	N/A	N/A

Power Spectrum Density								
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date			
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2021/7/13	2022/7/12			
MXA Signal Analyzer	Agilent	N9020A	SEM004-20	2021/7/13	2022/7/12			
Signal Generator	Agilent	N5173B	SEM006-05	2021/7/13	2022/7/12			
ESG Vector Signal Generator	Agilent	E4438C	SEM006-15	2021/7/13	2022/7/12			
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2021/7/13	2022/7/12			
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2021/7/13	2022/7/12			
Wideband Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-08	2021/7/13	2022/7/12			
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2021/7/13	2022/7/12			
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2021/7/13	2022/7/12			
Measurement software	TST PASS	TST PASS V2.0	N/A	N/A	N/A			

Conducted Band Edges Measurement								
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date			
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2021/7/13	2022/7/12			
MXA Signal Analyzer	Agilent	N9020A	SEM004-20	2021/7/13	2022/7/12			
Signal Generator	Agilent	N5173B	SEM006-05	2021/7/13	2022/7/12			
ESG Vector Signal Generator	Agilent	E4438C	SEM006-15	2021/7/13	2022/7/12			
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2021/7/13	2022/7/12			
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2021/7/13	2022/7/12			
Wideband Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-08	2021/7/13	2022/7/12			
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2021/7/13	2022/7/12			
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2021/7/13	2022/7/12			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counditions/Terms-end-Conditions/Terms-ende-Conditions/Terms-end-Conditions

Fuyorg kab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdishid, Bao'an, Shenzhen, China 518103 tt (86-755) 88663988 ft (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86-755) 88663988 ft (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: FYCR220500019602 Page: 11 of 82

Measurement software	TST PASS	TST PASS	N/A	N/A	N/A
		V2.0			

Duty Cycle					
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2021/7/13	2022/7/12
MXA Signal Analyzer	Agilent	N9020A	SEM004-20	2021/7/13	2022/7/12
Signal Generator	Agilent	N5173B	SEM006-05	2021/7/13	2022/7/12
ESG Vector Signal Generator	Agilent	E4438C	SEM006-15	2021/7/13	2022/7/12
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2021/7/13	2022/7/12
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2021/7/13	2022/7/12
Wideband Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-08	2021/7/13	2022/7/12
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2021/7/13	2022/7/12
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2021/7/13	2022/7/12
Measurement software	TST PASS	TST PASS V2.0	N/A	N/A	N/A

Conducted Spurious Emissions								
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date			
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2021/7/13	2022/7/12			
MXA Signal Analyzer	Agilent	N9020A	SEM004-20	2021/7/13	2022/7/12			
Signal Generator	Agilent	N5173B	SEM006-05	2021/7/13	2022/7/12			
ESG Vector Signal Generator	Agilent	E4438C	SEM006-15	2021/7/13	2022/7/12			
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2021/7/13	2022/7/12			
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2021/7/13	2022/7/12			
Wideband Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-08	2021/7/13	2022/7/12			
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2021/7/13	2022/7/12			
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2021/7/13	2022/7/12			
Measurement software	TST PASS	TST PASS V2.0	N/A	N/A	N/A			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



Report No.: FYCR220500019602 Page: 12 of 82

Radiated Emissions which fall in the restricted bands								
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date			
Trilog-Broadband Antenna	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24			
Biconical Antenna	Schwarzbeck	VUBA9117	SEM003-35	2021/12/26	2024/12/25			
Loop Antenna	ETS-LINDGREN	6502	SEM003-36	2021/9/26	2024/9/25			
MXE EMI receiver	Agilent	N9038A	SEM004-05	2021/7/13	2022/7/12			
Pre-amplifier	HP	8447D	SEM005-02	2021/7/13	2022/7/12			
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	SEM003-15	2021/7/11	2024/7/10			
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25			
Double-ridged waveguide horn	ETS-LINDGREN	3117	SEM003-34	2021/9/25	2024/9/24			
Spectrum Analyzer	Rohde & Schwarz	101288	SEM004-08	2021/7/13	2022/7/12			
Low Noise Amplifier	CLAVIIO	BDLNA-0118- 352810	SEM005-05	2021/7/13	2022/7/12			
Pre-amplifier	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2021/7/13	2022/7/12			
Pre-amplifier	Rohde & Schwarz	CH14-H052	SEM005-17	2021/7/13	2022/7/12			
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2022/4/15	2023/4/14			
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2022/4/15	2023/4/14			
Measurement software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A			

Radiated Spurious Emissions Below 1GHz								
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date			
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2022/7/12			
Trilog-Broadband Antenna	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24			
Biconical Antenna	Schwarzbeck	VUBA9117	SEM003-35	2021/12/26	2024/12/25			
Loop Antenna	ETS-LINDGREN	6502	SEM003-36	2021/9/26	2024/9/25			
MXE EMI receiver	Agilent	N9038A	SEM004-05	2021/7/13	2022/7/12			
Pre-amplifier	HP	8447D	SEM005-02	2021/7/13	2022/7/12			
Measurement software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A			

Radiated Spurious Emissions Above 1GHz								
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date			
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2022/7/12			
MXE EMI receiver	Agilent	N9038A	SEM004-05	2021/7/13	2022/7/12			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@ss.com



Report No.: FYCR220500019602 Page: 13 of 82

Pre-amplifier	HP	8447D	SEM005-02	2021/7/13	2022/7/12
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	SEM003-15	2021/7/11	2024/7/10
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25
Double-ridged waveguide horn	ETS-LINDGREN	3117	SEM003-34	2021/9/25	2024/9/24
Spectrum Analyzer	Rohde & Schwarz	101288	SEM004-08	2021/7/13	2022/7/12
Low Noise Amplifier	CLAVIIO	BDLNA-0118- 352810	SEM005-05	2021/7/13	2022/7/12
Pre-amplifier	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2021/7/13	2022/7/12
Pre-amplifier	Rohde & Schwarz	CH14-H052	SEM005-17	2021/7/13	2022/7/12
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2022/4/15	2023/4/14
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2022/4/15	2023/4/14
Measurement software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A

General used equipmen	t				
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-22	2021-07-13	2022-07-12
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-23	2021-07-13	2022-07-12
Barometer	DUMAI	DYM3	SEM002-24	2021-07-13	2022-07-12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions</u>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>, for electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 days only. or email: CN Doccheckfors.com 0 testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheckfors.com



Report No.: FYCR220500019602 Page: 14 of 82

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna:

The antenna is connected to the main PCB via an non-standard interface. The best case gain of the antenna 3.5dBi.

Please refer to internal photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend for 30 days only. Attention: To breek the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 83071443, Attention: To breek the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 83071443,



Report No.: FYCR220500019602 Page: 15 of 82

7 Radio Spectrum Matter Test Results

7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement	47 CFR Part 15, Subpart C 15.207
Test Method:	ANSI C63.10 (2013) Section 6.2

Limit:

Execution of emission (MUT)	Conducted limit(dBµV)				
Frequency of emission(MHz)	Quasi-peak	Average			
0.15-0.5	66 to 56*	56 to 46*			
0.5-5	56	46			
5-30	60	50			
*Decreases with the logarithm of the frequency.					
Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz					

7.1.1 E.U.T. Operation

Operating Enviro	nment:				
Temperature:	22.6 °C	Humidity:	52.9 % RH	Atmospheric Pressure: 102	0 mbar

7.1.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Pre-scan	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) is restended for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or compile (3).


 Fujorgiaba Xinlong TechnoPark, Fengtang Road, Fujorgi Subdishid, Bao'an, Shenzhen, China
 518103
 t
 (86–755)
 88663988
 f
 (86–755)
 26710594
 www.sgsgroup.com.cn

 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室
 邮编: 518103
 t
 (86–755)
 88663988
 f
 (86–755)
 26710594
 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 16 of 82

7.1.3 Test Setup Diagram



7.1.4 Measurement Procedure and Data

1) The mains terminal disturbance voltage test was conducted in a shielded room.

2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50ohm/50 μ H + 50hm linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.

3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane.

4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.

5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the certent or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tested, press contact us at telephone: (86-755) 8307 1443, remail: CD Doccheckfase some



Report No.: FYCR220500019602 Page: 17 of 82

Worst case AC Adapter:

Test Mode: 02; Line: Live line



Site :	Shielding	Room
Condition:	Line	
Job No. :	00196AT	
Test mode:	02	

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1582	0.02	0.25	25.34	25.61			Average
2	0.1582	0.02	0.25	45.44	45.71		-19.85	-
3	0.1758	0.02	0.25	27.72	27.99	54.68	-26.69	Average
4	0.1758	0.02	0.25	45.15	45.42	64.68	-19.26	QP
5	0.1986	0.02	0.26	26.64	26.92	53.67	-26.75	Average
6	0.1986	0.02	0.26	41.64	41.92	63.67	-21.75	QP
7	0.2185	0.02	0.26	24.62	24.90	52.88	-27.98	Average
8	0.2185	0.02	0.26	38.90	39.18	62.88	-23.70	QP
9	0.2404	0.02	0.26	22.95	23.23	52.08	-28.85	Average
10	0.2404	0.02	0.26	36.24	36.52	62.08	-25.56	QP
11	0.4564	0.02	0.27	28.98	29.27	46.76	-17.49	Average
12	0.4564	0.02	0.27	36.15	36.44		-20.32	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>



Report No.: FYCR220500019602 Page: 18 of 82

80 Level (dBuV) 70 60 50 40 30 20 10 0 0.5 5 10 30 0.15 2 20 1 Frequency (MHz)

Test Mode: 02; Line: Neutral Line



	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1516	0.02	0.31	29.62	29.95	55.91	-25.96	Average
2	0.1516	0.02	0.31	47.93	48.26	65.91	-17.65	QP
3	0.1694	0.02	0.30	28.53	28.85	54.99	-26.14	Average
4	0.1694	0.02	0.30	46.25	46.57	64.99	-18.42	QP
5	0.1777	0.02	0.30	25.67	25.99	54.59	-28.60	Average
6	0.1777	0.02	0.30	44.74	45.06	64.59	-19.53	QP
7	0.1934	0.02	0.29	25.88	26.19	53.89	-27.70	Average
8	0.1934	0.02	0.29	42.70	43.01	63.89	-20.88	QP
9	0.2220	0.02	0.29	24.79	25.10	52.74	-27.64	Average
10	0.2220	0.02	0.29	37.69	38.00	62.74	-24.74	QP
11	0.4564	0.02	0.27	26.98	27.27	46.76	-19.49	Average
12	0.4564	0.02	0.27	33.45	33.74	56.76	-23.02	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counternatapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company hav, unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch Opccheck@ss.com



Report No.: FYCR220500019602 Page: 19 of 82

7.2 Conducted Peak Output Power

Test Requirement	47 CFR Part 15, Subpart C 15.247(b)(3)
Test Method:	ANSI C63.10 (2013) Section 11.9.1

Limit:	
Frequency range(MHz)	Output power of the intentional radiator(watt)
	1 for ≥50 hopping channels
902-928	0.25 for 25≤ hopping channels <50
	1 for digital modulation
	1 for ≥75 non-overlapping hopping channels
2400-2483.5	0.125 for all other frequency hopping systems
	1 for digital modulation
5725-5850	1 for frequency hopping systems and digital modulation

7.2.1 E.U.T. Operation

Operating Environment:

Temperature:	26.1 °C	Humidity:	45.9 % RH	Atmospheric Pressure:	1020	mbar
--------------	---------	-----------	-----------	-----------------------	------	------

7.2.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Final test	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions</u>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>, for electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 days only. or email: CN Doccheckfors.com 0 testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheckfors.com



 Report No.:
 FYCR220500019602

 Page:
 20 of 82

7.2.3 Test Setup Diagram



Ground Reference Plane

7.2.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>



Report No.: FYCR220500019602 Page: 21 of 82

7.3 Minimum 6dB Bandwidth

Test Requirement	47 CFR Part 15, Subpart C 15.247a(2)
Test Method:	ANSI C63.10 (2013) Section 11.8.1

Limit: ≥500 kHz


7.3.1 E.U.T. Operation

Operating Enviro	nment:					
Temperature:	26.1 °C	Humidity:	45.9 % RH	Atmospheric Pressure:	1020	mbar

7.3.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Final test	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.

7.3.3 Test Setup Diagram



Ground Reference Plane

7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed, overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-an-Document.aspx</u>. Attention is davant to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



Report No.: FYCR220500019602 Page: 22 of 82

7.4 Power Spectrum Density

Test Requirement	47 CFR Part 15, Subpart C 15.247(e)
Test Method:	ANSI C63.10 (2013) Section 11.10.2

Limit:

≤8dBm in any 3 kHz band during any time interval of continuous transmission


7.4.1 E.U.T. Operation

Operating Enviro	onment:					
Temperature:	26.1 °C	Humidity:	45.9 % RH	Atmospheric Pressure:	1020	mbar

7.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Final test	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.

7.4.3 Test Setup Diagram



Ground Reference Plane

7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report accriticate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: FYCR220500019602 23 of 82 Page:

7.5 Conducted Band Edges Measurement

Test Requirement	47 CFR Part 15, Subpart C 15.247(d)
Test Method:	ANSI C63.10 (2013) Section 11.13.3.2

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

7.5.1 E.U.T. Operation

Operating Environment:

Temperature:	26.1 °C


Humidity: 45.9 % RH

Atmospheric Pressure: 1020 mbar

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Final test	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.

7.5.2 Test Mode Description

7.5.3 Test Setup Diagram



Ground Reference Plane



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend for 30 days only. Attention: To breek the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 83071443, Attention: To breek the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 83071443,



Report No.: FYCR220500019602 Page: 24 of 82

7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions</u>, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent to the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relatined for 30 days only. or email: CN Descheek days soom or email: CN Descheek days soom or email: CN Descheek days soom certains and their results as soon certains and the sample(s) lesting all holes (before the sample(s) are the produced to a tertains the and the sample(s) lesting all holes (before the sample(s) are certains to a tertains of the sample(s) lesting all holes (before the sample(s) are certains to a tertains to the sample(s) lesting all holes contents and certains the sample (s) lesting all holes (before the sample(s) are certains to a tertains (before the sample(s) lesting all holes (before the sample(s) are certains to the law. Lenote certains the law tertains the law bareation certains



Report No.: FYCR220500019602 Page: 25 of 82

7.6 Conducted Spurious Emissions

Test	Requirement	
Test	Method:	

47 CFR Part 15, Subpart C 15.247(d) ANSI C63.10 (2013) Section 11.11

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.205(c).

7.6.1 E.U.T. Operation

Operating Environment:

Temperature:	26.1 °C	
--------------	---------	--


Humidity: 45.9 % RH

Atmospheric Pressure: 1020 mbar

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Final test	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.

7.6.2 Test Mode Description

7.6.3 Test Setup Diagram



Ground Reference Plane



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & critificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@s.gs.com



Report No.: FYCR220500019602 Page: 26 of 82

7.6.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions</u>, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent to the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relatined for 30 days only. or email: CN Descheek days soom or email: CN Descheek days soom or email: CN Descheek days soom certains and their results as soon certains and the sample(s) lesting all holes (before the sample(s) are the produced to a tertains the and the sample(s) lesting all holes (before the sample(s) are certains to a tertains of the sample(s) lesting all holes (before the sample(s) are certains to a tertains to the sample(s) lesting all holes contents and certains the sample (s) lesting all holes (before the sample(s) are certains to a tertains (before the sample(s) lesting all holes (before the sample(s) are certains to the law. Lenote certains the law tertains the law bareation certains



Report No.: FYCR220500019602 Page: 27 of 82

7.7 Radiated Emissions which fall in the restricted bands

Test Requirement	47 CFR Part 15, Subpart C 15.205 & 15.209
Test Method:	ANSI C63.10 (2013) Section 6.10.5
Measurement Distance:	3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)		
0.009-0.490	2400/F(kHz)	300		
0.490-1.705	24000/F(kHz)	30		
1.705-30.0	30	30		
30-88	100	3		
88-216	150	3		
216-960	200	3		
Above 960	500	3		

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.7.1 E.U.T. Operation

Operating Environment: Temperature: 22.2 °C

Humidity: 56.8 % RH

Atmospheric Pressure: 1020 mbar

7.7.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Final test	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) is restended for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or email: CN Doccheck@ss.com



Report No.: FYCR220500019602 Page: 28 of 82

7.7.3 Test Setup Diagram



7.7.4 Measurement Procedure and Data

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.

h. Test the EUT in the lowest channel, the middle channel, the Highest channel.

i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format document, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excere the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fulleet axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

 Fujorog lab. Xinlong TechnoPark, Fengtang Read, Fujorog Subdishid, Bao'an, Shenzhen, China
 518103
 t
 (86–755)
 88663988
 f
 (86–755)
 26710594
 www.segsgroup.com.cn


 中国<<深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室</td>
 邮编: 518103
 t
 (86–755)
 88663988
 f
 (86–755)
 26710594
 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 29 of 82

1M/bps:

Test Mode: 02; Polarity: Horizontal; Modulation:GFSK; Channel:Low



Site	Site : chamber									
Condition: 3m HORIZONTAL										
Job No : 00196AT/00197AT										
Mode	: 2402	Band e	edge							
Note	: BLE									
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	2348.5960	5.02	27.06	32.50	47.92	47.50	74.00	-26.50	peak	
2	2390.0000	5.05	27.16	32.50	45.90	45.61	74.00	-28.39	peak	
3	2402.0000	5.06	27.18	32.50	106.65	106.39	74.00	32.39	peak	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>



Report No.: FYCR220500019602 Page: 30 of 82

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:Low



Site	Site : chamber									
Condition: 3m VERTICAL										
Job No : 00196AT/00197AT										
Mode	: 24	02 Band	edge							
Note	: BL	E								
		Cable	Ant	Preamp	Read		Limit	0ver		
	Fre	q Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MH	z dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	2355.873	0 5.03	27.08	32.50	48.22	47.83	74.00	-26.17	peak	
2	2390.000	0 5.05	27.16	32.50	46.47	46.18	74.00	-27.82	peak	
3	2402.000	0 5.06	27.18	32.50	103.19	102.93	74.00	28.93	peak	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>



Report No.: FYCR220500019602 Page: 31 of 82

Test Mode: 02; Polarity: Horizontal; Modulation:GFSK; Channel:High



Site : chamber										
Condition: 3m HORIZONTAL										
Job No : 00196AT/00197AT										
	:	2480	Band e	edge						
	:	BLE								
			Cable	Ant	Preamp	Read		Limit	0ver	
	F	req	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
2486	9.0	0000	5.12	27.36	32.50	95.21	95.19	74.00	21.19	peak
2483	3.5	6000	5.12	27.36	32.50	46.67	46.65	74.00	-27.35	peak
2493	3.1	250	5.13	27.39	32.50	49.28	49.30	74.00	-24.70	peak
	itior No 2480 2483	ition: No : : F 2480.0 2483.5	ition: 3m H0 No : 00190 : 2480 : BLE Freq MHz 2480.0000	ition: 3m HORIZON No : 00196AT/00 : 2480 Band d : BLE Cable Freq Loss MHz dB 2480.0000 5.12 2483.5000 5.12	ition: 3m HORIZONTAL No : 00196AT/00197AT : 2480 Band edge : BLE Cable Ant Freq Loss Factor MHz dB dB/m 2480.0000 5.12 27.36 2483.5000 5.12 27.36	ition: 3m HORIZONTAL No : 00196AT/00197AT : 2480 Band edge : BLE Cable Ant Preamp Freq Loss Factor Factor MHz dB dB/m dB 2480.0000 5.12 27.36 32.50 2483.5000 5.12 27.36 32.50	ition: 3m HORIZONTAL No : 00196AT/00197AT : 2480 Band edge : BLE Cable Ant Preamp Read Freq Loss Factor Factor Level MHz dB dB/m dB dBuV 2480.0000 5.12 27.36 32.50 95.21 2483.5000 5.12 27.36 32.50 46.67	ition: 3m HORIZONTAL No : 00196AT/00197AT : 2480 Band edge : BLE Cable Ant Preamp Read Freq Loss Factor Factor Level Level MHz dB dB/m dB dBuV dBuV/m 2480.0000 5.12 27.36 32.50 95.21 95.19 2483.5000 5.12 27.36 32.50 46.67 46.65	ition: 3m HORIZONTAL No : 00196AT/00197AT : 2480 Band edge : BLE Cable Ant Preamp Read Limit Freq Loss Factor Factor Level Level Line MHz dB dB/m dB dBuV dBuV/m dBuV/m 2480.0000 5.12 27.36 32.50 95.21 95.19 74.00 2483.5000 5.12 27.36 32.50 46.67 46.65 74.00	ition: 3m HORIZONTAL No : 00196AT/00197AT : 2480 Band edge : BLE Cable Ant Preamp Read Limit Over Freq Loss Factor Factor Level Level Line Limit MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 2480.0000 5.12 27.36 32.50 95.21 95.19 74.00 21.19 2483.5000 5.12 27.36 32.50 46.67 46.65 74.00 -27.35




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>



Report No.: FYCR220500019602 Page: 32 of 82

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:High



2766	Site Chamber									
Cond:	ition: 3m V	ERTICAL								
Job I	Job No : 00196AT/00197AT									
Mode	Mode : 2480 Band edge									
Note	: BLE		-							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	2480.0000	5.12	27.36	32.50	94.14	94.12	74.00	20.12	peak	
2	2483.5000	5.12	27.36	32.50	46.57	46.55	74.00	-27.45	peak	
3	2484.4200	5.12	27.37	32.50	48.26	48.25	74.00	-25.75	peak	
									-	



Site


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>



Report No.: FYCR220500019602 Page: 33 of 82

2M/bps:

Test Mode: 03; Polarity: Horizontal; Modulation:GFSK; Channel:Low



Site :	chamber
Condition:	3m HORIZONTAL
Job No :	00196AT/00197AT

Job No : 00196AT/0019	Job No	:	00196AT/001	97
-----------------------	--------	---	-------------	----

Mode :	2402	Band	edge
--------	------	------	------

Note : BLE 2M

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	2346.2090	5.02	27.06	32.50	49.81	49.39	74.00	-24.61	Peak	
2	2390.0000	5.05	27.16	32.50	46.83	46.54	74.00	-27.46	peak	
3	2402.0000	5.06	27.18	32.50	105.43	105.17	74.00	31.17	peak	
									-	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counternatapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company hav, unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220500019602 Page: 34 of 82

Test Mode: 03; Polarity: Vertical; Modulation:GFSK; Channel:Low



Site	Site : chamber									
Cond	Condition: 3m VERTICAL									
Job No : 00196AT/00197AT										
Mode	: 2402	2 Band e	edge							
Note	: BLE	2M								
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	2345.9100	5.02	27.06	32.50	49.60	49.18	74.00	-24.82	Peak	
2	2390.0000	5.05	27.16	32.50	45.66	45.37	74.00	-28.63	peak	
3	2402.0000	5.06	27.18	32.50	105.78	105.52	74.00	31.52	peak	
	2402.0000	5.00	2/.10	52.50	105.70	105.52	/4.00	51.52	peak	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>



Report No.: FYCR220500019602 Page: 35 of 82

Test Mode: 03; Polarity: Horizontal; Modulation:GFSK; Channel:High



Site	: chan	ıber								
Condition: 3m HORIZONTAL										
Job No : 00196AT/00197AT										
Mode : 2480 Band edge										
Note : BLE 2M										
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	2480.0000	5.12	27.36	32.50	95.13	95.11	74.00	21.11	peak	
2	2483.5000	5.12	27.36	32.50	45.71	45.69	74.00	-28.31	peak	
3	2490.6460	5.12	27.38	32.50	51.22	51.22	74.00	-22.78	peak	
									-	




C 2 4 -

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counternatapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company hav, unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Nerventil R. Docubent's certificate comparts and such sample(s) are taken of read as and sample(s) are retained for 30 days only.



Report No.: FYCR220500019602 Page: 36 of 82

Test Mode: 03; Polarity: Vertical; Modulation:GFSK; Channel:High



Site	: char	nber									
Condition: 3m VERTICAL											
Job No : 00196AT/00197AT											
Mode : 2480 Band edge											
Note : BLE 2M											
		Cable	Ant	Preamp	Read		Limit	0ver			
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB			
1	2480.0000	5.12	27.36	32.50	96.38	96.36	74.00	22.36	peak		
2	2483.5000	5.12	27.36	32.50	46.24	46.22	74.00	-27.78	peak		
3	2495.3060	5.13	27.39	32.50	49.51	49.53	74.00	-24.47	Peak		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counternatapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company hav, unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Or constit. (N. Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Or constit.



Report No.: FYCR220500019602 Page: 37 of 82

7.8 Radiated Spurious Emissions Below 1GHz

Test Requirement	47 CFR Part 15, Subpart C 15.205 & 15.209
Test Method:	ANSI C63.10 (2013) Section 6.4,6.5
Measurement Distance:	3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
960-1000	500	3

7.8.1 E.U.T. Operation

Operating Environment:

_						
Temperature:	22.6 °C	Humidity:	50.3 % RH	Atmospheric Pressure:	1020	mbar

7.8.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Pre-scan	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishict, Bao'an, Shenzhen, China 518103 tt (86–755) 88663988 ft (86–755) 26710594 www.sgsgroup.com.cn 中国 •深圳 •宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86–755) 88663988 ft (86–755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 38 of 82

7.8.3 Test Setup Diagram



7.8.4 Measurement Procedure and Data

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.

g. Test the EUT in the lowest channel, the middle channel, the Highest channel.

h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

i. Repeat above procedures until all frequencies measured was complete.

Remark:

1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

2. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3. The disturbance below 1GHz was very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.rems-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CM.Doccheck@s.gs.com


Flyong lab. Xinlong TechnoPark, Fengtang Read, Fuyong Subdishid, Bao'an, Shenzhen, China 518103 t (86–755) 88663988 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86–755) 88663988 f (86–755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 39 of 82

Worst case AC Adapter: 1M/bps

Test Mode: 02; Polarity: Horizontal



Site :	chamber
Condition:	3m HORIZONTAL
Job No :	00196AT

Mode : 02

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	176.8878	0.68	16.38	25.55	31.06	22.57	43.50	-20.93	QP
2	250.3012	0.82	16.82	25.58	37.75	29.81	46.00	-16.19	QP
3	374.6226	1.61	20.04	25.64	37.09	33.10	46.00	-12.90	QP
4	499.4247	1.41	22.84	25.70	31.43	29.98	46.00	-16.02	QP
5	625.0781	2.09	24.78	25.70	27.99	29.16	46.00	-16.84	QP
6	875.2469	2.61	27.70	25.58	35.79	40.52	46.00	-5.48	QP




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counternatapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company hav, unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Or constit. (N. Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Or constit.

Fuyong lab. Xiniong TechnoPark, Fengtang Read, Fuyong Subdishict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 40 of 82

Test Mode: 02; Polarity: Vertical





625.0781

2.09 24.78 25.70

6

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend for 30 days only. Attention: To breek the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 83071443, Attention: To breek the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 83071443,

39.38 40.55 46.00 -5.45 QP

 Fujorog lab. Xinlong TechnoPark, Fengtang Read, Fujorog Subdishid, Bao'an, Shenzhen, China
 518103
 t
 (86–755)
 88663988
 f
 (86–755)
 26710594
 www.segsgroup.com.cn

 中国<<深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室</td>
 邮编: 518103
 t
 (86–755)
 88663988
 f
 (86–755)
 26710594
 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 41 of 82

7.9 Radiated Spurious Emissions Above 1GHz

Test Requirement	47 CFR Part 15, Subpart C 15.205 & 15.209
Test Method:	ANSI C63.10 (2013) Section 6.6
Measurement Distance:	3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
Above 1000	500	3


7.9.1 E.U.T. Operation

Operating Environment:							
Temperature:	23.3 °C	Humidity:	59.2 % RH	Atmospheric Pressure: 1020 mbar	,		

7.9.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Final test	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.

7.9.3 Test Setup Diagram



Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counternatapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company hav, unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ss.com

Fuyorg kab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Sherzhen, China 518103 tt (86–755) 88663988 ft (86–755) 26710594 www.sgsgroup.com.cn 中国 · 深圳 · 宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86–755) 88663988 ft (86–755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 42 of 82

7.9.4 Measurement Procedure and Data

a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.

g. Test the EUT in the lowest channel, the middle channel, the Highest channel.

h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

i. Repeat above procedures until all frequencies measured was complete.

Remark:

1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

2. Scan from 1GHz to 25GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To othersk the authenticity of testing finspection report a certificate, please contact us at telephone: (86-75) 83071443,

Fuyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdishid, Bao'an, Shenzhen, China 518103 tt (86–755) 88663988 ft (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86–755) 88663988 ft (86–755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 43 of 82

Test Mode: 02; Polarity: Horizontal; Modulation:GFSK; Channel:Low



Site	Site : chamber									
Cond:	Condition: 3m HORIZONTAL									
Job I	Job No : 00196AT/00197AT									
Mode	Mode : 2402 TX RSE									
Note	: BLE									
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1125.8130	2.97	24.23	52.60	59.60	34.20	74.00	-39.80	peak	
2	3415.7870	6.79	28.68	52.96	57.88	40.39	74.00	-33.61	peak	
3	4804.0000	7.98	30.94	53.05	55.77	41.64	74.00	-32.36	peak	
4	6914.7630	8.11	35.60	53.44	55.22	45.49	74.00	-28.51	peak	
5	7206.0000	8.29	36.05	53.52	54.01	44.83	74.00	-29.17	peak	
6	9608.0000	11.41	37.53	53.58	52.89	48.25	74.00	-25.75	peak	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

Fuyorg kab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdishid, Bao'an, Shenzhen, China 518103 tt (86-755) 88663988 ft (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86-755) 88663988 ft (86-755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 44 of 82

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00196AT/00197AT Mode : 2402 TX RSE Note : BLE									
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
	4340 3040						74.00		
1	1319.7940	3.41	24.24	52.74	64.17	39.08	/4.00	-34.92	peak
2	3415.7870	6.79	28.68	52.96	62.04	44.55	74.00	-29.45	peak
3	4804.0000	7.98	30.94	53.05	59.38	45.25	74.00	-28.75	peak
4	6995.1720	8.19	35.79	53.50	55.49	45.97	74.00	-28.03	peak
5	7206.0000	8.29	36.05	53.52	54.52	45.34	74.00	-28.66	peak
6	9608.0000	11.41	37.53	53.58	53.08	48.44	74.00	-25.56	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

Fuyorg kab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdishid, Bao'an, Shenzhen, China 518103 tt (86-755) 88663988 ft (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86-755) 88663988 ft (86-755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 45 of 82

Test Mode: 02; Polarity: Horizontal; Modulation:GFSK; Channel:middle



Site	: cham	ber							
Cond:	ition: 3m H	ORIZONT	AL						
Job I	No : 0019	6AT/001	.97AT						
Mode	: 2440	TX RSE							
Note	: BLE								
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1125.8130	2.97	24.23	52.60	59.69	34.29	74.00	-39.71	peak
2	4230.3960	7.48	29.83	52.88	55.68	40.11	74.00	-33.89	peak
3	4880.0000	8.11	31.12	53.07	54.55	40.71	74.00	-33.29	peak
4	6995.1720	8.19	35.79	53.50	54.53	45.01	74.00	-28.99	peak
5	7320.0000	8.35	36.19	53.53	52.59	43.60	74.00	-30.40	peak
6	9760.0000	11.30	37.87	53.43	52.86	48.60	74.00	-25.40	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

Fuyong lab. Xiniong TechnoPark, Fengtang Read, Fuyong Subdishict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 46 of 82

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:middle



Site Condi Job N Mode Note	ition: 3m V No : 0019 : 2440		97AT						
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
	4345 0050					40.50	74.00		
1	1315.9850	3.41	24.24	52.74	67.62	42.53	74.00	-31.4/	peak
2	3415.7870	6.79	28.68	52.96	62.92	45.43	74.00	-28.57	peak
3	4880.0000	8.11	31.12	53.07	58.86	45.02	74.00	-28.98	peak
4	6583.2090	7.78	34.81	53.22	57.20	46.57	74.00	-27.43	peak
5	7320.0000	8.35	36.19	53.53	53.25	44.26	74.00	-29.74	peak
6	9760.0000	11.30	37.87	53.43	52.92	48.66	74.00	-25.34	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

Fuyong lab. Xiniong TechnoPark, Fengtang Read, Fuyong Subdishict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 47 of 82

Test Mode: 02; Polarity: Horizontal; Modulation:GFSK; Channel:High



Site	: cham	ber							
Cond:	ition: 3m H	ORIZONT	AL						
Job I	No : 0019	6AT/001	.97AT						
Mode	: 2480	TX RSE							
Note	: BLE								
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
									_
1	1125.8130	2.97	24.23	52.60	60.37	34.97	74.00	-39.03	peak
2	3415.7870	6.79	28.68	52.96	62.68	45.19	74.00	-28.81	peak
3	4960.0000	8.24	31.31	53.09	54.65	41.11	74.00	-32.89	peak
4	6954.8520	8.15	35.70	53.47	54.65	45.03	74.00	-28.97	peak
5	7440.0000	8.40	36.33	53.55	54.31	45.49	74.00	-28.51	peak
6	9920.0000	11.18	38.22	53.28	53.35	49.47	74.00	-24.53	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

Fuyorg kab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdishid, Bao'an, Shenzhen, China 518103 tt (86-755) 88663988 ft (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86-755) 88663988 ft (86-755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 48 of 82

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:High



Site	: cham	ber							
Cond	ition: 3m V	ERTICAL							
Job I	No : 0019	6AT/001	.97AT						
Mode	: 2480	TX RSE							
Note	: BLE								
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1319.7940	3.41	24.24	52.74	61.74	36.65	74.00	-37.35	peak
2	3415.7870	6.79	28.68	52.96	61.61	44.12	74.00	-29.88	peak
3	4960.0000	8.24	31.31	53.09	58.12	44.58	74.00	-29.42	peak
4	6995.1720	8.19	35.79	53.50	54.69	45.17	74.00	-28.83	peak
5	7440.0000	8.40	36.33	53.55	54.29	45.47	74.00	-28.53	peak
6	9920.0000	11.18	38.22	53.28	52.98	49.10	74.00	-24.90	peak
									-




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

Fuyong lab. Xiniong TechnoPark, Fengtang Read, Fuyong Subdishict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 49 of 82

Test Mode: 03; Polarity: Horizontal; Modulation:GFSK; Channel:Low



12872.440 12.48 39.71 54.18 55.19 53.20 74.00 -20.80 Peak



6

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend for 30 days only. Attention: To breek the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 83071443, Attention: To breek the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 83071443,


 Fujorog lab. Xinlong TechnoPark, Fengtang Read, Fujorog Subdishid, Bao'an, Shenzhen, China
 518103
 t
 (86–755)
 88663988
 f
 (86–755)
 26710594
 www.segsgroup.com.cn

 中国<<深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室</td>
 邮编: 518103
 t
 (86–755)
 88663988
 f
 (86–755)
 26710594
 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 50 of 82

Test Mode: 03; Polarity: Vertical; Modulation:GFSK; Channel:Low



Site	: cham	ber							
Condi	ition: 3m V	ERTICAL	-						
Job N	lo : 0019	6AT/001	.97AT						
Mode	: 2402	TX RSE							
Note	: BLE	2M							
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1185.9360	3.12	24.29	52.65	62.99	37.75	74.00	-36.25	peak
2	3546.5770	7.04	28.78	52.93	56.14	39.03	74.00	-34.97	Peak
3	4804.0000	7.98	30.94	53.05	64.86	50.73	74.00	-23.27	peak
4	7206.0000	8.29	36.05	53.52	61.64	52.46	74.00	-21.54	peak
5	7989.8930	9.41	36.20	53.60	58.13	50.14	74.00	-23.86	Peak
6	9608.0000	11.41	37.53	53.58	56.14	51.50	74.00	-22.50	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

Fuyong lab. Xiniong TechnoPark, Fengtang Read, Fuyong Subdishict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 51 of 82

Test Mode: 03; Polarity: Horizontal; Modulation:GFSK; Channel:middle





6


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend for 30 days only. Attention: To breek the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 83071443, Attention: To breek the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 83071443,

Fuyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86–755) 88663988 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 52 of 82

Test Mode: 03; Polarity: Vertical; Modulation:GFSK; Channel:middle



	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1315.9850	3.41	24.24	52.74	62.92	37.83	74.00	-36.17	peak
2	3598.2030	7.09	28.87	52.91	56.24	39.29	74.00	-34.71	peak
3	4880.0000	8.11	31.12	53.07	64.38	50.54	74.00	-23.46	peak
4	7320.0000	8.35	36.19	53.53	57.98	48.99	74.00	-25.01	peak
5	9760.0000	11.30	37.87	53.43	53.22	48.96	74.00	-25.04	peak
6	11837.450	11.60	39.77	53.94	54.80	52.23	74.00	-21.77	Peak



Site

Note


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86–755) 88663988 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 53 of 82

Test Mode: 03; Polarity: Horizontal; Modulation:GFSK; Channel:High



Site	: cham	ber							
Condi	ition: 3m H	ORIZONT	AL						
Job N	No : 0019	6AT/001	97AT						
Mode	: 2480	TX RSE							
Note	: BLE	2M							
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1238,4830	3.24	24.28	52.69	61.87	36.70	74.00	-37.30	peak
2	2246.3440	4.95	26.82	53.10	57.65	36.32		-37.68	
3	4960.0000	8.24	31.31	53.09	63.21	49.67	74.00	-24.33	peak
4	7440.0000	8.40	36.33	53.55	60.14	51.32	74.00	-22.68	peak
5	9920.0000	11.18	38.22	53.28	53.84	49.96	74.00	-24.04	peak
6	12909.700	12.48	39.71	54.18	54.71	52.72	74.00	-21.28	Peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/Te

Fuyong lab. Xiniong TechnoPark, Fengtang Read, Fuyong Subdishict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 54 of 82

Test Mode: 03; Polarity: Vertical; Modulation:GFSK; Channel:High



Site	: cham	ıber							
Condi	ition: 3m V	'ERTICAL	-						
Job N	lo : 0019	6AT/001	.97AT						
Mode	: 2480	TX RSE							
Note	: BLE	2M							
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2246.3440	4.95	26.82	53.10	57.87	36.54	74.00	-37.46	Peak
2	4735.1810	7.87	30.78	53.03	58.57	44.19	74.00	-29.81	Peak
3	4960.0000	8.24	31.31	53.09	63.92	50.38	74.00	-23.62	peak
4	7440.0000	8.40	36.33	53.55	59.97	51.15	74.00	-22.85	peak
5	9920.0000	11.18	38.22	53.28	53.65	49.77	74.00	-24.23	peak
6	11735.250	11.60	39.75	53.90	54.51	51.96	74.00	-22.04	Peak



C : + -

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

Fuyong lab. Xiniong TechnoPark, Fengtang Read, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 55 of 82

7.10 Duty Cycle

Test Requirement	ANSI C63.10 Section 11.6
Test Method:	ANSI C63.10 Section 11.6
Limit:	

N/A

7.10.1 E.U.T. Operation


Operating Environment:

1 0						
Temperature:	28.0 °C	Humidity:	50.0 % RH	Atmospheric Pressure:	1020	mbar

7.10.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	03	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.

7.10.3 Test Setup Diagram



Ground Reference Plane

7.10.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document is a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company any prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

Fuyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdishid, Bao'an, Shenzhen, Chine 518103 tt (86–755) 88663988 ft (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86–755) 88663988 ft (86–755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 56 of 82

8 Test Setup Photo

Refer to Appendix - Test Setup Photo for FYCR2205000196AT.

9 EUT Constructional Details (EUT Photos)

Refer to Appendix – External and Internal Photos for FYCR2205000196AT.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) is rested and guota sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or email. Ch Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or emails Ch Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or emails Ch Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or emails Ch Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or emails Ch Doccheck the authenticity of testing /inspe

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishict, Bao'an, Shenzhen, China 518103 tt (86–755) 88663988 ft (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86–755) 88663988 ft (86–755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 57 of 82

10 Appendix

- 1. Duty Cycle
- 1.1 Ant1
- 1.1.1 Test Result

	Ant1										
Mode	ТХ Туре	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)				
		2402	0.392	0.625	62.72	2.03	0.00				
1M	SISO	2440	0.380	0.625	60.80	2.16	0.00				
		2480	0.391	0.625	62.56	2.04	0.00				
		2402	0.209	0.625	33.44	4.76	0.00				
2M	SISO	2440	0.209	0.625	33.44	4.76	0.00				
		2480	0.208	0.625	33.28	4.78	0.03				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>

Fujeng lab. Xiniong TechnoPark, Fenglang Read, Fujeng Subdishid, Baolan, Shenzhen, China 518103 tt (86–755) 88663988 ft (86–755) 26710594 www.sgsgroup.com.cn 中国•深圳•宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86–755) 88663988 ft (86–755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 58 of 82



1.1.2 Test Graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN.Doccheck@sgs.com

Fujong lab. Xiniong TechnoPark, Fengtang Road, Fujong Subdishict, Bao'an, Shenzhen, China 518103 t (86–755) 88663988 f (86–755) 26710594 www.sgsgroup.com.cn 中国•深圳•宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86–755) 88663988 f (86–755) 26710594 sgs.china@sgs.com



测专用章

ion Service


ces Kun

检验相 nspection & Testing Services

Shenzhe

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR220500019602 Page: 59 of 82





Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



专用章

on Service


ces IKu

检验 nspection & Testing Service

Shenzhe

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR220500019602 Page: 60 of 82





Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 61 of 82

2. Bandwidth

2.1 OBW

2.1.1 Test Result

Mode	ТХ Туре	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz) Result	Verdict
		2402	1	1.032	Pass
1M	SISO	2440	1	1.035	Pass
		2480	1	1.036	Pass
2M		2402	1	2.067	Pass
	SISO	2440	1	2.071	Pass
		2480	1	2.073	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counditions/Terms-end-Conditions/Terms-ende-Conditions/Terms-end-Conditions

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishict, Baolan, Shenzhen, China 518103 tt (86–755) 88663988 ft (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86–755) 88663988 ft (86–755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 62 of 82






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ss.com

 Fuyong lab, Xiniong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bavian, Shenzhen, China
 518103
 t
 (86-755)
 86663988
 f
 (86-755)
 26710594
 www.sgs.group.com.cn

 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室
 邮编:
 518103
 t
 (86-755)
 86663988
 f
 (86-755)
 26710594
 sgs.com



Report No.: FYCR220500019602 Page: 63 of 82






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ses.com

 Fuyong lab, Xiniong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bavian, Sherzhen, China
 518103
 t
 (86-755)
 8663988
 f
 (86-755)
 26710594
 www.sgsgroup.com.cn

 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室
 邮编:
 518103
 t
 (86-755)
 8663988
 f
 (86-755)
 26710594
 sgs.com



Report No.: FYCR220500019602 Page: 64 of 82





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ses.com

 Fuyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdishtid, Bavian, Shenzhen, China
 518103
 t (86-755) 88663988
 f (86-755) 26710594
 www.sgs.group.com.cn

 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室
 邮编: 518103
 t (86-755) 88663988
 f (86-755) 26710594
 sgs.com



Report No.: FYCR220500019602 Page: 65 of 82

2.2 6dB BW

2.2.1 Test Result

Mode	ТХ Туре	Frequency (MHz) ANT		6dB Bandwidth (MHz)		Verdict
			Result	Limit		
		2402	1	0.691	>=0.5	Pass
1M	SISO	2440	1	0.700	>=0.5	Pass
		2480	1	0.698	>=0.5	Pass
2M		2402	1	1.247	>=0.5	Pass
	SISO	2440	1	1.237	>=0.5	Pass
		2480	1	1.199	>=0.5	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counditions/Terms-end-Conditions/Terms-ende-Conditions/Terms-end-Conditions

Fujeng lab. Xiniong TechnoPark, Fenglang Read, Fujeng Subdistrict, Baolan, Shenzhen, China 518103 tt (86–755) 88663988 ft (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86–755) 88663988 ft (86–755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 66 of 82






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ses.com

 Fuyong lab, Xiniong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bavian, Sherzhen, China
 518103
 t
 (86-755)
 8663988
 f
 (86-755)
 26710594
 www.sgsgroup.com.cn

 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室
 邮编:
 518103
 t
 (86-755)
 8663988
 f
 (86-755)
 26710594
 sgs.com



Report No.: FYCR220500019602 Page: 67 of 82





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails CN Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails CN Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails CN Doccheck the authenticity of testing /

 Fuyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdishtid, Bavian, Shenzhen, China
 518103
 t (86-755) 88663988
 f (86-755) 26710594
 www.sgs.group.com.cn

 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室
 邮编: 518103
 t (86-755) 88663988
 f (86-755) 26710594
 sgs.com



检验相


Shenzhe

ation Services

Services Kur

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR220500019602 Page: 68 of 82





中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: FYCR220500019602 Page: 69 of 82

3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

Mode	ТΧ	Frequency	Maximum Peak Conduct	Vordiat		
	Туре	(MHz)	ANT1	Limit	Verdict	
1M		2402	10.01	<=30	Pass	
	SISO	2440	7.86	<=30	Pass	
		2480	6.70	<=30	Pass	
2M		2402	10.05	<=30	Pass	
	SISO	2440	7.92	<=30	Pass	
		2480	6.78	<=30	Pass	
Note1: Antenna Gain: Ant1: 3.50dBi;						

4. Maximum Power Spectral Density

4.1 PSD

4.1.1 Test Result

Mode	ТХ	Frequency	Maximum PS	Vendiet	
	Туре	(MHz)	ANT1	Limit	Verdict
1M		2402	-5.30	<=8	Pass
	SISO	2440	-7.48	<=8	Pass
		2480	-8.73	<=8	Pass
2M		2402	-7.55	<=8	Pass
	SISO	2440	-9.70	<=8	Pass
		2480	-10.89	<=8	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) is rested and guota sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or certained (10 Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or certained for 30 days only.

 Fuyong lab, Xinlong TechnoPark, Fenglang Read, Fuyong Subdishid, Bao'an, Sherzhen, China
 518103
 t (86–755) 88663988
 f (86–755) 26710594
 www.sgsgroup.com.cn

 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室
 邮编: 518103
 t (86–755) 88663988
 f (86–755) 26710594
 sgss.cohina@sgs.com



Report No.: FYCR220500019602 Page: 70 of 82






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions

 Fujoring lab, Xinlong TechnoPark, Fenglang Road, Fujong Subdishrid, Badian, Shenzhen, China
 518103
 t
 (86-755)
 86663988
 f
 (86-755)
 26710594
 www.sgs.group.com.cn

 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室
 邮编:
 518103
 t
 (86-755)
 86663988
 f
 (86-755)
 26710594
 sgs.cohina@sgs.com



Report No.: FYCR220500019602 Page: 71 of 82






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend for 30 days only. Attention: To breek the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 83071443, Attention: To breek the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 83071443,

 Fuyong lab, Xinlung TechnoPark, Fenglang Read, Fuyong Subdishid, Bao'an, Shenzhen, China
 518103
 t
 (86-755)
 8663988
 f
 (86-755)
 26710594
 www.sgsgroup.com.cn

 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室
 邮编:
 518103
 t
 (86-755)
 8663988
 f
 (86-755)
 26710594
 www.sgsgroup.com.cn



Report No.: FYCR220500019602 Page: 72 of 82





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the certent or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tested, press contact us at telephone: (86-755) 8307 1443, remail: CD Doccheckfase some

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdishird, Bao'an, Shenzhen, China 518103 t (86–755) 88663988 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86–755) 88663988 f (86–755) 26710594 sgs.china@sgs.com



 Report No.:
 FYCR220500019602

 Page:
 73 of 82

5. Unwanted Emissions InStandard Non-restricted Frequency Bands

5.1 Ref

5.1.1 Test Result

Mode	ТХ Туре	Frequency (MHz)	ANT	Level of Reference (dBm)	
		2402	1	9.22	
1M	SISO	2440	1	7.07	
		2480	1	5.86	
	SISO	2402	1	8.75	
2M		2440	1	6.59	
		2480	1	5.35	
Note1: Refer to ECC Part 15 247 (d) and ANSI C63 10-2013, the channel contains the maximum PSD level					

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

Note2: RBW = 1MHz was used during the pre-test. The final test will be performed at RBW=100kHz while the margin is less than 3dB.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) is rested and guota sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or certained (10 Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or certained for 30 days only.

Flyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdishid, Bao'an, Shenzhen, China 518103 t (86–755) 88663988 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86–755) 88663988 f (86–755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 74 of 82



5.1.2 Test Graph




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counternatapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company hav, unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@ss.com

 Fuyong lab, Xiniong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bavian, Sherzhen, China
 518103
 t
 (86-755)
 8663988
 f
 (86-755)
 26710594
 www.sgsgroup.com.cn

 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室
 邮编:
 518103
 t
 (86-755)
 8663988
 f
 (86-755)
 26710594
 sgs.com



Report No.: FYCR220500019602 Page: 75 of 82






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counternatapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company hav, unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@ss.com

 Fuyong lab, Xiniong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bavian, Sherzhen, China
 518103
 t
 (86-755)
 8663988
 f
 (86-755)
 26710594
 www.sgsgroup.com.cn

 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室
 邮编:
 518103
 t
 (86-755)
 8663988
 f
 (86-755)
 26710594
 sgs.com



Report No.: FYCR220500019602 Page: 76 of 82





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counternatapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company hav, unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch Opccheck@ss.com

 Fuyong lab, Xiniong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bavian, Sherzhen, China
 518103
 t
 (86-755)
 8663988
 f
 (86-755)
 26710594
 www.sgsgroup.com.cn

 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室
 邮编:
 518103
 t
 (86-755)
 8663988
 f
 (86-755)
 26710594
 sgs.com



Report No.: FYCR220500019602 Page: 77 of 82

5.2 CSE

5.2.1 Test Result

Mode	ТХ Туре	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M		2402	1	9.22	-10.78	Pass
	SISO	2440	1	9.22	-10.78	Pass
		2480	1	9.22	-10.78	Pass
2M		2402	1	8.75	-11.25	Pass
	SISO	2440	1	8.75	-11.25	Pass
		2480	1	8.75	-11.25	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

Note2: RBW = 1MHz was used during the pre-test. The final test will be performed at RBW=100kHz while the margin is less than 3dB.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend for 30 days only. Attention: To breek the authenticity of testing inspection reports a certificate, please contact us at telephone: (86-755) 8307 1443,

Fujong lab. Xiniong TechnoPark, Fengtang Road, Fujong Subdishid, Baolan, Shenzhen, China 518103 tt (86–755) 88663988 ft (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86–755) 88663988 ft (86–755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 78 of 82





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ses.com

 Fuyong lab, Xiniong TechnoPark, Fenglang Read, Fuyong Subdistrict, Bavian, Sherzhen, China
 518103
 t (86-755) 88663988
 f (86-755) 26710594
 wwww.sgsgroup.com.cn

 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室
 邮编: 518103
 t (86-755) 88663988
 f (86-755) 26710594
 sgs.com



专用章


ces Kun

检验 nspection & Testing Services ion Services

Shenzhe

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR220500019602 Page: 79 of 82






中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



Report No.: FYCR220500019602 Page: 80 of 82






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ses.com

 Fujoring lab, Xinlong TechnoPark, Fenglang Road, Fujong Subdishrid, Badian, Shenzhen, China
 518103
 t
 (86-755)
 86663988
 f
 (86-755)
 26710594
 www.sgs.group.com.cn

 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室
 邮编:
 518103
 t
 (86-755)
 86663988
 f
 (86-755)
 26710594
 sgs.cohina@sgs.com



Report No.: FYCR220500019602 Page: 81 of 82






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ses.com

 Fujoring lab, Xinlong TechnoPark, Fenglang Road, Fujong Subdishrid, Badian, Shenzhen, China
 518103
 t
 (86-755)
 86663988
 f
 (86-755)
 26710594
 www.sgs.group.com.cn

 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室
 邮编:
 518103
 t
 (86-755)
 86663988
 f
 (86-755)
 26710594
 sgs.cohina@sgs.com



Report No.: FYCR220500019602 Page: 82 of 82



- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Counternatapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company hav, unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fujong lab. Xinlong TechnoPark, Fengtang Road, Fujong Subdishid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com