

Page 1 of 143

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E and PART 27 SUBPART B, C & SUBPART L REQUIREMENT

OF

Applicant: FUJITSU CONNECTED TECHNOLOGIES Ltd.

> 1-1, Kamikodanaka 4-chome, Nakahara-ku. Kawasaki

211-8588, Japan

Product Name: Smart Phone

Brand Name: FUJITSU Model No.: F-01L

Model Difference: N/A

FCC ID: 2AQYEFMP167

Report Number: ER/2018/70056

FCC Rule Part: 2,22H & 24E & 27B, C & L

Issue Date: Sep. 20th, 2018

Date of Test: Aug. 28th, 2018 ~ Sep.14th, 2018

Date of EUT Received: Aug. 28th, 2018

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.26-2015 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Tested By:

Marcus Tseng / Engineer

Marcus Iseng

Approved By:

Blue Yang / Supervisor





0513

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⁹0天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 2 of 143

Revision History

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
ER/2018/70056	Rev.00	Initial creation of docu- ment	All	Sep. 20th, 2018	Stefanie Yu

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. documents. Inis document cannot be reproduced except in lan, wands apply a supply and document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page 3 of 143

Contents

1.	GENERAL PRODUCT INFORMATION		4
	SYSTEM TEST CONFIGURATION		
	SUMMARY OF TEST RESULTS		
	DESCRIPTION OF TEST MODES		
	MEASUREMENT UNCERTAINTY		
	MAXMUM OUTPUT POWER		
	OCCUPIED BANDWIDTH MEASUREMENT		
	OUT OF BAND EMISSION AT ANTENNA TERMINALS		
	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT		
	FREQUENCY STABILITY MEASUREMENT		
	PEAK TO AVERAGE RATIO		
	OTOGRAPHS OF EUT		
		~ III II/\	1 3 1 7 2 1 2 1 2 2 7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. documents. Inits document cannot be reproduced except in lan, "Miscas p.i." in an additional document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 4 of 143

1. GENERAL PRODUCT INFORMATION

1.1. Product Description

General:

Product Name:	Smart Phone		
Brand Name:	FUJITSU		
Model No.:	F-01L		
Model Difference:	N/A		
Hardware Version:	V2.1.0		
Software Version:	V01R028Ae		
	3.8Vdc from Rechargeable Li-ion Battery or 5Vdc /9Vdc / 12Vdc from AC/DC Adapter		
Power Supply:	Battery: Model No.: CA54310-0075-A1, Supplier: FUJITSU CONNECTED TECHNOLOGIES LIMITED		
	Adapter: Model No.: AC Adapter 06 Supplier: NTT docomo		
IMEI:	357963090013960, 357963090013978		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 5 of 143

1.2. GSM / WCDMA / LTE: Cellular Phone Standards Frequency Range

Operating Frequency (MHz)				
GSM/GPRS 850 824.2 - 848.8				
GSM/GPRS 1900	1850.2	-	1909.8	

Operating Frequency (MHz	<u>z</u>)		
WCDMA / HSPA+ Band V	826.4	-	846.6

LTE Band	BW (MHz)	Operation Frequency (MHz)		
	1.4	824.7	-	848.3
5	3	825.5	-	847.5
5	5	826.5	-	846.5
	10	829.0	-	844.0
	1.4	699.7	-	715.3
12	3	700.5	-	714.5
12	5	701.5	-	713.5
	10	704.0	-	711.0
17	5	706.5	-	713.5
''	10	709.0	-	711.0

Antenna Designation

Vendor	Туре	Antenna Part No.	Modulation	Frequency (MHz)	Peak Antenna
			GSM / GPRS850	824.2 ~ 848.8	-3
		N/A	GSM / GPRS1900	1850.2 ~ 1909.8	-1
N/A	λ/4		WCDMA B5	826.4 ~ 846.6	-3
IN/A	Monopole		LTE Band 5	824 ~ 849	-3
			LTE Band 12	699 ~ 716	-10
			LTE Band 17	704 ~ 716	-10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page 6 of 143

1.3. Type of Emission & Max ERP/EIRP Power Measurement Result::

ERP / EIRP (dBm)		(W)	Type of Emission
28.45	ERP	0.700	249KGXW
28.45	ERP	0.700	246KGXW
27.91	EIRP	0.618	251KG7W
27.91	EIRP	0.618	248KG7W
20.66	ERP	0.12	4M12F9W
19.57	ERP	0.09	4M13F9W
19.62	ERP	0.09	4M13F9W
	28.45 28.45 27.91 27.91 20.66 19.57	28.45 ERP 28.45 ERP 27.91 EIRP 27.91 EIRP 20.66 ERP 19.57 ERP	28.45 ERP 0.700 28.45 ERP 0.700 27.91 EIRP 0.618 27.91 EIRP 0.618 20.66 ERP 0.12 19.57 ERP 0.09

LTE Band	BW (MHz)	Modulation	ERP / EIRP (dBm)	(W)	Type of Emission
	1.4	QPSK	19.95 ERI	0.099	1M10G7D
	1.4	16QAM	18.95 ERI	0.079	1M10D7W
	3	QPSK	19.96 ERI	0.099	2M69G7D
5	3	16QAM	18.99 ERI	0.079	2M70D7W
3	5	QPSK	19.97 ERI	0.099	4M49G7D
	5	16QAM	18.97 ERI	0.079	4M49D7W
	10	QPSK	19.92 ERI	0.098	8M99G7D
	10	16QAM	18.99 ERI	0.079	8M96D7W

LTE Band	BW (MHz)	Modulation	ERP / EIRP (dBm)		(W)	Type of Emission
	1.4	QPSK	12.96	ERP	0.020	1M10G7D
	1.4	16QAM	11.68	ERP	0.015	1M10D7W
	3	QPSK	12.95	ERP	0.020	2M70G7D
12	3	16QAM	11.96	ERP	0.016	2M70D7W
12	5	QPSK	12.95	ERP	0.020	4M49G7D
	5	16QAM	11.81	ERP	0.015	4M49D7W
	10	QPSK	12.97	ERP	0.020	9M00G7D
	10	16QAM	11.88	ERP	0.015	8M97D7W
	5	QPSK	12.85	ERP	0.019	4M49G7D
17	5	16QAM	11.94	ERP	0.016	4M49D7W
17	10	QPSK	12.95	ERP	0.020	9M02G7D
	10	16QAM	11.87	ERP	0.015	8M97D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of first produced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 7 of 143

1.4. Test Methodology of Applied Standards

CC 47 CFR Part 2, 22, 24, 27

ANSI C63.26-2015

KDB971168 D01 Power Meas license Digital System v03

KDB941225 D01 SAR test for 3G devices v03r01 (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

Note: All test items have been performed and record as per the above standards.

1.5. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 code 0513)

FCC Registration Numbers are: 509634 / TW0001

1.6. Special Accessories

No special accessories were used during testing.

1.7. Equipment Modifications

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 8 of 143

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured ANSI C63.26-2015, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured ANSI C63.26-2015, The EUT is a placed on as turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 9 of 143

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation in physical test.

	RF cable loss (dB)	Attenuation factor(dB)	offset(dB)
Low Band (Below 1GHz)	4.4	10	14.4
High Band (Above 1 GHz)	4.4	10	14.4

2.5. Final Amplifier Voltage and Current Information:

Test Mode	DC voltage (V)	DC current (mA)
GSM 850		224.0
GSM 1900		242.9
GPRS 850		259.5
GPRS 1900	3.8	258.4
WCDMA B5		259.7
LTE Band 5		582.3
LTE Band 12		573.0
LTE Band 17		599.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page 10 of 143

2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)




Table 2-1 Equipment Used in

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Universal Radio Communication Tester	Anritsu	MT8820C	6200307563	shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 11 of 143

3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a) §22.913(a)(5) §24.232(c) §27.50(c)(10) §27.50(h)(2)	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occuupied Bandwidth	Compliant
§2.1051 §22.917(a) §24.238(a) §27.53(g) §27.53(m)(4)	Out of Band Emissions at Antenna Ter- minals and Band Edge / Emission mask requirements	Compliant
§2.1053 §22.917(a) §24.238(a) §27.53(g) §27.53(m)(4)	Field Strength of Spurious Radiation	Compliant
§24.232(d) §22.913	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235 §27.54	Frequency Stability	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 12 of 143

4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	RADIATED EMISSION
GSM/GPRS/EDGE 850	H-plan
GSM/GPRS/EDGE 1900	H-plan
WCDMA/HSPA Band V	H-plan
LTE Band 5	H-plan
LTE Band 12	H-plan
LTE Band 17	H-plan

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 13 of 143

GSM/GPRS MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
EIRP	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
EDEOLIENCY STABILITY	128 to 251	190	GPRS 850
FREQUENCY STABILITY	512 to 810	661	GPRS 1900
OCCUPIED BANDWIDTH	128 to 251	190	GSM/GPRS/EDGE 850
OCCUPIED BANDWIDTH	512 to 810	661	GSM/GPRS/EDGE 1900
PEAK TO AVERAGE RATIO	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
PEAR TO AVERAGE RATIO	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
BAND EDGE	128 to 251	128, 251	GSM/GPRS/EDGE 850
BAND EDGE	512 to 810	512, 810	GSM/GPRS/EDGE 1900
CONDCUDETED EMISSION	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
COMPCODE LED EMISSION	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
RADIATED EMISSION	128 to 251	128, 190, 251	GSM 850
RADIATED EMISSION	512 to 810	512, 661, 810	GPRS 1900

WCDMA/HSPA MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
FREQUENCY STABILITY	4132 to 4233	4183	WCDMA Band V
OCCUPIED BANDWIDTH	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
PEAK TO AVERAGE RATIO	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
BAND EDGE	4132 to 4233	4132, 4233	WCDMA Band V
CONDCUDETED EMISSION	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
RADIATED EMISSION	4132 to 4233	4132, 4183, 4233	WCDMA Band V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page 14 of 143

LTE Band 5 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH		MODE
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,5 RB Offest
ERP	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,14 RB Offest
EKF	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	20450 to 20600	20525	10MHz	QPSK,	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM, 64QAM	Full RB
OCCUPIED		20415, 20525, 20635		QPSK, 16QAM, 64QAM	Full RB
BANDWIDTH	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM, 64QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM, 64QAM	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	64QAM	Full RB
PEAK TO AV-	20415 to 20635	20415, 20525, 20635	3MHz	64QAM	Full RB
ERAGE RATIO	20425 to 20625	20425, 20525, 20625	5MHz	64QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	64QAM	Full RB
	20470 to 20643	20470, 20643	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
DAND EDGE	20415 to 20635	20415, 20635	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	20425 to 20625	20425, 20625	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	20450 to 20600	20450, 20600	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	20415 to 20635	20415, 20525, 20635	3MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	20425 to 20625	20425, 20525, 20625	5MHz	QPSK,	1 RB, 0 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	20450 to 20600	20450, 20525, 20600	1.4MHz	16QAM	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of first produced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the law. documents. Inits document cannot be reproduced except in lan, instance, in a company of the fullest extent of the law.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com



Page 15 of 143

LTE Band 12 MODE

TE Band 12 MODE							
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BAND- WIDTH	MODULATION	MODE		
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,5 RB Offest		
ERP	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,14 RB Offest		
LIXE	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest		
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest		
FREQUEN- CY STABIL- ITY	23060 to 23130	23095	10MHz	QPSK,	Full RB		
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM, 64QAM	Full RB		
OCCUPIED	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM, 64QAM	Full RB		
BANDWIDTH	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM, 64QAM	Full RB		
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM, 64QAM	Full RB		
	23017 to 23173	23017, 23095, 23173	1.4MHz	64QAM	Full RB		
PEAK TO AVERAGE	23025 to 23165	23025, 23095, 23165	3MHz	64QAM	Full RB		
RATIO	23035 to 23155	23035, 23095, 23155	5MHz	64QAM	Full RB		
	23060 to 23130	23060, 23095, 23130	10MHz	64QAM	Full RB		
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB		
DAND EDGE	23025 to 23165	23025, 23095, 23165	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB		
BAND EDGE	23035 to 23155	23035, 23095, 23155	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB		
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB		
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK,	1 RB, 0 RB Offest		
CONDCU-	23025 to 23165	23025, 23095, 23165	3MHz	QPSK,	1 RB, 0 RB Offest		
DETED EMISSION	23035 to 23155	23035, 23095, 23155	5MHz	QPSK,	1 RB, 0 RB Offest		
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK,	1 RB, 0 RB Offest		
RADIATED EMISSION	23035 to 23155	23035, 23095, 23155	5MHz	QPSK	1 RB, 24 RB Offest		

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of first produced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the law. documents. Inits document cannot be reproduced except in lan, instance, in a company of the fullest extent of the law.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 16 of 143

LTE Band 17 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
ERF	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23780 to 23800	23790	10MHz	QPSK	Full RB
OCCUPIED	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM	Full RB
PEAK TO AV-	23755 to 23825	23755, 23790, 23825	5MHz	16QAM	Full RB
ERAGE RATIO	23780 to 23800	23780, 23790, 23800	10MHz	16QAM	Full RB
BAND EDGE	23755 to 23825	23755, 23825	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	23780 to 23800	23780, 23800	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
CONDCUDETED	23755 to 23825			QPSK	1 RB, 0 RB Offest
EMISSION	23780 to 23800	23780, 23790, 23800	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	23780 to 23800	23780, 23790, 23800	10MHz	16QAM	1 RB/ 49 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of first produced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the law. documents. Inis document cannot be reproduced except in lan, wands apply a supply and document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com



Page 17 of 143

5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Power Output	+/- 1.10 dB
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB
99% Occupied Bandwidth	+/- 5.19 Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.70 dB
Peak to Average Ratio	+/- 0.70 dB
Frequency Stability vs. Temperature	+/- 5.19 Hz
Frequency Stability vs. Voltage	+/- 5.19 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB			
Management up a mainte	30MHz - 180MHz: +/- 3.37dB			
Measurement uncertainty (Polarization : Vertical)	180MHz -417MHz: +/- 3.19dB			
(i dianzandi : Vernoai)	0.417GHz-1GHz: +/- 3.19dB			
	1GHz - 18GHz: +/- 4.04dB			
	18GHz - 40GHz: +/- 4.04dB			

	9kHz – 30MHz: +/- 2.87 dB		
Magaziranaantiinaantainti	30MHz - 167MHz: +/- 4.22dB		
Measurement uncertainty (Polarization : Horizontal)	167MHz -500MHz: +/- 3.44dB		
(Foranzation : Fronzontar)	0.5GHz-1GHz: +/- 3.39dB		
	1GHz - 18GHz: +/- 4.08dB		
	18GHz - 40GHz: +/- 4.08dB		

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 18 of 143

6. MAXMUM OUTPUT POWER

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

ERP/EIRP LIMIT

According to FCC §2.1046


FCC 22.913(a) Mobile station is limited to 7W ERP.

FCC 24.232(b) Mobile and portable stations are limited to 2W EIRP.

FCC 27.50(c)(10) Portable stations (hand-held devices) are limited to 3W ERP.

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2W EIRP

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page 19 of 143

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCD-MA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing. and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

All LTE bands conducted average power is obtained from the simulator telecommunication test set.

The following tests were conducted according to the test requirements outlined in section 6.2 of the 3GPP.

TEST PROCEDURE:

ANSI C63.26:2015 KDB 971168 Section 5.6

ERP/EIRP = PMeas + GT-LC

where: ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as PMeas, typically dBW or dBm);

PMeas = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.2 For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 20 of 143

6.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site							
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.		
Radio Communication Analyer	Anritsu	MT8815B	6200711454	Apr. 05th, 2018	Apr. 04th, 2019		
DC Power Supply	Anritsu	E3640A	MY52410006	Nov. 28th, 2017	Nov. 27th, 2018		
Attenuator	Mini-Circuit	BW-S10W2+	2	Jan. 02nd, 2018	Jan. 01st, 2019		
Coaxial Cables	N/A	WK CE Cable	N/A	Jan. 02nd, 2018	Jan. 01st, 2019		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of the content of the limit. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 21 of 143

6.5. Measurement Result

RF Conducted Output Power

EUT Mode	Freq. (MHz)	СН	Conducted Avg. Pow- er (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)
	824.2	128	31.35	-3.00	28.35	38.50	-10.15
GSM 850	836.6	190	31.45	-3.00	28.45	38.50	-10.05
	848.8	251	31.38	-3.00	28.38	38.50	-10.12
	1850.2	512	28.59	-1.00	27.59	33.00	-5.41
GSM 1900	1880.0	661	28.64	-1.00	27.64	33.00	-5.36
. 5 6 6	1909.8	810	28.91	-1.00	27.91	33.00	-5.09

EUT Mode	Freq. (MHz)	СН	Conducted Avg. Pow- er (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)
	824.2	128	31.35	-3.00	28.35	38.50	-10.15
GPRS 850	836.6	190	31.45	-3.00	28.45	38.50	-10.05
	848.8	251	31.38	-3.00	28.38	38.50	-10.12
	1850.2	512	28.59	-1.00	27.59	33.00	-5.41
GPRS 1900	1880.0	661	28.64	-1.00	27.64	33.00	-5.36
	1909.8	810	28.91	-1.00	27.91	33.00	-5.09

t (886-2) 2299-3279

www.tw.sqs.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 22 of 143

WCDMA MODE:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

Results:

WCDMA/HSUPA/HSDPA Band V Result:

EUT Mode	Freq. (MHz)	СН	Conducted Avg. Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)
	826.4	4132	23.45	-3.00	20.45	38.50	-18.05
WCDMA	836.6	4183	23.66	-3.00	20.66	38.50	-17.84
	846.6	4233	23.62	-3.00	20.62	38.50	-17.88
	826.4	4132	22.40	-3.00	19.40	38.50	-19.10
HSDPA	836.6	4183	22.55	-3.00	19.55	38.50	-18.95
	846.6	4233	22.57	-3.00	19.57	38.50	-18.93
	826.4	4132	22.43	-3.00	19.43	38.50	-19.07
HSUPA	836.6	4183	22.62	-3.00	19.62	38.50	-18.88
	846.6	4233	22.53	-3.00	19.53	38.50	-18.97

HSDPA Release 6 MODE:

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βα	βa	β _d (SF)	βс∕βа	βнs (Note1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page 23 of 143

HSPA (HSDPA & HSUPA) Release 6 MODE

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing **HSPA SUB-TEST Setting**

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	βο	βa	βa (SF)	βс/βа	βнѕ	βес	βed	βed (SF)	β _{ed} (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22 5	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β_{ed} 1: 47/15 β_{ed} 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

Results:

Mode	Sub test	Avg	g. Power (di Channel	Bm)	Power Class 3 Limitation (dBm)	Comments
	เธอเ	4132.00	4183.00	4233.00	Elimation (abin)	
	1	22.40	22.55	22.57	20.3dBm – 25.7dBm	Pass
HSDPA V	2	22.42	22.56	22.54	20.3dBm – 25.7dBm	Pass
HOUPA V	3	21.92	22.04	22.13	19.8dBm – 25.7dBm	Pass
	4	21.90	22.13	22.12	19.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sgs.com



Page 24 of 143

WCDMA/HSDPA/HSUPA band V

The EUT output power was controlled by simulator. Set Communication Tester MT8820C function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 15 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 25 of 143

LTE Result:

Antenna gain (dBi)

Antenna	LTE Band 5_Uplink frequency band : 824 to 849 MHz										
		LIEBan	u ə_uplink ir	equen	cy band			EDD			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)		
				1	0	22.95	19.95	38.45	-18.5		
	20407	824.7	QPSK	1	5	22.75	19.75	38.45	-18.7		
	20407	024.7	QPSN	3	2	21.99	18.99	38.45	-19.46		
				6	0	21.29	18.29	38.45	-20.16		
				1	0	22.94	19.94	38.45	-18.51		
	20525	836.5	QPSK	1	5	22.74	19.74	38.45	-18.71		
	20020	030.3	QF3N	3	2	21.89	18.89	38.45	-19.56		
				6	0	21.28	18.28	38.45	-20.17		
				1	0	22.61	19.61	38.45	-18.84		
	20643	848.3	QPSK	1	5	22.86	19.86	38.45	-18.59		
	20043	040.3	QF3N	3	2	21.86	18.86	38.45	-19.59		
1.4				6	0	21.42	18.42	38.45	-20.03		
1.4				1	0	21.44	18.44	38.45	-20.01		
	20407	824.7	16QAM	1	5	21.93	18.93	38.45	-19.52		
	20407	024.7	IUQAW	3	2	20.67	17.67	38.45	-20.78		
				6	0	19.51	16.51	38.45	-21.94		
				1	0	21.38	18.38	38.45	-20.07		
	20525	836.5	16QAM	1	5	21.85	18.85	38.45	-19.6		
	20323	030.3	IOQAW	3	2	20.95	17.95	38.45	-20.5		
				6	0	19.63	16.63	38.45	-21.82		
				1	0	21.95	18.95	38.45	-19.5		
	20643	848.3	16QAM	1	5	21.72	18.72	38.45	-19.73		
	20043	040.0	IUQAWI	3	2	20.81	17.81	38.45	-20.64		
				6	0	20.04	17.04	38.45	-21.41		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 26 of 143

Antenna	gain	(dBi)) -	3

Antenna	Antenna gain (dBi) -3 LTE Band 5_Uplink frequency band : 824 to 849 MHz										
		LIE Bân	u ə_opiink tr	equen	cy band			EDD			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)		
				1	0	22.95	19.95	38.45	-18.5		
	20415	825.5	QPSK	1	14	22.76	19.76	38.45	-18.69		
	20413	025.5	QF3N	8	4	21.80	18.80	38.45	-19.65		
				15	0	21.77	18.77	38.45	-19.68		
				1	0	22.84	19.84	38.45	-18.61		
	20525	836.5	QPSK	1	14	22.96	19.96	38.45	-18.49		
	20635 847.5	030.5	QF3N	8	4	21.76	18.76	38.45	-19.69		
				15	0	21.70	18.70	38.45	-19.75		
			QPSK	1	0	22.74	19.74	38.45	-18.71		
		947.5		1	14	22.62	19.62	38.45	-18.83		
		047.5		8	4	21.84	18.84	38.45	-19.61		
3				15	0	21.90	18.90	38.45	-19.55		
3				1	0	21.26	18.26	38.45	-20.19		
	20415	825.5	16QAM	1	14	21.99	18.99	38.45	-19.46		
	20413	023.3	IUQAW	8	4	20.99	17.99	38.45	-20.46		
				15	0	20.53	17.53	38.45	-20.92		
				1	0	21.82	18.82	38.45	-19.63		
	20525	836.5	16QAM	1	14	21.84	18.84	38.45	-19.61		
	20020	030.3	IUQAW	8	4	20.85	17.85	38.45	-20.6		
				15	0	20.76	17.76	38.45	-20.69		
				1	0	21.49	18.49	38.45	-19.96		
	20635	847.5	16QAM	1	14	21.87	18.87	38.45	-19.58		
	20000	U+1.J	IUQANIII	8	4	20.86	17.86	38.45	-20.59		
				15	0	20.86	17.86	38.45	-20.59		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of first produced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the law. documents. Inits document cannot be reproduced except in lan, instance, in a company of the fullest extent of the law.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 27 of 143

Antenna	gain	(dBi)) -	3

Antenna	gair (abi)	LTE Ban	d 5_Uplink fr	equen	cy band	: 824 to 849	MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
				1	0	22.96	19.96	38.45	-18.49
	20425	826.5	QPSK	1	24	22.84	19.84	38.45	-18.61
	20423	020.3	QF SIX	12	6	21.93	18.93	38.45	-19.52
				25	0	21.88	18.88	38.45	-19.57
				1	0	22.77	19.77	38.45	-18.68
	20525	836.5	QPSK	1	24	22.76	19.76	38.45	-18.69
	20020	030.3	QF SIX	12	6	21.90	18.90	38.45	-19.55
				25	0	21.80	18.80	38.45	-19.65
				1	0	22.72	19.72	38.45	-18.73
	20625	946 5	QPSK 1 24 22.97 19.97	19.97	38.45	-18.48			
	20025	040.5	QF SN	12	6	21.99	38.45	-19.46	
5	20625 846.5			25	0	21.86	18.86	38.45	-19.59
3				1	0	21.88	18.88	38.45	-19.57
	20425	826.5	16QAM	1	24	21.91	18.91	38.45	-19.54
	20423	020.3	IOQAIVI	12	6	20.99	17.99	38.45	-20.46
				25	0	20.86	17.86	38.45	-20.59
				1	0	21.97	18.97	38.45	-19.48
	20525	836.5	16QAM	1	24	21.71	18.71	38.45	-19.74
	20020	030.5	IOQAIVI	12	6	20.77	17.77	38.45	-20.68
				25	0	20.88	17.88	38.45	-20.57
		_		1	0	21.78	18.78	38.45	-19.67
	20625	846.5	16QAM	1	24	21.73	18.73	38.45	-19.72
	20020	040.0	IUQAW	12	6	20.83	17.83	38.45	-20.62
				25	0	20.86	17.86	38.45	-20.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. documents. Inits document cannot be reproduced except in lan, instance, in a company of the fullest extent of the law.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sgs.com



Page 28 of 143

Antenna	gain (dBi)	-3							
		LTE Ban	d 5_Uplink fr	equen	cy band	: 824 to 849	MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
				0	22.77	19.77	38.45	-18.68	
	20450	829	QPSK	1	49	22.72	19.72	38.45	-18.73
	20430	029	QFSN	25	12	21.92	18.92	38.45	-19.53
				50	0	21.96	18.96	38.45	-19.49
				1	0	22.72	19.72	38.45	-18.73
	20525	836.5	QPSK	1	49	22.61	19.61	38.45	-18.84
	20020	030.3	QF SIX	25	12	21.97	18.97	38.45	-19.48
				50	0	21.97	18.97	38.45	-19.48
			QPSK	1	0	22.86	19.86	38.45	-18.59
	20600	844		1	49	22.92	19.92	38.45	-18.53
	20000	044		25	12	21.95	18.95	38.45	-19.5
10				50	0	21.97	18.97	38.45	-19.48
				1	0	21.63	18.63	38.45	-19.82
	20450	829	16QAM	1	49	21.87	18.87	38.45	-19.58
	20400	023	TOQAW	25	12	20.97	17.97	38.45	-20.48
				50	0	20.98	17.98	38.45	-20.47
				1	0	21.54	18.54	38.45	-19.91
	20525	836.5	16QAM	1	49	21.99	18.99	38.45	-19.46
	20020	000.0	10 00/ 11/1	25	12	20.97	17.97	38.45	-20.48
				50	0	20.91	17.91	38.45	-20.54
				1	0	21.98	18.98	38.45	-19.47
	20600	844	16QAM	1	49	21.61	18.61	38.45	-19.84
	20000	V TT	100/1111	25	12	20.92	17.92	38.45	-20.53
				50	0	20.99	17.99	38.45	-20.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of first produced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the law. documents. Inits document cannot be reproduced except in lan, "Miscas p.i." in an additional document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 29 of 143

Antenna gain	(dBi)	-10
--------------	-------	-----

	gairi (abi)	LTE Band	l 12_Uplink f	requen	cy band	l : 699 to 716	MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
				1	0	22.74	12.74	34.77	-22.03
	23017	699.7	QPSK	1	5	22.68	12.68	34.77	-22.09
	23017	033.1	QI OIL	3	2	21.90	11.90	34.77	-22.87
				6	0	21.36	11.36	34.77	-23.41
				1	0	22.66	12.66	34.77	-22.11
	23095 707.5	QPSK	1	5	22.67	12.67	34.77	-22.1	
	20090	707.5	QI OIL	3	2	21.62	11.62	34.77	-23.15
				6	0	21.57	11.57	34.77	-23.2
	23173 715.5		QPSK	1	0	22.56	12.56	34.77	-22.21
		715.5		1	5	22.96	12.96	34.77	-21.81
	23173			3	2	21.50	11.50	34.77	-23.27
1.4				6	0	21.55	11.55	34.77	-23.22
1.4		23017 699.7	16QAM	1	0	21.12	11.12	34.77	-23.65
	23017			1	5	21.58	11.58	34.77	-23.19
	23017	033.1	IOQAW	3	2	20.72	10.72	34.77	-24.05
				6	0	19.65	9.65	34.77	-25.12
				1	0	21.42	11.42	34.77	-23.35
	23095	707.5	16QAM	1	5	21.48	11.48	34.77	-23.29
	20000	707.5	TOQAWI	3	2	20.59	10.59	34.77	-24.18
				6	0	19.54	9.54	34.77	-25.23
				1	0	21.68	11.68	34.77	-23.09
	23173	715.5	16QAM	1	5	21.63	11.63	34.77	-23.14
	20170	7 10.0	IOQAWI	3	2	20.74	10.74	34.77	-24.03
				6	0	19.65	9.65	34.77	-25.12

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of first produced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the law. documents. Inis document cannot be reproduced except in lan, wands apply a supply and document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 30 of 143

Antenna gain	(dBi)	-10
--------------	-------	-----

	yaiii (ubi)	LTE Band	l 12_Uplink fi	requen	cy band	d : 699 to 716	MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
				1	0	22.95	12.95	34.77	-21.82
	23025	700.5	QPSK	1	14	22.68	12.68	34.77	-22.09
	23025	700.5	QF SN	8	4	21.76	11.76	34.77	-23.01
				15	0	21.83	11.83	34.77	-22.94
			1	0	22.77	12.77	34.77	-22	
	23095	707.5	QPSK	1	14	22.81	12.81	34.77	-21.96
	23093	101.5	QF SN	8	4	21.85	11.85	34.77	-22.92
				15	0	21.86	11.86	34.77	-22.91
		714.5	QPSK	1	0	22.71	12.71	34.77	-22.06
	23165			1	14	22.39	12.39	34.77	-22.38
	23103			8	4	21.91	11.91	34.77	-22.86
3				15	0	21.89	11.89	34.77	-22.88
3			16QAM	1	0	21.07	11.07	34.77	-23.7
	23025	700.5		1	14	21.01	11.01	34.77	-23.76
	23023			8	4	20.99	10.99	34.77	-23.78
				15	0	20.92	10.92	34.77	-23.85
				1	0	21.57	11.57	34.77	-23.2
	23095	707.5	16QAM	1	14	21.89	11.89	34.77	-22.88
	20000	707.5	TOQAW	8	4	20.99	10.99	34.77	-23.78
				15	0	20.88	10.88	34.77	-23.89
				1	0	21.84	11.84	34.77	-22.93
	23165	714.5	16QAM	1	14	21.96	11.96	34.77	-22.81
	20100	7 17.0	1000/1111	8	4	20.97	10.97	34.77	-23.8
				15	0	20.72	10.72	34.77	-24.05

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of first produced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the law. documents. Inits document cannot be reproduced except in lan, instance, in a company of the fullest extent of the law.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 31 of 143

Antenna gain	(dBi	-10
--------------	------	-----

Antenna	Jan. (4.2.)	LTE Band	l 12_Uplink fi	requen	cy band	l : 699 to 716	MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
				1	0	22.76	12.76	34.77	-22.01
	23035	701.5	QPSK	1	24	22.79	12.79	34.77	-21.98
	23033	701.5	QF SN	12	6	21.80	11.80	34.77	-22.97
				25	0	21.75	11.75	34.77	-23.02
				1	0	22.95	12.95	34.77	-21.82
	23095	707.5	QPSK	1	24	22.81	12.81	34.77	-21.96
	23093	101.5	QF SN	12	6	21.96	11.96	34.77	-22.81
				25	0	21.96	11.96	34.77	-22.81
			QPSK	1	0	22.87	12.87	34.77	-21.9
	23155	713.5		1	24	22.55	12.55	34.77	-22.22
	23133	7 13.5		12	6	21.77	11.77	34.77	-23
5				25	0	21.84	11.84	34.77	-22.93
3		3035 701.5	16QAM	1	0	21.72	11.72	34.77	-23.05
	23035			1	24	21.81	11.81	34.77	-22.96
	23033			12	6	20.92	10.92	34.77	-23.85
				25	0	20.75	10.75	34.77	-24.02
				1	0	21.71	11.71	34.77	-23.06
	23095	707.5	16QAM	1	24	21.58	11.58	34.77	-23.19
	23093	101.5	IOQAW	12	6	20.85	10.85	34.77	-23.92
				25	0	20.87	10.87	34.77	-23.9
				1	0	21.42	11.42	34.77	-23.35
	23155	713.5	16QAM	1	24	21.79	11.79	34.77	-22.98
	20100	1 13.3	IUQAWI	12	6	20.82	10.82	34.77	-23.95
				25	0	20.76	10.76	34.77	-24.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of first produced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the law. documents. Inis document cannot be reproduced except in lan, wands apply a supply and document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 32 of 143

Antenna gain	(dBi) -10
--------------	------	-------

	gairi (abi)	LTE Band	l 12_Uplink fi	requen	cy band	l : 699 to 716	MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
			QPSK	1	0	22.76	12.76	34.77	-22.01
	23060	704		1	49	22.81	12.81	34.77	-21.96
	23000	7 04	QF SIX	25	12	21.92	11.92	34.77	-22.85
				50	0	21.88	11.88	34.77	-22.89
				1	0	22.78	12.78	34.77	-21.99
	23095	3095 707.5	QPSK	1	49	22.86	12.86	34.77	-21.91
	20090	101.5	QI OIX	25	12	21.88	11.88	34.77	-22.89
				50	0	21.84	11.84	34.77	-22.93
			QPSK	1	0	22.97	12.97	34.77	-21.8
	23130	711		1	49	22.78	12.78	34.77	-21.99
	23130			25	12	21.94	11.94	34.77	-22.83
10				50	0	21.89	11.89	34.77	-22.88
10		704	16QAM	1	0	21.27	11.27	34.77	-23.5
	23060			1	49	21.88	11.88	34.77	-22.89
	23000			25	12	20.89	10.89	34.77	-23.88
				50	0	20.76	10.76	34.77	-24.01
				1	0	21.84	11.84	34.77	-22.93
	23095	707.5	16QAM	1	49	21.64	11.64	34.77	-23.13
	20000	707.5	TOQAW	25	12	20.87	10.87	34.77	-23.9
				50	0	20.98	10.98	34.77	-23.79
				1	0	21.81	11.81	34.77	-22.96
	23130	711	16QAM	1	49	21.87	11.87	34.77	-22.9
	20100	, , , ,	IOQAIVI	25	12	20.93	10.93	34.77	-23.84
				50	0	20.94	10.94	34.77	-23.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. documents. Inis document cannot be reproduced except in lan, wands apply a supply and document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 33 of 143

Antenna gain	(dBi)	-10
--------------	-------	-----

Turtorina	LTE Band 17_Uplink frequency band : 704 to 716 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)	
			QPSK	1	0	22.51	12.51	34.77	-22.26	
	23755	706.5		1	24	22.68	12.68	34.77	-22.09	
	23733	700.5	QF SIX	12	6	21.77	11.77	34.77	-23	
				25	0	21.83	11.83	34.77	-22.94	
			1	0	22.84	12.84	34.77	-21.93		
	23790	23790 710	QPSK	1	24	22.84	12.84	34.77	-21.93	
	23190	7 10	QF SIX	12	6	21.83	11.83	34.77	-22.94	
				25	0	21.84	11.84	34.77	-22.93	
			1	0	22.85	12.85	34.77	-21.92		
	23825	713.5	QPSK	1	24	22.80	12.80	34.77	-21.97	
	23023	7 13.5		12	6	21.88	11.88	34.77	-22.89	
5				25	0	21.86	11.86	34.77	-22.91	
3				1	0	21.66	11.66	34.77	-23.11	
	23755	706.5	16QAM	1	24	21.66	11.66	34.77	-23.11	
	23733	700.5		12	6	20.82	10.82	34.77	-23.95	
				25	0	20.99	10.99	34.77	-23.78	
				1	0	21.90	11.90	34.77	-22.87	
	23790	710	16QAM	1	24	21.94	11.94	34.77	-22.83	
	23190	7 10	IOQAIVI	12	6	20.52	10.52	34.77	-24.25	
				25	0	20.73	10.73	34.77	-24.04	
				1	0	21.44	11.44	34.77	-23.33	
	23825	713.5	16QAM	1	24	21.60	11.60	34.77	-23.17	
	23023	1 13.3	IUQAWI	12	6	20.73	10.73	34.77	-24.04	
				25	0	20.88	10.88	34.77	-23.89	

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. documents. Inis document cannot be reproduced except in lan, wands apply a supply and document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 34 of 143

Antenna gain	(dBi)	-10
--------------	-------	-----

Tirtorna	LTE Band 17_Uplink frequency band : 704 to 716 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)	
			QPSK	1	0	22.72	12.72	34.77	-22.05	
	23780	709		1	49	22.72	12.72	34.77	-22.05	
	23/00 /09	709	QF SIX	25	12	21.83	11.83	34.77	-22.94	
				50	0	21.77	11.77	34.77	-23	
				1	0	22.95	12.95	34.77	-21.82	
	23790 710	QPSK	1	49	22.68	12.68	34.77	-22.09		
	23190	7 10	QF SIX	25	12	21.66	11.66	34.77	-23.11	
				50	0	21.71	11.71	34.77	-23.06	
		711 QPS		1	0	22.68	12.68	34.77	-22.09	
	23800		QPSK	1	49	22.77	12.77	34.77	-22	
	23000			25	12	21.74	11.74	34.77	-23.03	
10				50	0	21.71	11.71	34.77	-23.06	
10		709		1	0	21.57	11.57	34.77	-23.2	
	23780		16QAM	1	49	21.60	11.60	34.77	-23.17	
	23700			25	12	20.93	10.93	34.77	-23.84	
				50	0	20.72	10.72	34.77	-24.05	
				1	0	21.18	11.18	34.77	-23.59	
	23790	710	16QAM	1	49	21.87	11.87	34.77	-22.9	
	23130	7 10	IOQAM	25	12	20.70	10.70	34.77	-24.07	
				50	0	20.65	10.65	34.77	-24.12	
				1	0	21.35	11.35	34.77	-23.42	
	23800	711	16QAM	1	49	21.46	11.46	34.77	-23.31	
	23000	7 1 1	IUQAWI	25	12	20.99	10.99	34.77	-23.78	
				50	0	20.59	10.59	34.77	-24.18	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. documents. Inits document cannot be reproduced except in lan, instance, in a company of the fullest extent of the law.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com




Page 35 of 143

OCCUPIED BANDWIDTH MEASUREMENT 7.

7.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

7.2. Test Set-up



7.3. Measurement Procedure

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer. RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% ~ 5% of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= 1% ~ 5%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 36 of 143

7.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	Apr. 09th, 2018	Apr. 08th, 2019
Radio Communication Analyer	Anritsu	MT8815B	6200711454	Apr. 05th, 2018	Apr. 04th, 2019
Radio Communication Analyer	Anritsu	MT8820C	6200995019	Apr. 05th, 2018	Apr. 04th, 2019
DC Power Supply	Anritsu	E3640A	MY52410006	Nov. 28th, 2017	Nov. 27th, 2018
Attenuator	Mini-Circuit	BW-S10W2+	2	Jan. 02nd, 2018	Jan. 01st, 2019
Splitter	RF-LAMBAD	RFLT2W1G18G	11-JSPF412-018	Jan. 02nd, 2018	Jan. 01st, 2019
Coaxial Cables	N/A	WK CE Cable	N/A	Jan. 02nd, 2018	Jan. 01st, 2019

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of the content of the limit.

documents. Inis document cannot be reproduced except in lan, wands apply a supply and document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Page 37 of 143

7.5. Measurement Result

Ī	Eroa	СН	99% BV	V (MHz)	26 dB BW (MHz)		
	Freq. (MHz)		GSM 850	GPRS 850	GPRS 850	GPRS 850	
ŀ	824.2	128	0.24652	0.24650	0.320	0.315	
ĺ	836.6	190	0.24998	0.24310	0.311	0.314	
	848.8	251	0.24733	0.24430	0.307	0.321	

Ī	Eroa		99% BV	V (MHz)	26 dB BW (MHz)		
	Freq. (MHz)	CH	GSM	GPRS	GSM	GPRS	
		1900	1900	1900	1900		
	1850.2	512	0.24354	0.24371	0.317	0.318	
ĺ	1880.0	661	0.25101	0.24858	0.317	0.323	
	1909.8	810	0.24544	0.24337	0.320	0.319	

Eroa		99% BW (MHz)			26 dB BW (MHz)		
Freq. (MHz)	СН	WCDMA	HSDPA	HSUPA	WCDMA	HSDPA	HSUPA
(IVITIZ)		V	V	V	V	V	V
826.40	4132	4.12050	4.10000	4.11400	4.683	4.705	4.692
836.60	4183	4.10620	4.12820	4.12110	4.704	4.686	4.696
846.60	4233	4.12130	4.12860	4.12660	4.702	4.704	4.703

LTE BAND 5 Channel bandwidth: 1.4MHz							
Freq.	СН	99% B\	N (MHz)	26 dB B	W (MHz)		
(MHz)	СП	QPSK	16QAM	QPSK	16QAM		
824.7	20407	1.0982	1.0976	1.292	1.293		
836.5	20525	1.0983	1.0989	1.285	1.287		
848.3	20643	1.0983	1.1011	1.283	1.292		

LTE BAND 5 Channel bandwidth: 3MHz							
Freq. (MHz) CH	CII	99% BW (MHz)		26 dB BW (MHz)			
	СП	QPSK	16QAM	QPSK	16QAM		
825.5	20415	2.6905	2.6968	2.995	2.972		
836.5	20525	2.6929	2.6962	2.959	2.986		
847.5	20635	2.6947	2.7005	2.993	2.999		

	LTE BAND 5 Channel bandwidth: 5MHz							
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)				
(MHz)	СП	QPSK	16QAM	QPSK	16QAM			
826.5	20425	4.4842	4.4802	4.978	4.960			
836.5	20525	4.4941	4.4921	5.017	4.978			
846.5	20625	4.4910	4.4898	5.001	4.983			

LTE BAND 5 Channel bandwidth: 10MHz								
Freq.	Freq. (MHz) CH	99% BV	V (MHz)	26 dB BW (MHz)				
(MHz)		QPSK	16QAM	QPSK	16QAM			
829.0	20450	8.9788	8.9361	9.783	9.748			
836.5	20525	8.9915	8.9630	9.852	9.752			
844.0	20600	8.9812	8.9383	9.767	9.779			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of first production of the content of the law. documents. Inits document cannot be reproduced except in lan, "Miscas p.i." in an additional document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com



Page 38 of 143

L	LTE BAND 12 Channel bandwidth: 1.4MHz							
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)				
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM			
699.7	23017	1.0957	1.0992	1.273	1.284			
707.5	23095	1.0963	1.0997	1.281	1.288			
715.3	23173	1.0982	1.0995	1.299	1.288			

LTE BAND 12 Channel bandwidth: 3MHz							
Freq.	Freq. (MHz) CH	99% BW (MHz)		26 dB BW (MHz)			
(MHz)		QPSK	16QAM	QPSK	16QAM		
700.5	23025	2.6930	2.6925	2.970	2.980		
707.5	23095	2.6947	2.6977	2.981	2.984		
714.5	23165	2.6953	2.6987	2.977	2.977		

	LTE BAND 12 Channel bandwidth: 5MHz						
Freq.		СН	99% B\	99% BW (MHz) 26 dB BW (MHz)		W (MHz)	
(MHz)	G	QPSK	16QAM	QPSK	16QAM	
701.5		23035	4.4805	4.4825	4.977	4.974	
707.5		23095	4.4914	4.4909	5.003	4.990	
713.5		23155	4.4778	4.4801	4.966	4.974	

LTE BAND 12 Channel bandwidth: 10MHz							
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)			
(MHz)	СН	QPSK	16QAM	QPSK	16QAM		
704.0	23060	8.9874	8.9172	9.775	9.764		
707.5	23095	8.9993	8.9723	9.863	9.811		
711.0	23130	8.9862	8.9395	9.877	9.772		

l	LTE BAND 17 Channel bandwidth: 5MHz							
Freq. CH	99% BW (MHz)		26 dB BW (MHz)					
(MHz)	СП	QPSK	16QAM	QPSK	16QAM			
706.5	23755	4.4814	4.4876	4.977	4.960			
710.0	23790	4.4914	4.4932	5.003	5.013			
713.5	23825	4.4800	4.4764	5.024	5.003			

LTE BAND 17 Channel bandwidth: 10MHz									
Freq. (MHz)	СН	99% BV	V (MHz)	26 dB BW (MHz)					
		QPSK	16QAM	QPSK	16QAM				
709.0	23780	9.0187	8.9742	9.865	9.823				
710.0	23790	9.0013	8.9658	9.935	9.769				
711.0	23800	8.9525	8.9480	9.861	9.736				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior witten approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of first production of the content of the law. documents. Inis document cannot be reproduced except in lan, wands apply a supply and document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

t (886-2) 2299-3279



Page 39 of 143


GSM 850MHz LowCH128-824.2




GPRS 850MHz_LowCH128-824.2




GSM 850MHz MidCH190-836.6




GPRS 850MHz MidCH190-836.6



GSM_850MHz_HighCH251-848.8



GPRS_850MHz_HighCH251-848.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Since streams a state with cleans a work in this act heport control of the samples) that a state and so a state with a state of the samples) that a state and so a state with a state of the samples) that state are state of the samples of the samp format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 40 of 143


GSM 1900MHz LowCH512-1850.2




GPRS 1900MHz LowCH512-1850.2




GSM 1900MHz MidCH661-1880




GPRS 1900MHz MidCH661-1880



GSM_1900MHz_HighCH810-1909.8



GPRS_1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Since streams a state with cleans a work in this act heport control of the samples) that a state and so a state with a state of the samples) that a state and so a state with a state of the samples) that state are state of the samples of the samp format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 41 of 143

WCDMA B5 LowCH4132-826.4




HSDPA B5 LowCH4132-826.4




WCDMA B5 MidCH4183-836.6




HSDPA B5 MidCH4183-836.6



WCDMA_B5_HighCH4233-846.6



HSDPA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Since streams a state with cleans a work in this act heport control of the samples) that a state and so a state with a state of the samples) that a state and so a state with a state of the samples) that state are state of the samples of the samp format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 42 of 143


HSUPA B5 LowCH4132-826.4




Band5_1_4MHz_QPSK_6_0_LowCH20407-824.7




HSUPA B5 MidCH4183-836.6




Band5 1 4MHz QPSK 6 0 MidCH20525-836.5



HSUPA_B5_HighCH4233-846.6



Band5_1_4MHz_QPSK_6_0_HighCH20643-848.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 43 of 143


Band5_1_4MHz_16QAM_6_0_LowCH20407-824.7




Band5_3MHz_QPSK_15_0_LowCH20415-825.5




Band5 1 4MHz 16QAM 6 0 MidCH20525-836.5




Band5 3MHz QPSK 15 0 MidCH20525-836.5



Band5_1_4MHz_16QAM_6_0_HighCH20643-848.3



Band5_3MHz_QPSK_15_0_HighCH20635-847.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com




Page 44 of 143


Band5_3MHz_16QAM_15_0_LowCH20415-825.5




Band5_5MHz_QPSK_25_0_LowCH20425-826.5




Band5 3MHz 16QAM 15 0 MidCH20525-836.5




Band5 5MHz QPSK 25 0 MidCH20525-836.5



Band5_3MHz_16QAM_15_0_HighCH20635-847.5



Band5_5MHz_QPSK_25_0_HighCH20625-846.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page 45 of 143


Band5_5MHz_16QAM_25_0_LowCH20425-826.5




Band5_10MHz_QPSK_50_0_LowCH20450-829




Band5 5MHz 16QAM 25 0 MidCH20525-836.5




Band5 10MHz QPSK 50 0 MidCH20525-836.5



Band5_5MHz_16QAM_25_0_HighCH20625-846.5



Band5_10MHz_QPSK_50_0_HighCH20600-844




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 46 of 143


Band5 10MHz 16QAM 50 0 LowCH20450-829




Band12_1_4MHz_QPSK_6_0_LowCH23017-699.7




Band5 10MHz 16QAM 50 0 MidCH20525-836.5




Band12 1 4MHz QPSK 6 0 MidCH23095-707.5



Band5 10MHz 16QAM 50 0 HighCH20600-844



Band12_1_4MHz_QPSK_6_0_HighCH23173-715.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488




Page 47 of 143


Band12 1 4MHz 16QAM 6 0 LowCH23017-699.7




Band12_3MHz_QPSK_15_0_LowCH23025-700.5




Band12 1 4MHz 16QAM 6 0 MidCH23095-707.5




Band12 3MHz QPSK 15 0 MidCH23095-707.5



Band12_1_4MHz_16QAM_6_0_HighCH23173-715.3



Band12_3MHz_QPSK_15_0_HighCH23165-714.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279

f (886-2) 2298-0488



Page 48 of 143


Band12_3MHz_16QAM_15_0_LowCH23025-700.5




Band12_5MHz_QPSK_25_0_LowCH23035-701.5




Band12 3MHz 16QAM 15 0 MidCH23095-707.5




Band12 5MHz QPSK 25 0 MidCH23095-707.5



Band12_3MHz_16QAM_15_0_HighCH23165-714.5



Band12_5MHz_QPSK_25_0_HighCH23155-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com




Page 49 of 143


Band12_5MHz_16QAM_25_0_LowCH23035-701.5




Band12_10MHz_QPSK_50_0_LowCH23060-704




Band12 5MHz 16QAM 25 0 MidCH23095-707.5




Band12 10MHz QPSK 50 0 MidCH23095-707.5



Band12_5MHz_16QAM_25_0_HighCH23155-713.5



Band12 10MHz QPSK 50 0 HighCH23130-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 50 of 143


Band12 10MHz 16QAM 50 0 LowCH23060-704




Band17_5MHz_QPSK_25_0_LowCH23755-706.5




Band12 10MHz 16QAM 50 0 MidCH23095-707.5




Band17 5MHz QPSK 25 0 MidCH23790-710



Band12_10MHz_16QAM_50_0_HighCH23130-711



Band17_5MHz_QPSK_25_0_HighCH23825-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com




Page 51 of 143


Band17_5MHz_16QAM_25_0_LowCH23755-706.5




Band17_10MHz_QPSK_50_0_LowCH23780-709




Band17 5MHz 16QAM 25 0 MidCH23790-710




Band17 10MHz QPSK 50 0 MidCH23790-710



Band17_5MHz_16QAM_25_0_HighCH23825-713.5



Band17_10MHz_QPSK_50_0_HighCH23800-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


f (886-2) 2298-0488

www.tw.sgs.com




Page 52 of 143


Band17 10MHz 16QAM 50 0 LowCH23780-709



Band17 10MHz 16QAM 50 0 MidCH23790-710



Band17_10MHz_16QAM_50_0_HighCH23800-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/tems e-document.htm. Aftention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and other more than the presented the fall the fall the fall that the fall the fall that th and offenders may be prosecuted to the fullest extent of the law.



Page 53 of 143

8. OUT OF BAND EMISSION AT ANTENNA TERMINALS

8.1. Standard Applicable

FCC §22.917(a), §24.238(a), Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P) dB...$

FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h) (3)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⑪天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134.WuKunoRoad.NewTaipeiIndustrialPark.WukuDistrict.NewTaipeiCitv.Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page 54 of 143

FCC §27.53(m) (4)

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.


Measurement procedure. Compliance with these rules is based on the use of measurement nstrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⑪天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful



Page 55 of 143

8.2. Test SET-UP



8.3. Measurement Procedure

Conducted Emission

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

- To connect Antenna Port of EUT to Spectrum.
- Set RBW = 1MHz & VBW = 1MHz on Spectrum.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Band Edge

- To connect Antenna Port of EUT to Spectrum.
- The band edge of low and high channels for the highest RF powers was measured. Setting RBW ≥ 1% EBW.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⑪天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sus.com/terms evaluate of the document. IntraAttention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page 56 of 143

8.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.			
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	Apr. 09th, 2018	Apr. 08th, 2019			
Radio Communication Analyer	Anritsu	MT8815B	6200711454	Apr. 05th, 2018	Apr. 04th, 2019			
Radio Communication Analyer	Anritsu	MT8820C	6200995019	Apr. 05th, 2018	Apr. 04th, 2019			
DC Power Supply	Anritsu	E3640A	MY52410006	Nov. 28th, 2017	Nov. 27th, 2018			
Attenuator	Mini-Circuit	BW-S10W2+	2	Jan. 02nd, 2018	Jan. 01st, 2019			
Splitter	RF-LAMBAD	RFLT2W1G18 G	11-JSPF412- 018	Jan. 02nd, 2018	Jan. 01st, 2019			
Coaxial Cables	N/A	WK CE Cable	N/A	Jan. 02nd, 2018	Jan. 01st, 2019			

8.5. Measurement Result:

Refer to next pages.

NOTE: The occurrence of the spike on the conducted emission is the signal of the fundamental emission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and other more than the presented the fall-let writer for the low. and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sqs.com



Page 57 of 143




GSM_850MHz_LowCH128-824.2







GSM_850MHz_HighCH251-848.8



GSM 1900MHz LowCH512-1850.2



GPRS 850MHz LowCH128-824.2



GSM_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Since streams a state with cleans a work in this act heport control of the samples) that a state and so a state with a state of the samples) that a state and so a state with a state of the samples) that state are state of the samples of the samp format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 58 of 143


GPRS_1900MHz_LowCH512-1850.2



WCDMA_B5_HighCH4233-846.6




GPRS_1900MHz_HighCH810-1909.8




HSDPA_B5_LowCH4132-826.4



WCDMA B5 LowCH4132-826.4



HSDPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Since streams a state with cleans a work in this act heport control of the samples) that a state and so a state with a state of the samples) that a state and so a state with a state of the samples) that state are state of the samples of the samp format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 59 of 143

HSUPA_B5_LowCH4132-826.4



Band5_1_4MHz_QPSK_1_5_HighCH20643-848.3



HSUPA_B5_HighCH4233-846.6




Band5 1 4MHz QPSK 6 0 LowCH20407-824.7



Band5 1 4MHz QPSK 1 0 LowCH20407-824.7



Band5_1_4MHz_QPSK_6_0_HighCH20643-848.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Page 60 of 143


Band5_3MHz_QPSK_1_0_LowCH20415-825.5



Band5_3MHz_QPSK_15_0_HighCH20635-847.5



Band5_3MHz_QPSK_1_14_HighCH20635-847.5




Band5_5MHz_QPSK_1_0_LowCH20425-826.5



Band5_3MHz_QPSK_15_0_LowCH20415-825.5



Band5_5MHz_QPSK_1_24_HighCH20625-846.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 以北京大河田山東京東京 10 中央 10

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 61 of 143


Band5_5MHz_QPSK_25_0_LowCH20425-826.5



Band5_10MHz_QPSK_1_49_HighCH20600-844



Band5_5MHz_QPSK_25_0_HighCH20625-846.5




Band5_10MHz_QPSK_50_0_LowCH20450-829



Band5 10MHz QPSK 1 0 LowCH20450-829



Band5_10MHz_QPSK_50_0_HighCH20600-844



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Page 62 of 143


Band12_1_4MHz_QPSK_1_0_LowCH23017-699.7



Band12_1_4MHz_QPSK_6_0_HighCH23173-715.3



Band12_1_4MHz_QPSK_1_5_HighCH23173-715.3



Band12 3MHz QPSK 1 0 LowCH23025-700.5



Band12 1 4MHz QPSK 6 0 LowCH23017-699.7



Band12_3MHz_QPSK_1_14_HighCH23165-714.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 63 of 143

Band12_3MHz_QPSK_15_0_LowCH23025-700.5



Band12_5MHz_QPSK_1_24_HighCH23155-713.5




Band12_3MHz_QPSK_15_0_HighCH23165-714.5




Band12 5MHz QPSK 25 0 LowCH23035-701.5



Band12 5MHz QPSK 1 0 LowCH23035-701.5



Band12_5MHz_QPSK_25_0_HighCH23155-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 欧北里女好明,从和朱廷里摆起到这个样里像是两个工具,因此,并且他们的一个工具,但是一个一个工具,但是一个工具,但是一个工具,但是一个工具,但是一个工具,但是一个工具,但是一个一个工具,但是一个工具,但是一个工具,但是一个工具,但是一个工具,但是一个工具,也可以是一个工具,但是

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Talwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 64 of 143

Band12_10MHz_QPSK_1_0_LowCH23060-704



Band12_10MHz_QPSK_50_0_HighCH23130-711



Band12_10MHz_QPSK_1_49_HighCH23130-711



Band17 5MHz QPSK 1 0 LowCH23755-706.5



Band12 10MHz QPSK 50 0 LowCH23060-704



Band17_5MHz_QPSK_1_24_HighCH23825-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 65 of 143








Band17_10MHz_QPSK_1_49_HighCH23800-711



Band17_5MHz_QPSK_25_0_HighCH23825-713.5



Band17 10MHz QPSK 50 0 LowCH23780-709



Band17 10MHz QPSK 1 0 LowCH23780-709



Band17 10MHz QPSK 50 0 HighCH23800-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.