INDEX OF SUBMITTED MEASURED DATA

EXHIBIT 6F (Revised) – Conducted Spurious Emissions (12 Graphs)

6F-1: 44 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing 6F-2: 44 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing 6F-3: 44 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing 6F-4: 44 Watts, 438.0125 MHz, 25 kHz Channel Spacing 6F-5: 44 Watts, 454.0125 MHz, 25 kHz Channel Spacing 6F-6: 44 Watts, 469.9875 MHz, 25 kHz Channel Spacing 6F-7: 25 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing 6F-8: 25 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing 6F-9: 25 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing 6F-10: 25 Watts, 438.0125 MHz, 25 kHz Channel Spacing 6F-11: 25 Watts, 454.0125 MHz, 25 kHz Channel Spacing 6F-12: 25 Watts, 469.9875 MHz, 25 kHz Channel Spacing 6F-12: 25 Watts, 469.9875 MHz, 25 kHz Channel Spacing 6F-12: 25 Watts, 469.9875 MHz, 25 kHz Channel Spacing

EXHIBIT 6G (Revised) – Radiated Spurious Emissions (6 Graphs)

6G-1: 44 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing & 44 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing 6G-2: 44 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing 6G-3: 44 Watts, 438.0125 MHz, 25 kHz Channel Spacing & 44 Watts, 454.0125 MHz, 25 kHz Channel Spacing 6G-4: 44 Watts, 469.9875 MHz, 25 kHz Channel Spacing 6G-5: 25 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing & 25 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing 6G-6: 25 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing 6G-7: 25 Watts, 438.0125 MHz, 25 kHz Channel Spacing & 25 Watts, 454.0125 MHz, 25 kHz Channel Spacing 6G-8: 25 Watts, 469.9875 MHz, 25 kHz Channel Spacing 6G-8: 25 Watts, 469.9875 MHz, 25 kHz Channel Spacing

EXHIBIT 6F (Revised)

Transmitter Conducted Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c) (13)




Table 6F-1: 44 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing




Table 6F-2: 44 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.




Table 6F-3: 44 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing




Table 6F-4: 44 Watts, 438.0125 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.

4




Table 6F-5: 44 Watts, 454.0125 MHz, 25 kHz Channel Spacing




Table 6F-6: 44 Watts, 469.9875 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.

5




Table 6F-7: 25 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing




Table 6F-8: 25 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.




Table 6F-9: 25 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing




Table 6F-10: 25 Watts, 438.0125 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.

7




Table 6F-11: 25 Watts, 454.0125 MHz, 25 kHz Channel Spacing




Table 6F-12: 25 Watts, 469.9875 MHz, 25 kHz Channel Spacing


Note: Spurs which are not shown is less than -100dBc.

Exhibit 6-G (Revised)

Transmitter Radiated Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c)(13)

	\
Transmit Radiated Spurious Emissions:	ELM EPP U2HP
	Tx Power: 44 Watts
438.0125 MHz	Channel Spacing 12.5kHz S/N 019TFU1007

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
876.0250	-20	*	*
1314.0375	-20	-52.30	-51.40
1752.0500	-20	-60.25	-58.66
2190.0625	-20	-57.52	-54.87
2628.0750	-20	-62.42	-59.27
3066.0875	-20	-63.64	-60.18
3504.1000	-20	-63.89	-59.45
3942.1125	-20	*	*
4380.1250	-20	*	*




Transmit Radiated Spurious Emissions: ELM EPP U2HP Tx Power: 44 Watt

454.0125 MHz

Channel Spacing 12.5kHz | S/N 019TFU1007

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
908.0250	-20	*	*
1362.0375	-20	-60.01	-61.49
1816.0500	-20	-65.84	-60.30
2270.0625	-20	-56.85	-52.97
2724.0750	-20	-65.40	-61.01
3178.0875	-20	-63.74	*
3632.1000	-20	-62.68	-59.66
4086.1125	-20	*	*
4540.1250	-20	*	*



 $^{^{\}star}\,$ Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan FCC Registration: 91932 / Industry Canada: IC3679

December 1, 2005


6G-1: 44 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing & 44 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing

Transmit Radiated Spurious Emissions: ELM EPP U2HP Tx Power: 44 Watts

469.9875 MHz

Channel Spacing 12.5kHz | S/N 019TFU1007

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
939.9750	-20	-54.79	-59.14
1409.9625	-20	-56.38	-56.73
1879.9500	-20	-44.31	-42.03
2349.9375	-20	-37.77	-36.78
2819.9250	-20	-55.48	-51.12
3289.9125	-20	-60.97	-54.34
3759.9000	-20	-56.97	-51.55
4229.8875	-20	-60.36	-55.75
4699.8750	-20	*	*



Motorola Plantation EMC Lab - Test Performed by: Curt Mc Lennan FCC Registration: 91932 / Industry Canada: IC3679

December 1, 2005

6G-2: 44 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing


^{*} Indicates the spurious emission could not be detected due to noise limitations or ambients. The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Transmit Radiated Spurious Emissions: ELM EPP U2HP
Tx Power: 44 Watts

438.0125 MHz

Channel Spacing 25kHz | S/N 019TFU1007

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
876.0250	-13	*	*
1314.0375	-13	-49.74	-50.42
1752.0500	-13	-57.76	-54.81
2190.0625	-13	-55.16	-54.20
2628.0750	-13	-60.14	-56.23
3066.0875	-13	-59.63	-57.44
3504.1000	-13	-60.40	-58.35
3942.1125	-13	*	*
4380.1250	-13	*	*




Transmit Radiated Spurious Emissions: ELM EPP U2HP

Tx Power: 44 Watts

454.0125 MHz

Channel Spacing 25kHz | S/N 019TFU1007

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
908.0250	-13	-54.85	-44.77
1362.0375	-13	-58.58	-59.53
1816.0500	-13	-55.35	-51.46
2270.0625	-13	-49.85	-48.41
2724.0750	-13	-62.91	-60.70
3178.0875	-13	-61.97	*
3632.1000	-13	-59.15	-54.28
4086.1125	-13	*	*
4540.1250	-13	*	*



^{*} Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan FCC Registration: 91932 / Industry Canada: IC3679

December 1, 2005


6G-3: 44 Watts, 438.0125 MHz, 25 kHz Channel Spacing & 44 Watts, 454.0125 MHz, 25 kHz Channel Spacing

Transmit Radiated Spurious Emissions: ELM EPP U2HP Tx Power: 44 Watts

469.9875 MHz

Channel Spacing 25kHz | S/N 019TFU1007

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
939.9750	-13	-57.97	-58.98
1409.9625	-13	-57.92	-56.94
1879.9500	-13	-49.10	-46.19
2349.9375	-13	-43.85	-42.47
2819.9250	-13	-62.91	-59.34
3289.9125	-13	-62.76	-55.07
3759.9000	-13	-59.24	-53.92
4229.8875	-13	-60.93	*
4699.8750	-13	*	*



Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan

December 1, 2005

FCC Registration: 91932 / Industry Canada: IC3679

6G-4: 44 Watts, 469.9875 MHz, 25 kHz Channel Spacing

^{*} Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.


Transmit Radiated Spurious Emissions: ELM EPP U2HP

Tx Power: 25 Watts

438.0125 MHz

Channel Spacing 12.5kHz | S/N 019TFU1007

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
876.0250	-20	*	*
1314.0375	-20	-59.58	-59.84
1752.0500	-20	-68.59	-65.82
2190.0625	-20	-70.17	-67.96
2628.0750	-20	-66.34	*
3066.0875	-20	*	*
3504.1000	-20	*	*
3942.1125	-20	*	*
4380.1250	-20	*	*




Transmit Radiated Spurious Emissions: ELM EPP U2HP

Tx Power: 25 Watts

454.0125 MHz

Channel Spacing 12.5kHz | S/N 019TFU1007

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
908.0250	-20	*	*
1362.0375	-20	-62.82	-64.93
1816.0500	-20	-65.64	-62.70
2270.0625	-20	-59.68	-57.61
2724.0750	-20	-67.03	-61.82
3178.0875	-20	*	*
3632.1000	-20	*	*
4086.1125	-20	*	*
4540.1250	-20	*	*



^{*} Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab - Test Performed by: Curt Mc Lennan

December 1, 2005

FCC Registration: 91932 / Industry Canada: IC3679

6G-5: 25 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing & 25 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing

Transmit Radiated Spurious Emissions: ELM EPP U2HP Tx Power: 25 Watts Channel Spacing 12.5kHz | S/N 019TFU1007 469.9875 MHz Horizontal Measured Emission Vertical Measured Emission Equiv Frequency (MHz) FCC Failing Limit (dBm) Equiv. Pwr Into Ideal Dipole (dBm) Pwr Into Ideal Dipole (dBm) 939.9750 1409.9625 -62.30 1879.9500 -55.13 -53.82 2349.9375 -51.99 -50.59 2819.9250 -20 -64.63 -62.82 3289 9125 -20 -63.81 -56.20 3759.9000 -20 4229.8875 -20 4699 8750 **Radiated Spurious Emissions** Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm) -10 **Emission Level dBm** -20 ■ Vertical Measured Emission Equiv Pwr Into Ideal Dipole -30 (dBm) -40 -50 FCC Failing Limit (dBm) -60 939.9750 1409.9625 1879.9500 2349.9375 2819.9250 3289.9125 3759.9000 4229.8875 4699.8750 Frequency (MHz)

6G-6: 25 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

* Indicates the spurious emission could not be detected due to noise limitations or ambients.

Motorola Plantation EMC Lab - Test Performed by: Curt Mc Lennan

FCC Registration: 91932 / Industry Canada: IC3679

December 1, 2005


Transmit Radiated Spurious Emissions: ELM EPP U2HP

Tx Power: 25 Watts

438.0125 MHz

Channel Spacing 25kHz | S/N 019TFU1007

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
876.0250	-13	*	*
1314.0375	-13	-55.09	-55.81
1752.0500	-13	-61.75	-59.63
2190.0625	-13	-65.19	-63.46
2628.0750	-13	-64.12	*
3066.0875	-13	-62.74	*
3504.1000	-13	-63.65	*
3942.1125	-13	*	*
4380.1250	-13	*	*




Transmit Radiated Spurious Emissions: ELM EPP U2HP

Tx Power: 25 Watts

454.0125 MHz

Channel Spacing 25kHz | S/N 019TFU1007

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
908.0250	-13	*	*
1362.0375	-13	-62.82	-62.65
1816.0500	-13	-60.39	-56.88
2270.0625	-13	-53.04	-51.18
2724.0750	-13	-64.36	-60.99
3178.0875	-13	*	*
3632.1000	-13	-62.62	-58.19
4086.1125	-13	*	*
4540.1250	-13	*	*



Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan FCC Registration: 91932 / Industry Canada: IC3679

December 1, 2005


6G-7: 25 Watts, 438.0125 MHz, 25 kHz Channel Spacing & 25 Watts, 454.0125 MHz, 25 kHz Channel Spacing

Transmit Radiated Spurious Emissions: ELM EPP U2HP Tx Power: 25 Watts

469.9875 MHz

Channel Spacing 25kHz | S/N 019TFU1007

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
939.9750	-13	-59.32	-59.69
1409.9625	-13	-59.50	-59.26
1879.9500	-13	-52.06	-50.75
2349.9375	-13	-47.21	-48.91
2819.9250	-13	-63.43	-61.68
3289.9125	-13	-63.26	-55.89
3759.9000	-13	-59.87	-56.29
4229.8875	-13	*	*
4699.8750	-13	*	*



The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan

December 1, 2005

FCC Registration: 91932 / Industry Canada: IC3679

6G-8: 25 Watts, 469.9875 MHz, 25 kHz Channel Spacing

^{*} Indicates the spurious emission could not be detected due to noise limitations or ambients.