

# Letter of Declaration

**Company:** Shenzhen Meskey Technology Co., Ltd

**Address:** Room 401, Yuanshuo Science Park, Guihua Community, Guanlan, Longhua,  
Shenzhen, China

**Product Name:** Car wireless charger

**Trade Mark:** N/A

**Model Number:** CW35, CW36, CW37, CW38, CW39, CW40, CW41, CW42, CW43,  
CW44, CW45, CW46, CW47, CW48, CW49, CW28, CW29, CW30,  
CW31, CW32, CW33, CW34, CW19S

**FCC Identifier:** 2A323-CW35

Compliant with KDB 680106 D01 RF Exposure Wireless Charging Apps v03 section 5, b:

- a) Power transfer frequency is less than 1MHz.  
Yes, the working frequency is 125KHz.
- b) Output power from each primary coil is less than or equal to 15 watts.  
Yes, the maximum output power is 15 watts.
- c) The transfer system includes only single primary and secondary coils. This includes charging systems that may have multiple primary coils and clients that are able to detect and allow coupling only between individual pairs of coils.  
No, the transfer system includes only single primary coil.
- d) Client device is placed directly in contact with the transmitter.  
Yes, client device is placed directly in contact with the transmitter.
- e) Mobile exposure conditions only (portable exposure conditions are not covered by this exclusion).  
Yes, EUT is for mobile exposure conditions only.
- f) The aggregate H-field strengths at 15 cm surrounding the device and 20 cm above the top surface from all simultaneous transmitting coils are demonstrated to be less than 50% of the MPE limit.  
Yes, EUT h-field strengths levels are less than 50% of the MPE limit.

**Name:** Ivan zhang

**Date:** Nov. 17, 2022

**Title:** Manager

**Signature of applicant:** *Ivan Zhang*