


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 100
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53077G	63.65	68.20	-4.55	81.09	3	Vertical	185	1.77	-	38.00	10.70	66.14			
PK	15.7833G	57.55	74.00	-16.45	69.94	3	Vertical	68	2.32	-	37.70	12.75	62.84			
AV	15.76959G	47.37	54.00	-6.63	59.67	3	Vertical	68	2.32	-	37.78	12.75	62.83			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 100
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53113G	61.99	68.20	-6.21	79.43	3	Horizontal	143	1.38	-	38.00	10.70	66.14			
PK	15.77256G	57.01	74.00	-16.99	69.33	3	Horizontal	358	2.95	-	37.76	12.75	62.83			
AV	15.77097G	47.66	54.00	-6.34	59.97	3	Horizontal	358	2.95	-	37.77	12.75	62.83			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 86
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1404G	60.16	74.00	-13.84	54.28	3	Vertical	157	1.62	-	33.94	6.79	34.85			
AV	5.1452G	50.68	54.00	-3.32	44.77	3	Vertical	157	1.62	-	33.97	6.79	34.85			
PK	5.2996G	121.63	Inf	-Inf	115.17	3	Vertical	157	1.62	-	34.30	7.03	34.87			
AV	5.2992G	111.55	Inf	-Inf	105.09	3	Vertical	157	1.62	-	34.30	7.03	34.87			
PK	5.3548G	66.86	74.00	-7.14	60.22	3	Vertical	157	1.62	-	34.41	7.11	34.88			
AV	5.354G	53.66	54.00	-0.34	47.02	3	Vertical	157	1.62	-	34.41	7.11	34.88			
PK	5.4612G	62.02	68.20	-6.18	55.14	3	Vertical	157	1.62	-	34.52	7.25	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 86
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1176G	59.76	74.00	-14.24	54.05	3	Horizontal	214	2.65	-	33.81	6.75	34.85			
AV	5.1396G	50.47	54.00	-3.53	44.60	3	Horizontal	214	2.65	-	33.94	6.78	34.85			
PK	5.3076G	119.51	Inf	-Inf	113.02	3	Horizontal	214	2.65	-	34.32	7.04	34.87			
AV	5.2976G	109.66	Inf	-Inf	103.21	3	Horizontal	214	2.65	-	34.29	7.03	34.87			
PK	5.3784G	62.17	74.00	-11.83	55.45	3	Horizontal	214	2.65	-	34.46	7.14	34.88			
AV	5.3524G	52.49	54.00	-1.51	45.87	3	Horizontal	214	2.65	-	34.40	7.10	34.88			
PK	5.476G	60.66	68.20	-7.54	53.74	3	Horizontal	214	2.65	-	34.55	7.27	34.90			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 86
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61389G	66.26	74.00	-7.74	83.54	3	Vertical	83	1.94	-	38.20	10.75	66.23			
AV	10.61371G	52.04	54.00	-1.96	69.32	3	Vertical	83	1.94	-	38.20	10.75	66.23			
PK	15.90708G	56.63	74.00	-17.37	69.25	3	Vertical	314	1.01	-	37.50	12.79	62.91			
AV	15.88848G	46.96	54.00	-7.04	59.57	3	Vertical	314	1.01	-	37.50	12.79	62.90			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 86
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61248G	58.66	74.00	-15.34	75.93	3	Horizontal	144	1.40	-	38.20	10.75	66.22			
AV	10.60087G	47.47	54.00	-6.53	64.74	3	Horizontal	144	1.40	-	38.20	10.74	66.21			
PK	15.88662G	57.23	74.00	-16.77	69.85	3	Horizontal	144	1.80	-	37.50	12.78	62.90			
AV	15.91461G	47.04	54.00	-6.96	59.67	3	Horizontal	144	1.80	-	37.50	12.79	62.92			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 74
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1436G	60.00	74.00	-14.00	54.10	3	Vertical	156	1.62	-	33.96	6.79	34.85			
AV	5.1412G	50.50	54.00	-3.50	44.61	3	Vertical	156	1.62	-	33.95	6.79	34.85			
PK	5.3144G	118.50	Inf	-Inf	111.99	3	Vertical	156	1.62	-	34.33	7.05	34.87			
AV	5.3192G	107.84	Inf	-Inf	101.31	3	Vertical	156	1.62	-	34.34	7.06	34.87			
PK	5.3596G	66.37	74.00	-7.63	59.72	3	Vertical	156	1.62	-	34.42	7.11	34.88			
AV	5.3592G	53.60	54.00	-0.40	46.95	3	Vertical	156	1.62	-	34.42	7.11	34.88			
PK	5.5024G	61.02	68.20	-7.18	54.02	3	Vertical	156	1.62	-	34.59	7.31	34.90			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 74
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	59.82	74.00	-14.18	53.88	3	Horizontal	173	2.00	-	33.99	6.80	34.85			
AV	5.1496G	50.51	54.00	-3.49	44.56	3	Horizontal	173	2.00	-	34.00	6.80	34.85			
PK	5.3264G	117.15	Inf	-Inf	110.61	3	Horizontal	173	2.00	-	34.35	7.07	34.88			
AV	5.326G	107.69	Inf	-Inf	101.15	3	Horizontal	173	2.00	-	34.35	7.07	34.88			
PK	5.3612G	63.16	74.00	-10.84	56.50	3	Horizontal	173	2.00	-	34.42	7.12	34.88			
AV	5.3612G	53.91	54.00	-0.09	47.25	3	Horizontal	173	2.00	-	34.42	7.12	34.88			
PK	5.486G	61.39	68.20	-6.81	54.43	3	Horizontal	173	2.00	-	34.57	7.29	34.90			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 74
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62872G	55.13	74.00	-18.87	72.41	3	Vertical	219	1.80	-	38.20	10.76	66.24			
AV	10.62872G	46.75	54.00	-7.25	64.03	3	Vertical	219	1.80	-	38.20	10.76	66.24			
PK	15.96615G	57.19	74.00	-16.81	69.80	3	Vertical	111	1.80	-	37.53	12.81	62.95			
AV	15.96615G	47.03	54.00	-6.97	59.65	3	Vertical	111	1.80	-	37.51	12.81	62.94			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 74
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6259G	57.73	74.00	-16.27	75.01	3	Horizontal	141	1.45	-	38.20	10.76	66.24			
AV	10.6259G	46.56	54.00	-7.44	63.84	3	Horizontal	141	1.45	-	38.20	10.76	66.24			
PK	15.9453G	56.53	74.00	-17.47	69.17	3	Horizontal	98	1.97	-	37.50	12.80	62.94			
AV	15.95703G	46.85	54.00	-7.15	59.47	3	Horizontal	98	1.97	-	37.51	12.81	62.94			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 69
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3288G	61.70	68.20	-6.50	55.15	3	Vertical	158	1.67	-	34.36	7.07	34.88			
PK	5.4588G	64.72	74.00	-9.28	57.84	3	Vertical	158	1.67	-	34.52	7.25	34.89			
AV	5.4592G	53.82	54.00	-0.18	46.94	3	Vertical	158	1.67	-	34.52	7.25	34.89			
PK	5.4608G	62.13	68.20	-6.07	55.25	3	Vertical	158	1.67	-	34.52	7.25	34.89			
PK	5.5044G	117.12	Inf	-Inf	110.13	3	Vertical	158	1.67	-	34.58	7.31	34.90			
AV	5.5044G	108.35	Inf	-Inf	101.36	3	Vertical	158	1.67	-	34.58	7.31	34.90			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 69
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3444G	60.69	68.20	-7.51	54.09	3	Horizontal	179	1.50	-	34.39	7.09	34.88			
PK	5.4576G	62.05	74.00	-11.95	55.17	3	Horizontal	179	1.50	-	34.52	7.25	34.89			
AV	5.458G	52.66	54.00	-1.34	45.78	3	Horizontal	179	1.50	-	34.52	7.25	34.89			
PK	5.4644G	60.78	68.20	-7.42	53.89	3	Horizontal	179	1.50	-	34.53	7.26	34.90			
PK	5.5008G	115.05	Inf	-Inf	108.04	3	Horizontal	179	1.50	-	34.60	7.31	34.90			
AV	5.506G	106.01	Inf	-Inf	99.02	3	Horizontal	179	1.50	-	34.58	7.31	34.90			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_V_4TX
Setting 69
03-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00342G	54.37	74.00	-19.63	71.71	3	Vertical	132	1.80	-	38.31	10.97	66.62			
AV	11.01143G	44.96	54.00	-9.04	62.28	3	Vertical	132	1.80	-	38.32	10.97	66.61			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_V_4TX
Setting 69
03-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.01308G	54.20	74.00	-19.80	71.51	3	Horizontal	167	1.26	-	38.33	10.97	66.61			
AV	11.01404G	44.31	54.00	-9.69	61.61	3	Horizontal	167	1.26	-	38.33	10.97	66.60			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
Setting 93
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4424G	61.60	74.00	-12.40	54.76	3	Vertical	159	1.44	-	34.50	7.23	34.89			
AV	5.4116G	52.93	54.00	-1.07	46.13	3	Vertical	159	1.44	-	34.50	7.19	34.89			
PK	5.4624G	62.69	68.20	-5.51	55.81	3	Vertical	159	1.44	-	34.52	7.25	34.89			
PK	5.5792G	124.23	Inf	-Inf	117.42	3	Vertical	159	1.44	-	34.34	7.41	34.94			
AV	5.5744G	114.28	Inf	-Inf	107.46	3	Vertical	159	1.44	-	34.35	7.41	34.94			
PK	5.7352G	62.97	68.20	-5.23	56.31	3	Vertical	159	1.44	-	34.17	7.50	35.01			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 93
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4212G	63.35	74.00	-10.65	56.54	3	Horizontal	169	1.98	-	34.50	7.20	34.89			
AV	5.4148G	53.95	54.00	-0.05	47.15	3	Horizontal	169	1.98	-	34.50	7.19	34.89			
PK	5.47G	62.59	68.20	-5.61	55.69	3	Horizontal	169	1.98	-	34.54	7.26	34.90			
PK	5.5828G	121.75	Inf	-Inf	114.94	3	Horizontal	169	1.98	-	34.33	7.42	34.94			
AV	5.5776G	112.43	Inf	-Inf	105.62	3	Horizontal	169	1.98	-	34.34	7.41	34.94			
PK	5.7384G	62.72	68.20	-5.48	56.05	3	Horizontal	169	1.98	-	34.18	7.50	35.01			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 93
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00177G	54.39	74.00	-19.61	71.74	3	Vertical	279	1.26	-	38.30	10.97	66.62			
AV	11.01275G	44.36	54.00	-9.64	61.67	3	Vertical	279	1.26	-	38.33	10.97	66.61			
PK	16.74285G	58.47	68.20	-9.73	69.13	3	Vertical	16	1.55	-	39.09	13.33	63.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 93
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15976G	54.43	74.00	-19.57	71.50	3	Horizontal	1	1.80	-	38.32	11.05	66.44			
AV	11.15919G	45.17	54.00	-8.83	62.24	3	Horizontal	1	1.80	-	38.32	11.05	66.44			
PK	16.73493G	59.28	68.20	-8.92	69.98	3	Horizontal	78	1.80	-	39.07	13.32	63.09			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 77
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6943G	121.75	Inf	-Inf	115.15	3	Vertical	158	1.41	-	34.11	7.48	34.99			
AV	5.6991G	110.96	Inf	-Inf	104.38	3	Vertical	158	1.41	-	34.10	7.48	35.00			
PK	5.7291G	68.04	68.20	-0.16	61.39	3	Vertical	158	1.41	-	34.16	7.50	35.01			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 77
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7045G	121.35	Inf	-Inf	114.75	3	Horizontal	159	1.42	-	34.11	7.49	35.00			
AV	5.6994G	111.04	Inf	-Inf	104.46	3	Horizontal	159	1.42	-	34.10	7.48	35.00			
PK	5.7291G	67.78	68.20	-0.42	61.13	3	Horizontal	159	1.42	-	34.16	7.50	35.01			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 77
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40738G	55.77	74.00	-18.23	72.05	3	Vertical	116	1.35	-	38.70	11.19	66.17			
AV	11.40144G	45.49	54.00	-8.51	61.78	3	Vertical	116	1.35	-	38.70	11.19	66.18			
PK	17.0949G	59.81	68.20	-8.39	69.00	3	Vertical	104	1.38	-	40.29	13.54	63.02			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 77
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40639G	55.46	74.00	-18.54	71.74	3	Horizontal	61	2.38	-	38.70	11.19	66.17			
AV	11.39556G	45.47	54.00	-8.53	61.78	3	Horizontal	61	2.38	-	38.69	11.18	66.18			
PK	17.1066G	59.43	68.20	-8.77	68.60	3	Horizontal	250	1.51	-	40.31	13.54	63.02			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 100
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4316G	62.04	74.00	-11.96	55.22	3	Vertical	155	1.56	-	34.50	7.21	34.89			
AV	5.4386G	52.06	54.00	-1.94	45.23	3	Vertical	155	1.56	-	34.50	7.22	34.89			
PK	5.468G	60.73	68.20	-7.47	53.83	3	Vertical	155	1.56	-	34.54	7.26	34.90			
PK	5.7144G	125.43	Inf	-Inf	118.81	3	Vertical	155	1.56	-	34.13	7.49	35.00			
AV	5.7144G	116.45	Inf	-Inf	109.83	3	Vertical	155	1.56	-	34.13	7.49	35.00			
PK	5.9832G	62.65	68.20	-5.55	55.50	3	Vertical	155	1.56	-	34.60	7.68	35.13			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4134G	64.12	74.00	-9.88	57.32	3	Horizontal	168	1.80	-	34.50	7.19	34.89			
PK	5.47G	60.47	68.20	-7.73	53.57	3	Horizontal	168	1.80	-	34.54	7.26	34.90			
AV	5.4505G	52.29	54.00	-1.71	45.44	3	Horizontal	168	1.80	-	34.50	7.24	34.89			
PK	5.7242G	123.32	Inf	-Inf	116.68	3	Horizontal	168	1.80	-	34.15	7.50	35.01			
AV	5.7242G	113.76	Inf	-Inf	107.12	3	Horizontal	168	1.80	-	34.15	7.50	35.01			
PK	5.8747G	63.06	68.20	-5.14	56.15	3	Horizontal	168	1.80	-	34.40	7.59	35.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44174G	60.19	74.00	-13.81	76.41	3	Vertical	76	1.80	-	38.70	11.21	66.13			
AV	11.44195G	51.53	54.00	-2.47	67.75	3	Vertical	76	1.80	-	38.70	11.21	66.13			
PK	17.16915G	61.76	68.20	-6.44	70.77	3	Vertical	125	1.80	-	40.48	13.57	63.06			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44375G	58.73	74.00	-15.27	74.95	3	Horizontal	250	1.58	-	38.70	11.21	66.13			
AV	11.43853G	49.68	54.00	-4.32	65.91	3	Horizontal	250	1.58	-	38.70	11.21	66.14			
PK	17.16306G	60.55	68.20	-7.65	69.59	3	Horizontal	136	2.62	-	40.45	13.57	63.06			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.583G	62.68	68.20	-5.52	55.87	3	Vertical	316	1.56	-	34.33	7.42	34.94			
PK	5.746G	123.41	Inf	-Inf	116.73	3	Vertical	316	1.56	-	34.19	7.51	35.02			
AV	5.746G	114.18	Inf	-Inf	107.50	3	Vertical	316	1.56	-	34.19	7.51	35.02			
PK	5.967G	61.67	68.20	-6.53	54.53	3	Vertical	316	1.56	-	34.60	7.66	35.12			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	62.91	68.20	-5.29	56.22	3	Horizontal	132	2.25	-	34.20	7.46	34.97			
PK	5.7445G	124.12	Inf	-Inf	117.44	3	Horizontal	132	2.25	-	34.19	7.51	35.02			
AV	5.749G	115.47	Inf	-Inf	108.78	3	Horizontal	132	2.25	-	34.20	7.51	35.02			
PK	5.9705G	61.78	68.20	-6.42	54.64	3	Horizontal	132	2.25	-	34.60	7.67	35.13			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50203G	61.56	74.00	-12.44	77.48	3	Vertical	75	1.80	-	38.91	11.24	66.07			
AV	11.49216G	52.71	54.00	-1.29	68.68	3	Vertical	75	1.80	-	38.87	11.24	66.08			
PK	17.23437G	60.77	68.20	-7.43	69.47	3	Vertical	123	1.80	-	40.81	13.59	63.10			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49879G	61.74	74.00	-12.26	77.67	3	Horizontal	247	1.80	-	38.90	11.24	66.07			
AV	11.48919G	52.09	54.00	-1.91	68.07	3	Horizontal	247	1.80	-	38.86	11.24	66.08			
PK	17.22102G	60.84	68.20	-7.36	69.61	3	Horizontal	150	1.96	-	40.73	13.59	63.09			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 100
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.623G	62.96	68.20	-5.24	56.22	3	Vertical	315	1.70	-	34.25	7.45	34.96			
PK	5.791G	123.87	Inf	-Inf	117.18	3	Vertical	315	1.70	-	34.20	7.53	35.04			
AV	5.786G	114.47	Inf	-Inf	107.79	3	Vertical	315	1.70	-	34.20	7.52	35.04			
PK	5.9625G	62.11	68.20	-6.09	54.97	3	Vertical	315	1.70	-	34.60	7.66	35.12			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 100
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6305G	62.12	68.20	-6.08	55.39	3	Horizontal	118	2.66	-	34.24	7.45	34.96			
PK	5.784G	123.26	Inf	-Inf	116.58	3	Horizontal	118	2.66	-	34.20	7.52	35.04			
AV	5.789G	113.95	Inf	-Inf	107.26	3	Horizontal	118	2.66	-	34.20	7.53	35.04			
PK	5.9965G	62.91	68.20	-5.29	55.76	3	Horizontal	118	2.66	-	34.60	7.69	35.14			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 100
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5667G	58.38	74.00	-15.62	74.00	3	Vertical	233	1.66	-	39.13	11.28	66.03			
AV	11.57201G	49.19	54.00	-4.81	64.79	3	Vertical	233	1.66	-	39.14	11.28	66.02			
PK	17.34939G	63.41	68.20	-4.79	71.54	3	Vertical	127	1.92	-	41.40	13.64	63.17			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 100
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56178G	56.60	74.00	-17.40	72.23	3	Horizontal	128	1.80	-	39.12	11.28	66.03			
AV	11.56892G	47.60	54.00	-6.40	63.20	3	Horizontal	128	1.80	-	39.14	11.28	66.02			
PK	17.35848G	62.50	68.20	-5.70	70.59	3	Horizontal	136	1.80	-	41.45	13.64	63.18			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 100
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.61G	61.82	68.20	-6.38	55.05	3	Vertical	316	2.53	-	34.28	7.44	34.95			
PK	5.816G	125.33	Inf	-Inf	118.61	3	Vertical	316	2.53	-	34.23	7.54	35.05			
AV	5.821G	114.63	Inf	-Inf	107.89	3	Vertical	316	2.53	-	34.24	7.55	35.05			
PK	5.996G	62.82	68.20	-5.38	55.67	3	Vertical	316	2.53	-	34.60	7.69	35.14			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 100
03-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.641G	61.77	68.20	-6.43	55.06	3	Horizontal	129	2.73	-	34.22	7.46	34.97			
PK	5.8335G	123.62	Inf	-Inf	116.85	3	Horizontal	129	2.73	-	34.27	7.56	35.06			
AV	5.821G	114.61	Inf	-Inf	107.87	3	Horizontal	129	2.73	-	34.24	7.55	35.05			
PK	6.067G	63.04	68.20	-5.16	55.68	3	Horizontal	129	2.73	-	34.70	7.77	35.11			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Y_4TX
Setting 100
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65675G	56.40	74.00	-17.60	71.81	3	Vertical	74	2.03	-	39.23	11.33	65.97			
AV	11.66134G	46.75	54.00	-7.25	62.13	3	Vertical	74	2.03	-	39.25	11.33	65.96			
PK	17.47815G	65.88	68.20	-2.32	73.11	3	Vertical	49	1.91	-	42.33	13.69	63.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 100
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6515G	56.96	74.00	-17.04	72.39	3	Horizontal	0	1.27	-	39.21	11.33	65.97			
AV	11.64646G	48.15	54.00	-5.85	63.60	3	Horizontal	0	1.27	-	39.20	11.32	65.97			
PK	17.48202G	63.43	68.20	-4.77	70.63	3	Horizontal	45	2.66	-	42.36	13.69	63.25			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 85
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	62.86	74.00	-11.14	54.63	3	Vertical	176	1.48	-	33.60	5.31	30.68			
AV	5.1462G	53.60	54.00	-0.40	45.37	3	Vertical	176	1.48	-	33.60	5.31	30.68			
PK	5.2062G	117.11	Inf	-Inf	108.75	3	Vertical	176	1.48	-	33.71	5.37	30.72			
AV	5.2018G	106.61	Inf	-Inf	98.26	3	Vertical	176	1.48	-	33.70	5.37	30.72			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 85
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1474G	62.13	74.00	-11.87	53.90	3	Horizontal	222	1.69	-	33.60	5.31	30.68			
AV	5.1474G	52.26	54.00	-1.74	44.03	3	Horizontal	222	1.69	-	33.60	5.31	30.68			
PK	5.1922G	114.48	Inf	-Inf	106.15	3	Horizontal	222	1.69	-	33.68	5.36	30.71			
AV	5.1974G	103.43	Inf	-Inf	95.09	3	Horizontal	222	1.69	-	33.69	5.37	30.72			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 85
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39272G	53.64	68.20	-14.56	71.38	3	Vertical	208	1.59	-	37.91	10.63	66.28			
PK	15.57081G	56.21	74.00	-17.79	68.37	3	Vertical	81	2.54	-	37.86	12.69	62.71			
AV	15.57096G	46.94	54.00	-7.06	59.10	3	Vertical	81	2.54	-	37.86	12.69	62.71			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 85
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39107G	54.44	68.20	-13.76	72.17	3	Horizontal	160	2.18	-	37.92	10.63	66.28			
PK	15.56214G	56.72	74.00	-17.28	68.87	3	Horizontal	74	1.27	-	37.88	12.68	62.71			
AV	15.55518G	47.06	54.00	-6.94	59.19	3	Horizontal	74	1.27	-	37.89	12.68	62.70			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 92
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1493G	66.67	74.00	-7.33	58.44	3	Vertical	152	1.77	-	33.60	5.31	30.68			
AV	5.1487G	53.96	54.00	-0.04	45.73	3	Vertical	152	1.77	-	33.60	5.31	30.68			
PK	5.2192G	118.00	Inf	-Inf	109.63	3	Vertical	152	1.77	-	33.74	5.37	30.74			
AV	5.2195G	107.60	Inf	-Inf	99.23	3	Vertical	152	1.77	-	33.74	5.37	30.74			
PK	5.3659G	61.68	74.00	-12.32	53.20	3	Vertical	152	1.77	-	33.93	5.40	30.85			
AV	5.3527G	50.69	54.00	-3.31	42.22	3	Vertical	152	1.77	-	33.91	5.40	30.84			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 92
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	63.25	74.00	-10.75	55.02	3	Horizontal	215	1.80	-	33.60	5.31	30.68			
AV	5.1424G	51.38	54.00	-2.62	43.14	3	Horizontal	215	1.80	-	33.60	5.31	30.67			
PK	5.2177G	115.59	Inf	-Inf	107.21	3	Horizontal	215	1.80	-	33.74	5.37	30.73			
AV	5.2276G	105.04	Inf	-Inf	96.64	3	Horizontal	215	1.80	-	33.76	5.38	30.74			
PK	5.3752G	60.99	74.00	-13.01	52.49	3	Horizontal	215	1.80	-	33.95	5.41	30.86			
AV	5.3719G	50.54	54.00	-3.46	42.06	3	Horizontal	215	1.80	-	33.94	5.40	30.86			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 92
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45448G	54.36	68.20	-13.84	71.97	3	Vertical	48	2.61	-	37.91	10.66	66.18			
PK	15.68151G	56.55	74.00	-17.45	68.65	3	Vertical	200	1.97	-	37.96	12.72	62.78			
AV	15.67689G	47.43	54.00	-6.57	59.54	3	Vertical	200	1.97	-	37.95	12.72	62.78			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 92
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.44629G	53.24	68.20	-14.96	70.87	3	Horizontal	259	2.88	-	37.90	10.66	66.19			
PK	15.69651G	56.52	74.00	-17.48	68.59	3	Horizontal	140	1.21	-	37.99	12.73	62.79			
AV	15.68628G	47.49	54.00	-6.51	59.58	3	Horizontal	140	1.21	-	37.97	12.72	62.78			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 90
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.141G	60.51	74.00	-13.49	52.27	3	Vertical	339	2.11	-	33.60	5.31	30.67			
AV	5.1464G	49.57	54.00	-4.43	41.34	3	Vertical	339	2.11	-	33.60	5.31	30.68			
PK	5.2682G	118.33	Inf	-Inf	109.88	3	Vertical	339	2.11	-	33.84	5.38	30.77			
AV	5.2631G	107.51	Inf	-Inf	99.07	3	Vertical	339	2.11	-	33.83	5.38	30.77			
PK	5.354G	67.24	74.00	-6.76	58.77	3	Vertical	339	2.11	-	33.91	5.40	30.84			
AV	5.357G	53.47	54.00	-0.53	45.01	3	Vertical	339	2.11	-	33.91	5.40	30.85			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 90
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	59.91	74.00	-14.09	51.68	3	Horizontal	2	1.32	-	33.60	5.31	30.68			
AV	5.1311G	50.06	54.00	-3.94	41.83	3	Horizontal	2	1.32	-	33.60	5.29	30.66			
PK	5.2733G	116.20	Inf	-Inf	107.75	3	Horizontal	2	1.32	-	33.85	5.38	30.78			
AV	5.2682G	106.13	Inf	-Inf	97.68	3	Horizontal	2	1.32	-	33.84	5.38	30.77			
PK	5.3549G	65.98	74.00	-8.02	57.51	3	Horizontal	2	1.32	-	33.91	5.40	30.84			
AV	5.3546G	53.39	54.00	-0.61	44.92	3	Horizontal	2	1.32	-	33.91	5.40	30.84			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 90
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52848G	53.18	68.20	-15.02	70.62	3	Vertical	320	3.00	-	38.00	10.70	66.14			
PK	15.81006G	56.25	74.00	-17.75	68.77	3	Vertical	98	1.38	-	37.58	12.76	62.86			
AV	15.80964G	46.88	54.00	-7.12	59.40	3	Vertical	98	1.38	-	37.58	12.76	62.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 90
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52572G	53.36	68.20	-14.84	70.80	3	Horizontal	245	1.39	-	38.00	10.70	66.14			
PK	15.81495G	56.07	74.00	-17.93	68.60	3	Horizontal	216	1.69	-	37.57	12.76	62.86			
AV	15.80676G	46.91	54.00	-7.09	59.41	3	Horizontal	216	1.69	-	37.59	12.76	62.85			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 77
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3034G	113.93	Inf	-Inf	105.44	3	Vertical	339	2.93	-	33.90	5.39	30.80			
AV	5.3034G	103.78	Inf	-Inf	95.29	3	Vertical	339	2.93	-	33.90	5.39	30.80			
PK	5.3556G	63.55	74.00	-10.45	55.08	3	Vertical	339	2.93	-	33.91	5.40	30.84			
AV	5.3508G	53.20	54.00	-0.80	44.74	3	Vertical	339	2.93	-	33.90	5.40	30.84			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 77
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3192G	113.55	Inf	-Inf	105.08	3	Horizontal	175	2.70	-	33.90	5.39	30.82			
AV	5.3046G	102.77	Inf	-Inf	94.28	3	Horizontal	175	2.70	-	33.90	5.39	30.80			
PK	5.3538G	65.27	74.00	-8.73	56.80	3	Horizontal	175	2.70	-	33.91	5.40	30.84			
AV	5.3514G	53.93	54.00	-0.07	45.47	3	Horizontal	175	2.70	-	33.90	5.40	30.84			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 77
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61022G	53.27	74.00	-20.73	70.54	3	Vertical	335	2.79	-	38.20	10.75	66.22			
AV	10.61169G	43.66	54.00	-10.34	60.93	3	Vertical	335	2.79	-	38.20	10.75	66.22			
PK	15.9228G	56.17	74.00	-17.83	68.79	3	Vertical	163	1.89	-	37.50	12.80	62.92			
AV	15.92607G	46.56	54.00	-7.44	59.19	3	Vertical	163	1.89	-	37.50	12.80	62.93			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 77
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60998G	53.25	74.00	-20.75	70.52	3	Horizontal	206	1.89	-	38.20	10.75	66.22			
AV	10.61223G	43.79	54.00	-10.21	61.06	3	Horizontal	206	1.89	-	38.20	10.75	66.22			
PK	15.92478G	56.77	74.00	-17.23	69.39	3	Horizontal	62	1.86	-	37.50	12.80	62.92			
AV	15.91605G	46.93	54.00	-7.07	59.56	3	Horizontal	62	1.86	-	37.50	12.79	62.92			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 80
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	62.85	74.00	-11.15	54.30	3	Vertical	154	1.58	-	34.02	5.46	30.93			
AV	5.458G	51.99	54.00	-2.01	43.44	3	Vertical	154	1.58	-	34.02	5.46	30.93			
PK	5.4638G	67.76	68.20	-0.44	59.20	3	Vertical	154	1.58	-	34.03	5.46	30.93			
PK	5.5144G	116.33	Inf	-Inf	107.73	3	Vertical	154	1.58	-	34.07	5.50	30.97			
AV	5.494G	104.79	Inf	-Inf	96.17	3	Vertical	154	1.58	-	34.09	5.49	30.96			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 80
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4322G	60.74	74.00	-13.26	52.21	3	Horizontal	95	1.91	-	34.00	5.44	30.91			
PK	5.4634G	64.20	68.20	-4.00	55.64	3	Horizontal	95	1.91	-	34.03	5.46	30.93			
AV	5.4506G	50.37	54.00	-3.63	41.84	3	Horizontal	95	1.91	-	34.00	5.45	30.92			
PK	5.5186G	111.28	Inf	-Inf	102.69	3	Horizontal	95	1.91	-	34.06	5.50	30.97			
AV	5.5234G	100.65	Inf	-Inf	92.06	3	Horizontal	95	1.91	-	34.05	5.51	30.97			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 80
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00878G	53.77	74.00	-20.23	71.09	3	Vertical	306	2.17	-	38.32	10.97	66.61			
AV	11.00548G	43.78	54.00	-10.22	61.11	3	Vertical	306	2.17	-	38.31	10.97	66.61			
PK	16.53669G	57.98	68.20	-10.22	69.75	3	Vertical	54	2.14	-	38.23	13.18	63.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 80
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01964G	54.00	74.00	-20.00	71.28	3	Horizontal	116	1.48	-	38.34	10.98	66.60			
AV	11.01202G	43.79	54.00	-10.21	61.11	3	Horizontal	116	1.48	-	38.32	10.97	66.61			
PK	16.52664G	57.74	68.20	-10.46	69.50	3	Horizontal	315	1.83	-	38.25	13.18	63.19			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 90
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4552G	66.84	74.00	-7.16	58.30	3	Vertical	133	1.79	-	34.01	5.45	30.92			
AV	5.4582G	53.66	54.00	-0.34	45.11	3	Vertical	133	1.79	-	34.02	5.46	30.93			
PK	5.4687G	67.46	68.20	-0.74	58.89	3	Vertical	133	1.79	-	34.04	5.46	30.93			
PK	5.5431G	118.17	Inf	-Inf	109.62	3	Vertical	133	1.79	-	34.01	5.52	30.98			
AV	5.5383G	107.71	Inf	-Inf	99.15	3	Vertical	133	1.79	-	34.02	5.52	30.98			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 90
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	64.86	74.00	-9.14	56.31	3	Horizontal	167	2.40	-	34.02	5.46	30.93			
AV	5.4597G	52.37	54.00	-1.63	43.82	3	Horizontal	167	2.40	-	34.02	5.46	30.93			
PK	5.469G	65.25	68.20	-2.95	56.68	3	Horizontal	167	2.40	-	34.04	5.47	30.94			
PK	5.5641G	115.43	Inf	-Inf	106.88	3	Horizontal	167	2.40	-	34.00	5.54	30.99			
AV	5.541G	104.19	Inf	-Inf	95.63	3	Horizontal	167	2.40	-	34.02	5.52	30.98			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 77
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09601G	53.59	74.00	-20.41	70.68	3	Vertical	353	1.68	-	38.40	11.02	66.51			
AV	11.09637G	43.66	54.00	-10.34	60.75	3	Vertical	353	1.68	-	38.40	11.02	66.51			
PK	16.65522G	57.69	68.20	-10.51	68.82	3	Vertical	250	2.20	-	38.73	13.27	63.13			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 77
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09625G	53.31	74.00	-20.69	70.40	3	Horizontal	303	2.93	-	38.40	11.02	66.51			
AV	11.10009G	43.54	54.00	-10.46	60.63	3	Horizontal	303	2.93	-	38.40	11.02	66.51			
PK	16.64514G	57.76	68.20	-10.44	68.96	3	Horizontal	349	1.71	-	38.67	13.26	63.13			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 83
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6732G	116.58	Inf	-Inf	108.03	3	Vertical	134	1.72	-	34.00	5.59	31.04			
AV	5.6584G	105.75	Inf	-Inf	97.19	3	Vertical	134	1.72	-	34.00	5.59	31.03			
PK	5.7374G	66.38	68.20	-1.82	57.84	3	Vertical	134	1.72	-	34.00	5.61	31.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 83
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.678G	113.80	Inf	-Inf	105.25	3	Horizontal	98	1.80	-	34.00	5.59	31.04			
AV	5.6734G	103.00	Inf	-Inf	94.45	3	Horizontal	98	1.80	-	34.00	5.59	31.04			
PK	5.7376G	65.84	68.20	-2.36	57.30	3	Horizontal	98	1.80	-	34.00	5.61	31.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 83
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33838G	54.78	74.00	-19.22	71.30	3	Vertical	290	1.80	-	38.58	11.15	66.25			
AV	11.34456G	45.23	54.00	-8.77	61.72	3	Vertical	290	1.80	-	38.59	11.16	66.24			
PK	17.00058G	59.90	68.20	-8.30	69.46	3	Vertical	27	2.80	-	39.90	13.50	62.96			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 83
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35287G	54.42	74.00	-19.58	70.88	3	Horizontal	149	1.42	-	38.61	11.16	66.23			
AV	11.32947G	45.22	54.00	-8.78	61.77	3	Horizontal	149	1.42	-	38.56	11.15	66.26			
PK	17.01297G	59.88	68.20	-8.32	69.36	3	Horizontal	97	2.43	-	39.98	13.51	62.97			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.698G	120.12	Inf	-Inf	111.57	3	Vertical	136	1.78	-	34.00	5.60	31.05			
AV	5.6984G	109.82	Inf	-Inf	101.27	3	Vertical	136	1.78	-	34.00	5.60	31.05			
PK	5.876G	60.97	68.20	-7.23	52.29	3	Vertical	136	1.78	-	34.10	5.71	31.13			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7244G	120.26	Inf	-Inf	111.71	3	Horizontal	177	2.35	-	34.00	5.61	31.06			
AV	5.7244G	108.56	Inf	-Inf	100.01	3	Horizontal	177	2.35	-	34.00	5.61	31.06			
PK	5.8576G	61.18	68.20	-7.02	52.58	3	Horizontal	177	2.35	-	34.03	5.69	31.12			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
03-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.41388G	58.05	74.00	-15.95	74.32	3	Vertical	77	1.80	-	38.70	11.19	66.16				
AV	11.42168G	49.17	54.00	-4.83	65.43	3	Vertical	77	1.80	-	38.70	11.20	66.16				
PK	17.14155G	60.79	68.20	-7.41	69.89	3	Vertical	128	1.80	-	40.38	13.56	63.04				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43137G	57.88	74.00	-16.12	74.13	3	Horizontal	144	1.39	-	38.70	11.20	66.15			
AV	11.42627G	47.75	54.00	-6.25	64.00	3	Horizontal	144	1.39	-	38.70	11.20	66.15			
PK	17.13354G	60.84	68.20	-7.36	69.96	3	Horizontal	140	1.88	-	40.37	13.55	63.04			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 98
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.634G	62.85	68.20	-5.35	54.29	3	Vertical	19	1.28	-	34.00	5.58	31.02			
PK	5.7595G	120.23	Inf	-Inf	111.67	3	Vertical	19	1.28	-	34.02	5.62	31.08			
AV	5.7395G	110.78	Inf	-Inf	102.24	3	Vertical	19	1.28	-	34.00	5.61	31.07			
PK	5.99G	60.20	68.20	-8.00	51.27	3	Vertical	19	1.28	-	34.28	5.84	31.19			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 98
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	61.74	68.20	-6.46	53.19	3	Horizontal	115	2.71	-	34.00	5.58	31.03			
PK	5.7635G	119.16	Inf	-Inf	110.59	3	Horizontal	115	2.71	-	34.03	5.62	31.08			
AV	5.7585G	109.21	Inf	-Inf	100.65	3	Horizontal	115	2.71	-	34.02	5.62	31.08			
PK	5.9595G	60.96	68.20	-7.24	52.10	3	Horizontal	115	2.71	-	34.22	5.81	31.17			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 98
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50076G	59.45	74.00	-14.55	75.38	3	Vertical	70	1.80	-	38.90	11.24	66.07			
AV	11.50637G	49.84	54.00	-4.16	65.73	3	Vertical	70	1.80	-	38.93	11.25	66.07			
PK	17.25408G	60.81	68.20	-7.39	69.40	3	Vertical	128	1.85	-	40.92	13.60	63.11			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 98
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50886G	59.48	74.00	-14.52	75.35	3	Horizontal	249	1.79	-	38.94	11.25	66.06			
AV	11.50925G	49.49	54.00	-4.51	65.36	3	Horizontal	249	1.79	-	38.94	11.25	66.06			
PK	17.25945G	60.64	68.20	-7.56	69.22	3	Horizontal	134	2.76	-	40.94	13.60	63.12			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 98
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.632G	62.31	68.20	-5.89	53.75	3	Vertical	19	1.44	-	34.00	5.58	31.02			
PK	5.7845G	121.28	Inf	-Inf	112.67	3	Vertical	19	1.44	-	34.07	5.63	31.09			
AV	5.7845G	110.70	Inf	-Inf	102.09	3	Vertical	19	1.44	-	34.07	5.63	31.09			
PK	5.934G	60.34	68.20	-7.86	51.52	3	Vertical	19	1.44	-	34.20	5.78	31.16			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 98
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6205G	61.75	68.20	-6.45	53.19	3	Horizontal	112	2.22	-	34.00	5.58	31.02			
PK	5.794G	119.33	Inf	-Inf	110.71	3	Horizontal	112	2.22	-	34.09	5.63	31.10			
AV	5.799G	109.20	Inf	-Inf	100.57	3	Horizontal	112	2.22	-	34.10	5.63	31.10			
PK	6.001G	60.86	68.20	-7.34	51.90	3	Horizontal	112	2.22	-	34.30	5.85	31.19			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Y_4TX
Setting 98
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57875G	55.85	74.00	-18.15	71.42	3	Vertical	62	1.86	-	39.16	11.29	66.02			
AV	11.57731G	46.48	54.00	-7.52	62.06	3	Vertical	62	1.86	-	39.15	11.29	66.02			
PK	17.37816G	62.47	68.20	-5.73	70.44	3	Vertical	38	1.80	-	41.57	13.65	63.19			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Y_4TX
Setting 98
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58409G	55.55	74.00	-18.45	71.10	3	Horizontal	238	1.80	-	39.17	11.29	66.01			
AV	11.58376G	45.30	54.00	-8.70	60.85	3	Horizontal	238	1.80	-	39.17	11.29	66.01			
PK	17.39934G	61.43	68.20	-6.77	69.27	3	Horizontal	166	1.78	-	41.70	13.66	63.20			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 88
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1245G	63.47	74.00	-10.53	55.24	3	Vertical	152	1.78	-	33.60	5.29	30.66			
AV	5.146G	53.90	54.00	-0.10	45.67	3	Vertical	152	1.78	-	33.60	5.31	30.68			
PK	5.204G	114.97	Inf	-Inf	106.61	3	Vertical	152	1.78	-	33.71	5.37	30.72			
AV	5.224G	104.43	Inf	-Inf	96.05	3	Vertical	152	1.78	-	33.75	5.37	30.74			
PK	5.38G	61.86	74.00	-12.14	53.35	3	Vertical	152	1.78	-	33.96	5.41	30.86			
AV	5.3745G	51.78	54.00	-2.22	43.29	3	Vertical	152	1.78	-	33.95	5.40	30.86			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 88
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.147G	63.06	74.00	-10.94	54.83	3	Horizontal	214	1.79	-	33.60	5.31	30.68				
AV	5.147G	53.36	54.00	-0.64	45.13	3	Horizontal	214	1.79	-	33.60	5.31	30.68				
PK	5.2275G	112.78	Inf	-Inf	104.38	3	Horizontal	214	1.79	-	33.76	5.38	30.74				
AV	5.2275G	101.66	Inf	-Inf	93.26	3	Horizontal	214	1.79	-	33.76	5.38	30.74				
PK	5.3575G	60.74	74.00	-13.26	52.28	3	Horizontal	214	1.79	-	33.91	5.40	30.85				
AV	5.352G	51.52	54.00	-2.48	43.06	3	Horizontal	214	1.79	-	33.90	5.40	30.84				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 88
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4149G	53.65	68.20	-14.55	71.35	3	Vertical	57	2.55	-	37.90	10.64	66.24			
PK	15.61878G	56.29	74.00	-17.71	68.49	3	Vertical	336	1.74	-	37.84	12.70	62.74			
AV	15.64029G	46.80	54.00	-7.20	58.96	3	Vertical	336	1.74	-	37.88	12.71	62.75			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 88
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40851G	53.55	68.20	-14.65	71.26	3	Horizontal	40	1.90	-	37.90	10.64	66.25			
PK	15.63297G	56.62	74.00	-17.38	68.79	3	Horizontal	229	2.84	-	37.87	12.71	62.75			
AV	15.62361G	46.82	54.00	-7.18	59.01	3	Horizontal	229	2.84	-	37.85	12.70	62.74			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 77
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	59.28	74.00	-14.72	51.05	3	Vertical	149	1.55	-	33.60	5.30	30.67			
AV	5.0665G	49.09	54.00	-4.91	41.01	3	Vertical	149	1.55	-	33.47	5.22	30.61			
PK	5.309G	107.47	Inf	-Inf	98.99	3	Vertical	149	1.55	-	33.90	5.39	30.81			
AV	5.299G	95.68	Inf	-Inf	87.19	3	Vertical	149	1.55	-	33.90	5.39	30.80			
PK	5.3665G	61.86	74.00	-12.14	53.38	3	Vertical	149	1.55	-	33.93	5.40	30.85			
AV	5.354G	51.58	54.00	-2.42	43.11	3	Vertical	149	1.55	-	33.91	5.40	30.84			
PK	5.3345G	59.89	68.20	-8.31	51.32	3	Vertical	149	1.55	-	34.03	5.52	30.98			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 77
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1325G	59.54	74.00	-14.46	51.31	3	Horizontal	180	2.70	-	33.60	5.30	30.67			
AV	5.1395G	49.67	54.00	-4.33	41.44	3	Horizontal	180	2.70	-	33.60	5.30	30.67			
PK	5.3095G	110.35	Inf	-Inf	101.87	3	Horizontal	180	2.70	-	33.90	5.39	30.81			
AV	5.3045G	99.56	Inf	-Inf	91.07	3	Horizontal	180	2.70	-	33.90	5.39	30.80			
PK	5.354G	64.18	74.00	-9.82	55.71	3	Horizontal	180	2.70	-	33.91	5.40	30.84			
AV	5.3545G	53.16	54.00	-0.84	44.69	3	Horizontal	180	2.70	-	33.91	5.40	30.84			
PK	5.5255G	60.18	68.20	-8.02	51.59	3	Horizontal	180	2.70	-	34.05	5.51	30.97			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 77
03-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.8667G	56.59	74.00	-17.41	69.20	3	Vertical	92	1.84	-	37.50	12.78	62.89			
AV	15.86768G	47.20	54.00	-6.80	59.81	3	Vertical	92	1.84	-	37.50	12.78	62.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 77
03-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	15.86737G	46.95	54.00	-7.05	59.56	3	Horizontal	43	2.06	-	37.50	12.78	62.89			
PK	15.87113G	57.00	74.00	-17.00	69.61	3	Horizontal	43	2.06	-	37.50	12.78	62.89			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 82
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.312G	60.31	68.20	-7.89	51.83	3	Vertical	169	2.49	-	33.90	5.39	30.81			
AV	5.35G	49.39	54.00	-4.61	40.93	3	Vertical	169	2.49	-	33.90	5.40	30.84			
PK	5.4595G	63.16	74.00	-10.84	54.61	3	Vertical	169	2.49	-	34.02	5.46	30.93			
AV	5.459G	53.63	54.00	-0.37	45.08	3	Vertical	169	2.49	-	34.02	5.46	30.93			
PK	5.469G	64.95	68.20	-3.25	56.38	3	Vertical	169	2.49	-	34.04	5.47	30.94			
PK	5.5565G	109.41	Inf	-Inf	100.86	3	Vertical	169	2.49	-	34.00	5.54	30.99			
AV	5.5615G	98.86	Inf	-Inf	90.31	3	Vertical	169	2.49	-	34.00	5.54	30.99			
PK	5.7665G	61.05	68.20	-7.15	52.48	3	Vertical	169	2.49	-	34.03	5.62	31.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 82
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.337G	60.24	68.20	-7.96	51.77	3	Horizontal	92	1.80	-	33.90	5.40	30.83			
AV	5.35G	48.84	54.00	-5.16	40.38	3	Horizontal	92	1.80	-	33.90	5.40	30.84			
PK	5.4555G	63.89	74.00	-10.11	55.35	3	Horizontal	92	1.80	-	34.01	5.45	30.92			
AV	5.4585G	53.47	54.00	-0.53	44.92	3	Horizontal	92	1.80	-	34.02	5.46	30.93			
PK	5.468G	63.48	68.20	-4.72	54.91	3	Horizontal	92	1.80	-	34.04	5.46	30.93			
PK	5.5135G	110.62	Inf	-Inf	102.02	3	Horizontal	92	1.80	-	34.07	5.50	30.97			
AV	5.513G	99.35	Inf	-Inf	90.75	3	Horizontal	92	1.80	-	34.07	5.50	30.97			
PK	5.7545G	59.98	68.20	-8.22	51.43	3	Horizontal	92	1.80	-	34.01	5.62	31.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_V_4TX
Setting 88
03-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.06138G	54.36	74.00	-19.64	71.51	3	Vertical	94	2.51	-	38.40	11.00	66.55			
AV	11.06248G	44.58	54.00	-9.42	61.73	3	Vertical	94	2.51	-	38.40	11.00	66.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_V_4TX
Setting 88
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05956G	55.22	74.00	-18.78	72.37	3	Horizontal	42	1.57	-	38.40	11.00	66.55			
AV	11.05869G	44.52	54.00	-9.48	61.68	3	Horizontal	42	1.57	-	38.40	11.00	66.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 91
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4365G	64.44	74.00	-9.56	55.91	3	Vertical	135	1.75	-	34.00	5.44	30.91			
PK	5.4645G	65.18	68.20	-3.02	56.62	3	Vertical	135	1.75	-	34.03	5.46	30.93			
AV	5.454G	52.72	54.00	-1.28	44.18	3	Vertical	135	1.75	-	34.01	5.45	30.92			
PK	5.6435G	114.04	Inf	-Inf	105.49	3	Vertical	135	1.75	-	34.00	5.58	31.03			
AV	5.598G	104.08	Inf	-Inf	95.52	3	Vertical	135	1.75	-	34.00	5.57	31.01			
PK	5.7435G	65.92	68.20	-2.28	57.38	3	Vertical	135	1.75	-	34.00	5.61	31.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 91
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4545G	65.62	74.00	-8.38	57.08	3	Horizontal	93	1.72	-	34.01	5.45	30.92			
AV	5.455G	52.63	54.00	-1.37	44.09	3	Horizontal	93	1.72	-	34.01	5.45	30.92			
PK	5.468G	64.61	68.20	-3.59	56.04	3	Horizontal	93	1.72	-	34.04	5.46	30.93			
PK	5.599G	112.09	Inf	-Inf	103.53	3	Horizontal	93	1.72	-	34.00	5.57	31.01			
AV	5.5985G	101.44	Inf	-Inf	92.88	3	Horizontal	93	1.72	-	34.00	5.57	31.01			
PK	5.733G	66.64	68.20	-1.56	58.10	3	Horizontal	93	1.72	-	34.00	5.61	31.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 91
03-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.21927G	54.46	74.00	-19.54	71.31	3	Vertical	66	1.49	-	38.44	11.09	66.38			
AV	11.22031G	43.85	54.00	-10.15	60.70	3	Vertical	66	1.49	-	38.44	11.09	66.38			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Y_4TX
Setting 91
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21936G	53.55	74.00	-20.45	70.40	3	Horizontal	147	2.11	-	38.44	11.09	66.38			
AV	11.22251G	44.02	54.00	-9.98	60.86	3	Horizontal	147	2.11	-	38.45	11.09	66.38			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4578G	63.65	74.00	-10.35	55.10	3	Vertical	136	1.70	-	34.02	5.46	30.93			
AV	5.459G	51.74	54.00	-2.26	43.19	3	Vertical	136	1.70	-	34.02	5.46	30.93			
PK	5.4632G	62.29	68.20	-5.91	53.73	3	Vertical	136	1.70	-	34.03	5.46	30.93			
PK	5.6882G	115.86	Inf	-Inf	107.31	3	Vertical	136	1.70	-	34.00	5.60	31.05			
AV	5.6786G	106.00	Inf	-Inf	97.45	3	Vertical	136	1.70	-	34.00	5.59	31.04			
PK	5.8556G	65.51	68.20	-2.69	56.92	3	Vertical	136	1.70	-	34.02	5.69	31.12			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4548G	60.96	74.00	-13.04	52.42	3	Horizontal	188	2.28	-	34.01	5.45	30.92			
AV	5.4194G	50.52	54.00	-3.48	41.99	3	Horizontal	188	2.28	-	34.00	5.43	30.90			
PK	5.4614G	61.75	68.20	-6.45	53.20	3	Horizontal	188	2.28	-	34.02	5.46	30.93			
PK	5.6948G	114.21	Inf	-Inf	105.66	3	Horizontal	188	2.28	-	34.00	5.60	31.05			
AV	5.6744G	103.96	Inf	-Inf	95.41	3	Horizontal	188	2.28	-	34.00	5.59	31.04			
PK	5.852G	66.01	68.20	-2.19	57.43	3	Horizontal	188	2.28	-	34.01	5.69	31.12			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 100
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3814G	55.06	74.00	-18.94	71.41	3	Vertical	232	2.70	-	38.67	11.18	66.20			
AV	11.3814G	45.39	54.00	-8.61	61.75	3	Vertical	232	2.70	-	38.66	11.18	66.20			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 100
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37925G	54.91	74.00	-19.09	71.27	3	Horizontal	148	1.96	-	38.66	11.18	66.20			
AV	11.38405G	45.60	54.00	-8.40	61.95	3	Horizontal	148	1.96	-	38.67	11.18	66.20			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 96
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	66.19	68.20	-2.01	57.64	3	Vertical	128	1.80	-	34.00	5.58	31.03			
PK	5.8085G	115.34	Inf	-Inf	106.72	3	Vertical	128	1.80	-	34.08	5.64	31.10			
AV	5.8035G	105.27	Inf	-Inf	96.65	3	Vertical	128	1.80	-	34.09	5.63	31.10			
PK	5.934G	60.44	68.20	-7.76	51.62	3	Vertical	128	1.80	-	34.20	5.78	31.16			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 96
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	63.35	68.20	-4.85	54.80	3	Horizontal	121	2.70	-	34.00	5.58	31.03			
PK	5.7595G	115.10	Inf	-Inf	106.54	3	Horizontal	121	2.70	-	34.02	5.62	31.08			
AV	5.764G	105.22	Inf	-Inf	96.65	3	Horizontal	121	2.70	-	34.03	5.62	31.08			
PK	5.9545G	60.02	68.20	-8.18	51.18	3	Horizontal	121	2.70	-	34.21	5.80	31.17			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Y_4TX
Setting 96
03-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.55324G	54.71	74.00	-19.29	70.36	3	Vertical	189	2.21	-	39.11	11.27	66.03			
AV	11.54681G	44.94	54.00	-9.06	60.62	3	Vertical	189	2.21	-	39.09	11.27	66.04			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Y_4TX
Setting 96
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54603G	54.67	74.00	-19.33	70.36	3	Horizontal	190	2.09	-	39.08	11.27	66.04			
AV	11.54775G	45.10	54.00	-8.90	60.78	3	Horizontal	190	2.09	-	39.09	11.27	66.04			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 77
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	64.76	74.00	-9.24	56.52	3	Vertical	151	1.55	-	33.60	5.32	30.68			
AV	5.1396G	53.18	54.00	-0.82	44.95	3	Vertical	151	1.55	-	33.60	5.30	30.67			
PK	5.3092G	109.53	Inf	-Inf	101.05	3	Vertical	151	1.55	-	33.90	5.39	30.81			
AV	5.3092G	99.28	Inf	-Inf	90.80	3	Vertical	151	1.55	-	33.90	5.39	30.81			
PK	5.3588G	68.08	74.00	-5.92	59.61	3	Vertical	151	1.55	-	33.92	5.40	30.85			
AV	5.358G	53.71	54.00	-0.29	45.24	3	Vertical	151	1.55	-	33.92	5.40	30.85			
PK	5.4636G	61.57	68.20	-6.63	53.01	3	Vertical	151	1.55	-	34.03	5.46	30.93			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 77
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1404G	65.71	74.00	-8.29	57.48	3	Horizontal	174	2.60	-	33.60	5.30	30.67			
AV	5.142G	52.93	54.00	-1.07	44.69	3	Horizontal	174	2.60	-	33.60	5.31	30.67			
PK	5.2764G	109.53	Inf	-Inf	101.07	3	Horizontal	174	2.60	-	33.85	5.39	30.78			
AV	5.2764G	97.31	Inf	-Inf	88.85	3	Horizontal	174	2.60	-	33.85	5.39	30.78			
PK	5.3596G	69.44	74.00	-4.56	60.97	3	Horizontal	174	2.60	-	33.92	5.40	30.85			
AV	5.3532G	53.77	54.00	-0.23	45.30	3	Horizontal	174	2.60	-	33.91	5.40	30.84			
PK	5.4884G	60.01	68.20	-8.19	51.40	3	Horizontal	174	2.60	-	34.08	5.48	30.95			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 77
03-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.74744G	56.66	74.00	-17.34	68.83	3	Vertical	249	1.44	-	37.91	12.74	62.82			
AV	15.75389G	46.89	54.00	-7.11	59.09	3	Vertical	249	1.44	-	37.88	12.74	62.82			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 77
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.75196G	56.23	74.00	-17.77	68.42	3	Horizontal	137	2.94	-	37.89	12.74	62.82			
AV	15.74913G	47.14	54.00	-6.86	59.32	3	Horizontal	137	2.94	-	37.90	12.74	62.82			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 74
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3084G	60.36	68.20	-7.84	51.88	3	Vertical	158	1.02	-	33.90	5.39	30.81			
AV	5.35G	49.36	54.00	-4.64	40.90	3	Vertical	158	1.02	-	33.90	5.40	30.84			
PK	5.4588G	64.93	74.00	-9.07	56.38	3	Vertical	158	1.02	-	34.02	5.46	30.93			
AV	5.4244G	53.94	54.00	-0.06	45.41	3	Vertical	158	1.02	-	34.00	5.43	30.90			
PK	5.4692G	64.29	68.20	-3.91	55.72	3	Vertical	158	1.02	-	34.04	5.47	30.94			
AV	5.494G	98.74	Inf	-Inf	90.12	3	Vertical	158	1.02	-	34.09	5.49	30.96			
PK	5.5436G	109.05	Inf	-Inf	100.50	3	Vertical	158	1.02	-	34.01	5.52	30.98			
PK	5.7588G	62.43	68.20	-5.77	53.87	3	Vertical	158	1.02	-	34.02	5.62	31.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 74
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3292G	60.46	68.20	-7.74	51.98	3	Horizontal	92	1.70	-	33.90	5.40	30.82			
AV	5.35G	48.83	54.00	-5.17	40.37	3	Horizontal	92	1.70	-	33.90	5.40	30.84			
PK	5.434G	63.95	74.00	-10.05	55.42	3	Horizontal	92	1.70	-	34.00	5.44	30.91			
AV	5.434G	53.06	54.00	-0.94	44.53	3	Horizontal	92	1.70	-	34.00	5.44	30.91			
PK	5.4684G	60.99	68.20	-7.21	52.42	3	Horizontal	92	1.70	-	34.04	5.46	30.93			
PK	5.6036G	104.41	Inf	-Inf	95.85	3	Horizontal	92	1.70	-	34.00	5.57	31.01			
AV	5.5988G	94.34	Inf	-Inf	85.78	3	Horizontal	92	1.70	-	34.00	5.57	31.01			
PK	5.738G	62.00	68.20	-6.20	53.46	3	Horizontal	92	1.70	-	34.00	5.61	31.07			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 74
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1414G	53.67	74.00	-20.33	70.77	3	Vertical	223	1.10	-	38.32	11.04	66.46			
AV	11.13598G	43.64	54.00	-10.36	60.74	3	Vertical	223	1.10	-	38.33	11.04	66.47			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



EUT_Y_4TX
Setting 74
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13626G	53.90	74.00	-20.10	71.00	3	Horizontal	176	2.55	-	38.33	11.04	66.47			
AV	11.13694G	44.29	54.00	-9.71	61.39	3	Horizontal	176	2.55	-	38.33	11.04	66.47			