

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2525

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5200

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		14277.00	56.70	-5.73	50.97	74.00	-23.03	peak		0
2	*	14277.00	40.42	-5.73	34.69	54.00	-19.31	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK


File :TUVData :#2525

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282

Radiated Emission Measurement

File :TUV Data :#2526 Date: 2017/04/20 Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5200

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		15314.00	57.41	-7.14	50.27	74.00	-23.73	peak		0
2	*	15314.00	41.97	-7.14	34.83	54.00	-19.17	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2526

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282


Radiated Emission Measurement


File :TUV

Data :#2527

Date: 2017/04/20

Time:

80.0 dBuV/m



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5240

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		12373.00	58.42	-9.54	48.88	74.00	-25.12	peak		0
2	*	12373.00	42.18	-9.54	32.64	54.00	-21.36	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2527

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2528

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5240

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		14447.00	56.11	-6.00	50.11	74.00	-23.89	peak		0
2	*	14447.00	40.62	-6.00	34.62	54.00	-19.38	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2528

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File :TUV

Data :#2529

Date: 2017/04/20

Time:



Site 3m Chamber #1

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5745

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		14787.00	56.66	-6.52	50.14	74.00	-23.86	peak		0
2	*	14787.00	41.38	-6.52	34.86	54.00	-19.14	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2529

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2530

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5745

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		14090.00	55.26	-5.44	49.82	74.00	-24.18	peak		0
2	*	14090.00	39.30	-5.44	33.86	54.00	-20.14	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2530

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2531

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5785

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		12730.00	59.80	-9.85	49.95	74.00	-24.05	peak	0	Comment
2	*	12730.00	44.28	-9.85	34.43	54.00	-19.57	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2531

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2532

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5785

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		15365.00	57.59	-7.18	50.41	74.00	-23.59	peak		0
2	*	15365.00	42.41	-7.18	35.23	54.00	-18.77	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2532

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2533

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5825

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		15433.00	57.55	-7.25	50.30	74.00	-23.70	peak		0
2	*	15433.00	41.78	-7.25	34.53	54.00	-19.47	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2533

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2534

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5825

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		14022.00	55.22	-5.34	49.88	74.00	-24.12	peak		0
2	*	14022.00	39.10	-5.34	33.76	54.00	-20.24	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2534

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement


File :TUV

Data :#2545

Date: 2017/04/20

Time:

80.0 dBuV/m



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5180

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		15858.00	58.29	-7.62	50.67	74.00	-23.33	peak	0	
2	*	15858.00	42.45	-7.62	34.83	54.00	-19.17	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2545

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2546

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5180

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		14855.00	56.45	-6.63	49.82	74.00	-24.18	peak		0
2	*	14855.00	39.89	-6.63	33.26	54.00	-20.74	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2546

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2543

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5200

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		13784.00	56.42	-6.34	50.08	74.00	-23.92	peak		0
2	*	13784.00	40.75	-6.34	34.41	54.00	-19.59	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2543

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Wajialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2544

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5200

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		14855.00	56.93	-6.63	50.30	74.00	-23.70	peak		0
2	*	14855.00	41.86	-6.63	35.23	54.00	-18.77	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2544

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2541

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5240

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		14311.00	55.87	-5.78	50.09	74.00	-23.91	peak		0
2	*	14311.00	40.50	-5.78	34.72	54.00	-19.28	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2541

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2542

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5240

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		14345.00	55.43	-5.84	49.59	74.00	-24.41	peak		0
2	*	14345.00	39.46	-5.84	33.62	54.00	-20.38	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2542

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.entek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2539

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5745

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		14617.00	55.06	-6.26	48.80	74.00	-25.20	peak		0
2	*	14617.00	39.00	-6.26	32.74	54.00	-21.26	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2539

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2540

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5745

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		15110.00	56.19	-6.96	49.23	74.00	-24.77	peak		0
2	*	15110.00	40.38	-6.96	33.42	54.00	-20.58	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUV\Data :#2540

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement


File :TUV

Data :#2537

Date: 2017/04/20

Time:

80.0 dBuV/m



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5785

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		14753.00	57.63	-6.47	51.16	74.00	-22.84	peak	0	
2	*	14753.00	41.70	-6.47	35.23	54.00	-18.77	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2537

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Wajialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2538

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5785

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		13308.00	57.59	-8.61	48.98	74.00	-25.02	peak	0	
2	*	13308.00	41.89	-8.61	33.28	54.00	-20.72	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUV\Data :#2538

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2535

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5825

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		13784.00	55.35	-6.34	49.01	74.00	-24.99	peak		0
2	*	13784.00	41.06	-6.34	34.72	54.00	-19.28	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUV\Data :#2535

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2536

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5825

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		14821.00	57.13	-6.59	50.54	74.00	-23.46	peak	0	Comment
2	*	14821.00	41.22	-6.59	34.63	54.00	-19.37	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2536

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2547

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5190

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		15212.00	57.58	-7.05	50.53	74.00	-23.47	peak		0
2	*	15212.00	41.90	-7.05	34.85	54.00	-19.15	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUV\Data :#2547

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2548

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5190

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		12118.00	59.04	-9.31	49.73	74.00	-24.27	peak	0	
2	*	12118.00	43.05	-9.31	33.74	54.00	-20.26	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2548

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282

Radiated Emission Measurement


File :TUV

Data :#2549

Date: 2017/04/20

Time:

80.0 dBuV/m



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5230

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		12356.00	58.90	-9.52	49.38	74.00	-24.62	peak		0
2	*	12356.00	42.78	-9.52	33.26	54.00	-20.74	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2549

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2550

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode: 11nHT40 5230

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		13682.00	56.64	-6.83	49.81	74.00	-24.19	peak	0	
2	*	13682.00	41.39	-6.83	34.56	54.00	-19.44	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2550

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2551

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5755

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		13784.00	56.43	-6.34	50.09	74.00	-23.91	peak		0
2	*	13784.00	41.19	-6.34	34.85	54.00	-19.15	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUV\Data :#2551

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2552

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5755

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		15297.00	57.45	-7.13	50.32	74.00	-23.68	peak		0
2	*	15297.00	41.88	-7.13	34.75	54.00	-19.25	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2552

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2553

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5795

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		14702.00	55.73	-6.39	49.34	74.00	-24.66	peak		0
2	*	14702.00	41.01	-6.39	34.62	54.00	-19.38	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2553

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2554

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5795

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		16198.00	58.47	-7.20	51.27	74.00	-22.73	peak	0	Comment
2	*	16198.00	43.41	-7.20	36.21	54.00	-17.79	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2554

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2461

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5180

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25896.50	86.94	-35.92	51.02	74.00	-22.98	peak		
2	*	25896.50	72.64	-35.92	36.72	54.00	-17.28	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2461

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2462

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5180

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		26262.00	86.20	-35.47	50.73	74.00	-23.27	peak		
2	*	26262.00	70.21	-35.47	34.74	54.00	-19.26	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2462

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2463

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5200

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		26007.00	86.62	-35.78	50.84	74.00	-23.16	peak		
2	*	26007.00	71.27	-35.78	35.49	54.00	-18.51	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2463

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2464

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5200

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25573.50	87.04	-36.31	50.73	74.00	-23.27	peak		Comment
2	*	25573.50	71.05	-36.31	34.74	54.00	-19.26	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2464

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2465

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5240

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		25531.00	86.34	-36.36	49.98	74.00	-24.02	peak		
2	*	25531.00	71.01	-36.36	34.65	54.00	-19.35	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2465

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2466

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5240

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25599.00	85.74	-36.28	49.46	74.00	-24.54	peak		
2	*	25599.00	72.43	-36.28	36.15	54.00	-17.85	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK


File :TUVData :#2466

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV Data :#2467 Date: 2017/04/20 Time:



Site 3m Chamber #1 Polarization: **Horizontal** Temperature: 24 C
 Limit: (RE)FCC PART 15 C Power: AC 120V/60Hz Humidity: 53 %
 EUT: Tablet PC
 M/N: MHK003/MID1023
 Mode:11a 5745
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25692.50	86.04	-36.17	49.87	74.00	-24.13	peak		
2	*	25692.50	72.41	-36.17	36.24	54.00	-17.76	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2467

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2468

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5745

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25888.00	87.20	-35.93	51.27	74.00	-22.73	peak		
2	*	25888.00	72.35	-35.93	36.42	54.00	-17.58	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2468

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2469

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5785

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		25089.00	87.79	-36.90	50.89	74.00	-23.11	peak		
2	*	25089.00	73.42	-36.90	36.52	54.00	-17.48	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2469

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2470

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5785

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		24961.50	88.04	-37.01	51.03	74.00	-22.97	peak		Comment
2	*	24961.50	73.43	-37.01	36.42	54.00	-17.58	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2470

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File :TUV

Data :#2471

Date: 2017/04/20

Time:



Site 3m Chamber #1

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5825

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25743.50	87.85	-36.10	51.75	74.00	-22.25	peak		
2	*	25743.50	72.31	-36.10	36.21	54.00	-17.79	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2471

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2472

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5825

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		24239.00	87.24	-37.10	50.14	74.00	-23.86	peak		
2	*	24239.00	73.38	-37.10	36.28	54.00	-17.72	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2472

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Wajialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2459

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5180

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		26202.50	87.08	-35.54	51.54	74.00	-22.46	peak		
2	*	26202.50	72.78	-35.54	37.24	54.00	-16.76	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2459

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282




Radiated Emission Measurement

File :TUV

Data :#2460

Date: 2017/04/20

Time:



Site 3m Chamber #1

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5180

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		26151.50	85.84	-35.61	50.23	74.00	-23.77	peak		
2	*	26151.50	71.89	-35.61	36.28	54.00	-17.72	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2460

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2457

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5200

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		25633.00	87.90	-36.24	51.66	74.00	-22.34	peak		
2	*	25633.00	73.62	-36.24	37.38	54.00	-16.62	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2457

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2458

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5200

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		26364.00	86.45	-35.35	51.10	74.00	-22.90	peak		
2	*	26364.00	72.59	-35.35	37.24	54.00	-16.76	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2458

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2455

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5240

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		26117.50	86.43	-35.65	50.78	74.00	-23.22	peak		
2	*	26117.50	71.51	-35.65	35.86	54.00	-18.14	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2455

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2456

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5240

Note:

No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	25896.50	86.53	-35.92	50.61	74.00	-23.39	peak	
2 *	25896.50	72.07	-35.92	36.15	54.00	-17.85	AVG	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2456

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2453

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5745

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		26211.00	85.19	-35.53	49.66	74.00	-24.34	peak		
2	*	26211.00	71.27	-35.53	35.74	54.00	-18.26	AVG		


*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2453

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282


Radiated Emission Measurement


Site 3m Chamber #1 Polarization: **Vertical** Temperature: 24 C
 Limit: (RE)FCC PART 15 C Power: AC 120V/60Hz Humidity: 53 %
 EUT: Tablet PC
 M/N: MHK003/MID1023
 Mode: 11nHT20 5745
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25650.00	86.24	-36.22	50.02	74.00	-23.98	peak		Comment
2	*	25650.00	70.98	-36.22	34.76	54.00	-19.24	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUVData: #2454

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File :TUV

Data :#2451

Date: 2017/04/20

Time:



Site 3m Chamber #1

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5785

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm degree
1		25701.00	86.41	-36.15	50.26	74.00	-23.74	peak	
2	*	25701.00	71.57	-36.15	35.42	54.00	-18.58	AVG	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2451

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File: TUV

Data: #2452

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode: 11nHT20 5785

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25437.50	86.55	-36.48	50.07	74.00	-23.93	peak		
2	*	25437.50	72.24	-36.48	35.76	54.00	-18.24	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUVData: #2452

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2449

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5825

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25429.00	87.14	-36.49	50.65	74.00	-23.35	peak		Comment
2	*	25429.00	72.63	-36.49	36.14	54.00	-17.86	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2449

Page: 1