



Wi-Fi 5G_n40 CH151

🛟 eurofins


RF Test Report



| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1285.250000 | 42.02 | | 68.20 | 26.18 | 500.0 | 200.0 | V | 334.0 | -8.3 |
| 1375.375000 | | 31.05 | 54.00 | 22.95 | 500.0 | 200.0 | V | 334.0 | -7.7 |
| 1701.750000 | | 32.19 | 54.00 | 21.81 | 500.0 | 200.0 | V | 3.0 | -6.0 |
| 1875.000000 | 44.74 | | 68.20 | 23.46 | 500.0 | 200.0 | Н | 150.0 | -5.1 |
| 2480.500000 | 47.62 | | 68.20 | 20.58 | 500.0 | 200.0 | Н | 328.0 | -2.2 |
| 2788.500000 | | 36.77 | 54.00 | 17.23 | 500.0 | 200.0 | Н | 238.0 | -1.3 |
| 3529.625000 | 52.24 | | 68.20 | 15.96 | 500.0 | 200.0 | V | 134.0 | 1.7 |
| 3995.125000 | | 41.15 | 54.00 | 12.85 | 500.0 | 200.0 | Н | 107.0 | 3.2 |
| 5375.875000 | | 42.48 | 54.00 | 11.52 | 500.0 | 200.0 | V | 51.0 | 5.1 |
| 5562.250000 | 54.97 | | 68.20 | 13.23 | 500.0 | 200.0 | V | 3.0 | 5.5 |
| 6974.500000 | 55.88 | | 68.20 | 12.32 | 500.0 | 200.0 | V | 105.0 | 7.1 |
| 7281.625000 | | 44.03 | 54.00 | 9.97 | 500.0 | 200.0 | V | 60.0 | 7.1 |




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8742.500000 | 40.85 | | 68.20 | 27.35 | 150.0 | 200.0 | V | 302.0 | 5.0 |
| 9016.250000 | | 31.92 | 54.00 | 22.08 | 150.0 | 100.0 | V | 320.0 | 5.0 |
| 9321.250000 | | 31.72 | 54.00 | 22.28 | 150.0 | 200.0 | Н | 306.0 | 5.2 |
| 10186.250000 | 41.79 | | 68.20 | 26.41 | 150.0 | 200.0 | Н | 152.0 | 6.2 |
| 11512.500000 | | 51.54 | 54.00 | 2.46 | 150.0 | 200.0 | Н | 123.0 | 7.5 |
| 13005.000000 | 43.21 | | 68.20 | 24.99 | 150.0 | 200.0 | Н | 26.0 | 10.9 |
| 13328.750000 | | 34.42 | 54.00 | 19.58 | 150.0 | 100.0 | V | 116.0 | 10.9 |
| 14083.750000 | 43.63 | | 68.20 | 24.57 | 150.0 | 200.0 | Н | 89.0 | 9.2 |
| 15276.250000 | 45.55 | | 68.20 | 22.65 | 150.0 | 200.0 | V | 280.0 | 13.3 |
| 15376.250000 | | 36.32 | 54.00 | 17.68 | 150.0 | 200.0 | V | 146.0 | 13.5 |
| 17267.500000 | 53.21 | | 68.20 | 14.99 | 150.0 | 100.0 | Η | 149.0 | 20.1 |
| 17931.250000 | | 42.08 | 54.00 | 11.92 | 150.0 | 200.0 | V | 165.0 | 20.3 |






Wi-Fi 5G_n40 CH159




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1267.750000 | 41.44 | | 68.20 | 26.76 | 500.0 | 200.0 | Н | 337.0 | -8.5 |
| 1385.000000 | | 30.63 | 54.00 | 23.37 | 500.0 | 200.0 | н | 217.0 | -7.7 |
| 1708.750000 | | 32.12 | 54.00 | 21.88 | 500.0 | 200.0 | V | 51.0 | -5.9 |
| 1882.875000 | 44.52 | | 68.20 | 23.68 | 500.0 | 200.0 | н | 355.0 | -5.1 |
| 2668.625000 | 47.12 | | 68.20 | 21.08 | 500.0 | 200.0 | V | 142.0 | -1.9 |
| 2812.125000 | | 36.58 | 54.00 | 17.42 | 500.0 | 200.0 | н | 306.0 | -1.2 |
| 3499.000000 | 51.57 | | 68.20 | 16.63 | 500.0 | 200.0 | н | 67.0 | 1.8 |
| 3995.125000 | | 40.87 | 54.00 | 13.13 | 500.0 | 200.0 | н | 271.0 | 3.2 |
| 5179.875000 | 52.99 | | 68.20 | 15.21 | 500.0 | 200.0 | V | 160.0 | 5.2 |
| 5401.250000 | | 41.65 | 54.00 | 12.35 | 500.0 | 200.0 | V | 47.0 | 5.1 |
| 6057.500000 | 55.10 | | 68.20 | 13.10 | 500.0 | 200.0 | Н | 126.0 | 5.9 |
| 7297.375000 | | 43.89 | 54.00 | 10.11 | 500.0 | 200.0 | Н | 271.0 | 7.0 |



RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8710.000000 | 40.53 | | 68.20 | 27.67 | 150.0 | 200.0 | V | 342.0 | 5.0 |
| 9078.750000 | | 31.67 | 54.00 | 22.33 | 150.0 | 100.0 | V | 162.0 | 5.0 |
| 9187.500000 | | 31.47 | 54.00 | 22.53 | 150.0 | 200.0 | V | 308.0 | 5.2 |
| 10131.250000 | 42.42 | | 68.20 | 25.78 | 150.0 | 100.0 | Н | 93.0 | 6.2 |
| 11581.250000 | | 51.31 | 54.00 | 2.69 | 150.0 | 200.0 | Н | 168.0 | 7.5 |
| 12998.750000 | 42.14 | | 68.20 | 26.06 | 150.0 | 200.0 | Н | 198.0 | 10.9 |
| 13247.500000 | 43.12 | | 68.20 | 25.08 | 150.0 | 100.0 | Н | 75.0 | 10.6 |
| 13265.000000 | | 34.07 | 54.00 | 19.93 | 150.0 | 200.0 | V | 263.0 | 10.7 |
| 15332.500000 | 46.26 | | 68.20 | 21.94 | 150.0 | 200.0 | V | 60.0 | 13.5 |
| 15360.000000 | | 36.51 | 54.00 | 17.49 | 150.0 | 100.0 | V | 282.0 | 13.6 |
| 17377.500000 | 52.49 | | 68.20 | 15.71 | 150.0 | 200.0 | Н | 160.0 | 20.3 |
| 17852.500000 | | 42.70 | 54.00 | 11.30 | 150.0 | 200.0 | V | 80.0 | 20.5 |



Wi-Fi 5G_ac80 CH42


🛟 eurofins

RF Test Report



| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1259.000000 | 41.28 | | 68.20 | 26.92 | 500.0 | 200.0 | V | 282.0 | -8.5 |
| 1389.375000 | | 30.60 | 54.00 | 23.40 | 500.0 | 200.0 | V | 348.0 | -7.6 |
| 1682.500000 | | 31.87 | 54.00 | 22.13 | 500.0 | 200.0 | V | 348.0 | -6.0 |
| 1955.500000 | 44.85 | | 68.20 | 23.35 | 500.0 | 200.0 | Н | 31.0 | -4.7 |
| 2474.375000 | 47.18 | | 68.20 | 21.02 | 500.0 | 200.0 | V | 196.0 | -2.3 |
| 2827.000000 | | 36.54 | 54.00 | 17.46 | 500.0 | 200.0 | V | 201.0 | -1.1 |
| 3457.875000 | 51.17 | | 68.20 | 17.03 | 500.0 | 200.0 | V | 343.0 | 1.6 |
| 3987.250000 | | 40.65 | 54.00 | 13.35 | 500.0 | 200.0 | V | 269.0 | 3.2 |
| 4479.875000 | 51.89 | | 68.20 | 16.31 | 500.0 | 200.0 | V | 0.0 | 3.8 |
| 4926.125000 | | 40.61 | 54.00 | 13.39 | 500.0 | 200.0 | V | 105.0 | 4.6 |
| 6610.500000 | 56.19 | | 68.20 | 12.01 | 500.0 | 200.0 | V | 357.0 | 6.6 |
| 7272.000000 | | 44.01 | 54.00 | 9.99 | 500.0 | 200.0 | V | 183.0 | 7.1 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) |
| 8903.750000 | 40.99 | | 68.20 | 27.21 | 150.0 | 100.0 | Н | 211.0 | 5.1 |
| 9005.000000 | | 31.51 | 54.00 | 22.49 | 150.0 | 200.0 | V | 263.0 | 5.0 |
| 9171.250000 | | 31.28 | 54.00 | 22.72 | 150.0 | 200.0 | V | 147.0 | 5.1 |
| 10443.750000 | 54.88 | | 68.20 | 13.32 | 150.0 | 200.0 | Н | 115.0 | 6.2 |
| 10485.000000 | 50.77 | | 68.20 | 17.43 | 150.0 | 100.0 | Н | 121.0 | 6.2 |
| 10986.250000 | | 32.65 | 54.00 | 21.35 | 150.0 | 200.0 | V | 126.0 | 7.1 |
| 13218.750000 | 42.94 | | 68.20 | 25.26 | 150.0 | 200.0 | Н | 168.0 | 10.4 |
| 13250.000000 | | 33.50 | 54.00 | 20.50 | 150.0 | 200.0 | Н | 179.0 | 10.6 |
| 14077.500000 | 43.75 | | 68.20 | 24.45 | 150.0 | 200.0 | Н | 84.0 | 9.2 |
| 15638.750000 | | 46.22 | 54.00 | 7.78 | 150.0 | 100.0 | Н | 179.0 | 12.6 |
| 17340.000000 | 50.84 | | 68.20 | 17.36 | 150.0 | 200.0 | Н | 26.0 | 20.3 |
| 17911.250000 | | 42.21 | 54.00 | 11.79 | 150.0 | 200.0 | Н | 84.0 | 20.6 |




Wi-Fi 5G_ac80 CH58




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|--------------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time (ms) | (cm) | | (deg) | (dB/m) |
| 1298.375000 | 40.97 | | 68.20 | 27.23 | 500.0 | 200.0 | Н | 229.0 | -8.2 |
| 1410.375000 | | 31.10 | 54.00 | 22.90 | 500.0 | 200.0 | V | 343.0 | -7.5 |
| 1664.125000 | | 32.01 | 54.00 | 21.99 | 500.0 | 200.0 | V | 122.0 | -6.1 |
| 1866.250000 | 45.07 | | 68.20 | 23.13 | 500.0 | 200.0 | V | 209.0 | -5.1 |
| 2577.625000 | 47.05 | | 68.20 | 21.15 | 500.0 | 200.0 | V | 280.0 | -2.0 |
| 2817.375000 | | 36.74 | 54.00 | 17.26 | 500.0 | 200.0 | V | 325.0 | -1.2 |
| 3545.375000 | 51.43 | | 68.20 | 16.77 | 500.0 | 200.0 | V | 234.0 | 1.7 |
| 3982.875000 | | 40.82 | 54.00 | 13.18 | 500.0 | 200.0 | V | 196.0 | 3.2 |
| 4488.625000 | 51.39 | | 68.20 | 16.81 | 500.0 | 200.0 | V | 196.0 | 3.8 |
| 4939.250000 | | 41.02 | 54.00 | 12.98 | 500.0 | 200.0 | V | 261.0 | 4.6 |
| 6985.875000 | 55.93 | | 68.20 | 12.27 | 500.0 | 200.0 | V | 343.0 | 7.1 |
| 7264.125000 | | 43.86 | 54.00 | 10.14 | 500.0 | 200.0 | V | 334.0 | 7.1 |



RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8931.250000 | 40.71 | | 68.20 | 27.49 | 150.0 | 200.0 | V | 320.0 | 5.2 |
| 9067.500000 | | 31.64 | 54.00 | 22.36 | 150.0 | 100.0 | Η | 118.0 | 5.0 |
| 9163.750000 | | 31.35 | 54.00 | 22.65 | 150.0 | 200.0 | V | 284.0 | 5.1 |
| 10120.000000 | 41.66 | | 68.20 | 26.54 | 150.0 | 200.0 | V | 236.0 | 6.2 |
| 10575.000000 | 60.75 | | 68.20 | 7.45 | 150.0 | 200.0 | Η | 118.0 | 6.4 |
| 10603.750000 | | 51.85 | 54.00 | 2.15 | 150.0 | 100.0 | Н | 118.0 | 6.6 |
| 13353.750000 | | 33.44 | 54.00 | 20.56 | 150.0 | 200.0 | Н | 182.0 | 11.0 |
| 13597.500000 | 42.81 | | 68.20 | 25.39 | 150.0 | 200.0 | ٧ | 0.0 | 10.1 |
| 15240.000000 | 45.78 | | 68.20 | 22.42 | 150.0 | 100.0 | V | 179.0 | 12.9 |
| 15373.750000 | | 36.78 | 54.00 | 17.22 | 150.0 | 200.0 | V | 226.0 | 13.5 |
| 17217.500000 | 50.00 | | 68.20 | 18.20 | 150.0 | 200.0 | Η | 102.0 | 20.1 |
| 17878.750000 | | 42.00 | 54.00 | 12.00 | 150.0 | 100.0 | V | 356.0 | 20.5 |



Wi-Fi 5G_ac80 CH106


🛟 eurofins

RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1295.750000 | 41.04 | | 68.20 | 27.16 | 500.0 | 200.0 | Н | 309.0 | -8.2 |
| 1412.125000 | | 30.70 | 54.00 | 23.30 | 500.0 | 200.0 | Н | 314.0 | -7.5 |
| 1720.125000 | | 31.66 | 54.00 | 22.34 | 500.0 | 200.0 | V | 331.0 | -5.9 |
| 1863.625000 | 44.74 | | 68.20 | 23.46 | 500.0 | 200.0 | Н | 82.0 | -5.2 |
| 2679.125000 | 47.24 | | 68.20 | 20.96 | 500.0 | 200.0 | V | 131.0 | -1.8 |
| 2798.125000 | | 35.99 | 54.00 | 18.01 | 500.0 | 200.0 | Н | 347.0 | -1.3 |
| 3310.000000 | 50.67 | | 68.20 | 17.53 | 500.0 | 200.0 | Н | 18.0 | 0.9 |
| 3994.250000 | - | 39.75 | 54.00 | 14.25 | 500.0 | 200.0 | Н | 177.0 | 3.2 |
| 5224.500000 | 51.25 | | 68.20 | 16.95 | 500.0 | 200.0 | V | 240.0 | 5.3 |
| 5375.875000 | | 42.12 | 54.00 | 11.88 | 500.0 | 200.0 | V | 295.0 | 5.1 |
| 6664.750000 | 54.45 | | 68.20 | 13.75 | 500.0 | 200.0 | Н | 27.0 | 6.6 |
| 7431.250000 | | 41.46 | 54.00 | 12.54 | 500.0 | 200.0 | Н | 18.0 | 7.1 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) |
| 8625.000000 | 40.95 | | 68.20 | 27.25 | 150.0 | 200.0 | V | 23.0 | 4.9 |
| 9082.500000 | | 31.71 | 54.00 | 22.29 | 150.0 | 100.0 | V | 19.0 | 5.0 |
| 9451.250000 | | 31.60 | 54.00 | 22.40 | 150.0 | 200.0 | V | 75.0 | 5.6 |
| 10186.250000 | 41.53 | | 68.20 | 26.67 | 150.0 | 200.0 | V | 60.0 | 6.2 |
| 11075.000000 | | 49.36 | 54.00 | 4.64 | 150.0 | 100.0 | Н | 117.0 | 7.2 |
| 13053.750000 | 43.16 | | 68.20 | 25.04 | 150.0 | 200.0 | Η | 121.0 | 10.8 |
| 13397.500000 | | 33.73 | 54.00 | 20.27 | 150.0 | 200.0 | V | 75.0 | 11.1 |
| 14068.750000 | 42.74 | | 68.20 | 25.46 | 150.0 | 200.0 | ٧ | 112.0 | 9.2 |
| 15200.000000 | 45.98 | | 68.20 | 22.22 | 150.0 | 100.0 | Н | 337.0 | 12.6 |
| 15376.250000 | | 36.37 | 54.00 | 17.63 | 150.0 | 200.0 | Н | 140.0 | 13.5 |
| 17340.000000 | 50.87 | | 68.20 | 17.33 | 150.0 | 200.0 | Н | 0.0 | 20.3 |
| 17862.500000 | | 42.51 | 54.00 | 11.49 | 150.0 | 100.0 | V | 257.0 | 20.5 |




Wi-Fi 5G_ac80 CH122

🛟 eurofins


RF Test Report



| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1297.500000 | 41.36 | | 68.20 | 26.84 | 500.0 | 200.0 | Н | 0.0 | -8.2 |
| 1378.000000 | | 30.66 | 54.00 | 23.34 | 500.0 | 200.0 | V | 327.0 | -7.7 |
| 1660.625000 | | 32.02 | 54.00 | 21.98 | 500.0 | 200.0 | Н | 152.0 | -6.1 |
| 1956.375000 | 44.72 | | 68.20 | 23.48 | 500.0 | 200.0 | Н | 24.0 | -4.7 |
| 2680.875000 | 47.49 | | 68.20 | 20.71 | 500.0 | 200.0 | V | 269.0 | -1.8 |
| 2810.375000 | | 36.72 | 54.00 | 17.28 | 500.0 | 200.0 | V | 214.0 | -1.2 |
| 3399.250000 | 51.57 | | 68.20 | 16.63 | 500.0 | 200.0 | V | 313.0 | 1.3 |
| 3997.750000 | | 40.75 | 54.00 | 13.25 | 500.0 | 200.0 | V | 277.0 | 3.2 |
| 5107.250000 | | 41.61 | 54.00 | 12.39 | 500.0 | 200.0 | V | 152.0 | 5.1 |
| 5235.875000 | 53.08 | | 68.20 | 15.12 | 500.0 | 200.0 | Η | 51.0 | 5.3 |
| 6969.250000 | 56.01 | | 68.20 | 12.19 | 500.0 | 200.0 | Η | 0.0 | 7.1 |
| 7297.375000 | | 43.89 | 54.00 | 10.11 | 500.0 | 200.0 | Н | 42.0 | 7.0 |




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) |
| 8725.000000 | 40.92 | | 68.20 | 27.28 | 150.0 | 200.0 | V | 236.0 | 5.0 |
| 9016.250000 | | 31.40 | 54.00 | 22.60 | 150.0 | 200.0 | Н | 304.0 | 5.0 |
| 9163.750000 | | 31.99 | 54.00 | 22.01 | 150.0 | 200.0 | Н | 124.0 | 5.1 |
| 9971.250000 | 42.24 | | 68.20 | 25.96 | 150.0 | 100.0 | Н | 247.0 | 5.9 |
| 11203.750000 | | 49.70 | 54.00 | 4.30 | 150.0 | 200.0 | Н | 120.0 | 7.3 |
| 13053.750000 | 43.76 | | 68.20 | 24.44 | 150.0 | 200.0 | Н | 328.0 | 10.8 |
| 13361.250000 | | 33.33 | 54.00 | 20.67 | 150.0 | 200.0 | V | 150.0 | 11.0 |
| 13627.500000 | 43.58 | | 68.20 | 24.62 | 150.0 | 200.0 | Н | 266.0 | 10.0 |
| 15330.000000 | 45.34 | | 68.20 | 22.86 | 150.0 | 100.0 | Н | 355.0 | 13.5 |
| 15380.000000 | | 36.57 | 54.00 | 17.43 | 150.0 | 200.0 | Η | 222.0 | 13.5 |
| 17537.500000 | 51.20 | | 68.20 | 17.00 | 150.0 | 200.0 | V | 101.0 | 20.0 |
| 17880.000000 | | 42.26 | 54.00 | 11.74 | 150.0 | 200.0 | V | 45.0 | 20.5 |




Wi-Fi 5G_ac80 CH138

🛟 eurofins

RF Test Report



| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1283.500000 | 42.64 | | 68.20 | 25.56 | 500.0 | 200.0 | V | 298.0 | -8.3 |
| 1386.750000 | | 30.79 | 54.00 | 23.21 | 500.0 | 200.0 | Н | 112.0 | -7.7 |
| 1721.000000 | | 32.20 | 54.00 | 21.80 | 500.0 | 200.0 | Н | 245.0 | -5.9 |
| 1876.750000 | 44.08 | | 68.20 | 24.12 | 500.0 | 200.0 | Н | 31.0 | -5.1 |
| 2658.125000 | 47.55 | | 68.20 | 20.65 | 500.0 | 200.0 | Н | 258.0 | -1.9 |
| 2813.875000 | | 36.81 | 54.00 | 17.19 | 500.0 | 200.0 | Н | 103.0 | -1.2 |
| 3433.375000 | 51.41 | | 68.20 | 16.79 | 500.0 | 200.0 | Н | 295.0 | 1.5 |
| 3987.250000 | | 40.68 | 54.00 | 13.32 | 500.0 | 200.0 | V | 143.0 | 3.2 |
| 5302.375000 | 53.68 | | 68.20 | 14.52 | 500.0 | 200.0 | Н | 166.0 | 5.4 |
| 5383.750000 | | 42.11 | 54.00 | 11.89 | 500.0 | 200.0 | V | 352.0 | 5.1 |
| 6847.625000 | 56.13 | | 68.20 | 12.07 | 500.0 | 200.0 | V | 147.0 | 6.8 |
| 7321.875000 | | 43.90 | 54.00 | 10.10 | 500.0 | 200.0 | Н | 135.0 | 7.0 |




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8785.000000 | 41.23 | | 68.20 | 26.97 | 150.0 | 200.0 | Н | 339.0 | 5.0 |
| 9095.000000 | | 32.08 | 54.00 | 21.92 | 150.0 | 200.0 | Н | 142.0 | 5.0 |
| 9301.250000 | | 31.75 | 54.00 | 22.25 | 150.0 | 100.0 | V | 73.0 | 5.2 |
| 9926.250000 | 42.09 | | 68.20 | 26.11 | 150.0 | 200.0 | V | 206.0 | 5.8 |
| 11395.000000 | | 48.38 | 54.00 | 5.62 | 150.0 | 200.0 | Н | 164.0 | 7.6 |
| 13005.000000 | 43.08 | | 68.20 | 25.12 | 150.0 | 200.0 | V | 179.0 | 10.9 |
| 13348.750000 | | 33.71 | 54.00 | 20.29 | 150.0 | 100.0 | V | 171.0 | 11.0 |
| 15308.750000 | 46.21 | | 68.20 | 21.99 | 150.0 | 200.0 | V | 236.0 | 13.4 |
| 15361.250000 | | 36.45 | 54.00 | 17.55 | 150.0 | 200.0 | Н | 183.0 | 13.6 |
| 17123.750000 | 50.33 | | 68.20 | 17.87 | 150.0 | 200.0 | Н | 146.0 | 19.4 |
| 17572.500000 | 50.44 | | 68.20 | 17.76 | 150.0 | 100.0 | Н | 261.0 | 20.0 |
| 17940.000000 | | 41.83 | 54.00 | 12.17 | 150.0 | 200.0 | Н | 294.0 | 20.1 |



Wi-Fi 5G_ac80 CH155


🛟 eurofins

RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1271.250000 | 41.51 | | 68.20 | 26.69 | 500.0 | 200.0 | Н | 107.0 | -8.4 |
| 1386.750000 | | 30.62 | 54.00 | 23.38 | 500.0 | 200.0 | Н | 213.0 | -7.7 |
| 1674.625000 | | 31.79 | 54.00 | 22.21 | 500.0 | 200.0 | V | 354.0 | -6.1 |
| 1903.000000 | 44.70 | | 68.20 | 23.50 | 500.0 | 200.0 | V | 156.0 | -5.0 |
| 2526.875000 | 47.49 | | 68.20 | 20.71 | 500.0 | 200.0 | v | 128.0 | -2.2 |
| 2813.000000 | | 36.46 | 54.00 | 17.54 | 500.0 | 200.0 | V | 281.0 | -1.2 |
| 3345.000000 | 51.80 | | 68.20 | 16.40 | 500.0 | 200.0 | V | 266.0 | 0.9 |
| 3970.625000 | | 40.46 | 54.00 | 13.54 | 500.0 | 200.0 | V | 271.0 | 3.0 |
| 5249.000000 | 52.71 | | 68.20 | 15.49 | 500.0 | 200.0 | V | 128.0 | 5.3 |
| 5375.875000 | | 42.05 | 54.00 | 11.95 | 500.0 | 200.0 | V | 234.0 | 5.1 |
| 6579.000000 | 55.92 | | 68.20 | 12.28 | 500.0 | 200.0 | V | 354.0 | 6.6 |
| 7318.375000 | | 43.88 | 54.00 | 10.12 | 500.0 | 200.0 | V | 225.0 | 7.0 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) |
| 8930.000000 | 40.78 | | 68.20 | 27.42 | 150.0 | 200.0 | Н | 177.0 | 5.2 |
| 9088.750000 | | 31.53 | 54.00 | 22.47 | 150.0 | 200.0 | V | 234.0 | 5.0 |
| 9436.250000 | | 31.42 | 54.00 | 22.58 | 150.0 | 100.0 | Н | 229.0 | 5.6 |
| 9977.500000 | 41.62 | | 68.20 | 26.58 | 150.0 | 200.0 | V | 279.0 | 5.9 |
| 11522.500000 | 60.07 | | 74.00 | 13.93 | 150.0 | 200.0 | Н | 126.0 | 7.5 |
| 11532.500000 | | 51.77 | 54.00 | 2.23 | 150.0 | 100.0 | Н | 122.0 | 7.5 |
| 13373.750000 | | 33.82 | 54.00 | 20.18 | 150.0 | 200.0 | V | 186.0 | 11.1 |
| 13630.000000 | 43.06 | | 68.20 | 25.14 | 150.0 | 200.0 | Н | 19.0 | 10.0 |
| 15163.750000 | 45.58 | | 68.20 | 22.62 | 150.0 | 200.0 | V | 323.0 | 12.3 |
| 15361.250000 | | 36.61 | 54.00 | 17.39 | 150.0 | 100.0 | V | 212.0 | 13.6 |
| 17321.250000 | 54.32 | | 68.20 | 13.88 | 150.0 | 200.0 | Н | 145.0 | 20.2 |
| 17913.750000 | | 42.23 | 54.00 | 11.77 | 150.0 | 200.0 | Н | 170.0 | 20.6 |




🛟 eurofins

RF Test Report




| MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|----------|--|---|--|--|---|---|---|--|
| (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | (ms) | | | | |
| 41.58 | | 68.20 | 26.62 | 500.0 | 200.0 | V | 0.0 | -8.4 |
| | 30.92 | 54.00 | 23.08 | 500.0 | 200.0 | V | 216.0 | -7.5 |
| | 32.01 | 54.00 | 21.99 | 500.0 | 200.0 | Н | 57.0 | -6.0 |
| 44.75 | | 68.20 | 23.45 | 500.0 | 200.0 | Н | 88.0 | -5.1 |
| 47.16 | | 68.20 | 21.04 | 500.0 | 200.0 | Н | 116.0 | -2.1 |
| | 36.76 | 54.00 | 17.24 | 500.0 | 200.0 | V | 148.0 | -1.3 |
| 51.52 | | 68.20 | 16.68 | 500.0 | 200.0 | V | 184.0 | 1.7 |
| | 40.68 | 54.00 | 13.32 | 500.0 | 200.0 | Н | 2.0 | 3.2 |
| 51.73 | | 68.20 | 16.47 | 500.0 | 200.0 | Н | 30.0 | 3.8 |
| | 40.55 | 54.00 | 13.45 | 500.0 | 200.0 | Η | 48.0 | 4.6 |
| 57.10 | | 68.20 | 11.10 | 500.0 | 200.0 | Η | 219.0 | 7.1 |
| | 44.08 | 54.00 | 9.92 | 500.0 | 200.0 | Η | 0.0 | 7.1 |
| | 41.58 44.75 47.16 51.52 51.73 57.10 | (dBμV/m) (dBμV/m) 41.58 41.58 30.92 41.75 44.75 47.16 36.76 51.52 40.68 51.73 40.55 57.10 | (dBμV/m) (dBμV/m) (dBμV/m) 41.58 68.20 30.92 54.00 32.01 54.00 32.01 54.00 44.75 68.20 47.16 68.20 36.76 54.00 51.52 68.20 40.68 54.00 51.73 68.20 40.55 54.00 57.10 68.20 | (dBμV/m) (dBμV/m) (dBμV/m) (dBμV/m) (dB) 41.58 68.20 26.62 30.92 54.00 23.08 32.01 54.00 21.99 44.75 68.20 23.45 47.16 68.20 21.04 36.76 54.00 17.24 51.52 68.20 16.68 40.68 54.00 13.32 51.73 68.20 16.47 40.55 54.00 13.45 57.10 68.20 11.10 | (dBμV/m) (dBμV/m) (dBμV/m) (dB) Time (ms) 41.58 68.20 26.62 500.0 30.92 54.00 23.08 500.0 32.01 54.00 21.99 500.0 32.01 54.00 21.99 500.0 44.75 68.20 21.04 500.0 47.16 68.20 21.04 500.0 36.76 54.00 17.24 500.0 51.52 68.20 16.68 500.0 40.68 54.00 13.32 500.0 51.73 68.20 16.47 500.0 40.55 54.00 13.45 500.0 57.10 68.20 11.10 500.0 | (dBμV/m) (dBμV/m) (dBμV/m) (dBμV/m) (dB) Time (ms) (cm) 41.58 68.20 26.62 500.0 200.0 30.92 54.00 23.08 500.0 200.0 32.01 54.00 21.99 500.0 200.0 44.75 68.20 23.45 500.0 200.0 44.75 68.20 21.94 500.0 200.0 47.16 68.20 21.04 500.0 200.0 36.76 54.00 17.24 500.0 200.0 51.52 68.20 16.68 500.0 200.0 40.68 54.00 13.32 500.0 200.0 51.73 68.20 16.47 500.0 200.0 40.55 54.00 13.45 500.0 200.0 40.55 54.00 13.45 500.0 <t< td=""><td>(dBμV/m) (dBμV/m) (dBμV/m) (dB) Time (ms) (cm) 41.58 68.20 26.62 500.0 200.0 V 30.92 54.00 23.08 500.0 200.0 V 32.01 54.00 21.99 500.0 200.0 H 44.75 68.20 23.45 500.0 200.0 H 44.716 68.20 21.04 500.0 200.0 H 47.16 68.20 21.04 500.0 200.0 H 36.76 54.00 17.24 500.0 200.0 V 51.52 68.20 16.68 500.0 200.0 V 40.68 54.00 13.32 500.0 200.0 H 51.73 68.20 16.47 500.0 200.0 H 40.55 54.00 13.45 500.0</td><td>(dBμV/m) (dBμV/m) (dBμV/m) (dB) Time (ms) (cm) (deg) 41.58 68.20 26.62 500.0 200.0 V 0.0 30.92 54.00 23.08 500.0 200.0 V 216.0 32.01 54.00 21.99 500.0 200.0 H 57.0 44.75 68.20 23.45 500.0 200.0 H 88.0 47.16 68.20 21.99 500.0 200.0 H 116.0 36.76 54.00 17.24 500.0 200.0 H 116.0 36.76 54.00 17.24 500.0 200.0 V 148.0 51.52 68.20 16.68 500.0 200.0 H 2.0 51.73 68.20 16.47 500.0 200.0 H 30.0 40.55 54.00</td></t<> | (dBμV/m) (dBμV/m) (dBμV/m) (dB) Time (ms) (cm) 41.58 68.20 26.62 500.0 200.0 V 30.92 54.00 23.08 500.0 200.0 V 32.01 54.00 21.99 500.0 200.0 H 44.75 68.20 23.45 500.0 200.0 H 44.716 68.20 21.04 500.0 200.0 H 47.16 68.20 21.04 500.0 200.0 H 36.76 54.00 17.24 500.0 200.0 V 51.52 68.20 16.68 500.0 200.0 V 40.68 54.00 13.32 500.0 200.0 H 51.73 68.20 16.47 500.0 200.0 H 40.55 54.00 13.45 500.0 | (dBμV/m) (dBμV/m) (dBμV/m) (dB) Time (ms) (cm) (deg) 41.58 68.20 26.62 500.0 200.0 V 0.0 30.92 54.00 23.08 500.0 200.0 V 216.0 32.01 54.00 21.99 500.0 200.0 H 57.0 44.75 68.20 23.45 500.0 200.0 H 88.0 47.16 68.20 21.99 500.0 200.0 H 116.0 36.76 54.00 17.24 500.0 200.0 H 116.0 36.76 54.00 17.24 500.0 200.0 V 148.0 51.52 68.20 16.68 500.0 200.0 H 2.0 51.73 68.20 16.47 500.0 200.0 H 30.0 40.55 54.00 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) |
| 8870.000000 | 40.68 | | 68.20 | 27.52 | 150.0 | 200.0 | V | 216.0 | 5.0 |
| 9080.000000 | | 31.82 | 54.00 | 22.18 | 150.0 | 100.0 | Н | 210.0 | 5.0 |
| 9435.000000 | | 31.67 | 54.00 | 22.33 | 150.0 | 200.0 | V | 0.0 | 5.6 |
| 10353.750000 | 56.97 | | 68.20 | 11.23 | 150.0 | 100.0 | Н | 108.0 | 6.4 |
| 10600.000000 | 40.86 | | 68.20 | 27.34 | 150.0 | 200.0 | V | 199.0 | 6.5 |
| 11910.000000 | | 33.42 | 54.00 | 20.58 | 150.0 | 200.0 | Н | 168.0 | 7.8 |
| 12992.500000 | 43.56 | | 68.20 | 24.64 | 150.0 | 100.0 | V | 242.0 | 10.9 |
| 13323.750000 | | 33.36 | 54.00 | 20.64 | 150.0 | 200.0 | Н | 0.0 | 10.9 |
| 15535.000000 | 59.50 | | 74.00 | 14.50 | 150.0 | 200.0 | Н | 178.0 | 12.9 |
| 15546.250000 | | 51.20 | 54.00 | 2.80 | 150.0 | 100.0 | Н | 168.0 | 12.9 |
| 17287.500000 | 50.36 | | 68.20 | 17.84 | 150.0 | 200.0 | Н | 31.0 | 20.2 |
| 17763.750000 | | 41.82 | 54.00 | 12.18 | 150.0 | 200.0 | Н | 237.0 | 20.4 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1286.125000 | 41.89 | | 68.20 | 26.31 | 500.0 | 200.0 | Н | 99.0 | -8.3 |
| 1398.125000 | | 30.97 | 54.00 | 23.03 | 500.0 | 200.0 | Н | 55.0 | -7.6 |
| 1679.000000 | | 32.02 | 54.00 | 21.98 | 500.0 | 200.0 | Н | 77.0 | -6.0 |
| 1978.250000 | 44.90 | | 68.20 | 23.30 | 500.0 | 200.0 | Н | 218.0 | -4.7 |
| 2669.500000 | 48.21 | | 68.20 | 19.99 | 500.0 | 200.0 | V | 209.0 | -1.9 |
| 2824.375000 | | 36.71 | 54.00 | 17.29 | 500.0 | 200.0 | V | 250.0 | -1.2 |
| 3597.000000 | 51.18 | | 68.20 | 17.02 | 500.0 | 200.0 | Н | 13.0 | 1.8 |
| 3998.625000 | | 40.70 | 54.00 | 13.30 | 500.0 | 200.0 | Н | 27.0 | 3.2 |
| 4483.375000 | 52.16 | | 68.20 | 16.04 | 500.0 | 200.0 | Н | 112.0 | 3.8 |
| 4930.500000 | | 41.10 | 54.00 | 12.90 | 500.0 | 200.0 | V | 304.0 | 4.6 |
| 6693.625000 | 56.70 | | 68.20 | 11.50 | 500.0 | 200.0 | V | 191.0 | 6.5 |
| 7334.125000 | | 43.85 | 54.00 | 10.15 | 500.0 | 200.0 | Н | 240.0 | 7.0 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8947.500000 | 40.62 | | 68.20 | 27.58 | 150.0 | 100.0 | Н | 267.0 | 5.1 |
| 9116.250000 | | 31.59 | 54.00 | 22.41 | 150.0 | 200.0 | Н | 8.0 | 5.1 |
| 9172.500000 | | 31.07 | 54.00 | 22.93 | 150.0 | 200.0 | V | 226.0 | 5.1 |
| 10405.000000 | 57.12 | | 68.20 | 11.08 | 150.0 | 100.0 | Н | 120.0 | 6.3 |
| 10563.750000 | 40.04 | | 68.20 | 28.16 | 150.0 | 200.0 | V | 141.0 | 6.3 |
| 10730.000000 | | 33.09 | 54.00 | 20.91 | 150.0 | 200.0 | Н | 173.0 | 7.3 |
| 13116.250000 | 43.18 | | 68.20 | 25.02 | 150.0 | 100.0 | Н | 359.0 | 10.4 |
| 13396.250000 | | 33.32 | 54.00 | 20.68 | 150.0 | 200.0 | V | 272.0 | 11.1 |
| 15593.750000 | 58.43 | | 74.00 | 15.57 | 150.0 | 200.0 | Н | 168.0 | 12.7 |
| 15602.500000 | | 48.51 | 54.00 | 5.49 | 150.0 | 100.0 | Н | 200.0 | 12.7 |
| 17191.250000 | 50.67 | | 68.20 | 17.53 | 150.0 | 200.0 | V | 82.0 | 19.9 |
| 17881.250000 | | 42.32 | 54.00 | 11.68 | 150.0 | 200.0 | V | 56.0 | 20.5 |




🛟 eurofins

RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1247.625000 | 41.53 | | 68.20 | 26.67 | 500.0 | 200.0 | Н | 249.0 | -8.6 |
| 1412.125000 | | 31.08 | 54.00 | 22.92 | 500.0 | 200.0 | Н | 114.0 | -7.5 |
| 1708.750000 | | 32.46 | 54.00 | 21.54 | 500.0 | 200.0 | Н | 91.0 | -5.9 |
| 1926.625000 | 45.23 | | 68.20 | 22.97 | 500.0 | 200.0 | Н | 52.0 | -4.8 |
| 2513.750000 | 47.92 | | 68.20 | 20.28 | 500.0 | 200.0 | Н | 249.0 | -2.1 |
| 2821.750000 | | 36.80 | 54.00 | 17.20 | 500.0 | 200.0 | Н | 15.0 | -1.2 |
| 3448.250000 | 51.75 | | 68.20 | 16.45 | 500.0 | 200.0 | Н | 299.0 | 1.6 |
| 3965.375000 | | 40.66 | 54.00 | 13.34 | 500.0 | 200.0 | Н | 235.0 | 3.0 |
| 4475.500000 | 51.30 | | 68.20 | 16.90 | 500.0 | 200.0 | н | 110.0 | 3.7 |
| 4939.250000 | | 40.98 | 54.00 | 13.02 | 500.0 | 200.0 | Н | 146.0 | 4.6 |
| 7054.125000 | 56.08 | | 68.20 | 12.12 | 500.0 | 200.0 | V | 316.0 | 6.9 |
| 7347.250000 | | 43.88 | 54.00 | 10.12 | 500.0 | 200.0 | Н | 15.0 | 7.0 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | | |
| 8868.750000 | 40.33 | | 68.20 | 27.87 | 150.0 | 100.0 | Н | 352.0 | 5.0 |
| 9011.250000 | | 31.49 | 54.00 | 22.51 | 150.0 | 200.0 | Н | 359.0 | 5.0 |
| 9172.500000 | | 31.40 | 54.00 | 22.60 | 150.0 | 200.0 | Н | 0.0 | 5.1 |
| 10475.000000 | 61.88 | | 68.20 | 6.32 | 150.0 | 100.0 | Н | 107.0 | 6.2 |
| 10486.250000 | 63.21 | | 68.20 | 4.99 | 150.0 | 200.0 | Н | 112.0 | 6.2 |
| 11910.000000 | | 32.86 | 54.00 | 21.14 | 150.0 | 100.0 | Н | 285.0 | 7.8 |
| 13357.500000 | | 33.71 | 54.00 | 20.29 | 150.0 | 200.0 | V | 66.0 | 11.0 |
| 13640.000000 | 42.65 | | 68.20 | 25.55 | 150.0 | 200.0 | Н | 254.0 | 10.0 |
| 15347.500000 | 45.59 | | 68.20 | 22.61 | 150.0 | 100.0 | Н | 310.0 | 13.6 |
| 15721.250000 | | 41.18 | 54.00 | 12.82 | 150.0 | 200.0 | Н | 191.0 | 12.5 |
| 17147.500000 | 50.71 | | 68.20 | 17.49 | 150.0 | 100.0 | V | 271.0 | 19.6 |
| 17893.750000 | | 42.29 | 54.00 | 11.71 | 150.0 | 200.0 | V | 66.0 | 20.5 |



🛟 eurofins


RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1240.625000 | 41.72 | | 68.20 | 26.48 | 500.0 | 200.0 | V | 0.0 | -8.6 |
| 1403.375000 | | 30.76 | 54.00 | 23.24 | 500.0 | 200.0 | Н | 198.0 | -7.6 |
| 1676.375000 | | 32.20 | 54.00 | 21.80 | 500.0 | 200.0 | Н | 207.0 | -6.1 |
| 1896.000000 | 44.40 | | 68.20 | 23.80 | 500.0 | 200.0 | V | 175.0 | -5.0 |
| 2568.875000 | 47.32 | | 68.20 | 20.88 | 500.0 | 200.0 | V | 147.0 | -2.0 |
| 2827.000000 | | 36.50 | 54.00 | 17.50 | 500.0 | 200.0 | Н | 90.0 | -1.1 |
| 3527.875000 | 51.33 | | 68.20 | 16.87 | 500.0 | 200.0 | Н | 225.0 | 1.7 |
| 3967.125000 | | 40.94 | 54.00 | 13.06 | 500.0 | 200.0 | Н | 152.0 | 3.0 |
| 4476.375000 | 51.98 | | 68.20 | 16.22 | 500.0 | 200.0 | Н | 349.0 | 3.7 |
| 4927.000000 | | 40.96 | 54.00 | 13.04 | 500.0 | 200.0 | Н | 289.0 | 4.6 |
| 6973.625000 | 56.32 | | 68.20 | 11.88 | 500.0 | 200.0 | Н | 0.0 | 7.1 |
| 7359.500000 | | 43.81 | 54.00 | 10.19 | 500.0 | 200.0 | Н | 148.0 | 7.1 |



Report No.: R2412A2016-R5




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8953.750000 | 40.71 | | 68.20 | 27.49 | 150.0 | 200.0 | V | 2.0 | 5.1 |
| 9027.500000 | | 31.64 | 54.00 | 22.36 | 150.0 | 200.0 | V | 193.0 | 5.0 |
| 9321.250000 | | 31.60 | 54.00 | 22.40 | 150.0 | 200.0 | V | 17.0 | 5.2 |
| 10235.000000 | 41.86 | | 68.20 | 26.34 | 150.0 | 200.0 | V | 54.0 | 6.3 |
| 10513.750000 | 63.45 | | 68.20 | 4.75 | 150.0 | 200.0 | Н | 164.0 | 6.2 |
| 11910.000000 | | 33.08 | 54.00 | 20.92 | 150.0 | 200.0 | Н | 217.0 | 7.8 |
| 13092.500000 | 42.80 | | 68.20 | 25.40 | 150.0 | 200.0 | Н | 0.0 | 10.5 |
| 13290.000000 | | 33.53 | 54.00 | 20.47 | 150.0 | 200.0 | V | 96.0 | 10.8 |
| 15350.000000 | 46.70 | | 68.20 | 21.50 | 150.0 | 200.0 | Н | 318.0 | 13.6 |
| 15361.250000 | | 36.39 | 54.00 | 17.61 | 150.0 | 200.0 | Н | 358.0 | 13.6 |
| 15786.250000 | | 43.38 | 54.00 | 10.62 | 150.0 | 200.0 | Н | 202.0 | 12.6 |
| 17597.500000 | 50.55 | | 68.20 | 17.65 | 150.0 | 200.0 | V | 107.0 | 20.1 |






🛟 eurofins

Wi-Fi 5G_ax20 CH60




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1255.500000 | 41.06 | | 68.20 | 27.14 | 500.0 | 200.0 | Н | 130.0 | -8.6 |
| 1322.000000 | - | 30.80 | 54.00 | 23.20 | 500.0 | 200.0 | V | 131.0 | -8.0 |
| 1700.875000 | - | 32.11 | 54.00 | 21.89 | 500.0 | 200.0 | Н | 200.0 | -6.0 |
| 1857.500000 | 44.69 | | 68.20 | 23.51 | 500.0 | 200.0 | V | 0.0 | -5.2 |
| 2677.375000 | 47.49 | | 68.20 | 20.71 | 500.0 | 200.0 | Н | 122.0 | -1.8 |
| 2785.000000 | | 36.58 | 54.00 | 17.42 | 500.0 | 200.0 | Н | 149.0 | -1.4 |
| 3485.000000 | 51.49 | | 68.20 | 16.71 | 500.0 | 200.0 | V | 0.0 | 1.7 |
| 3951.375000 | | 40.61 | 54.00 | 13.39 | 500.0 | 200.0 | V | 181.0 | 2.8 |
| 4478.125000 | 51.82 | | 68.20 | 16.38 | 500.0 | 200.0 | Н | 97.0 | 3.7 |
| 4928.750000 | | 41.16 | 54.00 | 12.84 | 500.0 | 200.0 | Н | 334.0 | 4.6 |
| 6946.500000 | 56.42 | | 68.20 | 11.78 | 500.0 | 200.0 | Н | 232.0 | 7.1 |
| 7292.125000 | | 43.85 | 54.00 | 10.15 | 500.0 | 200.0 | V | 318.0 | 7.0 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8946.250000 | 41.32 | | 68.20 | 26.88 | 150.0 | 200.0 | Η | 350.0 | 5.1 |
| 9026.250000 | | 31.33 | 54.00 | 22.67 | 150.0 | 200.0 | V | 250.0 | 5.0 |
| 9403.750000 | | 31.38 | 54.00 | 22.62 | 150.0 | 100.0 | V | 255.0 | 5.5 |
| 10042.500000 | 42.11 | | 68.20 | 26.09 | 150.0 | 200.0 | V | 133.0 | 6.1 |
| 10595.000000 | 63.10 | | 68.20 | 5.10 | 150.0 | 200.0 | Н | 162.0 | 6.5 |
| 10603.750000 | | 53.41 | 54.00 | 0.59 | 150.0 | 100.0 | Н | 173.0 | 6.6 |
| 13351.250000 | | 33.43 | 54.00 | 20.57 | 150.0 | 200.0 | V | 91.0 | 11.0 |
| 13438.750000 | 42.70 | | 68.20 | 25.50 | 150.0 | 100.0 | Н | 184.0 | 11.1 |
| 15350.000000 | 45.56 | | 68.20 | 22.64 | 150.0 | 200.0 | V | 101.0 | 13.6 |
| 15901.250000 | | 41.23 | 54.00 | 12.77 | 150.0 | 100.0 | Η | 184.0 | 12.9 |
| 17362.500000 | 50.52 | | 68.20 | 17.68 | 150.0 | 200.0 | V | 274.0 | 20.3 |
| 17910.000000 | | 42.61 | 54.00 | 11.39 | 150.0 | 200.0 | V | 266.0 | 20.6 |




🛟 eurofins

RF Test Report




| | | | | | | | | | <u> </u> |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|----------|
| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1280.000000 | 41.52 | | 68.20 | 26.68 | 500.0 | 200.0 | V | 28.0 | -8.3 |
| 1411.250000 | | 30.86 | 54.00 | 23.14 | 500.0 | 200.0 | V | 356.0 | -7.5 |
| 1669.375000 | | 32.00 | 54.00 | 22.00 | 500.0 | 200.0 | Н | 358.0 | -6.1 |
| 1993.125000 | 44.69 | | 68.20 | 23.51 | 500.0 | 200.0 | Н | 344.0 | -4.6 |
| 2457.750000 | 47.95 | | 68.20 | 20.25 | 500.0 | 200.0 | Н | 330.0 | -2.3 |
| 2811.250000 | | 36.48 | 54.00 | 17.52 | 500.0 | 200.0 | Н | 288.0 | -1.2 |
| 3538.375000 | 51.61 | | 68.20 | 16.59 | 500.0 | 200.0 | Н | 320.0 | 1.7 |
| 3984.625000 | | 41.08 | 54.00 | 12.92 | 500.0 | 200.0 | V | 23.0 | 3.2 |
| 4474.625000 | 51.42 | | 68.20 | 16.78 | 500.0 | 200.0 | V | 206.0 | 3.7 |
| 4906.875000 | | 41.09 | 54.00 | 12.91 | 500.0 | 200.0 | Н | 302.0 | 4.6 |
| 5910.500000 | 56.05 | | 68.20 | 12.15 | 500.0 | 200.0 | Н | 247.0 | 5.1 |
| 7323.625000 | | 43.95 | 54.00 | 10.05 | 500.0 | 200.0 | Н | 133.0 | 7.0 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) |
| 8898.750000 | 40.58 | | 68.20 | 27.62 | 150.0 | 200.0 | Η | 138.0 | 5.1 |
| 9097.500000 | | 31.31 | 54.00 | 22.69 | 150.0 | 100.0 | Η | 215.0 | 5.0 |
| 9167.500000 | | 31.75 | 54.00 | 22.25 | 150.0 | 100.0 | V | 94.0 | 5.1 |
| 9937.500000 | 41.52 | | 68.20 | 26.68 | 150.0 | 100.0 | Н | 79.0 | 5.8 |
| 10633.750000 | 61.74 | | 74.00 | 12.26 | 150.0 | 200.0 | Η | 178.0 | 6.7 |
| 10635.000000 | | 53.97 | 54.00 | 0.03 | 150.0 | 200.0 | Н | 117.0 | 6.7 |
| 13282.500000 | | 33.51 | 54.00 | 20.49 | 150.0 | 200.0 | ٧ | 42.0 | 10.8 |
| 13561.250000 | 43.34 | | 68.20 | 24.86 | 150.0 | 200.0 | Н | 252.0 | 10.2 |
| 15345.000000 | 45.60 | | 68.20 | 22.60 | 150.0 | 200.0 | Н | 189.0 | 13.6 |
| 15352.500000 | | 36.62 | 54.00 | 17.38 | 150.0 | 100.0 | Н | 173.0 | 13.6 |
| 17345.000000 | 51.00 | | 68.20 | 17.20 | 150.0 | 200.0 | V | 198.0 | 20.3 |
| 17862.500000 | | 41.94 | 54.00 | 12.06 | 150.0 | 100.0 | Н | 278.0 | 20.5 |




🛟 eurofins

RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|--------------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time (ms) | (cm) | | (deg) | (dB/m) |
| 4000 405000 | 40.07 | | 00.00 | 05.00 | | | | 40.0 | |
| 1293.125000 | 42.37 | | 68.20 | 25.83 | 500.0 | 200.0 | V | 48.0 | -8.2 |
| 1394.625000 | | 30.92 | 54.00 | 23.08 | 500.0 | 200.0 | H | 290.0 | -7.6 |
| 1720.125000 | | 32.02 | 54.00 | 21.98 | 500.0 | 200.0 | Н | 253.0 | -5.9 |
| 1969.500000 | 45.44 | | 68.20 | 22.76 | 500.0 | 200.0 | Н | 332.0 | -4.7 |
| 2576.750000 | 47.42 | | 68.20 | 20.78 | 500.0 | 200.0 | Н | 152.0 | -2.0 |
| 2811.250000 | | 36.76 | 54.00 | 17.24 | 500.0 | 200.0 | Н | 66.0 | -1.2 |
| 3533.125000 | 51.17 | | 68.20 | 17.03 | 500.0 | 200.0 | Н | 120.0 | 1.7 |
| 3992.500000 | | 40.75 | 54.00 | 13.25 | 500.0 | 200.0 | V | 145.0 | 3.2 |
| 5305.875000 | 53.68 | | 68.20 | 14.52 | 500.0 | 200.0 | V | 62.0 | 5.4 |
| 5375.875000 | | 43.76 | 54.00 | 10.24 | 500.0 | 200.0 | V | 234.0 | 5.1 |
| 6602.625000 | 56.50 | | 68.20 | 11.70 | 500.0 | 200.0 | Н | 235.0 | 6.7 |
| 7273.750000 | | 43.92 | 54.00 | 10.08 | 500.0 | 200.0 | Н | 10.0 | 7.1 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8937.500000 | 41.15 | | 68.20 | 27.05 | 150.0 | 200.0 | V | 133.0 | 5.2 |
| 9051.250000 | | 31.44 | 54.00 | 22.56 | 150.0 | 100.0 | V | 352.0 | 5.0 |
| 9163.750000 | | 31.51 | 54.00 | 22.49 | 150.0 | 200.0 | Η | 257.0 | 5.1 |
| 10171.250000 | 41.49 | | 68.20 | 26.71 | 150.0 | 200.0 | V | 163.0 | 6.2 |
| 10996.250000 | 61.93 | | 74.00 | 12.07 | 150.0 | 100.0 | Η | 206.0 | 7.1 |
| 11005.000000 | | 53.81 | 54.00 | 0.19 | 150.0 | 200.0 | Η | 168.0 | 7.1 |
| 13080.000000 | 42.98 | | 68.20 | 25.22 | 150.0 | 200.0 | V | 13.0 | 10.6 |
| 13355.000000 | | 33.36 | 54.00 | 20.64 | 150.0 | 100.0 | Η | 347.0 | 11.0 |
| 15331.250000 | 45.42 | | 68.20 | 22.78 | 150.0 | 200.0 | Η | 347.0 | 13.5 |
| 15397.500000 | | 36.70 | 54.00 | 17.30 | 150.0 | 200.0 | Η | 104.0 | 13.4 |
| 17383.750000 | 50.28 | | 68.20 | 17.92 | 150.0 | 100.0 | Η | 238.0 | 20.3 |
| 17752.500000 | | 42.16 | 54.00 | 11.84 | 150.0 | 200.0 | Η | 279.0 | 20.4 |




🛟 eurofins

RF Test Report



| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1297.500000 | 41.21 | | 68.20 | 26.99 | 500.0 | 200.0 | Н | 358.0 | -8.2 |
| 1371.875000 | | 32.33 | 54.00 | 21.68 | 500.0 | 200.0 | V | 57.0 | -7.7 |
| 1707.000000 | | 32.20 | 54.00 | 21.80 | 500.0 | 200.0 | Н | 268.0 | -5.9 |
| 1971.250000 | 44.92 | | 68.20 | 23.28 | 500.0 | 200.0 | Н | 122.0 | -4.7 |
| 2665.125000 | 47.36 | | 68.20 | 20.84 | 500.0 | 200.0 | V | 0.0 | -1.9 |
| 2822.625000 | | 36.70 | 54.00 | 17.30 | 500.0 | 200.0 | V | 31.0 | -1.2 |
| 3526.125000 | 51.11 | | 68.20 | 17.09 | 500.0 | 200.0 | Н | 247.0 | 1.7 |
| 3989.875000 | | 40.84 | 54.00 | 13.16 | 500.0 | 200.0 | Н | 349.0 | 3.2 |
| 5167.625000 | 53.48 | | 68.20 | 14.72 | 500.0 | 200.0 | V | 116.0 | 5.1 |
| 5395.125000 | | 43.30 | 54.00 | 10.70 | 500.0 | 200.0 | V | 313.0 | 5.1 |
| 6972.750000 | 55.99 | | 68.20 | 12.21 | 500.0 | 200.0 | Н | 247.0 | 7.1 |
| 7349.000000 | | 43.98 | 54.00 | 10.02 | 500.0 | 200.0 | Н | 296.0 | 7.0 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8886.250000 | 40.64 | | 68.20 | 27.56 | 150.0 | 100.0 | Н | 198.0 | 5.1 |
| 9073.750000 | | 31.84 | 54.00 | 22.16 | 150.0 | 200.0 | V | 140.0 | 5.0 |
| 9167.500000 | | 31.61 | 54.00 | 22.39 | 150.0 | 200.0 | Н | 267.0 | 5.1 |
| 10016.250000 | 42.15 | | 68.20 | 26.05 | 150.0 | 100.0 | Н | 287.0 | 6.0 |
| 11163.750000 | | 53.67 | 54.00 | 0.33 | 150.0 | 200.0 | Н | 111.0 | 7.2 |
| 11163.750000 | 60.86 | | 74.00 | 13.14 | 150.0 | 200.0 | Н | 111.0 | 7.2 |
| 13015.000000 | 43.25 | | 68.20 | 24.95 | 150.0 | 200.0 | Н | 62.0 | 10.9 |
| 13313.750000 | | 33.56 | 54.00 | 20.44 | 150.0 | 100.0 | V | 155.0 | 10.9 |
| 15217.500000 | 45.53 | | 68.20 | 22.67 | 150.0 | 200.0 | V | 10.0 | 12.7 |
| 15351.250000 | | 36.67 | 54.00 | 17.33 | 150.0 | 200.0 | Η | 198.0 | 13.6 |
| 17628.750000 | 50.26 | | 68.20 | 17.94 | 150.0 | 100.0 | Н | 168.0 | 20.2 |
| 17826.250000 | | 41.99 | 54.00 | 12.01 | 150.0 | 200.0 | V | 242.0 | 20.5 |


🛟 eurofins

RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1257.250000 | 41.48 | | 68.20 | 26.72 | 500.0 | 200.0 | Н | 260.0 | -8.6 |
| 1413.875000 | | 30.84 | 54.00 | 23.16 | 500.0 | 200.0 | Н | 315.0 | -7.5 |
| 1660.625000 | | 32.08 | 54.00 | 21.92 | 500.0 | 200.0 | V | 113.0 | -6.1 |
| 1950.250000 | 44.53 | | 68.20 | 23.67 | 500.0 | 200.0 | Н | 343.0 | -4.7 |
| 2686.125000 | 47.58 | | 68.20 | 20.62 | 500.0 | 200.0 | Н | 347.0 | -1.7 |
| 2813.875000 | | 36.93 | 54.00 | 17.07 | 500.0 | 200.0 | V | 140.0 | -1.2 |
| 3480.625000 | 51.59 | | 68.20 | 16.61 | 500.0 | 200.0 | Н | 329.0 | 1.7 |
| 3977.625000 | | 40.74 | 54.00 | 13.26 | 500.0 | 200.0 | V | 0.0 | 3.1 |
| 5114.250000 | | 41.84 | 54.00 | 12.16 | 500.0 | 200.0 | V | 153.0 | 5.1 |
| 5298.000000 | 53.08 | | 68.20 | 15.12 | 500.0 | 200.0 | Н | 347.0 | 5.4 |
| 6926.375000 | 55.92 | | 68.20 | 12.28 | 500.0 | 200.0 | Н | 284.0 | 6.9 |
| 7291.250000 | | 43.91 | 54.00 | 10.09 | 500.0 | 200.0 | V | 36.0 | 7.0 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) |
| 8932.500000 | 40.75 | | 68.20 | 27.45 | 150.0 | 100.0 | Н | 132.0 | 5.2 |
| 9017.500000 | | 31.75 | 54.00 | 22.25 | 150.0 | 200.0 | V | 220.0 | 5.0 |
| 9307.500000 | | 31.35 | 54.00 | 22.65 | 150.0 | 200.0 | Н | 147.0 | 5.2 |
| 10097.500000 | 42.12 | | 68.20 | 26.08 | 150.0 | 200.0 | V | 102.0 | 6.1 |
| 11403.750000 | 61.69 | | 74.00 | 12.31 | 150.0 | 100.0 | Н | 121.0 | 7.6 |
| 11405.000000 | | 53.72 | 54.00 | 0.28 | 150.0 | 200.0 | Н | 166.0 | 7.6 |
| 12976.250000 | 42.95 | | 68.20 | 25.25 | 150.0 | 200.0 | V | 80.0 | 10.8 |
| 13253.750000 | | 33.77 | 54.00 | 20.23 | 150.0 | 100.0 | V | 34.0 | 10.6 |
| 15290.000000 | 45.71 | | 68.20 | 22.49 | 150.0 | 200.0 | Н | 287.0 | 13.3 |
| 15356.250000 | | 37.08 | 54.00 | 16.92 | 150.0 | 200.0 | V | 0.0 | 13.6 |
| 17101.250000 | 53.31 | | 68.20 | 14.89 | 150.0 | 100.0 | H | 132.0 | 19.2 |
| 17881.250000 | | 42.34 | 54.00 | 11.66 | 150.0 | 200.0 | Н | 298.0 | 20.5 |




🛟 eurofins


RF Test Report



| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1255.500000 | 40.85 | | 68.20 | 27.35 | 500.0 | 200.0 | V | 9.0 | -8.6 |
| 1387.625000 | | 30.86 | 54.00 | 23.14 | 500.0 | 200.0 | V | 243.0 | -7.7 |
| 1512.750000 | | 33.13 | 54.00 | 20.87 | 500.0 | 200.0 | V | 50.0 | -7.0 |
| 1923.125000 | 44.81 | | 68.20 | 23.39 | 500.0 | 200.0 | V | 137.0 | -4.9 |
| 2655.500000 | 47.42 | | 68.20 | 20.78 | 500.0 | 200.0 | V | 73.0 | -1.9 |
| 2797.250000 | | 37.06 | 54.00 | 16.94 | 500.0 | 200.0 | Н | 347.0 | -1.3 |
| 3369.500000 | 51.29 | | 68.20 | 16.91 | 500.0 | 200.0 | V | 82.0 | 1.0 |
| 3998.625000 | | 41.04 | 54.00 | 12.96 | 500.0 | 200.0 | Н | 347.0 | 3.2 |
| 5419.625000 | | 43.06 | 54.00 | 10.94 | 500.0 | 200.0 | V | 265.0 | 5.1 |
| 5466.000000 | 53.60 | | 68.20 | 14.60 | 500.0 | 200.0 | V | 265.0 | 5.4 |
| 6762.750000 | 57.22 | | 68.20 | 10.98 | 500.0 | 200.0 | V | 73.0 | 6.6 |
| 7251.000000 | | 44.02 | 54.00 | 9.98 | 500.0 | 200.0 | V | 160.0 | 7.1 |




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8892.500000 | 40.92 | | 68.20 | 27.28 | 150.0 | 200.0 | V | 221.0 | 5.1 |
| 9063.750000 | | 31.83 | 54.00 | 22.17 | 150.0 | 100.0 | Н | 130.0 | 5.0 |
| 9453.750000 | | 31.33 | 54.00 | 22.67 | 150.0 | 200.0 | Н | 157.0 | 5.6 |
| 9997.500000 | 42.25 | | 68.20 | 25.95 | 150.0 | 200.0 | V | 75.0 | 6.0 |
| 11443.750000 | | 53.08 | 54.00 | 0.92 | 150.0 | 100.0 | Н | 168.0 | 7.6 |
| 11443.750000 | 63.65 | | 74.00 | 10.35 | 150.0 | 200.0 | Н | 168.0 | 7.6 |
| 13272.500000 | | 33.73 | 54.00 | 20.27 | 150.0 | 200.0 | Н | 0.0 | 10.7 |
| 13613.750000 | 42.98 | | 68.20 | 25.22 | 150.0 | 100.0 | Н | 250.0 | 10.1 |
| 15282.500000 | 45.46 | | 68.20 | 22.74 | 150.0 | 200.0 | Н | 359.0 | 13.3 |
| 15376.250000 | | 36.61 | 54.00 | 17.39 | 150.0 | 200.0 | V | 86.0 | 13.5 |
| 17151.250000 | 54.64 | | 68.20 | 13.56 | 150.0 | 100.0 | Н | 142.0 | 19.6 |
| 17896.250000 | | 42.08 | 54.00 | 11.92 | 150.0 | 200.0 | V | 288.0 | 20.6 |



Wi-Fi 5G_ax20 CH149

🛟 eurofins


RF Test Report



| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1089.250000 | | 28.54 | 54.00 | 25.46 | 500.0 | 200.0 | V | 99.0 | -10.2 |
| 1294.875000 | 41.20 | | 68.20 | 27.00 | 500.0 | 200.0 | V | 121.0 | -8.2 |
| 1405.125000 | | 30.71 | 54.00 | 23.29 | 500.0 | 200.0 | V | 153.0 | -7.6 |
| 1540.750000 | | 32.60 | 54.00 | 21.40 | 500.0 | 200.0 | V | 334.0 | -6.8 |
| 1975.625000 | 44.41 | | 68.20 | 23.79 | 500.0 | 200.0 | Н | 356.0 | -4.7 |
| 2679.125000 | 47.31 | | 68.20 | 20.89 | 500.0 | 200.0 | V | 12.0 | -1.8 |
| 2813.875000 | | 36.74 | 54.00 | 17.26 | 500.0 | 200.0 | Н | 0.0 | -1.2 |
| 3562.875000 | 51.87 | | 68.20 | 16.33 | 500.0 | 200.0 | Н | 333.0 | 1.7 |
| 3998.625000 | | 40.83 | 54.00 | 13.17 | 500.0 | 200.0 | V | 171.0 | 3.2 |
| 4464.125000 | 51.64 | | 68.20 | 16.56 | 500.0 | 200.0 | V | 130.0 | 3.6 |
| 6497.625000 | 55.67 | | 68.20 | 12.53 | 500.0 | 200.0 | V | 162.0 | 6.2 |
| 7266.750000 | | 44.02 | 54.00 | 9.98 | 500.0 | 200.0 | V | 117.0 | 7.1 |



RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8982.500000 | 40.36 | | 68.20 | 27.84 | 150.0 | 200.0 | V | 186.0 | 5.0 |
| 9140.000000 | | 31.90 | 54.00 | 22.10 | 150.0 | 200.0 | Н | 212.0 | 5.1 |
| 9188.750000 | | 31.58 | 54.00 | 22.42 | 150.0 | 200.0 | Н | 252.0 | 5.2 |
| 10015.000000 | 41.52 | | 68.20 | 26.68 | 150.0 | 200.0 | Н | 160.0 | 6.0 |
| 11491.250000 | 63.41 | | 74.00 | 10.59 | 150.0 | 200.0 | Н | 122.0 | 7.5 |
| 11493.750000 | | 53.18 | 54.00 | 0.82 | 150.0 | 200.0 | Н | 171.0 | 7.5 |
| 13057.500000 | 43.10 | | 68.20 | 25.10 | 150.0 | 200.0 | V | 142.0 | 10.8 |
| 13273.750000 | | 33.85 | 54.00 | 20.15 | 150.0 | 200.0 | V | 68.0 | 10.7 |
| 15260.000000 | 45.58 | | 68.20 | 22.62 | 150.0 | 200.0 | Н | 311.0 | 13.1 |
| 15386.250000 | | 36.39 | 54.00 | 17.61 | 150.0 | 200.0 | Н | 58.0 | 13.5 |
| 17227.500000 | 52.07 | | 68.20 | 16.13 | 150.0 | 200.0 | Н | 145.0 | 20.1 |
| 17900.000000 | | 41.78 | 54.00 | 12.22 | 150.0 | 200.0 | V | 101.0 | 20.6 |

Wi-Fi 5G_ax20 CH157

🛟 eurofins

RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1287.000000 | 41.84 | | 68.20 | 26.36 | 500.0 | 200.0 | Н | 202.0 | -8.3 |
| 1388.500000 | | 30.74 | 54.00 | 23.26 | 500.0 | 200.0 | V | 197.0 | -7.6 |
| 1581.875000 | | 33.07 | 54.00 | 20.93 | 500.0 | 200.0 | V | 6.0 | -6.5 |
| 1944.125000 | 44.52 | | 68.20 | 23.68 | 500.0 | 200.0 | Н | 319.0 | -4.7 |
| 2645.000000 | 47.04 | | 68.20 | 21.16 | 500.0 | 200.0 | V | 129.0 | -2.0 |
| 2813.875000 | | 36.57 | 54.00 | 17.43 | 500.0 | 200.0 | V | 124.0 | -1.2 |
| 3418.500000 | 51.18 | | 68.20 | 17.02 | 500.0 | 200.0 | Н | 343.0 | 1.4 |
| 3982.875000 | | 40.99 | 54.00 | 13.01 | 500.0 | 200.0 | Н | 328.0 | 3.2 |
| 5375.875000 | | 41.74 | 54.00 | 12.26 | 500.0 | 200.0 | V | 233.0 | 5.1 |
| 5583.250000 | 53.43 | | 68.20 | 14.77 | 500.0 | 200.0 | V | 51.0 | 5.6 |
| 6962.250000 | 55.99 | | 68.20 | 12.21 | 500.0 | 200.0 | V | 261.0 | 7.1 |
| 7262.375000 | | 43.88 | 54.00 | 10.12 | 500.0 | 200.0 | Н | 0.0 | 7.1 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8927.500000 | 40.96 | | 68.20 | 27.24 | 150.0 | 100.0 | V | 28.0 | 5.2 |
| 9016.250000 | | 32.17 | 54.00 | 21.83 | 150.0 | 200.0 | V | 43.0 | 5.0 |
| 9435.000000 | | 31.32 | 54.00 | 22.68 | 150.0 | 200.0 | V | 287.0 | 5.6 |
| 10097.500000 | 41.89 | | 68.20 | 26.31 | 150.0 | 100.0 | V | 189.0 | 6.1 |
| 11563.750000 | 60.66 | | 74.00 | 13.34 | 150.0 | 200.0 | Н | 172.0 | 7.5 |
| 11572.500000 | | 52.48 | 54.00 | 1.52 | 150.0 | 100.0 | Н | 210.0 | 7.5 |
| 13358.750000 | | 33.99 | 54.00 | 20.01 | 150.0 | 200.0 | V | 3.0 | 11.0 |
| 13436.250000 | 43.43 | | 68.20 | 24.77 | 150.0 | 100.0 | Н | 287.0 | 11.1 |
| 15196.250000 | 45.89 | | 68.20 | 22.31 | 150.0 | 200.0 | V | 103.0 | 12.6 |
| 15358.750000 | | 36.39 | 54.00 | 17.61 | 150.0 | 200.0 | Н | 55.0 | 13.6 |
| 17357.500000 | 52.78 | | 68.20 | 15.42 | 150.0 | 100.0 | Н | 187.0 | 20.3 |
| 17906.250000 | | 42.02 | 54.00 | 11.98 | 150.0 | 200.0 | Н | 276.0 | 20.6 |




Wi-Fi 5G_ax20 CH165

🛟 eurofins

RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|------------|----------|------------|--------|-------|--------|-----|---------|----------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| (| (approxim) | (02) | (approxim) | () | (ms) | (0) | | (409) | (02,111) |
| 1091.875000 | | 28.61 | 54.00 | 25.39 | 500.0 | 200.0 | Н | 343.0 | -10.2 |
| 1295.750000 | 40.80 | | 68.20 | 27.40 | 500.0 | 200.0 | Н | 343.0 | -8.2 |
| 1317.625000 | | 30.42 | 54.00 | 23.58 | 500.0 | 200.0 | Н | 333.0 | -8.1 |
| 1620.375000 | | 33.05 | 54.00 | 20.95 | 500.0 | 200.0 | V | 345.0 | -6.3 |
| 1909.125000 | 44.27 | | 68.20 | 23.93 | 500.0 | 200.0 | Н | 358.0 | -5.0 |
| 2464.750000 | 46.93 | | 68.20 | 21.27 | 500.0 | 200.0 | V | 21.0 | -2.3 |
| 2810.375000 | | 36.93 | 54.00 | 17.07 | 500.0 | 200.0 | Н | 319.0 | -1.2 |
| 3422.875000 | 51.35 | | 68.20 | 16.85 | 500.0 | 200.0 | V | 354.0 | 1.4 |
| 3997.750000 | | 40.70 | 54.00 | 13.30 | 500.0 | 200.0 | Н | 343.0 | 3.2 |
| 4522.750000 | 51.01 | | 74.00 | 22.99 | 500.0 | 200.0 | V | 306.0 | 3.8 |
| 6842.375000 | 56.28 | | 68.20 | 11.92 | 500.0 | 200.0 | Н | 323.0 | 6.8 |
| 7314.875000 | | 43.98 | 54.00 | 10.02 | 500.0 | 200.0 | Н | 358.0 | 7.0 |



| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8926.250000 | 40.73 | | 68.20 | 27.47 | 150.0 | 100.0 | Н | 302.0 | 5.2 |
| 9113.750000 | | 31.56 | 54.00 | 22.44 | 150.0 | 200.0 | Н | 249.0 | 5.1 |
| 9178.750000 | | 31.48 | 54.00 | 22.52 | 150.0 | 100.0 | Н | 63.0 | 5.1 |
| 10130.000000 | 41.97 | | 68.20 | 26.23 | 150.0 | 200.0 | Н | 324.0 | 6.2 |
| 11650.000000 | 60.57 | | 74.00 | 13.43 | 150.0 | 200.0 | Н | 161.0 | 7.4 |
| 11652.500000 | | 52.78 | 54.00 | 1.22 | 150.0 | 100.0 | Н | 119.0 | 7.4 |
| 13048.750000 | 43.29 | | 68.20 | 24.91 | 150.0 | 200.0 | Н | 180.0 | 10.9 |
| 13298.750000 | | 33.30 | 54.00 | 20.70 | 150.0 | 200.0 | Н | 187.0 | 10.8 |
| 15312.500000 | 45.27 | | 68.20 | 22.93 | 150.0 | 100.0 | V | 126.0 | 13.4 |
| 15352.500000 | | 36.86 | 54.00 | 17.14 | 150.0 | 200.0 | V | 47.0 | 13.6 |
| 17475.000000 | 52.64 | | 68.20 | 15.56 | 150.0 | 200.0 | Н | 164.0 | 20.2 |
| 17837.500000 | | 42.18 | 54.00 | 11.82 | 150.0 | 100.0 | V | 103.0 | 20.5 |




Wi-Fi 5G_ax40 CH38




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1275.625000 | 41.71 | | 68.20 | 26.49 | 500.0 | 200.0 | V | 88.0 | -8.4 |
| 1384.125000 | | 30.67 | 54.00 | 23.33 | 500.0 | 200.0 | V | 181.0 | -7.7 |
| 1709.625000 | | 32.09 | 54.00 | 21.91 | 500.0 | 200.0 | V | 37.0 | -5.9 |
| 1960.750000 | 44.64 | | 68.20 | 23.56 | 500.0 | 200.0 | V | 41.0 | -4.7 |
| 2681.750000 | 47.29 | | 68.20 | 20.91 | 500.0 | 200.0 | Н | 115.0 | -1.8 |
| 2826.125000 | | 36.74 | 54.00 | 17.26 | 500.0 | 200.0 | Н | 241.0 | -1.2 |
| 3504.250000 | 51.13 | | 68.20 | 17.07 | 500.0 | 200.0 | V | 60.0 | 1.8 |
| 3996.000000 | | 40.80 | 54.00 | 13.20 | 500.0 | 200.0 | Н | 227.0 | 3.2 |
| 4489.500000 | 52.89 | | 68.20 | 15.31 | 500.0 | 200.0 | V | 111.0 | 3.8 |
| 4939.250000 | | 41.27 | 54.00 | 12.73 | 500.0 | 200.0 | Н | 273.0 | 4.6 |
| 6810.000000 | 56.03 | | 68.20 | 12.17 | 500.0 | 200.0 | Н | 143.0 | 6.8 |
| 7360.375000 | | 43.97 | 54.00 | 10.03 | 500.0 | 200.0 | V | 9.0 | 7.1 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) |
| 8976.250000 | 40.53 | | 68.20 | 27.67 | 150.0 | 100.0 | Н | 332.0 | 5.1 |
| 9123.750000 | | 31.65 | 54.00 | 22.35 | 150.0 | 200.0 | Н | 3.0 | 5.1 |
| 9173.750000 | | 31.61 | 54.00 | 22.39 | 150.0 | 200.0 | V | 0.0 | 5.1 |
| 10376.250000 | 54.91 | | 68.20 | 13.29 | 150.0 | 100.0 | Н | 109.0 | 6.3 |
| 10576.250000 | 40.05 | | 68.20 | 28.15 | 150.0 | 200.0 | Н | 352.0 | 6.4 |
| 11910.000000 | | 32.88 | 54.00 | 21.12 | 150.0 | 200.0 | Н | 171.0 | 7.8 |
| 13018.750000 | 43.06 | | 68.20 | 25.14 | 150.0 | 200.0 | V | 27.0 | 11.0 |
| 13370.000000 | | 33.64 | 54.00 | 20.36 | 150.0 | 100.0 | Н | 62.0 | 11.0 |
| 15553.750000 | 60.58 | | 74.00 | 13.42 | 150.0 | 200.0 | Н | 177.0 | 12.8 |
| 15573.750000 | | 52.68 | 54.00 | 1.32 | 150.0 | 200.0 | Н | 182.0 | 12.8 |
| 17241.250000 | 50.79 | | 68.20 | 17.41 | 150.0 | 100.0 | Н | 99.0 | 20.1 |
| 17903.750000 | | 41.89 | 54.00 | 12.11 | 150.0 | 200.0 | Н | 249.0 | 20.6 |




Wi-Fi 5G_ax40 CH46

🛟 eurofins


RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1295.750000 | 41.08 | | 68.20 | 27.12 | 500.0 | 200.0 | Н | 244.0 | -8.2 |
| 1406.875000 | | 30.70 | 54.00 | 23.30 | 500.0 | 200.0 | V | 143.0 | -7.5 |
| 1706.125000 | | 31.97 | 54.00 | 22.03 | 500.0 | 200.0 | V | 111.0 | -6.0 |
| 1965.125000 | 45.08 | | 68.20 | 23.12 | 500.0 | 200.0 | V | 217.0 | -4.7 |
| 2643.250000 | 47.21 | | 68.20 | 20.99 | 500.0 | 200.0 | V | 172.0 | -2.0 |
| 2815.625000 | | 36.72 | 54.00 | 17.28 | 500.0 | 200.0 | Н | 205.0 | -1.2 |
| 3590.875000 | 51.52 | | 68.20 | 16.68 | 500.0 | 200.0 | V | 281.0 | 1.8 |
| 3984.625000 | | 40.84 | 54.00 | 13.16 | 500.0 | 200.0 | Н | 327.0 | 3.2 |
| 4472.000000 | 52.56 | | 68.20 | 15.64 | 500.0 | 200.0 | V | 88.0 | 3.7 |
| 4710.000000 | | 40.53 | 54.00 | 13.47 | 500.0 | 200.0 | V | 88.0 | 4.3 |
| 6995.500000 | 56.09 | | 68.20 | 12.11 | 500.0 | 200.0 | Н | 159.0 | 7.1 |
| 7342.000000 | | 43.93 | 54.00 | 10.07 | 500.0 | 200.0 | V | 9.0 | 7.0 |




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8811.250000 | 40.62 | | 68.20 | 27.58 | 150.0 | 100.0 | Η | 359.0 | 5.0 |
| 9006.250000 | | 31.45 | 54.00 | 22.55 | 150.0 | 200.0 | Η | 217.0 | 5.0 |
| 9168.750000 | | 31.33 | 54.00 | 22.67 | 150.0 | 200.0 | Η | 253.0 | 5.1 |
| 10465.000000 | 60.48 | | 68.20 | 7.72 | 150.0 | 100.0 | Η | 110.0 | 6.2 |
| 10485.000000 | 56.30 | | 68.20 | 11.90 | 150.0 | 200.0 | Η | 115.0 | 6.2 |
| 11910.000000 | | 33.12 | 54.00 | 20.88 | 150.0 | 200.0 | Η | 175.0 | 7.8 |
| 13225.000000 | 43.04 | | 68.20 | 25.16 | 150.0 | 100.0 | V | 0.0 | 10.5 |
| 13352.500000 | | 33.61 | 54.00 | 20.39 | 150.0 | 200.0 | V | 0.0 | 11.0 |
| 15667.500000 | 51.31 | | 74.00 | 22.69 | 150.0 | 200.0 | Н | 170.0 | 12.5 |
| 15686.250000 | | 42.22 | 54.00 | 11.78 | 150.0 | 100.0 | Н | 175.0 | 12.5 |
| 17628.750000 | 50.85 | | 68.20 | 17.35 | 150.0 | 200.0 | Η | 248.0 | 20.2 |
| 17873.750000 | | 41.95 | 54.00 | 12.05 | 150.0 | 200.0 | ۷ | 114.0 | 20.5 |





🛟 eurofins


Wi-Fi 5G_ax40 CH54



| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1294.875000 | 41.17 | | 68.20 | 27.03 | 500.0 | 200.0 | V | 44.0 | -8.2 |
| 1409.500000 | | 30.80 | 54.00 | 23.20 | 500.0 | 200.0 | V | 113.0 | -7.5 |
| 1720.125000 | | 31.89 | 54.00 | 22.11 | 500.0 | 200.0 | Н | 324.0 | -5.9 |
| 1961.625000 | 45.11 | | 68.20 | 23.09 | 500.0 | 200.0 | V | 44.0 | -4.7 |
| 2625.750000 | 47.63 | | 68.20 | 20.57 | 500.0 | 200.0 | н | 215.0 | -2.0 |
| 2790.250000 | | 36.73 | 54.00 | 17.27 | 500.0 | 200.0 | V | 221.0 | -1.3 |
| 3533.125000 | 51.75 | | 68.20 | 16.45 | 500.0 | 200.0 | V | 35.0 | 1.7 |
| 3996.875000 | | 41.11 | 54.00 | 12.89 | 500.0 | 200.0 | н | 229.0 | 3.2 |
| 4465.000000 | 51.47 | | 68.20 | 16.73 | 500.0 | 200.0 | V | 16.0 | 3.6 |
| 4932.250000 | | 41.06 | 54.00 | 12.94 | 500.0 | 200.0 | V | 0.0 | 4.6 |
| 6824.000000 | 55.89 | | 68.20 | 12.31 | 500.0 | 200.0 | V | 72.0 | 6.8 |
| 7326.250000 | | 43.99 | 54.00 | 10.01 | 500.0 | 200.0 | V | 35.0 | 7.0 |




RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8928.750000 | 41.32 | | 68.20 | 26.88 | 150.0 | 200.0 | V | 0.0 | 5.2 |
| 9046.250000 | | 31.54 | 54.00 | 22.46 | 150.0 | 100.0 | V | 49.0 | 5.0 |
| 9188.750000 | | 31.46 | 54.00 | 22.54 | 150.0 | 200.0 | Н | 53.0 | 5.2 |
| 10025.000000 | 42.23 | | 68.20 | 25.97 | 150.0 | 200.0 | Н | 84.0 | 6.0 |
| 10535.000000 | 64.12 | | 68.20 | 4.08 | 150.0 | 100.0 | Н | 168.0 | 6.2 |
| 11910.000000 | | 33.16 | 54.00 | 20.84 | 150.0 | 200.0 | Н | 162.0 | 7.8 |
| 13018.750000 | 43.26 | | 68.20 | 24.94 | 150.0 | 200.0 | V | 172.0 | 11.0 |
| 13330.000000 | | 33.77 | 54.00 | 20.23 | 150.0 | 200.0 | Н | 315.0 | 10.9 |
| 15265.000000 | 45.58 | | 68.20 | 22.62 | 150.0 | 100.0 | Н | 116.0 | 13.2 |
| 15356.250000 | | 36.39 | 54.00 | 17.61 | 150.0 | 200.0 | Н | 356.0 | 13.6 |
| 15816.250000 | | 42.64 | 54.00 | 11.36 | 150.0 | 100.0 | Н | 178.0 | 12.7 |
| 17281.250000 | 50.40 | | 68.20 | 17.80 | 150.0 | 200.0 | Н | 310.0 | 20.2 |




Wi-Fi 5G_ax40 CH62



| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1241.500000 | 41.73 | | 68.20 | 26.47 | 500.0 | 200.0 | V | 4.0 | -8.6 |
| 1385.000000 | | 30.96 | 54.00 | 23.04 | 500.0 | 200.0 | Η | 259.0 | -7.7 |
| 1687.750000 | - | 32.05 | 54.00 | 21.95 | 500.0 | 200.0 | V | 30.0 | -6.0 |
| 1994.000000 | 44.52 | | 68.20 | 23.68 | 500.0 | 200.0 | Η | 249.0 | -4.6 |
| 2599.500000 | 47.40 | | 68.20 | 20.80 | 500.0 | 200.0 | V | 111.0 | -2.0 |
| 2820.000000 | | 36.71 | 54.00 | 17.29 | 500.0 | 200.0 | V | 128.0 | -1.2 |
| 3511.250000 | 51.57 | | 68.20 | 16.63 | 500.0 | 200.0 | Η | 187.0 | 1.8 |
| 3999.500000 | | 40.91 | 54.00 | 13.09 | 500.0 | 200.0 | Н | 83.0 | 3.2 |
| 4468.500000 | 52.23 | | 68.20 | 15.97 | 500.0 | 200.0 | V | 192.0 | 3.7 |
| 4931.375000 | | 41.07 | 54.00 | 12.93 | 500.0 | 200.0 | Η | 174.0 | 4.6 |
| 6572.875000 | 56.67 | | 68.20 | 11.53 | 500.0 | 200.0 | Η | 358.0 | 6.6 |
| 7369.125000 | | 43.86 | 54.00 | 10.14 | 500.0 | 200.0 | V | 17.0 | 7.1 |




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) |
| 8746.250000 | 40.31 | | 68.20 | 27.89 | 150.0 | 200.0 | V | 0.0 | 5.0 |
| 9086.250000 | | 31.29 | 54.00 | 22.71 | 150.0 | 200.0 | Н | 290.0 | 5.0 |
| 9165.000000 | | 31.51 | 54.00 | 22.49 | 150.0 | 200.0 | Н | 336.0 | 5.1 |
| 10098.750000 | 42.20 | | 68.20 | 26.00 | 150.0 | 200.0 | Н | 295.0 | 6.1 |
| 10595.000000 | 57.92 | | 68.20 | 10.28 | 150.0 | 200.0 | Н | 116.0 | 6.5 |
| 10623.750000 | | 52.94 | 54.00 | 1.06 | 150.0 | 200.0 | Н | 110.0 | 6.7 |
| 13306.250000 | | 33.66 | 54.00 | 20.34 | 150.0 | 200.0 | V | 18.0 | 10.8 |
| 13691.250000 | 43.74 | | 68.20 | 24.46 | 150.0 | 200.0 | V | 54.0 | 9.7 |
| 15285.000000 | 46.09 | | 68.20 | 22.11 | 150.0 | 200.0 | Н | 36.0 | 13.3 |
| 15383.750000 | | 36.32 | 54.00 | 17.68 | 150.0 | 200.0 | V | 271.0 | 13.5 |
| 17336.250000 | 50.61 | | 68.20 | 17.59 | 150.0 | 200.0 | Н | 300.0 | 20.2 |
| 17943.750000 | | 42.22 | 54.00 | 11.78 | 150.0 | 200.0 | V | 178.0 | 20.1 |



Wi-Fi 5G_ax40 CH102


🛟 eurofins

RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1269.500000 | 41.68 | | 68.20 | 26.52 | 500.0 | 200.0 | V | 8.0 | -8.4 |
| 1307.125000 | | 30.58 | 54.00 | 23.42 | 500.0 | 200.0 | V | 0.0 | -8.1 |
| 1720.125000 | | 31.66 | 54.00 | 22.34 | 500.0 | 200.0 | Н | 3.0 | -5.9 |
| 1951.125000 | 44.33 | | 68.20 | 23.87 | 500.0 | 200.0 | V | 352.0 | -4.7 |
| 2676.500000 | 47.09 | | 68.20 | 21.11 | 500.0 | 200.0 | V | 211.0 | -1.8 |
| 2759.625000 | | 36.53 | 54.00 | 17.47 | 500.0 | 200.0 | V | 242.0 | -1.5 |
| 3552.375000 | 51.87 | | 68.20 | 16.33 | 500.0 | 200.0 | V | 215.0 | 1.7 |
| 3996.875000 | | 41.20 | 54.00 | 12.80 | 500.0 | 200.0 | V | 269.0 | 3.2 |
| 5209.625000 | 52.57 | | 68.20 | 15.63 | 500.0 | 200.0 | V | 202.0 | 5.3 |
| 5382.000000 | | 41.90 | 54.00 | 12.10 | 500.0 | 200.0 | V | 301.0 | 5.1 |
| 6922.000000 | 55.97 | | 68.20 | 12.23 | 500.0 | 200.0 | V | 242.0 | 6.9 |
| 7325.375000 | | 43.97 | 54.00 | 10.03 | 500.0 | 200.0 | V | 288.0 | 7.0 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) |
| 8933.750000 | 41.04 | | 68.20 | 27.16 | 150.0 | 100.0 | Η | 245.0 | 5.2 |
| 9018.750000 | | 31.30 | 54.00 | 22.70 | 150.0 | 200.0 | Н | 238.0 | 5.0 |
| 9175.000000 | | 31.31 | 54.00 | 22.69 | 150.0 | 200.0 | V | 28.0 | 5.1 |
| 10277.500000 | 41.83 | | 68.20 | 26.37 | 150.0 | 200.0 | Η | 267.0 | 6.3 |
| 11017.500000 | | 52.80 | 54.00 | 1.20 | 150.0 | 100.0 | Н | 116.0 | 7.1 |
| 11025.000000 | 61.59 | | 74.00 | 12.41 | 150.0 | 200.0 | Н | 112.0 | 7.1 |
| 13023.750000 | 42.96 | | 68.20 | 25.24 | 150.0 | 200.0 | V | 105.0 | 11.0 |
| 13395.000000 | | 33.69 | 54.00 | 20.31 | 150.0 | 200.0 | Н | 205.0 | 11.1 |
| 15320.000000 | 46.00 | | 68.20 | 22.20 | 150.0 | 200.0 | Н | 208.0 | 13.5 |
| 15386.250000 | | 37.12 | 54.00 | 16.88 | 150.0 | 100.0 | V | 152.0 | 13.5 |
| 17660.000000 | 50.62 | | 68.20 | 17.58 | 150.0 | 200.0 | Н | 153.0 | 20.3 |
| 17840.000000 | | 42.12 | 54.00 | 11.88 | 150.0 | 200.0 | V | 137.0 | 20.5 |




Wi-Fi 5G_ax40 CH142

🛟 eurofins


RF Test Report



| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1299.250000 | 40.95 | | 68.20 | 27.25 | 500.0 | 200.0 | Н | 105.0 | -8.2 |
| 1386.750000 | | 30.63 | 54.00 | 23.37 | 500.0 | 200.0 | Н | 191.0 | -7.7 |
| 1709.625000 | | 31.84 | 54.00 | 22.16 | 500.0 | 200.0 | Н | 177.0 | -5.9 |
| 1987.875000 | 43.73 | | 68.20 | 24.47 | 500.0 | 200.0 | Н | 146.0 | -4.6 |
| 2656.375000 | 47.03 | | 68.20 | 21.17 | 500.0 | 200.0 | Н | 18.0 | -1.9 |
| 2806.000000 | | 36.46 | 54.00 | 17.54 | 500.0 | 200.0 | V | 6.0 | -1.2 |
| 3515.625000 | 51.57 | | 68.20 | 16.63 | 500.0 | 200.0 | V | 335.0 | 1.8 |
| 3884.875000 | | 40.68 | 54.00 | 13.32 | 500.0 | 200.0 | V | 303.0 | 2.6 |
| 5280.500000 | 54.19 | | 68.20 | 14.01 | 500.0 | 200.0 | V | 340.0 | 5.3 |
| 5375.875000 | | 43.13 | 54.00 | 10.87 | 500.0 | 200.0 | V | 231.0 | 5.1 |
| 5850.125000 | 57.65 | | 68.20 | 10.55 | 500.0 | 200.0 | V | 231.0 | 5.1 |
| 7286.875000 | | 43.93 | 54.00 | 10.07 | 500.0 | 200.0 | V | 173.0 | 7.0 |




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) |
| 8722.500000 | 40.92 | | 68.20 | 27.28 | 150.0 | 200.0 | ۷ | 228.0 | 5.0 |
| 9003.750000 | | 31.62 | 54.00 | 22.38 | 150.0 | 100.0 | Η | 104.0 | 5.0 |
| 9431.250000 | | 31.42 | 54.00 | 22.58 | 150.0 | 200.0 | Η | 89.0 | 5.5 |
| 10241.250000 | 42.18 | | 68.20 | 26.02 | 150.0 | 200.0 | Н | 152.0 | 6.3 |
| 11337.500000 | 59.33 | | 74.00 | 14.67 | 150.0 | 200.0 | Η | 119.0 | 7.5 |
| 11343.750000 | | 52.10 | 54.00 | 1.90 | 150.0 | 200.0 | Η | 126.0 | 7.5 |
| 13251.250000 | | 34.06 | 54.00 | 19.94 | 150.0 | 100.0 | Η | 26.0 | 10.6 |
| 13428.750000 | 43.77 | | 68.20 | 24.43 | 150.0 | 200.0 | ٧ | 65.0 | 11.2 |
| 15290.000000 | 45.27 | | 68.20 | 22.93 | 150.0 | 200.0 | Н | 281.0 | 13.3 |
| 15366.250000 | | 36.80 | 54.00 | 17.20 | 150.0 | 200.0 | V | 69.0 | 13.6 |
| 17378.750000 | 51.19 | | 68.20 | 17.01 | 150.0 | 100.0 | Η | 22.0 | 20.3 |
| 17913.750000 | | 42.95 | 54.00 | 11.05 | 150.0 | 200.0 | V | 269.0 | 20.6 |



Wi-Fi 5G_ax40 CH151


🛟 eurofins

RF Test Report




| | | | | | | | | | - |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1255.500000 | 40.69 | | 68.20 | 27.51 | 500.0 | 200.0 | V | 119.0 | -8.6 |
| 1391.125000 | | 30.48 | 54.00 | 23.52 | 500.0 | 200.0 | Н | 93.0 | -7.6 |
| 1709.625000 | | 31.73 | 54.00 | 22.27 | 500.0 | 200.0 | Н | 301.0 | -5.9 |
| 1902.125000 | 44.15 | | 68.20 | 24.05 | 500.0 | 200.0 | Н | 305.0 | -5.0 |
| 2680.000000 | 47.40 | | 68.20 | 20.80 | 500.0 | 200.0 | Н | 8.0 | -1.8 |
| 2773.625000 | | 36.51 | 54.00 | 17.49 | 500.0 | 200.0 | V | 32.0 | -1.4 |
| 3513.875000 | 51.34 | | 68.20 | 16.86 | 500.0 | 200.0 | V | 137.0 | 1.8 |
| 3961.875000 | | 40.67 | 54.00 | 13.33 | 500.0 | 200.0 | V | 5.0 | 2.9 |
| 5247.250000 | 52.64 | | 68.20 | 15.56 | 500.0 | 200.0 | V | 194.0 | 5.3 |
| 5375.875000 | | 42.96 | 54.00 | 11.04 | 500.0 | 200.0 | V | 128.0 | 5.1 |
| 6883.500000 | 55.64 | | 68.20 | 12.56 | 500.0 | 200.0 | V | 318.0 | 6.7 |
| 7390.125000 | | 43.77 | 54.00 | 10.23 | 500.0 | 200.0 | V | 55.0 | 7.3 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8902.500000 | 40.60 | | 68.20 | 27.60 | 150.0 | 200.0 | V | 130.0 | 5.1 |
| 9006.250000 | | 31.64 | 54.00 | 22.36 | 150.0 | 100.0 | Н | 339.0 | 5.0 |
| 9170.000000 | | 31.22 | 54.00 | 22.78 | 150.0 | 200.0 | Н | 22.0 | 5.1 |
| 10263.750000 | 41.82 | | 68.20 | 26.38 | 150.0 | 200.0 | Н | 0.0 | 6.3 |
| 11502.500000 | | 50.75 | 54.00 | 3.25 | 150.0 | 200.0 | Н | 119.0 | 7.5 |
| 11510.000000 | 59.91 | | 74.00 | 14.09 | 150.0 | 200.0 | Н | 119.0 | 7.5 |
| 13290.000000 | | 33.72 | 54.00 | 20.28 | 150.0 | 100.0 | Н | 51.0 | 10.8 |
| 13423.750000 | 43.15 | | 68.20 | 25.05 | 150.0 | 200.0 | Н | 308.0 | 11.2 |
| 15333.750000 | 45.59 | | 68.20 | 22.61 | 150.0 | 200.0 | Н | 249.0 | 13.5 |
| 15358.750000 | | 36.33 | 54.00 | 17.67 | 150.0 | 100.0 | Н | 316.0 | 13.6 |
| 17275.000000 | 53.94 | | 68.20 | 14.26 | 150.0 | 200.0 | Н | 158.0 | 20.1 |
| 17880.000000 | | 42.57 | 54.00 | 11.43 | 150.0 | 200.0 | Н | 279.0 | 20.5 |



Wi-Fi 5G_ax40 CH159


🛟 eurofins

RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1282.625000 | 41.30 | | 68.20 | 26.90 | 500.0 | 200.0 | Н | 280.0 | -8.3 |
| 1402.500000 | | 30.88 | 54.00 | 23.12 | 500.0 | 200.0 | V | 197.0 | -7.6 |
| 1684.250000 | | 31.77 | 54.00 | 22.23 | 500.0 | 200.0 | V | 331.0 | -6.0 |
| 1961.625000 | 44.33 | | 68.20 | 23.87 | 500.0 | 200.0 | Н | 10.0 | -4.7 |
| 2566.250000 | 47.55 | | 68.20 | 20.65 | 500.0 | 200.0 | V | 318.0 | -2.1 |
| 2809.500000 | | 36.82 | 54.00 | 17.18 | 500.0 | 200.0 | V | 245.0 | -1.2 |
| 3470.125000 | 51.54 | | 68.20 | 16.66 | 500.0 | 200.0 | V | 10.0 | 1.6 |
| 3989.875000 | | 40.35 | 54.00 | 13.65 | 500.0 | 200.0 | V | 335.0 | 3.2 |
| 5204.375000 | 53.38 | | 68.20 | 14.82 | 500.0 | 200.0 | V | 202.0 | 5.3 |
| 5375.875000 | | 42.43 | 54.00 | 11.57 | 500.0 | 200.0 | V | 131.0 | 5.1 |
| 6796.875000 | 55.15 | | 68.20 | 13.05 | 500.0 | 200.0 | V | 109.0 | 6.8 |
| 7297.375000 | | 44.05 | 54.00 | 9.95 | 500.0 | 200.0 | V | 229.0 | 7.0 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8940.000000 | 40.58 | | 68.20 | 27.62 | 150.0 | 200.0 | V | 164.0 | 5.2 |
| 9081.250000 | | 31.54 | 54.00 | 22.46 | 150.0 | 100.0 | Н | 287.0 | 5.0 |
| 9427.500000 | | 31.33 | 54.00 | 22.67 | 150.0 | 200.0 | Η | 133.0 | 5.5 |
| 10026.250000 | 41.87 | | 68.20 | 26.33 | 150.0 | 200.0 | V | 249.0 | 6.0 |
| 11582.500000 | | 52.97 | 54.00 | 1.03 | 150.0 | 200.0 | Н | 125.0 | 7.5 |
| 13005.000000 | 43.60 | | 68.20 | 24.60 | 150.0 | 100.0 | V | 0.0 | 10.9 |
| 13272.500000 | | 34.03 | 54.00 | 19.97 | 150.0 | 200.0 | V | 355.0 | 10.7 |
| 14116.250000 | 42.72 | | 68.20 | 25.48 | 150.0 | 200.0 | Н | 265.0 | 9.2 |
| 15291.250000 | 45.78 | | 68.20 | 22.42 | 150.0 | 200.0 | Н | 96.0 | 13.3 |
| 15386.250000 | | 36.66 | 54.00 | 17.34 | 150.0 | 100.0 | ٧ | 249.0 | 13.5 |
| 17378.750000 | 54.01 | | 68.20 | 14.19 | 150.0 | 200.0 | Н | 151.0 | 20.3 |
| 17895.000000 | | 42.65 | 54.00 | 11.35 | 150.0 | 200.0 | Н | 20.0 | 20.6 |



Wi-Fi 5G_ax80 CH42


🛟 eurofins

RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1286.125000 | 40.97 | | 68.20 | 27.23 | 500.0 | 200.0 | Н | 87.0 | -8.3 |
| 1400.750000 | | 30.24 | 54.00 | 23.76 | 500.0 | 200.0 | Н | 55.0 | -7.6 |
| 1708.750000 | | 31.67 | 54.00 | 22.33 | 500.0 | 200.0 | Н | 55.0 | -5.9 |
| 1985.250000 | 43.87 | | 68.20 | 24.33 | 500.0 | 200.0 | V | 146.0 | -4.6 |
| 2670.375000 | 47.12 | | 68.20 | 21.08 | 500.0 | 200.0 | V | 109.0 | -1.9 |
| 2813.875000 | | 36.31 | 54.00 | 17.69 | 500.0 | 200.0 | V | 359.0 | -1.2 |
| 3445.625000 | 50.75 | | 68.20 | 17.45 | 500.0 | 200.0 | Н | 153.0 | 1.5 |
| 3992.500000 | - | 40.96 | 54.00 | 13.04 | 500.0 | 200.0 | V | 215.0 | 3.2 |
| 4467.625000 | 51.11 | | 68.20 | 17.09 | 500.0 | 200.0 | V | 359.0 | 3.7 |
| 4875.375000 | | 40.87 | 54.00 | 13.13 | 500.0 | 200.0 | V | 314.0 | 4.2 |
| 6743.500000 | 56.50 | | 68.20 | 11.70 | 500.0 | 200.0 | V | 255.0 | 6.5 |
| 7286.000000 | | 44.05 | 54.00 | 9.95 | 500.0 | 200.0 | V | 187.0 | 7.0 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8987.500000 | 40.62 | | 68.20 | 27.58 | 150.0 | 100.0 | Н | 153.0 | 5.0 |
| 9002.500000 | | 31.41 | 54.00 | 22.59 | 150.0 | 200.0 | Н | 105.0 | 5.0 |
| 9161.250000 | | 31.46 | 54.00 | 22.54 | 150.0 | 100.0 | V | 109.0 | 5.1 |
| 10446.250000 | 54.37 | | 68.20 | 13.83 | 150.0 | 100.0 | Н | 110.0 | 6.2 |
| 10483.750000 | 50.49 | | 68.20 | 17.71 | 150.0 | 200.0 | Н | 121.0 | 6.2 |
| 11910.000000 | | 32.91 | 54.00 | 21.09 | 150.0 | 200.0 | Н | 179.0 | 7.8 |
| 13215.000000 | 42.95 | | 68.20 | 25.25 | 150.0 | 200.0 | V | 337.0 | 10.4 |
| 13326.250000 | | 33.61 | 54.00 | 20.39 | 150.0 | 200.0 | Н | 148.0 | 10.9 |
| 15575.000000 | 55.50 | | 74.00 | 18.50 | 150.0 | 100.0 | Н | 174.0 | 12.8 |
| 15585.000000 | | 46.30 | 54.00 | 7.70 | 150.0 | 200.0 | Η | 174.0 | 12.8 |
| 17336.250000 | 50.30 | | 68.20 | 17.90 | 150.0 | 200.0 | V | 130.0 | 20.2 |
| 17746.250000 | | 42.47 | 54.00 | 11.53 | 150.0 | 200.0 | V | 77.0 | 20.4 |




Wi-Fi 5G_ax80 CH58

🛟 eurofins


RF Test Report



| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1276.500000 | 40.76 | | 68.20 | 27.44 | 500.0 | 200.0 | V | 353.0 | -8.4 |
| 1413.875000 | | 30.55 | 54.00 | 23.45 | 500.0 | 200.0 | V | 339.0 | -7.5 |
| 1721.000000 | | 31.64 | 54.00 | 22.36 | 500.0 | 200.0 | Н | 53.0 | -5.9 |
| 1952.875000 | 44.58 | | 68.20 | 23.62 | 500.0 | 200.0 | Н | 67.0 | -4.7 |
| 2637.125000 | 47.13 | | 68.20 | 21.07 | 500.0 | 200.0 | Н | 198.0 | -2.0 |
| 2813.875000 | | 36.55 | 54.00 | 17.45 | 500.0 | 200.0 | V | 273.0 | -1.2 |
| 3505.125000 | 51.09 | | 68.20 | 17.11 | 500.0 | 200.0 | V | 222.0 | 1.8 |
| 3994.250000 | | 40.71 | 54.00 | 13.29 | 500.0 | 200.0 | V | 330.0 | 3.2 |
| 4465.000000 | 51.50 | | 68.20 | 16.70 | 500.0 | 200.0 | V | 335.0 | 3.6 |
| 4938.375000 | | 40.64 | 54.00 | 13.36 | 500.0 | 200.0 | V | 0.0 | 4.6 |
| 6586.000000 | 55.92 | | 68.20 | 12.28 | 500.0 | 200.0 | V | 317.0 | 6.6 |
| 7333.250000 | | 44.24 | 54.00 | 9.76 | 500.0 | 200.0 | V | 227.0 | 7.0 |




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) |
| 8541.250000 | 40.46 | | 68.20 | 27.74 | 150.0 | 200.0 | Н | 185.0 | 4.8 |
| 9095.000000 | | 32.04 | 54.00 | 21.96 | 150.0 | 100.0 | Н | 353.0 | 5.0 |
| 9186.250000 | | 31.33 | 54.00 | 22.67 | 150.0 | 200.0 | Н | 317.0 | 5.2 |
| 9883.750000 | 42.44 | | 68.20 | 25.76 | 150.0 | 200.0 | Н | 322.0 | 5.7 |
| 10593.750000 | 59.44 | | 68.20 | 8.76 | 150.0 | 100.0 | Н | 122.0 | 6.5 |
| 10615.000000 | | 50.61 | 54.00 | 3.39 | 150.0 | 200.0 | Н | 122.0 | 6.6 |
| 13005.000000 | 43.45 | | 68.20 | 24.75 | 150.0 | 200.0 | V | 77.0 | 10.9 |
| 13262.500000 | | 33.51 | 54.00 | 20.49 | 150.0 | 200.0 | V | 88.0 | 10.7 |
| 15226.250000 | 45.69 | | 68.20 | 22.51 | 150.0 | 100.0 | Н | 286.0 | 12.8 |
| 15383.750000 | | 36.87 | 54.00 | 17.13 | 150.0 | 200.0 | V | 356.0 | 13.5 |
| 17352.500000 | 50.52 | | 68.20 | 17.68 | 150.0 | 200.0 | V | 9.0 | 20.3 |
| 17901.250000 | | 41.86 | 54.00 | 12.14 | 150.0 | 100.0 | Н | 35.0 | 20.6 |




Wi-Fi 5G_ax80 CH106

🛟 eurofins


RF Test Report



| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1243.250000 | 40.98 | | 68.20 | 27.22 | 500.0 | 200.0 | Н | 92.0 | -8.6 |
| 1374.500000 | | 30.22 | 54.00 | 23.78 | 500.0 | 200.0 | V | 310.0 | -7.7 |
| 1709.625000 | | 31.64 | 54.00 | 22.36 | 500.0 | 200.0 | V | 219.0 | -5.9 |
| 1964.250000 | 44.39 | | 68.20 | 23.81 | 500.0 | 200.0 | V | 315.0 | -4.7 |
| 2688.750000 | 47.35 | | 68.20 | 20.85 | 500.0 | 200.0 | Н | 212.0 | -1.7 |
| 2814.750000 | | 36.08 | 54.00 | 17.92 | 500.0 | 200.0 | Н | 88.0 | -1.2 |
| 3591.750000 | 51.07 | | 68.20 | 17.13 | 500.0 | 200.0 | Н | 42.0 | 1.8 |
| 3985.500000 | | 40.11 | 54.00 | 13.89 | 500.0 | 200.0 | Н | 171.0 | 3.2 |
| 5249.000000 | 51.95 | | 68.20 | 16.25 | 500.0 | 200.0 | Н | 83.0 | 5.3 |
| 5375.875000 | | 43.32 | 54.00 | 10.68 | 500.0 | 200.0 | V | 115.0 | 5.1 |
| 6776.750000 | 53.68 | | 68.20 | 14.52 | 500.0 | 200.0 | Н | 352.0 | 6.7 |
| 7283.375000 | | 41.47 | 54.00 | 12.53 | 500.0 | 200.0 | V | 219.0 | 7.0 |




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8886.250000 | 40.96 | | 68.20 | 27.24 | 150.0 | 100.0 | V | 236.0 | 5.1 |
| 9006.250000 | | 31.60 | 54.00 | 22.40 | 150.0 | 200.0 | Η | 106.0 | 5.0 |
| 9180.000000 | | 31.57 | 54.00 | 22.43 | 150.0 | 200.0 | Н | 334.0 | 5.1 |
| 10085.000000 | 41.97 | | 68.20 | 26.23 | 150.0 | 200.0 | Н | 348.0 | 6.1 |
| 11055.000000 | | 52.48 | 54.00 | 1.52 | 150.0 | 200.0 | Н | 158.0 | 7.2 |
| 11055.000000 | 61.43 | | 74.00 | 12.57 | 150.0 | 100.0 | Н | 158.0 | 7.2 |
| 13355.000000 | | 33.91 | 54.00 | 20.09 | 150.0 | 200.0 | Н | 196.0 | 11.0 |
| 13731.250000 | 43.01 | | 68.20 | 25.19 | 150.0 | 200.0 | Н | 0.0 | 9.5 |
| 15225.000000 | 45.08 | | 68.20 | 23.12 | 150.0 | 200.0 | Н | 233.0 | 12.8 |
| 15357.500000 | | 36.45 | 54.00 | 17.55 | 150.0 | 100.0 | Н | 289.0 | 13.6 |
| 17591.250000 | 50.20 | | 68.20 | 18.00 | 150.0 | 200.0 | V | 16.0 | 20.1 |
| 17902.500000 | | 42.53 | 54.00 | 11.47 | 150.0 | 200.0 | Н | 196.0 | 20.6 |



Wi-Fi 5G_ax80 CH122


🛟 eurofins

RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1294.875000 | 41.51 | | 68.20 | 26.69 | 500.0 | 200.0 | V | 176.0 | -8.2 |
| 1402.500000 | | 30.68 | 54.00 | 23.32 | 500.0 | 200.0 | V | 313.0 | -7.6 |
| 1678.125000 | | 32.15 | 54.00 | 21.85 | 500.0 | 200.0 | V | 190.0 | -6.1 |
| 1950.250000 | 45.15 | | 68.20 | 23.05 | 500.0 | 200.0 | V | 318.0 | -4.7 |
| 2505.875000 | 46.79 | | 68.20 | 21.41 | 500.0 | 200.0 | V | 204.0 | -2.1 |
| 2810.375000 | | 36.31 | 54.00 | 17.69 | 500.0 | 200.0 | V | 272.0 | -1.2 |
| 3435.125000 | 51.06 | | 68.20 | 17.14 | 500.0 | 200.0 | Н | 260.0 | 1.5 |
| 3986.375000 | | 40.52 | 54.00 | 13.48 | 500.0 | 200.0 | V | 358.0 | 3.2 |
| 5244.625000 | 53.46 | | 68.20 | 14.74 | 500.0 | 200.0 | V | 308.0 | 5.3 |
| 5375.875000 | | 44.67 | 54.00 | 9.33 | 500.0 | 200.0 | V | 159.0 | 5.1 |
| 6949.125000 | 56.27 | | 68.20 | 11.93 | 500.0 | 200.0 | V | 46.0 | 7.1 |
| 7332.375000 | | 43.83 | 54.00 | 10.17 | 500.0 | 200.0 | V | 69.0 | 7.0 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8943.750000 | 40.43 | | 68.20 | 27.77 | 150.0 | 200.0 | V | 258.0 | 5.1 |
| 9121.250000 | | 31.18 | 54.00 | 22.82 | 150.0 | 100.0 | Н | 236.0 | 5.1 |
| 9378.750000 | | 31.31 | 54.00 | 22.69 | 150.0 | 200.0 | V | 114.0 | 5.4 |
| 9972.500000 | 42.39 | | 68.20 | 25.81 | 150.0 | 200.0 | V | 74.0 | 5.9 |
| 11223.750000 | | 52.35 | 54.00 | 1.65 | 150.0 | 100.0 | Н | 128.0 | 7.4 |
| 11223.750000 | 59.49 | | 74.00 | 14.51 | 150.0 | 200.0 | Н | 128.0 | 7.4 |
| 12890.000000 | 43.74 | | 68.20 | 24.46 | 150.0 | 200.0 | V | 2.0 | 10.5 |
| 13272.500000 | | 33.85 | 54.00 | 20.15 | 150.0 | 100.0 | V | 85.0 | 10.7 |
| 15335.000000 | 45.74 | | 68.20 | 22.46 | 150.0 | 200.0 | V | 306.0 | 13.6 |
| 15386.250000 | | 37.20 | 54.00 | 16.80 | 150.0 | 200.0 | Η | 160.0 | 13.5 |
| 17556.250000 | 50.75 | | 68.20 | 17.45 | 150.0 | 100.0 | V | 89.0 | 20.0 |
| 17891.250000 | | 42.57 | 54.00 | 11.43 | 150.0 | 200.0 | V | 158.0 | 20.5 |



Wi-Fi 5G_ax80 CH138


🛟 eurofins

RF Test Report




| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| (| (| (| (| (/ | (ms) | (, | | (8) | (, |
| 1299.250000 | 41.18 | | 68.20 | 27.02 | 500.0 | 200.0 | V | 208.0 | -8.2 |
| 1378.000000 | | 30.49 | 54.00 | 23.51 | 500.0 | 200.0 | V | 283.0 | -7.7 |
| 1662.375000 | | 32.01 | 54.00 | 21.99 | 500.0 | 200.0 | V | 0.0 | -6.1 |
| 1993.125000 | 44.77 | | 68.20 | 23.43 | 500.0 | 200.0 | V | 109.0 | -4.6 |
| 2505.000000 | 46.98 | | 68.20 | 21.22 | 500.0 | 200.0 | V | 193.0 | -2.1 |
| 2792.875000 | | 36.30 | 54.00 | 17.70 | 500.0 | 200.0 | Н | 150.0 | -1.3 |
| 3536.625000 | 50.53 | | 68.20 | 17.67 | 500.0 | 200.0 | V | 302.0 | 1.7 |
| 3990.750000 | | 40.66 | 54.00 | 13.34 | 500.0 | 200.0 | V | 0.0 | 3.2 |
| 5280.500000 | 53.81 | | 68.20 | 14.39 | 500.0 | 200.0 | V | 311.0 | 5.3 |
| 5375.875000 | | 42.92 | 54.00 | 11.08 | 500.0 | 200.0 | V | 338.0 | 5.1 |
| 6974.500000 | 56.62 | | 68.20 | 11.58 | 500.0 | 200.0 | V | 113.0 | 5.1 |
| 7329.750000 | | 43.79 | 54.00 | 10.21 | 500.0 | 200.0 | V | 52.0 | 7.0 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) |
| 8938.750000 | 40.33 | | 68.20 | 27.87 | 150.0 | 200.0 | V | 170.0 | 5.2 |
| 9005.000000 | | 32.22 | 54.00 | 21.78 | 150.0 | 200.0 | Н | 225.0 | 5.0 |
| 9158.750000 | | 31.91 | 54.00 | 22.09 | 150.0 | 100.0 | Н | 294.0 | 5.1 |
| 9647.500000 | 42.45 | | 68.20 | 25.75 | 150.0 | 200.0 | Η | 210.0 | 5.5 |
| 11376.250000 | 61.20 | | 74.00 | 12.80 | 150.0 | 200.0 | Н | 120.0 | 7.5 |
| 11383.750000 | | 53.41 | 54.00 | 0.59 | 150.0 | 100.0 | Н | 127.0 | 7.6 |
| 13376.250000 | | 33.82 | 54.00 | 20.18 | 150.0 | 200.0 | V | 163.0 | 11.1 |
| 13421.250000 | 43.31 | | 68.20 | 24.89 | 150.0 | 100.0 | V | 45.0 | 11.2 |
| 15225.000000 | 45.35 | | 68.20 | 22.85 | 150.0 | 200.0 | Η | 94.0 | 12.8 |
| 15355.000000 | | 36.51 | 54.00 | 17.49 | 150.0 | 200.0 | Н | 240.0 | 13.6 |
| 17126.250000 | 52.77 | | 68.20 | 15.43 | 150.0 | 100.0 | Н | 142.0 | 19.4 |
| 17936.250000 | | 41.85 | 54.00 | 12.15 | 150.0 | 200.0 | V | 181.0 | 20.2 |



Wi-Fi 5G_ax80 CH155


🛟 eurofins

RF Test Report



| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|-------------|----------|----------|----------|--------|-------|--------|-----|---------|--------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m) |
| | | | | | (ms) | | | | |
| 1268.625000 | 41.75 | | 68.20 | 26.45 | 500.0 | 200.0 | V | 251.0 | -8.5 |
| 1407.750000 | - | 30.59 | 54.00 | 23.41 | 500.0 | 200.0 | V | 144.0 | -7.5 |
| 1705.250000 | | 31.90 | 54.00 | 22.10 | 500.0 | 200.0 | V | 171.0 | -6.0 |
| 1898.625000 | 44.46 | | 68.20 | 23.74 | 500.0 | 200.0 | V | 251.0 | -5.0 |
| 2673.875000 | 48.10 | | 68.20 | 20.10 | 500.0 | 200.0 | V | 343.0 | -1.8 |
| 2825.250000 | - | 36.48 | 54.00 | 17.52 | 500.0 | 200.0 | V | 126.0 | -1.2 |
| 3554.125000 | 51.25 | | 68.20 | 16.95 | 500.0 | 200.0 | V | 247.0 | 1.7 |
| 3989.000000 | - | 40.28 | 54.00 | 13.72 | 500.0 | 200.0 | V | 176.0 | 3.2 |
| 5375.875000 | - | 42.86 | 54.00 | 11.14 | 500.0 | 200.0 | V | 122.0 | 5.1 |
| 5499.250000 | 53.96 | | 68.20 | 14.24 | 500.0 | 200.0 | V | 0.0 | 5.5 |
| 6928.125000 | 56.44 | | 68.20 | 11.76 | 500.0 | 200.0 | V | 117.0 | 6.9 |
| 7279.875000 | | 43.76 | 54.00 | 10.24 | 500.0 | 200.0 | V | 357.0 | 7.1 |






| Frequency | MaxPeak | Average | Limit | Margin | Meas. | Height | Pol | Azimuth | Corr. |
|--------------|----------|----------|----------|--------|-------|--------|-----|---------|-------|
| (MHz) | (dBµV/m) | (dBµV/m) | (dBµV/m) | (dB) | Time | (cm) | | (deg) | (dB/m |
| | | | | | (ms) | | | |) (|
| 8898.750000 | 41.48 | | 68.20 | 26.72 | 150.0 | 200.0 | V | 203.0 | 5.1 |
| 9008.750000 | | 32.27 | 54.00 | 21.73 | 150.0 | 200.0 | V | 355.0 | 5.0 |
| 9158.750000 | | 32.06 | 54.00 | 21.94 | 150.0 | 100.0 | Н | 309.0 | 5.1 |
| 10343.750000 | 42.15 | | 68.20 | 26.05 | 150.0 | 200.0 | V | 307.0 | 6.4 |
| 11532.500000 | | 52.29 | 54.00 | 1.71 | 150.0 | 200.0 | Η | 117.0 | 7.5 |
| 11553.750000 | 61.25 | | 74.00 | 12.75 | 150.0 | 200.0 | Н | 166.0 | 7.5 |
| 13013.750000 | 43.87 | | 68.20 | 24.33 | 150.0 | 100.0 | Н | 0.0 | 10.9 |
| 13305.000000 | | 34.57 | 54.00 | 19.43 | 150.0 | 200.0 | Н | 17.0 | 10.8 |
| 15323.750000 | 45.99 | | 68.20 | 22.21 | 150.0 | 200.0 | Н | 40.0 | 13.5 |
| 15385.000000 | | 37.23 | 54.00 | 16.77 | 150.0 | 100.0 | H | 117.0 | 13.5 |
| 17311.250000 | 54.45 | | 68.20 | 13.75 | 150.0 | 200.0 | Н | 147.0 | 20.2 |
| 17885.000000 | | 43.18 | 54.00 | 10.82 | 150.0 | 200.0 | V | 258.0 | 20.5 |



RF Test Report


During the test, the Radiates Emission from 18GHz to 40GHz was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.




Radiates Emission from 18GHz to 26.5GHz

| Frequency (MHz) | MaxPeak (dB µ V/m) | Average (dB µ V/m) | Limit (dB µ V/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|--------------------|-----------------------|-----------------------|---------------------|----------------|--------------------|----------------|-----|------------------|-----------------|
| 18150.875000 | | 37.41 | 54.00 | 16.59 | 500.0 | 100.0 | Н | 145.0 | -3.8 |
| 18194.437500 | 49.16 | | 74.00 | 24.84 | 500.0 | 100.0 | Н | 168.0 | -3.8 |
| 20412.937500 | | 37.86 | 54.00 | 16.14 | 500.0 | 100.0 | V | 2.0 | -3.1 |
| 20457.562500 | 49.07 | | 74.00 | 24.93 | 500.0 | 200.0 | V | 337.0 | -2.9 |
| 21105.687500 | | 38.58 | 54.00 | 15.42 | 500.0 | 100.0 | V | 80.0 | -2.1 |
| 21269.312500 | 50.00 | | 74.00 | 24.00 | 500.0 | 100.0 | Н | 262.0 | -2.5 |
| 22535.812500 | | 39.14 | 54.00 | 14.86 | 500.0 | 200.0 | V | 357.0 | -1.4 |
| 22574.062500 | 50.32 | | 74.00 | 23.68 | 500.0 | 100.0 | Н | 309.0 | -1.4 |
| 23940.437500 | | 39.51 | 54.00 | 14.49 | 500.0 | 200.0 | V | 195.0 | -1.3 |
| 24866.937500 | 50.75 | | 74.00 | 23.25 | 500.0 | 100.0 | V | 71.0 | -0.8 |
| 25754.125000 | 50.34 | | 74.00 | 23.66 | 500.0 | 100.0 | V | 170.0 | -0.4 |
| 25774.312500 | | 38.67 | 54.00 | 15.34 | 500.0 | 100.0 | Н | 291.0 | -0.5 |

Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain) 2. Margin = Limit-MAX Peak/ Average





Radiates Emission from 26.5GHz to 40GHz

| Frequency (MHz) | MaxPeak (dB µ V/m) | Average (dB µ V/m) | Limit (dB µ V/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|--------------------|-----------------------|-----------------------|---------------------|----------------|--------------------|----------------|-----|------------------|-----------------|
| 26737.937500 | 49.84 | | 74.00 | 24.16 | 500.0 | 100.0 | V | 291.0 | -0.5 |
| 27448.375000 | | 38.92 | 54.00 | 15.08 | 500.0 | 100.0 | V | 168.0 | -0.3 |
| 27718.375000 | 50.67 | | 74.00 | 23.33 | 500.0 | 200.0 | Н | 11.0 | -0.5 |
| 28432.187500 | | 37.85 | 54.00 | 16.15 | 500.0 | 200.0 | Н | 0.0 | -0.5 |
| 29243.875000 | 50.75 | | 74.00 | 23.25 | 500.0 | 200.0 | Н | 229.0 | 0.0 |
| 29390.687500 | | 39.05 | 54.00 | 14.95 | 500.0 | 200.0 | V | 0.0 | -0.1 |
| 31695.812500 | | 39.70 | 54.00 | 14.30 | 500.0 | 100.0 | Н | 260.0 | -1.4 |
| 32546.312500 | 50.93 | | 74.00 | 23.07 | 500.0 | 200.0 | V | 342.0 | -1.2 |
| 34630.375000 | 51.38 | | 74.00 | 22.62 | 500.0 | 100.0 | Н | 0.0 | 1.0 |
| 34762.000000 | | 40.02 | 54.00 | 13.98 | 500.0 | 100.0 | Н | 260.0 | 1.2 |
| 36201.437500 | 53.46 | | 74.00 | 20.54 | 500.0 | 100.0 | V | 272.0 | 3.6 |
| 36626.687500 | | 42.16 | 54.00 | 11.84 | 500.0 | 100.0 | Н | 284.0 | 4.2 |

Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit-MAX Peak/ Average

Curofins

5.6. Conducted Emission

Ambient condition


| Temperature | Relative humidity | Pressure | | |
|-------------|-------------------|------------------|--|--|
| 15°C ~ 35°C | 20% ~ 80% | 86 kPa ~ 106 kPa | | |

Methods of Measurement

The EUT IS placed on a non-metallic table of 80cm height above the horizontal metal reference ground plane. During the test, the EUT was operating in its typical mode. The test method is according to ANSI C63.10.Connect the AC power line of the EUT to the LISN Use EMI receiver to detect the average and Quasi-peak value. RBW is set to 9kHz, VBW is set to 30kHz The measurement result should include both L line and N line.

The test is in transmitting mode.

Test Setup



Note: AC Power source is used to change the voltage 110V/60Hz.

Limits

| Frequency (MHz) | Conducted Limits(dBµV) | | | | | |
|--|------------------------|-----------|--|--|--|--|
| | Quasi-peak | Average | | | | |
| 0.15 - 0.5 | 66 to 56 * | 56 to 46* | | | | |
| 0.5 - 5 | 56 | 46 | | | | |
| 5 - 30 | 60 | 50 | | | | |
| * Decreases with the logarithm of the frequency. | | | | | | |

Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor k = 1.96, U= 2.69 dB.


Test Results:

🛟 eurofins

RF Test Report

Report No.: R2412A2016-R5

Following plots, Blue trace uses the peak detection and Green trace uses the average detection. During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.




| Frequency | in | Hz | |
|-----------|----|----|--|
| | | | |

| Frequency (MHz) | QuasiPeak (dBµV) | Average (dBµV) | Limit (dBµV) | Margin (dB) | Meas. Time (ms) | Bandwidth (kHz) | Line | Filter | Corr. (dB) |
|--------------------|---------------------|-------------------|-----------------|----------------|-----------------------|--------------------|------|--------|---------------|
| 0.15 | 46.70 | | 65.88 | 19.18 | 1000.0 | 9.000 | L1 | ON | 20.9 |
| 0.28 | | 29.12 | 50.74 | 21.61 | 1000.0 | 9.000 | L1 | ON | 21.0 |
| 0.85 | | 37.29 | 46.00 | 8.71 | 1000.0 | 9.000 | L1 | ON | 20.3 |
| 0.85 | 38.10 | | 56.00 | 17.90 | 1000.0 | 9.000 | L1 | ON | 20.3 |
| 1.41 | | 43.58 | 46.00 | 2.42 | 1000.0 | 9.000 | L1 | ON | 19.9 |
| 1.41 | 44.65 | | 56.00 | 11.35 | 1000.0 | 9.000 | L1 | ON | 19.9 |
| 2.25 | 30.67 | | 56.00 | 25.33 | 1000.0 | 9.000 | L1 | ON | 19.6 |
| 2.26 | | 28.90 | 46.00 | 17.10 | 1000.0 | 9.000 | L1 | ON | 19.6 |
| 5.22 | 23.70 | | 60.00 | 36.30 | 1000.0 | 9.000 | L1 | ON | 19.4 |
| 5.22 | | 18.01 | 50.00 | 31.99 | 1000.0 | 9.000 | L1 | ON | 19.4 |
| 24.92 | | 29.35 | 50.00 | 20.65 | 1000.0 | 9.000 | L1 | ON | 19.8 |
| 25.45 | 31.56 | | 60.00 | 28.44 | 1000.0 | 9.000 | L1 | ON | 19.8 |

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz





| Frequency (MHz) | QuasiPeak (dBµV) | Average (dBµV) | Limit (dBµV) | Margin (dB) | Meas. Time (ms) | Bandwidth (kHz) | Line | Filter | Corr. (dB) |
|--------------------|---------------------|-------------------|-----------------|----------------|-----------------------|--------------------|------|--------|---------------|
| 0.15 | 46.89 | | 65.88 | 18.99 | 1000.0 | 9.000 | Ν | ON | 20.9 |
| 0.28 | | 29.26 | 50.74 | 21.48 | 1000.0 | 9.000 | Ν | ON | 21.0 |
| 0.85 | 38.03 | | 56.00 | 17.97 | 1000.0 | 9.000 | Ν | ON | 20.3 |
| 0.85 | | 37.79 | 46.00 | 8.21 | 1000.0 | 9.000 | Ν | ON | 20.3 |
| 1.27 | | 44.08 | 46.00 | 1.92 | 1000.0 | 9.000 | Ν | ON | 20.0 |
| 1.41 | 44.42 | | 56.00 | 11.59 | 1000.0 | 9.000 | Ν | ON | 19.9 |
| 2.25 | | 29.13 | 46.00 | 16.87 | 1000.0 | 9.000 | Ν | ON | 19.6 |
| 2.25 | 30.58 | | 56.00 | 25.42 | 1000.0 | 9.000 | Ν | ON | 19.6 |
| 5.21 | | 18.52 | 50.00 | 31.48 | 1000.0 | 9.000 | Ν | ON | 19.4 |
| 5.22 | 22.29 | | 60.00 | 37.71 | 1000.0 | 9.000 | Ν | ON | 19.4 |
| 24.93 | | 28.21 | 50.00 | 21.79 | 1000.0 | 9.000 | Ν | ON | 19.9 |
| 25.19 | 31.38 | | 60.00 | 28.62 | 1000.0 | 9.000 | Ν | ON | 19.9 |

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz



6. Main Test Instruments

| Name | Manufacturer | Туре | Serial Number | Calibration Date | Expiration Date | | | | |
|-----------------------------|--------------|-----------------------|---------------|---------------------|--------------------|--|--|--|--|
| Power Sensor | R&S | NRP18S | 101954 | 2024-05-07 | 2025-05-06 | | | | |
| Signal Analyzer | KEYSIGHT | N9020A | MY51330870 | 2024-05-07 | 2025-05-06 | | | | |
| DC Power Supply | UNI-T | UTP1306S+ | 2205D0517426 | 2024-12-02 | 2025-12-01 | | | | |
| Climate Chamber | ESPEC | SU-242 | 93000506 | 2024-12-02 | 2025-12-01 | | | | |
| Attenuator | HASCO | HA18A-10 | 0003 | / | / | | | | |
| | Unv | vanted Emissio | ons | | | | | | |
| EMI Test Receiver | R&S | ESCI3 | 100948 | 2024-05-07 | 2025-05-06 | | | | |
| Signal Analyzer | R&S | FSV40 | 101186 | 2024-05-07 | 2025-05-06 | | | | |
| Loop Antenna | SCHWARZBECK | FMZB1519 | 1519-047 | 2023-04-16 | 2026-04-15 | | | | |
| TRILOG Broadband Antenna | SCHWARZBECK | VULB 9163 | 1023 | 2023-07-14 | 2026-07-13 | | | | |
| Horn Antenna | SCHWARZBECK | BBHA 9120D | 430 | 2024-07-18 | 2027-07-17 | | | | |
| Horn Antenna | ETS-Lindgren | 3160-09 | 00102643 | 2024-09-24 | 2027-09-23 | | | | |
| Horn Antenna | STEATITE | QSH-SL-26-4 0-K-15 | 16779 | 2023-01-17 | 2026-01-16 | | | | |
| Amplifier | MicroWave | KLNA-180400 50 | 220826001 | 2024-05-08 | 2025-05-07 | | | | |
| Software | R&S | EMC32 | 9.26.01 | / | / | | | | |
| Conducted Emissions | | | | | | | | | |
| Artificial main network | R&S | ENV216 | 102191 | 2024-12-02 | 2026-12-01 | | | | |
| EMI Test Receiver | R&S | ESR | 101667 | 2024-05-07 | 2025-05-06 | | | | |
| Software | R&S | EMC32 | 10.35.10 | / | / | | | | |



ANNEX A: The EUT Appearance

The EUT Appearance are submitted separately.



ANNEX B: Test Setup Photos

The Test Setup Photos are submitted separately.

****** END OF REPORT ******