Modular Approval Request FCC (KDB 996369 D01 & Part 15.212)

FCC ID: TLZ-CB250NF

Iten	Items to be covered by Single modular transmitters.			
		Answer from applicant		
1.	The modular transmitter must have its own RF shielding.	Please refer to external		
		photos. The modular		
		transmitter has its own RF		
		shielding.		
2.	The modular transmitter must have buffered modulation/data inputs	Buffered data inputs		
	(if such inputs are provided) to ensure that the module will comply	stage has been		
	with Part 15 requirements under conditions of excessive data rates or	integrated in chip		
	over-modulation.	88W8997P.		
3.	The modular transmitter must have its own power supply regulation.	The part number of the		
		power regulator is		
		88PG823.		
4.	The modular transmitter must comply with the antenna requirements	The requirements of		
	of Section 15.203 and 15.204(b)(c). The antenna must either be	antenna connector and		
	permanently attached or employ a "unique" antenna coupler (at all	spurious emission have		
	connections between the module and the antenna, including the	been fulfilled. Please		
	cable).	reference the exhibition		
		Test Report.		
5.	The modular transmitter must be tested in a stand-alone	Please reference		
	configuration, i.e., the module must not be inside another device	exhibition Test		
	during testing. This is intended to demonstrate that the module is	Configuration		
	capable of complying with Part 15 emission limits regardless of the	Photo for the stand-alone		
	device into which it is eventually installed.	test configuration.		
6.	The modular transmitter must be equipped with either a permanently affixed	The instruction on the		
	label or must be capable of electronically displaying its FCC identification	labeling rule of the end		
	number in accordance with 15.212 (a)(1)(vi)(A) / (B).	product has been stated		
		in the users manual of this		
		module. Please also see		
		the exhibition Label		
		Sample.		
7.	The modular transmitter must comply with any specific rule or operating	The required FCC rule has		
	requirements applicable to the transmitter and the manufacturer must provide	been fulfilled and all the		
	adequate instructions along with the module to explain any such requirements.	instructions for		
	A copy of these instructions must be included in the application for equipment	maintaining compliance		
	authorization. For example, there are very strict operational and timing	has been clearly stated in		
	requirements that must be met before a transmitter is authorized for operation	the Users		

under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured.

Manual.

8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 1.1310, 2.1091, 2.1093, and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance. Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance.

Please refer exhibition RF Exposure for the compliance of MPE RF exposure rule.

Name and surname of applicant (or <u>authorized</u> representative): Leo Huang			
Date: _2019/11/22	Signature:		
Leo Huang			

Note: A limited modular approval (LMA) may be granted for *single* or *split* modular transmitters that

comply partially with the requirements above.