

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 Test Result

#### 1.1.1 Band2\_EIRP

| Band: 2 |         |              |                 |                       |            |            |         |         |
|---------|---------|--------------|-----------------|-----------------------|------------|------------|---------|---------|
| ENV     | Mode    |              | Frequency (MHz) | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |
|         | Network | Subset       |                 |                       |            | Result     | Limit   |         |
| NTNV    | RMC     | 12.2kbps RMC | 1852.4          | 21.63                 | 0.91       | 22.54      | <=33.01 | Pass    |
|         |         |              | 1880            | 21.54                 | 0.91       | 22.45      | <=33.01 | Pass    |
|         |         |              | 1907.6          | 21.49                 | 0.91       | 22.40      | <=33.01 | Pass    |
|         | HSDPA   | Subtest 1    | 1852.4          | 20.91                 | 0.91       | 21.82      | <=33.01 | Pass    |
|         |         | Subtest 2    | 1852.4          | 20.86                 | 0.91       | 21.77      | <=33.01 | Pass    |
|         |         | Subtest 3    | 1852.4          | 20.89                 | 0.91       | 21.80      | <=33.01 | Pass    |
|         |         | Subtest 4    | 1852.4          | 20.85                 | 0.91       | 21.76      | <=33.01 | Pass    |
|         |         | Subtest 1    | 1880            | 20.67                 | 0.91       | 21.58      | <=33.01 | Pass    |
|         |         | Subtest 2    | 1880            | 20.72                 | 0.91       | 21.63      | <=33.01 | Pass    |
|         |         | Subtest 3    | 1880            | 20.73                 | 0.91       | 21.64      | <=33.01 | Pass    |
|         |         | Subtest 4    | 1880            | 20.69                 | 0.91       | 21.60      | <=33.01 | Pass    |
|         |         | Subtest 1    | 1907.6          | 20.79                 | 0.91       | 21.70      | <=33.01 | Pass    |
|         |         | Subtest 2    | 1907.6          | 20.80                 | 0.91       | 21.71      | <=33.01 | Pass    |
|         |         | Subtest 3    | 1907.6          | 20.80                 | 0.91       | 21.71      | <=33.01 | Pass    |
|         |         | Subtest 4    | 1907.6          | 20.74                 | 0.91       | 21.65      | <=33.01 | Pass    |
|         | HSUPA   | Subtest 1    | 1852.4          | 18.98                 | 0.91       | 19.89      | <=33.01 | Pass    |
|         |         | Subtest 2    | 1852.4          | 18.95                 | 0.91       | 19.86      | <=33.01 | Pass    |
|         |         | Subtest 3    | 1852.4          | 18.93                 | 0.91       | 19.84      | <=33.01 | Pass    |
|         |         | Subtest 4    | 1852.4          | 18.40                 | 0.91       | 19.31      | <=33.01 | Pass    |
|         |         | Subtest 5    | 1852.4          | 18.50                 | 0.91       | 19.41      | <=33.01 | Pass    |
|         |         | Subtest 1    | 1880            | 18.81                 | 0.91       | 19.72      | <=33.01 | Pass    |
|         |         | Subtest 2    | 1880            | 18.82                 | 0.91       | 19.73      | <=33.01 | Pass    |
|         |         | Subtest 3    | 1880            | 18.39                 | 0.91       | 19.30      | <=33.01 | Pass    |
|         |         | Subtest 4    | 1880            | 18.88                 | 0.91       | 19.79      | <=33.01 | Pass    |
|         |         | Subtest 5    | 1880            | 18.87                 | 0.91       | 19.78      | <=33.01 | Pass    |
|         |         | Subtest 1    | 1907.6          | 18.70                 | 0.91       | 19.61      | <=33.01 | Pass    |
|         |         | Subtest 2    | 1907.6          | 18.73                 | 0.91       | 19.64      | <=33.01 | Pass    |
|         |         | Subtest 3    | 1907.6          | 18.72                 | 0.91       | 19.63      | <=33.01 | Pass    |
|         |         | Subtest 4    | 1907.6          | 18.71                 | 0.91       | 19.62      | <=33.01 | Pass    |
|         |         | Subtest 5    | 1907.6          | 18.12                 | 0.91       | 19.03      | <=33.01 | Pass    |

Note1: EIRP=Conducted Power+Antenna Gain

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 Band2

| Band: 2 |                 |            |               |                  |                       |             |         |
|---------|-----------------|------------|---------------|------------------|-----------------------|-------------|---------|
| Network | Frequency (MHz) | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|         |                 |            |               |                  | Result                | Limit       |         |
| RMC     | 1852.4          | 20         | 3.27          | -0.086           | 0.0000                | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.85          | -5.851           | -0.0032               | -2.5 to 2.5 | Pass    |
|         |                 |            | 4.43          | -2.203           | -0.0012               | -2.5 to 2.5 | Pass    |
|         |                 | -30        | 3.85          | -0.901           | -0.0005               | -2.5 to 2.5 | Pass    |
|         |                 | -20        | 3.85          | 1.974            | 0.0011                | -2.5 to 2.5 | Pass    |

|       |        |     |      |        |         |             |      |
|-------|--------|-----|------|--------|---------|-------------|------|
|       |        | -10 | 3.85 | -5.658 | -0.0031 | -2.5 to 2.5 | Pass |
|       |        | 0   | 3.85 | 1.631  | 0.0009  | -2.5 to 2.5 | Pass |
|       |        | 10  | 3.85 | 0.408  | 0.0002  | -2.5 to 2.5 | Pass |
|       |        | 30  | 3.85 | -7.389 | -0.0040 | -2.5 to 2.5 | Pass |
|       |        | 40  | 3.85 | 4.606  | 0.0025  | -2.5 to 2.5 | Pass |
|       | 1880   | 50  | 3.85 | 4.613  | 0.0025  | -2.5 to 2.5 | Pass |
|       |        | 20  | 3.27 | 8.390  | 0.0045  | -2.5 to 2.5 | Pass |
|       |        |     | 3.85 | 10.679 | 0.0057  | -2.5 to 2.5 | Pass |
|       |        |     | 4.43 | 6.022  | 0.0032  | -2.5 to 2.5 | Pass |
|       |        | -30 | 3.85 | 0.000  | 0.0000  | -2.5 to 2.5 | Pass |
|       |        | -20 | 3.85 | -3.269 | -0.0017 | -2.5 to 2.5 | Pass |
|       |        | -10 | 3.85 | -5.593 | -0.0030 | -2.5 to 2.5 | Pass |
|       |        | 0   | 3.85 | -1.137 | -0.0006 | -2.5 to 2.5 | Pass |
|       |        | 10  | 3.85 | -3.376 | -0.0018 | -2.5 to 2.5 | Pass |
|       |        | 30  | 3.85 | 2.303  | 0.0012  | -2.5 to 2.5 | Pass |
|       |        | 40  | 3.85 | 11.158 | 0.0059  | -2.5 to 2.5 | Pass |
|       |        | 50  | 3.85 | 12.653 | 0.0067  | -2.5 to 2.5 | Pass |
|       | 1907.6 | 20  | 3.27 | 5.701  | 0.0030  | -2.5 to 2.5 | Pass |
|       |        |     | 3.85 | -2.832 | -0.0015 | -2.5 to 2.5 | Pass |
|       |        |     | 4.43 | -3.347 | -0.0018 | -2.5 to 2.5 | Pass |
|       |        | -30 | 3.85 | -2.847 | -0.0015 | -2.5 to 2.5 | Pass |
|       |        | -20 | 3.85 | 6.859  | 0.0036  | -2.5 to 2.5 | Pass |
|       |        | -10 | 3.85 | -1.431 | -0.0008 | -2.5 to 2.5 | Pass |
|       |        | 0   | 3.85 | -0.308 | -0.0002 | -2.5 to 2.5 | Pass |
|       |        | 10  | 3.85 | 2.754  | 0.0014  | -2.5 to 2.5 | Pass |
|       |        | 30  | 3.85 | 1.888  | 0.0010  | -2.5 to 2.5 | Pass |
|       |        | 40  | 3.85 | 0.708  | 0.0004  | -2.5 to 2.5 | Pass |
|       |        | 50  | 3.85 | 2.646  | 0.0014  | -2.5 to 2.5 | Pass |
| HSDPA | 1852.4 | 20  | 3.27 | 3.963  | 0.0021  | -2.5 to 2.5 | Pass |
|       |        |     | 3.85 | 2.110  | 0.0011  | -2.5 to 2.5 | Pass |
|       |        |     | 4.43 | 1.752  | 0.0009  | -2.5 to 2.5 | Pass |
|       |        | -30 | 3.85 | 9.849  | 0.0053  | -2.5 to 2.5 | Pass |
|       |        | -20 | 3.85 | 3.090  | 0.0017  | -2.5 to 2.5 | Pass |
|       |        | -10 | 3.85 | 7.038  | 0.0038  | -2.5 to 2.5 | Pass |
|       |        | 0   | 3.85 | 1.073  | 0.0006  | -2.5 to 2.5 | Pass |
|       |        | 10  | 3.85 | 7.811  | 0.0042  | -2.5 to 2.5 | Pass |
|       |        | 30  | 3.85 | 9.305  | 0.0050  | -2.5 to 2.5 | Pass |
|       |        | 40  | 3.85 | 6.588  | 0.0036  | -2.5 to 2.5 | Pass |
|       |        | 50  | 3.85 | 8.054  | 0.0043  | -2.5 to 2.5 | Pass |
|       | 1880   | 20  | 3.27 | 10.028 | 0.0053  | -2.5 to 2.5 | Pass |
|       |        |     | 3.85 | 3.169  | 0.0017  | -2.5 to 2.5 | Pass |
|       |        |     | 4.43 | 2.997  | 0.0016  | -2.5 to 2.5 | Pass |
|       |        | -30 | 3.85 | 0.250  | 0.0001  | -2.5 to 2.5 | Pass |
|       |        | -20 | 3.85 | 10.014 | 0.0053  | -2.5 to 2.5 | Pass |
|       |        | -10 | 3.85 | 9.005  | 0.0048  | -2.5 to 2.5 | Pass |
|       |        | 0   | 3.85 | 3.176  | 0.0017  | -2.5 to 2.5 | Pass |
|       |        | 10  | 3.85 | 10.686 | 0.0057  | -2.5 to 2.5 | Pass |
|       |        | 30  | 3.85 | -1.016 | -0.0005 | -2.5 to 2.5 | Pass |
|       |        | 40  | 3.85 | 9.570  | 0.0051  | -2.5 to 2.5 | Pass |
|       |        | 50  | 3.85 | 1.602  | 0.0009  | -2.5 to 2.5 | Pass |
|       | 1907.6 | 20  | 3.27 | 12.760 | 0.0067  | -2.5 to 2.5 | Pass |
|       |        |     | 3.85 | 1.953  | 0.0010  | -2.5 to 2.5 | Pass |
|       |        |     | 4.43 | 4.735  | 0.0025  | -2.5 to 2.5 | Pass |
|       |        | -30 | 3.85 | 4.928  | 0.0026  | -2.5 to 2.5 | Pass |
|       |        | -20 | 3.85 | 5.536  | 0.0029  | -2.5 to 2.5 | Pass |
|       |        | -10 | 3.85 | 5.629  | 0.0030  | -2.5 to 2.5 | Pass |
|       |        | 0   | 3.85 | -1.116 | -0.0006 | -2.5 to 2.5 | Pass |
|       |        | 10  | 3.85 | 10.078 | 0.0053  | -2.5 to 2.5 | Pass |
|       |        | 30  | 3.85 | 6.073  | 0.0032  | -2.5 to 2.5 | Pass |

|       |        |     |      |         |         |             |      |
|-------|--------|-----|------|---------|---------|-------------|------|
| HSUPA | 1852.4 | 40  | 3.85 | 7.553   | 0.0040  | -2.5 to 2.5 | Pass |
|       |        | 50  | 3.85 | -4.184  | -0.0022 | -2.5 to 2.5 | Pass |
|       |        | 20  | 3.27 | -6.287  | -0.0034 | -2.5 to 2.5 | Pass |
|       |        |     | 3.85 | -2.375  | -0.0013 | -2.5 to 2.5 | Pass |
|       |        |     | 4.43 | -9.649  | -0.0052 | -2.5 to 2.5 | Pass |
|       |        | -30 | 3.85 | -5.164  | -0.0028 | -2.5 to 2.5 | Pass |
|       |        | -20 | 3.85 | -9.055  | -0.0049 | -2.5 to 2.5 | Pass |
|       |        | -10 | 3.85 | -6.180  | -0.0033 | -2.5 to 2.5 | Pass |
|       |        | 0   | 3.85 | -9.334  | -0.0050 | -2.5 to 2.5 | Pass |
|       |        | 10  | 3.85 | -8.705  | -0.0047 | -2.5 to 2.5 | Pass |
|       |        | 30  | 3.85 | -4.857  | -0.0026 | -2.5 to 2.5 | Pass |
|       |        | 40  | 3.85 | -7.496  | -0.0040 | -2.5 to 2.5 | Pass |
|       |        | 50  | 3.85 | -8.647  | -0.0047 | -2.5 to 2.5 | Pass |
|       | 1880   | 20  | 3.27 | -7.138  | -0.0038 | -2.5 to 2.5 | Pass |
|       |        |     | 3.85 | -12.660 | -0.0067 | -2.5 to 2.5 | Pass |
|       |        |     | 4.43 | -2.046  | -0.0011 | -2.5 to 2.5 | Pass |
|       |        | -30 | 3.85 | -2.968  | -0.0016 | -2.5 to 2.5 | Pass |
|       |        | -20 | 3.85 | -18.454 | -0.0098 | -2.5 to 2.5 | Pass |
|       |        | -10 | 3.85 | -2.875  | -0.0015 | -2.5 to 2.5 | Pass |
|       |        | 0   | 3.85 | -6.330  | -0.0034 | -2.5 to 2.5 | Pass |
|       |        | 10  | 3.85 | -8.147  | -0.0043 | -2.5 to 2.5 | Pass |
|       |        | 30  | 3.85 | -9.656  | -0.0051 | -2.5 to 2.5 | Pass |
|       |        | 40  | 3.85 | -5.500  | -0.0029 | -2.5 to 2.5 | Pass |
|       |        | 50  | 3.85 | -5.121  | -0.0027 | -2.5 to 2.5 | Pass |
|       | 1907.6 | 20  | 3.27 | 1.359   | 0.0007  | -2.5 to 2.5 | Pass |
|       |        |     | 3.85 | 2.925   | 0.0015  | -2.5 to 2.5 | Pass |
|       |        |     | 4.43 | -3.161  | -0.0017 | -2.5 to 2.5 | Pass |
|       |        | -30 | 3.85 | -0.694  | -0.0004 | -2.5 to 2.5 | Pass |
|       |        | -20 | 3.85 | -8.848  | -0.0046 | -2.5 to 2.5 | Pass |
|       |        | -10 | 3.85 | -5.050  | -0.0026 | -2.5 to 2.5 | Pass |
|       |        | 0   | 3.85 | -2.096  | -0.0011 | -2.5 to 2.5 | Pass |
|       |        | 10  | 3.85 | -3.405  | -0.0018 | -2.5 to 2.5 | Pass |
|       |        | 30  | 3.85 | -11.158 | -0.0058 | -2.5 to 2.5 | Pass |
|       |        | 40  | 3.85 | -14.427 | -0.0076 | -2.5 to 2.5 | Pass |
|       |        | 50  | 3.85 | -8.969  | -0.0047 | -2.5 to 2.5 | Pass |

### 3. Modulation Characteristics


#### 3.1 Test Result


##### 3.1.1 Band2

| Band: 2 |         |              |                 |                            |       |         |
|---------|---------|--------------|-----------------|----------------------------|-------|---------|
| ENV     | Mode    |              | Frequency (MHz) | Modulation Characteristics |       | Verdict |
|         | Network | Subset       |                 | Result                     | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 1880            | Refer To Test Graph        |       | Pass    |
|         | HSDPA   | Subtest 1    | 1880            | Refer To Test Graph        |       | Pass    |
|         | HSUPA   | Subtest 1    | 1880            | Refer To Test Graph        |       | Pass    |

## 3.2 Test Graph

### 3.2.1 Band2





## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 Band2\_OBW

| Band: 2 |         |              |                 |                              |       |         |
|---------|---------|--------------|-----------------|------------------------------|-------|---------|
| ENV     | Mode    |              | Frequency (MHz) | 99% Occupied Bandwidth (MHz) |       | Verdict |
|         | Network | Subset       |                 | Result                       | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 1852.4          | 4.160                        | /     | Pass    |
|         |         |              | 1880            | 4.169                        | /     | Pass    |
|         |         |              | 1907.6          | 4.158                        | /     | Pass    |
|         | HSDPA   | Subtest 1    | 1852.4          | 4.151                        | /     | Pass    |
|         |         |              | 1880            | 4.165                        | /     | Pass    |
|         |         |              | 1907.6          | 4.160                        | /     | Pass    |
|         | HSUPA   | Subtest 1    | 1852.4          | 4.162                        | /     | Pass    |
|         |         |              | 1880            | 4.164                        | /     | Pass    |
|         |         |              | 1907.6          | 4.181                        | /     | Pass    |


#### 4.1.2 Band2\_XDB

| Band: 2 |         |              |                 |                      |       |         |
|---------|---------|--------------|-----------------|----------------------|-------|---------|
| ENV     | Mode    |              | Frequency (MHz) | 26dB Bandwidth (MHz) |       | Verdict |
|         | Network | Subset       |                 | Result               | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 1852.4          | 4.709                | /     | Pass    |
|         |         |              | 1880            | 4.693                | /     | Pass    |
|         |         |              | 1907.6          | 4.705                | /     | Pass    |
|         | HSDPA   | Subtest 1    | 1852.4          | 4.726                | /     | Pass    |
|         |         |              | 1880            | 4.730                | /     | Pass    |
|         |         |              | 1907.6          | 4.712                | /     | Pass    |
|         | HSUPA   | Subtest 1    | 1852.4          | 4.706                | /     | Pass    |
|         |         |              | 1880            | 4.710                | /     | Pass    |
|         |         |              | 1907.6          | 4.707                | /     | Pass    |




4.2 Test Graph


4.2.1 Band2\_OBW



Band2\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




Band2\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV







Band2\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV







4.2.2 Band2\_XDB




Band2\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




Band2\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV



Band2\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV







Band2\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV



Band2\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV





## 5. Peak-Average Ratio


### 5.1 Test Result

#### 5.1.1 Band2


| Band: 2 |         |              |                 |                         |       |         |
|---------|---------|--------------|-----------------|-------------------------|-------|---------|
| ENV     | Mode    |              | Frequency (MHz) | Peak-Average Ratio (dB) |       | Verdict |
|         | Network | Subset       |                 | Result                  | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 1852.4          | 3.11                    | <=13  | Pass    |
|         |         |              | 1880            | 3.04                    | <=13  | Pass    |
|         |         |              | 1907.6          | 3.12                    | <=13  | Pass    |
|         | HSDPA   | Subtest 1    | 1852.4          | 5.75                    | <=13  | Pass    |
|         |         |              | 1880            | 5.71                    | <=13  | Pass    |
|         |         |              | 1907.6          | 5.81                    | <=13  | Pass    |
|         | HSUPA   | Subtest 1    | 1852.4          | 5.92                    | <=13  | Pass    |
|         |         |              | 1880            | 5.71                    | <=13  | Pass    |
|         |         |              | 1907.6          | 5.78                    | <=13  | Pass    |

5.2 Test Graph


5.2.1 Band2




Band2\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




Band2\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV



Band2\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV






Band2\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




2024-07-27 18:28:07

Band2\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV



2024-07-27 18:28:19

Band2\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV



2024-07-27 18:28:31

6. Spurious Emission


6.1 Test Result

6.1.1 Band2


| Band: 2 |         |              |                 |                     |       |         |
|---------|---------|--------------|-----------------|---------------------|-------|---------|
| ENV     | Mode    |              | Frequency (MHz) | Spurious Emission   |       | Verdict |
|         | Network | Subset       |                 | Result              | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 1852.4          | Refer To Test Graph |       | Pass    |
|         |         |              | 1880            | Refer To Test Graph |       | Pass    |
|         |         |              | 1907.6          | Refer To Test Graph |       | Pass    |
|         | HSDPA   | Subtest 1    | 1852.4          | Refer To Test Graph |       | Pass    |
|         |         |              | 1880            | Refer To Test Graph |       | Pass    |
|         |         |              | 1907.6          | Refer To Test Graph |       | Pass    |
|         | HSUPA   | Subtest 1    | 1852.4          | Refer To Test Graph |       | Pass    |
|         |         |              | 1880            | Refer To Test Graph |       | Pass    |
|         |         |              | 1907.6          | Refer To Test Graph |       | Pass    |

6.2 Test Graph


6.2.1 Band2




Band2\_RMC\_LCH\_1852.4MHz\_12.2kbps RMC\_NTNV




Band2\_RMC\_MCH\_1880MHz\_12.2kbps RMC\_NTNV




Band2\_RMC\_MCH\_1880MHz\_12.2kbps RMC\_NTNV




Band2\_RMC\_MCH\_1880MHz\_12.2kbps RMC\_NTNV



Band2\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




Band2\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV







Band2\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




Band2\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV



Band2\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV






Band2\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV







Band2\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV



Band2\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV





7. Form731

7.1 Test Result

7.1.1 Form731\_Power

| Band | BW   | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 2    | 3.84 | 1852.4     | 1907.6    | 0.1455        | 0.0098 | ppm    | 4M18F9W             | 24E        | 21.63           |

7.1.2 Form731\_EIRP

| Band | BW   | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 2    | 3.84 | 1852.4     | 1907.6    | 0.1795        | 0.0098 | ppm    | 4M18F9W             | 24E        | 22.54           |