





NOTES:


1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED: (K=KILLO OHM, M=MEG OHM)
2. RESISTOR WATTAGES ARE [1/16W] UNLESS OTHERWISE NOTED.
3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED. (P=MICRO-MICRO FARAD)
4. CHIP PARTS ARE NOT SPECIFIED IN THIS DRAWING PLEASE REFER TO THE PARTS LIST FOR THE CHIP PARTS.
5. CHIP CAPACITORS TYPE ARE [1608] UNLESS OTHERWISE NOTED.

DESIGN	DRAWN BY	UNIDEN No.	MODEL No.
88/08/25	88/09/25	UC710ZH	43-3513
YAMAKEN	YAMAKEN	TITLE	BASE MAIN
CHECK BY	APPRO. BY	SCHEMATIC DIAGRAM	
		DRAWING No.	
		UNIDEN CORP.	
REV. No			



NOTES:
1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED. (K=KILO OHM, M=MEG OHM)
2. RESISTOR WATTAGES ARE [1/16W] UNLESS OTHERWISE NOTED.
3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED. (P=MICRO-MICRO FARAD)


DESIGN	DRAWN BY	UNIDEN No.	MODEL No.
2000/9/25	2000/9/25	UC710ZH	BASIC
Hachi	YAMAKEN	TITLE BASE RF	
CHECK BY	APPRO. BY	SCHEMATIC DIAGRAM	
2000/10/16		DRAWING No.	
TAKAY			
REV. No		UNIDEN CORP.	



NOTES:
1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED. (K=KILO OHM, M=MEG OHM)
2. RESISTOR WATTAGES ARE [1/16W] UNLESS OTHERWISE NOTED.
3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED. (P=PICO-MICRO FARAD)
4. CHIP PARTS ARE NOT SPECIFIED IN THIS DRAWING. PLEASE REFER TO THE PARTS LIST FOR THE CHIP PARTS.

DESIGN	DRAWN BY	UNIDEN No.	MODEL No.
00/09/25	00/10/17	UC-7102H	45-3513
YAMAKEN	YAMAKEN	TITLE	PORTABLE MAIN
CHECK BY	APPRO. BY	SCHMATIC DIAGRAM	
00/09/25	00/09/25	DRAWING No.	
YAMAKEN	YAMAKEN		
REV. No	UNIDEN CORP.		

XC61CN3302MR/XC61AN3302MR



DESIGN	DRAWN BY	UNIDEN No.	MODEL No.
2000/9/25	2000/9/25	UC710ZH	43-3513
HACHI	YAMAKEN	TITLE	PORT RF
CHECK BY	APPRO. BY	SCHEMATIC DIAGRAM	
2000/10/16		DRAWING No.	
TAKAY			
REV. No		UNIDEN CORP.	