

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26c_15MHz_ERP

Band: 26c / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	821.5	1	0	22.15	-3.80	16.20	<=38.45	Pass
			38	22.02	-3.80	16.07	<=38.45	Pass
			74	21.90	-3.80	15.95	<=38.45	Pass
		36	0	21.17	-3.80	15.22	<=38.45	Pass
			18	21.08	-3.80	15.13	<=38.45	Pass
			39	21.03	-3.80	15.08	<=38.45	Pass
		75	0	21.08	-3.80	15.13	<=38.45	Pass
	831.5	1	0	22.00	-3.80	16.05	<=38.45	Pass
			38	21.94	-3.80	15.99	<=38.45	Pass
			74	21.85	-3.80	15.90	<=38.45	Pass
		36	0	20.97	-3.80	15.02	<=38.45	Pass
			18	20.92	-3.80	14.97	<=38.45	Pass
			39	20.74	-3.80	14.79	<=38.45	Pass
		75	0	20.92	-3.80	14.97	<=38.45	Pass
	841.5	1	0	21.93	-3.80	15.98	<=38.45	Pass
			38	21.97	-3.80	16.02	<=38.45	Pass
			74	21.93	-3.80	15.98	<=38.45	Pass
		36	0	20.95	-3.80	15.00	<=38.45	Pass
			18	20.95	-3.80	15.00	<=38.45	Pass
			39	20.98	-3.80	15.03	<=38.45	Pass
		75	0	21.01	-3.80	15.06	<=38.45	Pass
16QAM	821.5	1	0	21.17	-3.80	15.22	<=38.45	Pass
			38	21.24	-3.80	15.29	<=38.45	Pass
			74	21.18	-3.80	15.23	<=38.45	Pass
		36	0	20.11	-3.80	14.16	<=38.45	Pass
			18	20.06	-3.80	14.11	<=38.45	Pass
			39	20.04	-3.80	14.09	<=38.45	Pass
		75	0	20.11	-3.80	14.16	<=38.45	Pass
	831.5	1	0	21.32	-3.80	15.37	<=38.45	Pass
			38	21.25	-3.80	15.30	<=38.45	Pass
			74	21.09	-3.80	15.14	<=38.45	Pass
		36	0	19.98	-3.80	14.03	<=38.45	Pass
			18	19.96	-3.80	14.01	<=38.45	Pass
			39	19.52	-3.80	13.57	<=38.45	Pass
		75	0	19.93	-3.80	13.98	<=38.45	Pass
	841.5	1	0	21.11	-3.80	15.16	<=38.45	Pass
			38	21.09	-3.80	15.14	<=38.45	Pass
			74	21.19	-3.80	15.24	<=38.45	Pass
		36	0	19.53	-3.80	13.58	<=38.45	Pass
			18	20.01	-3.80	14.06	<=38.45	Pass
			39	19.99	-3.80	14.04	<=38.45	Pass
		75	0	19.87	-3.80	13.92	<=38.45	Pass
64QAM	821.5	1	0	19.74	-3.80	13.79	<=38.45	Pass
			38	20.35	-3.80	14.40	<=38.45	Pass
			74	20.36	-3.80	14.41	<=38.45	Pass
		36	0	19.15	-3.80	13.20	<=38.45	Pass
			18	19.15	-3.80	13.20	<=38.45	Pass
			39	19.20	-3.80	13.25	<=38.45	Pass
		75	0	19.11	-3.80	13.16	<=38.45	Pass

	831.5	1	0	20.27	-3.80	14.32	<=38.45	Pass
			38	20.27	-3.80	14.32	<=38.45	Pass
			74	20.37	-3.80	14.42	<=38.45	Pass
		36	0	19.25	-3.80	13.30	<=38.45	Pass
			18	19.20	-3.80	13.25	<=38.45	Pass
			39	19.19	-3.80	13.24	<=38.45	Pass
		75	0	19.21	-3.80	13.26	<=38.45	Pass
	841.5	1	0	20.23	-3.80	14.28	<=38.45	Pass
			38	20.24	-3.80	14.29	<=38.45	Pass
			74	20.20	-3.80	14.25	<=38.45	Pass
		36	0	19.22	-3.80	13.27	<=38.45	Pass
			18	19.13	-3.80	13.18	<=38.45	Pass
			39	19.17	-3.80	13.22	<=38.45	Pass
		75	0	19.15	-3.80	13.20	<=38.45	Pass

256QAM	821.5	1	0	17.11	-3.80	11.16	<=38.45	Pass
			38	17.26	-3.80	11.31	<=38.45	Pass
			74	17.02	-3.80	11.07	<=38.45	Pass
		36	0	17.00	-3.80	11.05	<=38.45	Pass
			18	17.15	-3.80	11.20	<=38.45	Pass
			39	17.16	-3.80	11.21	<=38.45	Pass
		75	0	17.16	-3.80	11.21	<=38.45	Pass
	831.5	1	0	17.40	-3.80	11.45	<=38.45	Pass
			38	17.31	-3.80	11.36	<=38.45	Pass
			74	17.26	-3.80	11.31	<=38.45	Pass
		36	0	17.22	-3.80	11.27	<=38.45	Pass
			18	17.15	-3.80	11.20	<=38.45	Pass
			39	17.14	-3.80	11.19	<=38.45	Pass
		75	0	17.19	-3.80	11.24	<=38.45	Pass
	841.5	1	0	17.30	-3.80	11.35	<=38.45	Pass
			38	17.13	-3.80	11.18	<=38.45	Pass
			74	17.24	-3.80	11.29	<=38.45	Pass
		36	0	17.20	-3.80	11.25	<=38.45	Pass
			18	17.09	-3.80	11.14	<=38.45	Pass
			39	17.14	-3.80	11.19	<=38.45	Pass
		75	0	17.01	-3.80	11.06	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15								
--	--	--	--	--	--	--	--	--

2. Frequency Stability

2.1 Test Result

2.1.1 B26c_15MHz

Band: 26c / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	821.5	75	0	20	3.60	-3.000	-0.0037	-2.5 to 2.5	Pass
					3.91	-6.800	-0.0083	-2.5 to 2.5	Pass
					4.50	-5.200	-0.0063	-2.5 to 2.5	Pass
				-30	3.91	-0.200	-0.0002	-2.5 to 2.5	Pass
				-20	3.91	-5.500	-0.0067	-2.5 to 2.5	Pass
				-10	3.91	3.900	0.0047	-2.5 to 2.5	Pass
				0	3.91	-8.000	-0.0097	-2.5 to 2.5	Pass
				10	3.91	-9.100	-0.0111	-2.5 to 2.5	Pass
				30	3.91	-8.000	-0.0097	-2.5 to 2.5	Pass
				40	3.91	-5.800	-0.0071	-2.5 to 2.5	Pass

				50	3.91	-5.500	-0.0067	-2.5 to 2.5	Pass
	831.5	75	0	20	3.60	0.300	0.0004	-2.5 to 2.5	Pass
					3.91	0.000	0.0000	-2.5 to 2.5	Pass
					4.50	7.200	0.0087	-2.5 to 2.5	Pass
					-30	3.91	0.600	0.0007	-2.5 to 2.5
				-20	3.91	-2.000	-0.0024	-2.5 to 2.5	Pass
				-10	3.91	-1.700	-0.0020	-2.5 to 2.5	Pass
				0	3.91	-1.500	-0.0018	-2.5 to 2.5	Pass
				10	3.91	-4.000	-0.0048	-2.5 to 2.5	Pass
				30	3.91	-3.100	-0.0037	-2.5 to 2.5	Pass
				40	3.91	-1.400	-0.0017	-2.5 to 2.5	Pass
	50	3.91	-1.000	-0.0012	-2.5 to 2.5	Pass			
	841.5	75	0	20	3.60	4.500	0.0053	-2.5 to 2.5	Pass
					3.91	1.600	0.0019	-2.5 to 2.5	Pass
					4.50	-0.500	-0.0006	-2.5 to 2.5	Pass
				-30	3.91	0.600	0.0007	-2.5 to 2.5	Pass
				-20	3.91	-1.000	-0.0012	-2.5 to 2.5	Pass
				-10	3.91	0.800	0.0010	-2.5 to 2.5	Pass
				0	3.91	-1.400	-0.0017	-2.5 to 2.5	Pass
				10	3.91	0.200	0.0002	-2.5 to 2.5	Pass
				30	3.91	1.900	0.0023	-2.5 to 2.5	Pass
				40	3.91	-1.500	-0.0018	-2.5 to 2.5	Pass
50	3.91	-4.200	-0.0050	-2.5 to 2.5	Pass				
16QAM	821.5	75	0	20	3.60	-1.600	-0.0019	-2.5 to 2.5	Pass
					3.91	0.200	0.0002	-2.5 to 2.5	Pass
					4.50	-2.100	-0.0026	-2.5 to 2.5	Pass
				-30	3.91	-3.900	-0.0047	-2.5 to 2.5	Pass
				-20	3.91	-2.700	-0.0033	-2.5 to 2.5	Pass
				-10	3.91	-4.000	-0.0049	-2.5 to 2.5	Pass
				0	3.91	-2.700	-0.0033	-2.5 to 2.5	Pass
				10	3.91	-4.100	-0.0050	-2.5 to 2.5	Pass
				30	3.91	-1.700	-0.0021	-2.5 to 2.5	Pass
				40	3.91	-4.500	-0.0055	-2.5 to 2.5	Pass
	50	3.91	-7.800	-0.0095	-2.5 to 2.5	Pass			
	831.5	75	0	20	3.60	-0.600	-0.0007	-2.5 to 2.5	Pass
					3.91	-1.600	-0.0019	-2.5 to 2.5	Pass
					4.50	-0.800	-0.0010	-2.5 to 2.5	Pass
				-30	3.91	-2.200	-0.0026	-2.5 to 2.5	Pass
				-20	3.91	-0.100	-0.0001	-2.5 to 2.5	Pass
				-10	3.91	1.000	0.0012	-2.5 to 2.5	Pass
				0	3.91	-0.100	-0.0001	-2.5 to 2.5	Pass
				10	3.91	-5.900	-0.0071	-2.5 to 2.5	Pass
				30	3.91	-7.100	-0.0085	-2.5 to 2.5	Pass
				40	3.91	-4.500	-0.0054	-2.5 to 2.5	Pass
	50	3.91	-3.000	-0.0036	-2.5 to 2.5	Pass			
	841.5	75	0	20	3.60	-3.200	-0.0038	-2.5 to 2.5	Pass
					3.91	-9.100	-0.0108	-2.5 to 2.5	Pass
					4.50	-10.400	-0.0124	-2.5 to 2.5	Pass
				-30	3.91	-5.700	-0.0068	-2.5 to 2.5	Pass
				-20	3.91	-4.400	-0.0052	-2.5 to 2.5	Pass
				-10	3.91	-1.500	-0.0018	-2.5 to 2.5	Pass
				0	3.91	-2.400	-0.0029	-2.5 to 2.5	Pass
				10	3.91	-1.900	-0.0023	-2.5 to 2.5	Pass
				30	3.91	0.300	0.0004	-2.5 to 2.5	Pass
				40	3.91	1.400	0.0017	-2.5 to 2.5	Pass
50	3.91	-1.800	-0.0021	-2.5 to 2.5	Pass				
64QAM	821.5	75	0	20	3.60	-1.000	-0.0012	-2.5 to 2.5	Pass
					3.91	-1.500	-0.0018	-2.5 to 2.5	Pass
					4.50	-1.900	-0.0023	-2.5 to 2.5	Pass

				-30	3.91	-3.600	-0.0044	-2.5 to 2.5	Pass
				-20	3.91	-5.900	-0.0072	-2.5 to 2.5	Pass
				-10	3.91	-0.100	-0.0001	-2.5 to 2.5	Pass
				0	3.91	-4.800	-0.0058	-2.5 to 2.5	Pass
				10	3.91	-2.800	-0.0034	-2.5 to 2.5	Pass
				30	3.91	-3.900	-0.0047	-2.5 to 2.5	Pass
				40	3.91	-2.500	-0.0030	-2.5 to 2.5	Pass
				50	3.91	-1.400	-0.0017	-2.5 to 2.5	Pass
	831.5	75	0	20	3.60	-1.000	-0.0012	-2.5 to 2.5	Pass
					3.91	-3.500	-0.0042	-2.5 to 2.5	Pass
					4.50	-7.000	-0.0084	-2.5 to 2.5	Pass
				-30	3.91	-2.600	-0.0031	-2.5 to 2.5	Pass
				-20	3.91	-0.800	-0.0010	-2.5 to 2.5	Pass
				-10	3.91	-4.100	-0.0049	-2.5 to 2.5	Pass
				0	3.91	-4.400	-0.0053	-2.5 to 2.5	Pass
				10	3.91	-3.500	-0.0042	-2.5 to 2.5	Pass
				30	3.91	-3.300	-0.0040	-2.5 to 2.5	Pass
				40	3.91	-1.200	-0.0014	-2.5 to 2.5	Pass
				50	3.91	-4.900	-0.0059	-2.5 to 2.5	Pass
	841.5	75	0	20	3.60	-1.300	-0.0015	-2.5 to 2.5	Pass
					3.91	-0.700	-0.0008	-2.5 to 2.5	Pass
					4.50	-4.900	-0.0058	-2.5 to 2.5	Pass
				-30	3.91	-2.500	-0.0030	-2.5 to 2.5	Pass
				-20	3.91	-3.100	-0.0037	-2.5 to 2.5	Pass
				-10	3.91	-3.100	-0.0037	-2.5 to 2.5	Pass
				0	3.91	0.400	0.0005	-2.5 to 2.5	Pass
				10	3.91	-0.500	-0.0006	-2.5 to 2.5	Pass
				30	3.91	-1.800	-0.0021	-2.5 to 2.5	Pass
				40	3.91	-1.600	-0.0019	-2.5 to 2.5	Pass
				50	3.91	-1.000	-0.0012	-2.5 to 2.5	Pass
256QAM	821.5	75	0	20	3.60	-4.100	-0.0050	-2.5 to 2.5	Pass
					3.91	0.400	0.0005	-2.5 to 2.5	Pass
					4.50	0.700	0.0009	-2.5 to 2.5	Pass
				-30	3.91	-0.300	-0.0004	-2.5 to 2.5	Pass
				-20	3.91	-4.800	-0.0058	-2.5 to 2.5	Pass
				-10	3.91	-3.700	-0.0045	-2.5 to 2.5	Pass
				0	3.91	-4.800	-0.0058	-2.5 to 2.5	Pass
				10	3.91	-3.300	-0.0040	-2.5 to 2.5	Pass
				30	3.91	-2.200	-0.0027	-2.5 to 2.5	Pass
				40	3.91	3.100	0.0038	-2.5 to 2.5	Pass
				50	3.91	-0.600	-0.0007	-2.5 to 2.5	Pass
	831.5	75	0	20	3.60	-1.400	-0.0017	-2.5 to 2.5	Pass
					3.91	-4.800	-0.0058	-2.5 to 2.5	Pass
					4.50	-3.100	-0.0037	-2.5 to 2.5	Pass
				-30	3.91	-11.000	-0.0132	-2.5 to 2.5	Pass
				-20	3.91	-3.300	-0.0040	-2.5 to 2.5	Pass
				-10	3.91	-0.700	-0.0008	-2.5 to 2.5	Pass
				0	3.91	0.600	0.0007	-2.5 to 2.5	Pass
				10	3.91	-2.800	-0.0034	-2.5 to 2.5	Pass
				30	3.91	-3.800	-0.0046	-2.5 to 2.5	Pass
				40	3.91	-1.000	-0.0012	-2.5 to 2.5	Pass
				50	3.91	-2.700	-0.0032	-2.5 to 2.5	Pass
	841.5	75	0	20	3.60	0.200	0.0002	-2.5 to 2.5	Pass
					3.91	-4.000	-0.0048	-2.5 to 2.5	Pass
					4.50	-3.500	-0.0042	-2.5 to 2.5	Pass
				-30	3.91	-3.400	-0.0040	-2.5 to 2.5	Pass
				-20	3.91	-3.400	-0.0040	-2.5 to 2.5	Pass
				-10	3.91	-3.200	-0.0038	-2.5 to 2.5	Pass
				0	3.91	-0.500	-0.0006	-2.5 to 2.5	Pass

				10	3.91	-6.400	-0.0076	-2.5 to 2.5	Pass
				30	3.91	-5.200	-0.0062	-2.5 to 2.5	Pass
				40	3.91	-5.300	-0.0063	-2.5 to 2.5	Pass
				50	3.91	-2.100	-0.0025	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26c_OBW


Band: 26c / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
15	QPSK	821.5	75	0	13.628	/	Pass
		831.5	75	0	13.516	/	Pass
		841.5	75	0	13.509	/	Pass
	16QAM	821.5	75	0	13.627	/	Pass
		831.5	75	0	13.495	/	Pass
		841.5	75	0	13.545	/	Pass
	64QAM	821.5	75	0	13.606	/	Pass
		831.5	75	0	13.523	/	Pass
		841.5	75	0	13.525	/	Pass
	256QAM	821.5	75	0	7.410	/	Pass
		831.5	75	0	12.717	/	Pass
		841.5	75	0	13.540	/	Pass

3.1.2 Band26c_XDB


Band: 26c / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
15	QPSK	821.5	75	0	14.838	/	Pass
		831.5	75	0	14.865	/	Pass
		841.5	75	0	14.749	/	Pass
	16QAM	821.5	75	0	15.019	/	Pass
		831.5	75	0	14.806	/	Pass
		841.5	75	0	14.793	/	Pass
	64QAM	821.5	75	0	14.985	/	Pass
		831.5	75	0	14.864	/	Pass
		841.5	75	0	14.948	/	Pass
	256QAM	821.5	75	0	23.179	/	Pass
		831.5	75	0	20.633	/	Pass
		841.5	75	0	14.956	/	Pass

3.2 Test Graph


3.2.1 Band26c_OBW




Band26c 15MHz QPSK HCH 841.5MHz RB 75 0 NTN




Band26c 15MHz 16QAM LCH 821.5MHz RB 75 0 NTN




Band26c 15MHz 16QAM MCH 831.5MHz RB 75 0 NTNV




Band26c 15MHz 16QAM HCH 841.5MHz RB 75 0 NTNV




Band26c 15MHz 64QAM LCH 821.5MHz RB 75 0 NTNV




Band26c 15MHz 64QAM MCH 831.5MHz RB 75 0 NTNV




Band26c 15MHz 64QAM HCH 841.5MHz RB 75 0 NTNV




Band26c 15MHz 256QAM LCH 821.5MHz RB 75 0 NTNV




Band26c 15MHz 256QAM MCH 831.5MHz RB 75 0 NTNV




Band26c 15MHz 256QAM HCH 841.5MHz RB 75 0 NTNV




3.2.2 Band26c_XDB




Band26c 15MHz QPSK HCH 841.5MHz RB 75 0 NTN




Band26c 15MHz 16QAM LCH 821.5MHz RB 75 0 NTN




Band26c 15MHz 16QAM MCH 831.5MHz RB 75 0 NTNV




Band26c 15MHz 16QAM HCH 841.5MHz RB 75 0 NTNV




Band26c 15MHz 64QAM LCH 821.5MHz RB 75 0 NTNV




Band26c 15MHz 64QAM MCH 831.5MHz RB 75 0 NTNV




Band26c 15MHz 64QAM HCH 841.5MHz RB 75 0 NTV




Band26c 15MHz 256QAM LCH 821.5MHz RB 75 0 NTV



Band26c 15MHz 256QAM MCH 831.5MHz RB 75 0 NTV



Band26c 15MHz 256QAM HCH 841.5MHz RB 75 0 NTV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B26c_15MHz


Band: 26c / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	821.5	75	0	5.72	<=13	Pass
	831.5	75	0	5.57	<=13	Pass
	841.5	75	0	5.72	<=13	Pass
16QAM	821.5	75	0	6.32	<=13	Pass
	831.5	75	0	6.19	<=13	Pass
	841.5	75	0	6.26	<=13	Pass
64QAM	821.5	75	0	6.73	<=13	Pass
	831.5	75	0	6.59	<=13	Pass
	841.5	75	0	6.64	<=13	Pass
256QAM	821.5	75	0	7.02	<=13	Pass
	831.5	75	0	6.90	<=13	Pass
	841.5	75	0	6.89	<=13	Pass

4.2 Test Graph


4.2.1 B26c_15MHz




Band26c 15MHz QPSK HCH 841.5MHz RB 75 0 NTNV




Band26c 15MHz 16QAM LCH 821.5MHz RB 75 0 NTNV




Band26c 15MHz 16QAM MCH 831.5MHz RB 75 0 NTNV




Band26c 15MHz 16QAM HCH 841.5MHz RB 75 0 NTNV




Band26c 15MHz 64QAM LCH 821.5MHz RB 75 0 NTNV




Band26c 15MHz 64QAM MCH 831.5MHz RB 75 0 NTNV




Band26c 15MHz 64QAM HCH 841.5MHz RB 75 0 NTN




Band26c 15MHz 256QAM LCH 821.5MHz RB 75 0 NTN



Band26c 15MHz 256QAM MCH 831.5MHz RB 75 0 NTNV



Band26c 15MHz 256QAM HCH 841.5MHz RB 75 0 NTNV



5. Spurious Emission


5.1 Test Result

5.1.1 B26c_15MHz


Band: 26c / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
16QAM	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
64QAM	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
256QAM	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B26c_15MHz




Band26c 15MHz QPSK LCH 821.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	812.230	-38.52	-13	Pass
813	813.963	0.148	CHP	2	813.940	-36.10	-13	Pass
813.963	814	0.148	CHP	3	813.970	-35.87	-20	Pass
814	829	0.148	CHP	/	/	/	/	/


Band26c 15MHz QPSK MCH 831.5MHz RB 1 0 NTNV



Band26c 15MHz QPSK HCH 841.5MHz RB 1 0 NTNV




Band26c 15MHz QPSK HCH 841.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-41.47	-13	Pass
850	864	0.1	CHP	2	850.080	-51.88	-13	Pass

Band26c 15MHz QPSK HCH 841.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.147	CHP	/	/	/	/	/
849	850	0.147	CHP	1	849.360	-39.17	-13	Pass
850	864	0.1	/	2	850.200	-40.83	-13	Pass

Band26c 15MHz 16QAM LCH 821.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	CHP	1	810.393	-48.49	-13	Pass
813	813.963	0.003	/	2	813.942	-42.54	-13	Pass
813.963	814	0.003	/	3	813.997	-40.61	-20	Pass
814	829	0.003	/	/	/	/	/	/

Band26c 15MHz 16QAM LCH 821.5MHz RB 1 0 NTNV




Band26c 15MHz 16QAM LCH 821.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	812.590	-37.34	-13	Pass
813	813.963	0.15	CHP	2	813.940	-35.10	-13	Pass
813.963	814	0.15	CHP	3	813.970	-35.04	-20	Pass
814	829	0.15	CHP	/	/	/	/	/


Band26c 15MHz 16QAM MCH 831.5MHz RB 1 0 NTNV



Band26c 15MHz 16QAM HCH 841.5MHz RB 1 0 NTNV




Band26c 15MHz 16QAM HCH 841.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-41.51	-13	Pass
850	864	0.1	CHP	2	850.239	-52.27	-13	Pass

Band26c 15MHz 16QAM HCH 841.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.148	CHP	/	/	/	/	/
849	850	0.148	CHP	1	849.030	-38.57	-13	Pass
850	864	0.1	/	2	851.340	-39.63	-13	Pass

Band26c 15MHz 64QAM LCH 821.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	CHP	1	810.404	-49.81	-13	Pass
813	813.963	0.003	/	2	813.951	-44.17	-13	Pass
813.963	814	0.003	/	3	813.997	-42.98	-20	Pass
814	829	0.003	/	/	/	/	/	/

Band26c 15MHz 64QAM LCH 821.5MHz RB 1 0 NTNV




Band26c 15MHz 64QAM LCH 821.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	812.290	-37.12	-13	Pass
813	813.963	0.15	CHP	2	813.760	-35.67	-13	Pass
813.963	814	0.15	CHP	3	813.970	-36.55	-20	Pass
814	829	0.15	CHP	/	/	/	/	/


Band26c 15MHz 64QAM MCH 831.5MHz RB 1 0 NTNV



Band26c 15MHz 64QAM HCH 841.5MHz RB 1 0 NTNV




Band26c 15MHz 64QAM HCH 841.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-41.68	-13	Pass
850	864	0.1	CHP	2	850.106	-53.55	-13	Pass

Band26c 15MHz 64QAM HCH 841.5MHz RB 75 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.149	CHP	/	/	/	/	/
849	850	0.149	CHP	1	849.060	-38.01	-13	Pass
850	864	0.1	/	2	850.110	-39.37	-13	Pass

Band26c 15MHz 256QAM LCH 821.5MHz RB 1 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	CHP	1	810.404	-53.74	-13	Pass
813	813.963	0.003	/	2	813.952	-47.66	-13	Pass
813.963	814	0.003	/	3	813.999	-46.49	-20	Pass
814	829	0.003	/	/	/	/	/	/

Band26c 15MHz 256QAM LCH 821.5MHz RB 1 0 NTNV




Band26c 15MHz 256QAM LCH 821.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	812.560	-37.88	-13	Pass
813	813.963	0.232	CHP	2	813.910	-34.41	-13	Pass
813.963	814	0.232	CHP	3	813.970	-34.55	-20	Pass
814	829	0.232	CHP	/	/	/	/	/


Band26c 15MHz 256QAM MCH 831.5MHz RB 1 0 NTNV



Band26c 15MHz 256QAM HCH 841.5MHz RB 1 0 NTNV




Band26c 15MHz 256QAM HCH 841.5MHz RB 1 74 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.009	-46.46	-13	Pass
850	864	0.1	CHP	2	852.583	-55.72	-13	Pass

Band26c 15MHz 256QAM HCH 841.5MHz RB 75 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.15	CHP	/	/	/	/	/
849	850	0.15	CHP	1	849.030	-39.04	-13	Pass
850	864	0.1	/	2	850.320	-39.65	-13	Pass