



802.11g_2 412 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.39 ¹⁾	V	54.00	27.10	-30.39	-	50.71	74.00	23.29
4 807.42 ¹⁾	H	55.20	32.24	-46.11	-	41.33	74.00	32.67
7 257.43 ¹⁾	V	54.60	37.11	-44.41	-	47.30	74.00	26.70
Average Data								
No spurious emissions were detected within 20 dB of the limit.								



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
4 840.28 ¹⁾	H	56.50	32.44	-45.97	-	42.97	74.00	31.03
7 341.05 ¹⁾	V	55.30	36.74	-44.26	-	47.78	74.00	26.22
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 462 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 483.87 ¹⁾	V	52.80	27.84	-30.24	-	50.40	74.00	23.60
4 913.27 ¹⁾	V	55.40	32.75	-45.64	-	42.51	74.00	31.49
7 402.92 ¹⁾	V	54.30	36.69	-44.16	-	46.83	74.00	27.17
Average Data								
No spurious emissions were detected within 20 dB of the limit.								



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 467 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 492.49 ¹⁾	V	47.30	27.80	-30.22	-	44.88	74.00	29.12
4 935.98 ¹⁾	H	54.80	32.84	-45.54	-	42.10	74.00	31.90
7 391.80 ¹⁾	H	53.90	36.72	-44.18	-	46.44	74.00	27.56
Average Data								
No spurious emissions were detected within 20 dB of the limit.								



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 483.52 ¹⁾	V	58.00	27.84	-30.24	-	55.60	74.00	18.40
4 961.60 ¹⁾	V	54.50	32.95	-45.42	-	42.03	74.00	31.97
7 410.65 ¹⁾	H	54.10	36.68	-44.14	-	46.64	74.00	27.36
Average Data								
2 483.52 ¹⁾	V	46.69	27.84	-30.24	0.32	44.61	54.00	9.39



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 412 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.73 ¹⁾	V	55.30	27.10	-30.39	-	52.01	74.00	21.99
4 855.27 ¹⁾	V	55.80	32.53	-45.90	-	42.43	74.00	31.57
7 265.65 ¹⁾	H	54.60	37.13	-44.39	-	47.34	74.00	26.66
Average Data								
2 389.73 ¹⁾	V	45.92	27.10	-30.39	0.35	42.98	54.00	11.02



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 829.17 ¹⁾	H	55.60	32.38	-46.02	-	41.96	74.00	32.04
7 334.77 ¹⁾	H	53.80	36.76	-44.27	-	46.29	74.00	27.71
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 462 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 483.55 ¹⁾	V	55.80	27.84	-30.24	-	53.40	74.00	20.60
4 936.95 ¹⁾	H	54.50	32.85	-45.53	-	41.82	74.00	32.18
7 338.63 ¹⁾	H	54.40	36.75	-44.27	-	46.88	74.00	27.12
Average Data								
2 483.55 ¹⁾	V	45.16	27.84	-30.24	0.35	43.11	54.00	10.89


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 467 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 490.67 ¹⁾	H	47.70	27.80	-30.22	-	45.28	74.00	28.72
4 955.32 ¹⁾	V	54.70	32.92	-45.45	-	42.17	74.00	31.83
7 410.65 ¹⁾	V	54.60	36.68	-44.14	-	47.14	74.00	26.86
Average Data								
No spurious emissions were detected within 20 dB of the limit.								



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.57 ¹⁾	V	58.70	27.84	-30.24	-	56.30	74.00	17.70
4 983.35 ¹⁾	H	55.00	33.03	-45.32	-	42.71	74.00	31.29
7 426.12 ¹⁾	H	54.80	36.65	-44.12	-	47.33	74.00	26.67
Average Data								
2 483.57 ¹⁾	V	47.94	27.84	-30.24	0.35	45.89	54.00	8.11



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11ac VHT20_2 412 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.81 ¹⁾	V	55.90	27.10	-30.39	-	52.61	74.00	21.39
4 863.97 ¹⁾	H	55.20	32.58	-45.86	-	41.92	74.00	32.08
7 238.10	V	53.80	37.15	-44.39	-	46.56	74.00	27.44
Average Data								
2 389.81 ¹⁾	V	45.33	27.10	-30.39	0.36	42.40	54.00	11.60



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11ac VHT20_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 914.23 ¹⁾	H	55.40	32.76	-45.63	-	42.53	74.00	31.47
7 358.45 ¹⁾	H	54.00	36.78	-44.23	-	46.55	74.00	27.45
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11ac VHT20_2 462 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 483.65 ¹⁾	V	55.20	27.84	-30.24	-	52.80	74.00	21.20
4 908.43 ¹⁾	H	54.50	32.73	-45.66	-	41.57	74.00	32.43
7 382.62 ¹⁾	H	54.60	36.73	-44.19	-	47.14	74.00	26.86
Average Data								
2 483.65 ¹⁾	V	44.81	27.84	-30.24	0.36	42.77	54.00	11.23



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11ac VHT20_2 467 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 485.13 ¹⁾	V	47.30	27.85	-30.23	-	44.92	74.00	29.08
4 897.80 ¹⁾	H	55.40	32.79	-45.71	-	42.48	74.00	31.52
7 425.63 ¹⁾	H	55.00	36.65	-44.12	-	47.53	74.00	26.47
Average Data								
No spurious emissions were detected within 20 dB of the limit.								



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11ac VHT20_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 483.55 ¹⁾	V	58.90	27.84	-30.24	-	56.50	74.00	17.50
4 911.82 ¹⁾	H	54.70	32.75	-45.65	-	41.80	74.00	32.20
7 381.65 ¹⁾	H	54.00	36.74	-44.19	-	46.55	74.00	27.45
Average Data								
2 483.55 ¹⁾	V	48.16	27.84	-30.24	0.36	46.12	54.00	7.88



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




MIMO

802.11g_2 412 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 389.94 ¹⁾	V	59.30	27.10	-30.39	-	56.01	74.00	17.99
4 823.85 ¹⁾	V	55.60	32.34	-46.04	-	41.90	74.00	32.10
7 283.05 ¹⁾	V	54.30	37.17	-44.36	-	47.11	74.00	26.89
Average Data								
2 389.94 ¹⁾	V	47.38	27.10	-30.39	0.31	44.40	54.00	9.60



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 909.40 ¹⁾	H	55.80	32.74	-45.66	-	42.88	74.00	31.12
7 332.35 ¹⁾	H	54.20	36.77	-44.28	-	46.69	74.00	27.31
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 462 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 484.12 ¹⁾	V	60.10	27.84	-30.24	-	57.70	74.00	16.30
4 882.82 ¹⁾	H	55.30	32.70	-45.77	-	42.23	74.00	31.77
7 409.68 ¹⁾	H	53.80	36.68	-44.15	-	46.33	74.00	27.67
Average Data								
2 484.12 ¹⁾	V	47.98	27.84	-30.24	0.31	45.89	54.00	8.11



Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11g_2 467 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 498.76 ¹⁾	H	47.60	27.80	-30.21	-	45.19	74.00	28.81
4 886.20 ¹⁾	V	55.40	32.72	-45.76	-	42.36	74.00	31.64
7 360.87 ¹⁾	V	54.30	36.78	-44.23	-	46.85	74.00	27.15
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

