



Radiated Power (EIRP) for LTE Band 2 / 5M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I. R.P(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.94	2.37	10.40	19.97	Horizontal	Pass
	1	0	Middle	12.01	2.39	10.42	20.04	Horizontal	Pass
	1	0	Highest	11.98	2.40	10.44	20.02	Horizontal	Pass
	1	0	Lowest	13.36	2.37	10.40	21.39	Vertical	Pass
	1	0	Middle	13.49	2.39	10.42	21.52	Vertical	Pass
	1	0	Highest	13.35	2.40	10.44	21.39	Vertical	Pass
16QAM	1	0	Lowest	11.68	2.37	10.40	19.71	Horizontal	Pass
	1	0	Middle	11.82	2.39	10.42	19.85	Horizontal	Pass
	1	0	Highest	11.67	2.40	10.44	19.71	Horizontal	Pass
	1	0	Lowest	13.1	2.37	10.40	21.13	Vertical	Pass
	1	0	Middle	13.18	2.39	10.42	21.21	Vertical	Pass
	1	0	Highest	13.03	2.40	10.44	21.07	Vertical	Pass
Limit	EIRP<2W=33dBm								

Radiated Power (EIRP) for LTE Band 2 / 10M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I. R.P(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.96	2.37	10.40	19.99	Horizontal	Pass
	1	0	Middle	11.88	2.39	10.42	19.91	Horizontal	Pass
	1	0	Highest	11.8	2.40	10.44	19.84	Horizontal	Pass
	1	0	Lowest	13.37	2.37	10.40	21.40	Vertical	Pass
	1	0	Middle	13.28	2.39	10.42	21.31	Vertical	Pass
	1	0	Highest	13.2	2.40	10.44	21.24	Vertical	Pass
16QAM	1	0	Lowest	11.64	2.37	10.40	19.67	Horizontal	Pass
	1	0	Middle	11.66	2.39	10.42	19.69	Horizontal	Pass
	1	0	Highest	11.52	2.40	10.44	19.56	Horizontal	Pass
	1	0	Lowest	13.11	2.37	10.40	21.14	Vertical	Pass
	1	0	Middle	13.11	2.39	10.42	21.14	Vertical	Pass
	1	0	Highest	13.02	2.40	10.44	21.06	Vertical	Pass
Limit	EIRP<2W=33dBm								



Radiated Power (EIRP) for LTE Band 2 / 15M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I. R.P(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	13.06	2.37	10.40	21.09	Horizontal	Pass
	1	0	Middle	13.04	2.39	10.42	21.07	Horizontal	Pass
	1	0	Highest	13.01	2.40	10.44	21.05	Horizontal	Pass
	1	0	Lowest	14.37	2.37	10.40	22.40	Vertical	Pass
	1	0	Middle	14.4	2.39	10.42	22.43	Vertical	Pass
	1	0	Highest	14.36	2.40	10.44	22.40	Vertical	Pass
16QAM	1	0	Lowest	12.93	2.37	10.40	20.96	Horizontal	Pass
	1	0	Middle	12.76	2.39	10.42	20.79	Horizontal	Pass
	1	0	Highest	12.56	2.40	10.44	20.60	Horizontal	Pass
	1	0	Lowest	14.25	2.37	10.40	22.28	Vertical	Pass
	1	0	Middle	14.08	2.39	10.42	22.11	Vertical	Pass
	1	0	Highest	14	2.40	10.44	22.04	Vertical	Pass
Limit	EIRP<2W=33dBm								

Radiated Power (EIRP) for LTE Band 2 / 20M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I. R.P(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	13.2	2.37	10.40	21.23	Horizontal	Pass
	1	0	Middle	13.19	2.39	10.42	21.22	Horizontal	Pass
	1	0	Highest	13	2.40	10.44	21.04	Horizontal	Pass
	1	0	Lowest	14.56	2.37	10.40	22.59	Vertical	Pass
	1	0	Middle	14.53	2.39	10.42	22.56	Vertical	Pass
	1	0	Highest	14.47	2.40	10.44	22.51	Vertical	Pass
16QAM	1	0	Lowest	12.97	2.37	10.40	21.00	Horizontal	Pass
	1	0	Middle	12.85	2.39	10.42	20.88	Horizontal	Pass
	1	0	Highest	12.74	2.40	10.44	20.78	Horizontal	Pass
	1	0	Lowest	14.29	2.37	10.40	22.32	Vertical	Pass
	1	0	Middle	14.16	2.39	10.42	22.19	Vertical	Pass
	1	0	Highest	14.17	2.40	10.44	22.21	Vertical	Pass
Limit	EIRP<2W=33dBm								



Radiated Power (EIRP) for LTE Band 4 / 1.4M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	12.38	2.35	10.13	20.16	Horizontal	Pass
	1	0	Middle	12.44	2.36	10.16	20.24	Horizontal	Pass
	1	0	Highest	12.38	2.37	10.22	20.23	Horizontal	Pass
	1	0	Lowest	13.76	2.35	10.13	21.54	Vertical	Pass
	1	0	Middle	13.85	2.36	10.16	21.65	Vertical	Pass
	1	0	Highest	13.77	2.37	10.22	21.62	Vertical	Pass
16QAM	1	0	Lowest	12.08	2.35	10.13	19.86	Horizontal	Pass
	1	0	Middle	12.22	2.36	10.16	20.02	Horizontal	Pass
	1	0	Highest	12.22	2.37	10.22	20.07	Horizontal	Pass
	1	0	Lowest	13.42	2.35	10.13	21.20	Vertical	Pass
	1	0	Middle	13.64	2.36	10.16	21.44	Vertical	Pass
	1	0	Highest	13.57	2.37	10.22	21.42	Vertical	Pass
Limit	EIRP<1W=30dBm								

Radiated Power (EIRP) for LTE Band 4 / 3M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	12.05	2.35	10.13	19.83	Horizontal	Pass
	1	0	Middle	12.22	2.36	10.16	20.02	Horizontal	Pass
	1	0	Highest	12.01	2.37	10.22	19.86	Horizontal	Pass
	1	0	Lowest	13.49	2.35	10.13	21.27	Vertical	Pass
	1	0	Middle	13.64	2.36	10.16	21.44	Vertical	Pass
	1	0	Highest	13.51	2.37	10.22	21.36	Vertical	Pass
16QAM	1	0	Lowest	11.95	2.35	10.13	19.73	Horizontal	Pass
	1	0	Middle	11.87	2.36	10.16	19.67	Horizontal	Pass
	1	0	Highest	11.82	2.37	10.22	19.67	Horizontal	Pass
	1	0	Lowest	13.32	2.35	10.13	21.10	Vertical	Pass
	1	0	Middle	13.34	2.36	10.16	21.14	Vertical	Pass
	1	0	Highest	13.22	2.37	10.22	21.07	Vertical	Pass
Limit	EIRP<1W=30dBm								



Radiated Power (EIRP) for LTE Band 4 / 5M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.53	2.35	10.13	19.31	Horizontal	Pass
	1	0	Middle	11.33	2.36	10.16	19.13	Horizontal	Pass
	1	0	Highest	11.67	2.37	10.22	19.52	Horizontal	Pass
	1	0	Lowest	13.03	2.35	10.13	20.81	Vertical	Pass
	1	0	Middle	12.8	2.36	10.16	20.60	Vertical	Pass
	1	0	Highest	13.05	2.37	10.22	20.90	Vertical	Pass
16QAM	1	0	Lowest	11.32	2.35	10.13	19.10	Horizontal	Pass
	1	0	Middle	11.11	2.36	10.16	18.91	Horizontal	Pass
	1	0	Highest	11.52	2.37	10.22	19.37	Horizontal	Pass
	1	0	Lowest	12.71	2.35	10.13	20.49	Vertical	Pass
	1	0	Middle	12.52	2.36	10.16	20.32	Vertical	Pass
	1	0	Highest	12.87	2.37	10.22	20.72	Vertical	Pass
Limit	EIRP<1W=30dBm								

Radiated Power (EIRP) for LTE Band 4 / 10M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.38	2.35	10.13	19.16	Horizontal	Pass
	1	0	Middle	11.37	2.36	10.16	19.17	Horizontal	Pass
	1	0	Highest	11.42	2.37	10.22	19.27	Horizontal	Pass
	1	0	Lowest	12.88	2.35	10.13	20.66	Vertical	Pass
	1	0	Middle	12.75	2.36	10.16	20.55	Vertical	Pass
	1	0	Highest	12.8	2.37	10.22	20.65	Vertical	Pass
16QAM	1	0	Lowest	11.25	2.35	10.13	19.03	Horizontal	Pass
	1	0	Middle	11.14	2.36	10.16	18.94	Horizontal	Pass
	1	0	Highest	11.02	2.37	10.22	18.87	Horizontal	Pass
	1	0	Lowest	12.61	2.35	10.13	20.39	Vertical	Pass
	1	0	Middle	12.61	2.36	10.16	20.41	Vertical	Pass
	1	0	Highest	12.48	2.37	10.22	20.33	Vertical	Pass
Limit	EIRP<1W=30dBm								



Radiated Power (EIRP) for LTE Band 4 / 15M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	12.37	2.35	10.13	20.15	Horizontal	Pass
	1	0	Middle	12.51	2.36	10.16	20.31	Horizontal	Pass
	1	0	Highest	12.35	2.37	10.22	20.20	Horizontal	Pass
	1	0	Lowest	13.86	2.35	10.13	21.64	Vertical	Pass
	1	0	Middle	13.97	2.36	10.16	21.77	Vertical	Pass
	1	0	Highest	13.85	2.37	10.22	21.70	Vertical	Pass
16QAM	1	0	Lowest	12.15	2.35	10.13	19.93	Horizontal	Pass
	1	0	Middle	12.29	2.36	10.16	20.09	Horizontal	Pass
	1	0	Highest	12.12	2.37	10.22	19.97	Horizontal	Pass
	1	0	Lowest	13.58	2.35	10.13	21.36	Vertical	Pass
	1	0	Middle	13.72	2.36	10.16	21.52	Vertical	Pass
	1	0	Highest	13.51	2.37	10.22	21.36	Vertical	Pass
Limit	EIRP<1W=30dBm								

Radiated Power (EIRP) for LTE Band 4 / 20M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	12.66	2.35	10.13	20.44	Horizontal	Pass
	1	0	Middle	12.59	2.36	10.16	20.39	Horizontal	Pass
	1	0	Highest	12.47	2.37	10.22	20.32	Horizontal	Pass
	1	0	Lowest	14.14	2.35	10.13	21.92	Vertical	Pass
	1	0	Middle	14.08	2.36	10.16	21.88	Vertical	Pass
	1	0	Highest	13.9	2.37	10.22	21.75	Vertical	Pass
16QAM	1	0	Lowest	12.41	2.35	10.13	20.19	Horizontal	Pass
	1	0	Middle	12.38	2.36	10.16	20.18	Horizontal	Pass
	1	0	Highest	12.45	2.37	10.22	20.30	Horizontal	Pass
	1	0	Lowest	13.83	2.35	10.13	21.61	Vertical	Pass
	1	0	Middle	13.87	2.36	10.16	21.67	Vertical	Pass
	1	0	Highest	13.79	2.37	10.22	21.64	Vertical	Pass
Limit	EIRP<1W=30dBm								



Radiated Power (ERP) for LTE Band 5 / 1.4M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	17.09	1.27	6.70	2.15	20.37	Horizontal	Pass
	1	0	Middle	17.13	1.28	6.70	2.15	20.40	Horizontal	Pass
	1	0	Highest	17.28	1.29	6.70	2.15	20.54	Horizontal	Pass
	1	0	Lowest	18.5	1.27	6.70	2.15	21.78	Vertical	Pass
	1	0	Middle	18.57	1.28	6.70	2.15	21.84	Vertical	Pass
	1	0	Highest	18.69	1.29	6.70	2.15	21.95	Vertical	Pass
16QAM	1	0	Lowest	16.98	1.27	6.70	2.15	20.26	Horizontal	Pass
	1	0	Middle	16.93	1.28	6.70	2.15	20.20	Horizontal	Pass
	1	0	Highest	16.82	1.29	6.70	2.15	20.08	Horizontal	Pass
	1	0	Lowest	18.35	1.27	6.70	2.15	21.63	Vertical	Pass
	1	0	Middle	18.23	1.28	6.70	2.15	21.50	Vertical	Pass
	1	0	Highest	18.31	1.29	6.70	2.15	21.57	Vertical	Pass
Limit	ERP<7W=38.45dBm									

Radiated Power (ERP) for LTE Band 5 / 3M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	17.03	1.27	6.70	2.15	20.31	Horizontal	Pass
	1	0	Middle	16.89	1.28	6.70	2.15	20.16	Horizontal	Pass
	1	0	Highest	16.94	1.29	6.70	2.15	20.20	Horizontal	Pass
	1	0	Lowest	18.45	1.27	6.70	2.15	21.73	Vertical	Pass
	1	0	Middle	18.37	1.28	6.70	2.15	21.64	Vertical	Pass
	1	0	Highest	18.39	1.29	6.70	2.15	21.65	Vertical	Pass
16QAM	1	0	Lowest	16.7	1.27	6.70	2.15	19.98	Horizontal	Pass
	1	0	Middle	16.77	1.28	6.70	2.15	20.04	Horizontal	Pass
	1	0	Highest	16.68	1.29	6.70	2.15	19.94	Horizontal	Pass
	1	0	Lowest	18.12	1.27	6.70	2.15	21.40	Vertical	Pass
	1	0	Middle	18.12	1.28	6.70	2.15	21.39	Vertical	Pass
	1	0	Highest	18.1	1.29	6.70	2.15	21.36	Vertical	Pass
Limit	ERP<7W=38.45dBm									



Radiated Power (ERP) for LTE Band 5 / 5M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	16.25	1.27	6.70	2.15	19.53	Horizontal	Pass
	1	0	Middle	16.16	1.28	6.70	2.15	19.43	Horizontal	Pass
	1	0	Highest	16.29	1.29	6.70	2.15	19.55	Horizontal	Pass
	1	0	Lowest	17.65	1.27	6.70	2.15	20.93	Vertical	Pass
	1	0	Middle	17.58	1.28	6.70	2.15	20.85	Vertical	Pass
	1	0	Highest	17.62	1.29	6.70	2.15	20.88	Vertical	Pass
16QAM	1	0	Lowest	16.04	1.27	6.70	2.15	19.32	Horizontal	Pass
	1	0	Middle	16.05	1.28	6.70	2.15	19.32	Horizontal	Pass
	1	0	Highest	15.76	1.29	6.70	2.15	19.02	Horizontal	Pass
	1	0	Lowest	17.38	1.27	6.70	2.15	20.66	Vertical	Pass
	1	0	Middle	17.45	1.28	6.70	2.15	20.72	Vertical	Pass
	1	0	Highest	17.24	1.29	6.70	2.15	20.50	Vertical	Pass
Limit	ERP<7W=38.45dBm									

Radiated Power (ERP) for LTE Band 5 / 10M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	17.5	1.27	6.70	2.15	20.78	Horizontal	Pass
	1	0	Middle	17.57	1.28	6.70	2.15	20.84	Horizontal	Pass
	1	0	Highest	17.72	1.29	6.70	2.15	20.98	Horizontal	Pass
	1	0	Lowest	18.94	1.27	6.70	2.15	22.22	Vertical	Pass
	1	0	Middle	19.06	1.28	6.70	2.15	22.33	Vertical	Pass
	1	0	Highest	19.02	1.29	6.70	2.15	22.28	Vertical	Pass
16QAM	1	0	Lowest	17.38	1.27	6.70	2.15	20.66	Horizontal	Pass
	1	0	Middle	17.5	1.28	6.70	2.15	20.77	Horizontal	Pass
	1	0	Highest	17.42	1.29	6.70	2.15	20.68	Horizontal	Pass
	1	0	Lowest	18.71	1.27	6.70	2.15	21.99	Vertical	Pass
	1	0	Middle	18.98	1.28	6.70	2.15	22.25	Vertical	Pass
	1	0	Highest	18.82	1.29	6.70	2.15	22.08	Vertical	Pass
Limit	ERP<7W=38.45dBm									



Radiated Power (EIRP) for LTE Band 7 / 5M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.46	2.56	10.60	19.50	Horizontal	Pass
	1	0	Middle	11.56	2.67	10.65	19.54	Horizontal	Pass
	1	0	Highest	11.54	2.72	10.70	19.52	Horizontal	Pass
	1	0	Lowest	12.82	2.56	10.60	20.86	Vertical	Pass
	1	0	Middle	12.87	2.67	10.65	20.85	Vertical	Pass
	1	0	Highest	13	2.72	10.70	20.98	Vertical	Pass
16QAM	1	0	Lowest	11.05	2.56	10.60	19.09	Horizontal	Pass
	1	0	Middle	11.29	2.67	10.65	19.27	Horizontal	Pass
	1	0	Highest	11.42	2.72	10.70	19.40	Horizontal	Pass
	1	0	Lowest	12.46	2.56	10.60	20.50	Vertical	Pass
	1	0	Middle	12.64	2.67	10.65	20.62	Vertical	Pass
	1	0	Highest	12.76	2.72	10.70	20.74	Vertical	Pass
Limit	EIRP<2W=33dBm								

Radiated Power (EIRP) for LTE Band 7 / 10M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.33	2.56	10.60	19.37	Horizontal	Pass
	1	0	Middle	11.46	2.67	10.65	19.44	Horizontal	Pass
	1	0	Highest	11.4	2.72	10.70	19.38	Horizontal	Pass
	1	0	Lowest	12.72	2.56	10.60	20.76	Vertical	Pass
	1	0	Middle	12.88	2.67	10.65	20.86	Vertical	Pass
	1	0	Highest	12.81	2.72	10.70	20.79	Vertical	Pass
16QAM	1	0	Lowest	11.16	2.56	10.60	19.20	Horizontal	Pass
	1	0	Middle	11.17	2.67	10.65	19.15	Horizontal	Pass
	1	0	Highest	11.22	2.72	10.70	19.20	Horizontal	Pass
	1	0	Lowest	12.47	2.56	10.60	20.51	Vertical	Pass
	1	0	Middle	12.66	2.67	10.65	20.64	Vertical	Pass
	1	0	Highest	12.67	2.72	10.70	20.65	Vertical	Pass
Limit	EIRP<2W=33dBm								



Radiated Power (EIRP) for LTE Band 7 / 15M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.59	2.56	10.60	19.63	Horizontal	Pass
	1	0	Middle	11.6	2.67	10.65	19.58	Horizontal	Pass
	1	0	Highest	11.8	2.72	10.70	19.78	Horizontal	Pass
	1	0	Lowest	12.93	2.56	10.60	20.97	Vertical	Pass
	1	0	Middle	13.06	2.67	10.65	21.04	Vertical	Pass
	1	0	Highest	13.22	2.72	10.70	21.20	Vertical	Pass
16QAM	1	0	Lowest	11.11	2.56	10.60	19.15	Horizontal	Pass
	1	0	Middle	11.25	2.67	10.65	19.23	Horizontal	Pass
	1	0	Highest	11.39	2.72	10.70	19.37	Horizontal	Pass
	1	0	Lowest	12.59	2.56	10.60	20.63	Vertical	Pass
	1	0	Middle	12.74	2.67	10.65	20.72	Vertical	Pass
	1	0	Highest	12.84	2.72	10.70	20.82	Vertical	Pass
Limit	EIRP<2W=33dBm								

Radiated Power (EIRP) for LTE Band 7 / 20M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	12.11	2.56	10.60	20.15	Horizontal	Pass
	1	0	Middle	12.13	2.67	10.65	20.11	Horizontal	Pass
	1	0	Highest	12.42	2.72	10.70	20.40	Horizontal	Pass
	1	0	Lowest	13.58	2.56	10.60	21.62	Vertical	Pass
	1	0	Middle	13.56	2.67	10.65	21.54	Vertical	Pass
	1	0	Highest	13.78	2.72	10.70	21.76	Vertical	Pass
16QAM	1	0	Lowest	11.76	2.56	10.60	19.80	Horizontal	Pass
	1	0	Middle	11.98	2.67	10.65	19.96	Horizontal	Pass
	1	0	Highest	11.99	2.72	10.70	19.97	Horizontal	Pass
	1	0	Lowest	13.21	2.56	10.60	21.25	Vertical	Pass
	1	0	Middle	13.41	2.67	10.65	21.39	Vertical	Pass
	1	0	Highest	13.31	2.72	10.70	21.29	Vertical	Pass
Limit	EIRP<2W=33dBm								



Radiated Power (ERP) for LTE Band 12 / 1.4M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	16.47	1.21	6.40	2.15	19.51	Horizontal	Pass
	1	0	Middle	16.66	1.22	6.40	2.15	19.69	Horizontal	Pass
	1	0	Highest	16.44	1.23	6.40	2.15	19.46	Horizontal	Pass
	1	0	Lowest	17.89	1.21	6.40	2.15	20.93	Vertical	Pass
	1	0	Middle	18	1.22	6.40	2.15	21.03	Vertical	Pass
	1	0	Highest	17.93	1.23	6.40	2.15	20.95	Vertical	Pass
16QAM	1	0	Lowest	16.21	1.21	6.40	2.15	19.25	Horizontal	Pass
	1	0	Middle	16.33	1.22	6.40	2.15	19.36	Horizontal	Pass
	1	0	Highest	16.33	1.23	6.40	2.15	19.35	Horizontal	Pass
	1	0	Lowest	17.66	1.21	6.40	2.15	20.70	Vertical	Pass
	1	0	Middle	17.75	1.22	6.40	2.15	20.78	Vertical	Pass
	1	0	Highest	17.66	1.23	6.40	2.15	20.68	Vertical	Pass
Limit	ERP<3W=34.77dBm									

Radiated Power (ERP) for LTE Band 12 / 3M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	16.21	1.21	6.40	2.15	19.25	Horizontal	Pass
	1	0	Middle	16.45	1.22	6.40	2.15	19.48	Horizontal	Pass
	1	0	Highest	16.38	1.23	6.40	2.15	19.40	Horizontal	Pass
	1	0	Lowest	17.67	1.21	6.40	2.15	20.71	Vertical	Pass
	1	0	Middle	17.89	1.22	6.40	2.15	20.92	Vertical	Pass
	1	0	Highest	17.87	1.23	6.40	2.15	20.89	Vertical	Pass
16QAM	1	0	Lowest	16.1	1.21	6.40	2.15	19.14	Horizontal	Pass
	1	0	Middle	16.02	1.22	6.40	2.15	19.05	Horizontal	Pass
	1	0	Highest	15.99	1.23	6.40	2.15	19.01	Horizontal	Pass
	1	0	Lowest	17.46	1.21	6.40	2.15	20.50	Vertical	Pass
	1	0	Middle	17.47	1.22	6.40	2.15	20.50	Vertical	Pass
	1	0	Highest	17.42	1.23	6.40	2.15	20.44	Vertical	Pass
Limit	ERP<3W=34.77dBm									



Radiated Power (ERP) for LTE Band 12 / 5M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	16.95	1.21	6.40	2.15	19.99	Horizontal	Pass
	1	0	Middle	16.98	1.22	6.40	2.15	20.01	Horizontal	Pass
	1	0	Highest	17.06	1.23	6.40	2.15	20.08	Horizontal	Pass
	1	0	Lowest	18.43	1.21	6.40	2.15	21.47	Vertical	Pass
	1	0	Middle	18.32	1.22	6.40	2.15	21.35	Vertical	Pass
	1	0	Highest	18.43	1.23	6.40	2.15	21.45	Vertical	Pass
16QAM	1	0	Lowest	16.84	1.21	6.40	2.15	19.88	Horizontal	Pass
	1	0	Middle	16.49	1.22	6.40	2.15	19.52	Horizontal	Pass
	1	0	Highest	16.74	1.23	6.40	2.15	19.76	Horizontal	Pass
	1	0	Lowest	18.34	1.21	6.40	2.15	21.38	Vertical	Pass
	1	0	Middle	17.95	1.22	6.40	2.15	20.98	Vertical	Pass
	1	0	Highest	18.14	1.23	6.40	2.15	21.16	Vertical	Pass
Limit	ERP<3W=34.77dBm									

Radiated Power (ERP) for LTE Band 12 / 10M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	17.45	1.21	6.40	2.15	20.49	Horizontal	Pass
	1	0	Middle	17.5	1.22	6.40	2.15	20.53	Horizontal	Pass
	1	0	Highest	17.57	1.23	6.40	2.15	20.59	Horizontal	Pass
	1	0	Lowest	18.87	1.21	6.40	2.15	21.91	Vertical	Pass
	1	0	Middle	18.85	1.22	6.40	2.15	21.88	Vertical	Pass
	1	0	Highest	19.06	1.23	6.40	2.15	22.08	Vertical	Pass
16QAM	1	0	Lowest	17.15	1.21	6.40	2.15	20.19	Horizontal	Pass
	1	0	Middle	17.3	1.22	6.40	2.15	20.33	Horizontal	Pass
	1	0	Highest	17.3	1.23	6.40	2.15	20.32	Horizontal	Pass
	1	0	Lowest	18.62	1.21	6.40	2.15	21.66	Vertical	Pass
	1	0	Middle	18.7	1.22	6.40	2.15	21.73	Vertical	Pass
	1	0	Highest	18.8	1.23	6.40	2.15	21.82	Vertical	Pass
Limit	ERP<3W=34.77dBm									



Radiated Power (ERP) for LTE Band 13 / 5M										
Modulation	RB		Channel	Result						Conclusion
				S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P.(dBm)	Polarization	
	Size	Offset							Of Max. ERP	
QPSK	1	0	Lowest	16.38	1.21	6.40	2.15	19.42	Horizontal	Pass
	1	0	Middle	16.42	1.22	6.40	2.15	19.45	Horizontal	Pass
	1	0	Highest	16.76	1.23	6.40	2.15	19.78	Horizontal	Pass
	1	0	Lowest	17.88	1.21	6.40	2.15	20.92	Vertical	Pass
	1	0	Middle	17.9	1.22	6.40	2.15	20.93	Vertical	Pass
	1	0	Highest	18.09	1.23	6.40	2.15	21.11	Vertical	Pass
16QAM	1	0	Lowest	16.25	1.21	6.40	2.15	19.29	Horizontal	Pass
	1	0	Middle	16.38	1.22	6.40	2.15	19.41	Horizontal	Pass
	1	0	Highest	16.22	1.23	6.40	2.15	19.24	Horizontal	Pass
	1	0	Lowest	17.59	1.21	6.40	2.15	20.63	Vertical	Pass
	1	0	Middle	17.73	1.22	6.40	2.15	20.76	Vertical	Pass
	1	0	Highest	17.69	1.23	6.40	2.15	20.71	Vertical	Pass
Limit	ERP<3W=34.77dBm									

Radiated Power (ERP) for LTE Band 13 / 10M										
Modulation	RB		Channel	Result						Conclusion
				S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P.(dBm)	Polarization	
	Size	Offset							Of Max. ERP	
QPSK	1	0	Middle	17.28	1.22	6.40	2.15	20.31	Horizontal	Pass
	1	0	Middle	18.75	1.22	6.40	2.15	21.78	Vertical	Pass
16QAM	1	0	Middle	17.11	1.22	6.40	2.15	20.14	Horizontal	Pass
	1	0	Middle	18.41	1.22	6.40	2.15	21.44	Vertical	Pass
Limit	ERP<3W=34.77dBm									



Radiated Power (ERP) for LTE Band 14 / 5M										
Modulation	RB		Channel	Result						Conclusion
				S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P.(dBm)	Polarization	
	Size	Offset							Of Max. ERP	
QPSK	1	0	Lowest	16.37	1.21	6.40	2.15	19.41	Horizontal	Pass
	1	0	Middle	16.5	1.22	6.40	2.15	19.53	Horizontal	Pass
	1	0	Highest	16.47	1.23	6.40	2.15	19.49	Horizontal	Pass
	1	0	Lowest	17.86	1.21	6.40	2.15	20.90	Vertical	Pass
	1	0	Middle	17.97	1.22	6.40	2.15	21.00	Vertical	Pass
	1	0	Highest	17.96	1.23	6.40	2.15	20.98	Vertical	Pass
16QAM	1	0	Lowest	16.15	1.21	6.40	2.15	19.19	Horizontal	Pass
	1	0	Middle	16.24	1.22	6.40	2.15	19.27	Horizontal	Pass
	1	0	Highest	16.22	1.23	6.40	2.15	19.24	Horizontal	Pass
	1	0	Lowest	17.63	1.21	6.40	2.15	20.67	Vertical	Pass
	1	0	Middle	17.67	1.22	6.40	2.15	20.70	Vertical	Pass
	1	0	Highest	17.68	1.23	6.40	2.15	20.70	Vertical	Pass
Limit	ERP<3W=34.77dBm									

Radiated Power (ERP) for LTE Band 14 / 10M										
Modulation	RB		Channel	Result						Conclusion
				S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P.(dBm)	Polarization	
	Size	Offset							Of Max. ERP	
QPSK	1	0	Middle	17.55	1.22	6.40	2.15	20.58	Horizontal	Pass
	1	0	Middle	19.03	1.22	6.40	2.15	22.06	Vertical	Pass
16QAM	1	0	Middle	17.18	1.22	6.40	2.15	20.21	Horizontal	Pass
	1	0	Middle	18.61	1.22	6.40	2.15	21.64	Vertical	Pass
Limit	ERP<3W=34.77dBm									



Radiated Power (ERP) for LTE Band 17 / 5M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	17.44	1.21	6.40	2.15	20.48	Horizontal	Pass
	1	0	Middle	17.46	1.22	6.40	2.15	20.49	Horizontal	Pass
	1	0	Highest	17.58	1.23	6.40	2.15	20.60	Horizontal	Pass
	1	0	Lowest	18.86	1.21	6.40	2.15	21.90	Vertical	Pass
	1	0	Middle	18.9	1.22	6.40	2.15	21.93	Vertical	Pass
	1	0	Highest	19.04	1.23	6.40	2.15	22.06	Vertical	Pass
16QAM	1	0	Lowest	17.14	1.21	6.40	2.15	20.18	Horizontal	Pass
	1	0	Middle	17.31	1.22	6.40	2.15	20.34	Horizontal	Pass
	1	0	Highest	17.43	1.23	6.40	2.15	20.45	Horizontal	Pass
	1	0	Lowest	18.58	1.21	6.40	2.15	21.62	Vertical	Pass
	1	0	Middle	18.64	1.22	6.40	2.15	21.67	Vertical	Pass
	1	0	Highest	18.92	1.23	6.40	2.15	21.94	Vertical	Pass
Limit	ERP<3W=34.77dBm									

Radiated Power (ERP) for LTE Band 17 / 10M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	18.27	1.21	6.40	2.15	21.31	Horizontal	Pass
	1	0	Middle	18.51	1.22	6.40	2.15	21.54	Horizontal	Pass
	1	0	Highest	18.48	1.23	6.40	2.15	21.50	Horizontal	Pass
	1	0	Lowest	19.6	1.21	6.40	2.15	22.64	Vertical	Pass
	1	0	Middle	19.82	1.22	6.40	2.15	22.85	Vertical	Pass
	1	0	Highest	19.82	1.23	6.40	2.15	22.84	Vertical	Pass
16QAM	1	0	Lowest	18.1	1.21	6.40	2.15	21.14	Horizontal	Pass
	1	0	Middle	17.99	1.22	6.40	2.15	21.02	Horizontal	Pass
	1	0	Highest	18.26	1.23	6.40	2.15	21.28	Horizontal	Pass
	1	0	Lowest	19.5	1.21	6.40	2.15	22.54	Vertical	Pass
	1	0	Middle	19.47	1.22	6.40	2.15	22.50	Vertical	Pass
	1	0	Highest	19.72	1.23	6.40	2.15	22.74	Vertical	Pass
Limit	ERP<3W=34.77dBm									



Radiated Power (EIRP) for LTE Band 25 / 1.4M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I. R.P(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.38	2.37	10.40	19.41	Horizontal	Pass
	1	0	Middle	11.58	2.39	10.42	19.61	Horizontal	Pass
	1	0	Highest	11.49	2.40	10.44	19.53	Horizontal	Pass
	1	0	Lowest	12.88	2.37	10.40	20.91	Vertical	Pass
	1	0	Middle	12.95	2.39	10.42	20.98	Vertical	Pass
	1	0	Highest	12.98	2.40	10.44	21.02	Vertical	Pass
16QAM	1	0	Lowest	11.26	2.37	10.40	19.29	Horizontal	Pass
	1	0	Middle	11.23	2.39	10.42	19.26	Horizontal	Pass
	1	0	Highest	11.4	2.40	10.44	19.44	Horizontal	Pass
	1	0	Lowest	12.62	2.37	10.40	20.65	Vertical	Pass
	1	0	Middle	12.63	2.39	10.42	20.66	Vertical	Pass
	1	0	Highest	12.76	2.40	10.44	20.80	Vertical	Pass
Limit	EIRP<2W=33dBm								

Radiated Power (EIRP) for LTE Band 25 / 3M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I. R.P(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.45	2.37	10.40	19.48	Horizontal	Pass
	1	0	Middle	11.29	2.39	10.42	19.32	Horizontal	Pass
	1	0	Highest	11.49	2.40	10.44	19.53	Horizontal	Pass
	1	0	Lowest	12.83	2.37	10.40	20.86	Vertical	Pass
	1	0	Middle	12.69	2.39	10.42	20.72	Vertical	Pass
	1	0	Highest	12.8	2.40	10.44	20.84	Vertical	Pass
16QAM	1	0	Lowest	11.15	2.37	10.40	19.18	Horizontal	Pass
	1	0	Middle	11.25	2.39	10.42	19.28	Horizontal	Pass
	1	0	Highest	11.11	2.40	10.44	19.15	Horizontal	Pass
	1	0	Lowest	12.53	2.37	10.40	20.56	Vertical	Pass
	1	0	Middle	12.61	2.39	10.42	20.64	Vertical	Pass
	1	0	Highest	12.56	2.40	10.44	20.60	Vertical	Pass
Limit	EIRP<2W=33dBm								



Radiated Power (EIRP) for LTE Band 25 / 5M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I. R.P(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.47	2.37	10.40	19.50	Horizontal	Pass
	1	0	Middle	11.39	2.39	10.42	19.42	Horizontal	Pass
	1	0	Highest	11.3	2.40	10.44	19.34	Horizontal	Pass
	1	0	Lowest	12.79	2.37	10.40	20.82	Vertical	Pass
	1	0	Middle	12.84	2.39	10.42	20.87	Vertical	Pass
	1	0	Highest	12.71	2.40	10.44	20.75	Vertical	Pass
16QAM	1	0	Lowest	10.93	2.37	10.40	18.96	Horizontal	Pass
	1	0	Middle	11.2	2.39	10.42	19.23	Horizontal	Pass
	1	0	Highest	10.99	2.40	10.44	19.03	Horizontal	Pass
	1	0	Lowest	12.34	2.37	10.40	20.37	Vertical	Pass
	1	0	Middle	12.56	2.39	10.42	20.59	Vertical	Pass
	1	0	Highest	12.46	2.40	10.44	20.50	Vertical	Pass
Limit	EIRP<2W=33dBm								

Radiated Power (EIRP) for LTE Band 25 / 10M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I. R.P(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.3	2.37	10.40	19.33	Horizontal	Pass
	1	0	Middle	11.23	2.39	10.42	19.26	Horizontal	Pass
	1	0	Highest	11.34	2.40	10.44	19.38	Horizontal	Pass
	1	0	Lowest	12.61	2.37	10.40	20.64	Vertical	Pass
	1	0	Middle	12.64	2.39	10.42	20.67	Vertical	Pass
	1	0	Highest	12.73	2.40	10.44	20.77	Vertical	Pass
16QAM	1	0	Lowest	10.96	2.37	10.40	18.99	Horizontal	Pass
	1	0	Middle	11.04	2.39	10.42	19.07	Horizontal	Pass
	1	0	Highest	10.95	2.40	10.44	18.99	Horizontal	Pass
	1	0	Lowest	12.42	2.37	10.40	20.45	Vertical	Pass
	1	0	Middle	12.46	2.39	10.42	20.49	Vertical	Pass
	1	0	Highest	12.36	2.40	10.44	20.40	Vertical	Pass
Limit	EIRP<2W=33dBm								



Radiated Power (EIRP) for LTE Band 25 / 15M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I. R.P(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.86	2.37	10.40	19.89	Horizontal	Pass
	1	0	Middle	11.9	2.39	10.42	19.93	Horizontal	Pass
	1	0	Highest	12.14	2.40	10.44	20.18	Horizontal	Pass
	1	0	Lowest	13.27	2.37	10.40	21.30	Vertical	Pass
	1	0	Middle	13.4	2.39	10.42	21.43	Vertical	Pass
	1	0	Highest	13.5	2.40	10.44	21.54	Vertical	Pass
16QAM	1	0	Lowest	11.53	2.37	10.40	19.56	Horizontal	Pass
	1	0	Middle	11.66	2.39	10.42	19.69	Horizontal	Pass
	1	0	Highest	11.71	2.40	10.44	19.75	Horizontal	Pass
	1	0	Lowest	12.99	2.37	10.40	21.02	Vertical	Pass
	1	0	Middle	13.08	2.39	10.42	21.11	Vertical	Pass
	1	0	Highest	13.07	2.40	10.44	21.11	Vertical	Pass
Limit	EIRP<2W=33dBm								

Radiated Power (EIRP) for LTE Band 25 / 20M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I. R.P(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	12.63	2.37	10.40	20.66	Horizontal	Pass
	1	0	Middle	12.52	2.39	10.42	20.55	Horizontal	Pass
	1	0	Highest	12.62	2.40	10.44	20.66	Horizontal	Pass
	1	0	Lowest	14	2.37	10.40	22.03	Vertical	Pass
	1	0	Middle	14	2.39	10.42	22.03	Vertical	Pass
	1	0	Highest	14.06	2.40	10.44	22.10	Vertical	Pass
16QAM	1	0	Lowest	12.37	2.37	10.40	20.40	Horizontal	Pass
	1	0	Middle	12.29	2.39	10.42	20.32	Horizontal	Pass
	1	0	Highest	12.49	2.40	10.44	20.53	Horizontal	Pass
	1	0	Lowest	13.68	2.37	10.40	21.71	Vertical	Pass
	1	0	Middle	13.73	2.39	10.42	21.76	Vertical	Pass
	1	0	Highest	13.85	2.40	10.44	21.89	Vertical	Pass
Limit	EIRP<2W=33dBm								



Radiated Power (ERP) for LTE Band 26(Part 22) / 1.4M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	16.26	1.27	6.70	2.15	19.54	Horizontal	Pass
	1	0	Middle	16.37	1.28	6.70	2.15	19.64	Horizontal	Pass
	1	0	Highest	16.18	1.29	6.70	2.15	19.44	Horizontal	Pass
	1	0	Lowest	17.7	1.27	6.70	2.15	20.98	Vertical	Pass
	1	0	Middle	17.82	1.28	6.70	2.15	21.09	Vertical	Pass
	1	0	Highest	17.67	1.29	6.70	2.15	20.93	Vertical	Pass
16QAM	1	0	Lowest	16.03	1.27	6.70	2.15	19.31	Horizontal	Pass
	1	0	Middle	16.08	1.28	6.70	2.15	19.35	Horizontal	Pass
	1	0	Highest	16.02	1.29	6.70	2.15	19.28	Horizontal	Pass
	1	0	Lowest	17.46	1.27	6.70	2.15	20.74	Vertical	Pass
	1	0	Middle	17.57	1.28	6.70	2.15	20.84	Vertical	Pass
	1	0	Highest	17.42	1.29	6.70	2.15	20.68	Vertical	Pass
Limit	ERP<7W=38.45dBm									

Radiated Power (ERP) for LTE Band 26(Part 22) / 3M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	16.16	1.27	6.70	2.15	19.44	Horizontal	Pass
	1	0	Middle	16.37	1.28	6.70	2.15	19.64	Horizontal	Pass
	1	0	Highest	16.23	1.29	6.70	2.15	19.49	Horizontal	Pass
	1	0	Lowest	17.51	1.27	6.70	2.15	20.79	Vertical	Pass
	1	0	Middle	17.73	1.28	6.70	2.15	21.00	Vertical	Pass
	1	0	Highest	17.55	1.29	6.70	2.15	20.81	Vertical	Pass
16QAM	1	0	Lowest	15.95	1.27	6.70	2.15	19.23	Horizontal	Pass
	1	0	Middle	15.99	1.28	6.70	2.15	19.26	Horizontal	Pass
	1	0	Highest	15.97	1.29	6.70	2.15	19.23	Horizontal	Pass
	1	0	Lowest	17.38	1.27	6.70	2.15	20.66	Vertical	Pass
	1	0	Middle	17.46	1.28	6.70	2.15	20.73	Vertical	Pass
	1	0	Highest	17.31	1.29	6.70	2.15	20.57	Vertical	Pass
Limit	ERP<7W=38.45dBm									



Radiated Power (ERP) for LTE Band 26(Part 22) / 5M										
Modulation	RB		Channel	Result						Conclusion
				S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization	
	Size	Offset							Of Max. ERP	
QPSK	1	0	Lowest	16.18	1.27	6.70	2.15	19.46	Horizontal	Pass
	1	0	Middle	16.14	1.28	6.70	2.15	19.41	Horizontal	Pass
	1	0	Highest	16.03	1.29	6.70	2.15	19.29	Horizontal	Pass
	1	0	Lowest	17.53	1.27	6.70	2.15	20.81	Vertical	Pass
	1	0	Middle	17.5	1.28	6.70	2.15	20.77	Vertical	Pass
	1	0	Highest	17.48	1.29	6.70	2.15	20.74	Vertical	Pass
16QAM	1	0	Lowest	15.88	1.27	6.70	2.15	19.16	Horizontal	Pass
	1	0	Middle	15.92	1.28	6.70	2.15	19.19	Horizontal	Pass
	1	0	Highest	15.65	1.29	6.70	2.15	18.91	Horizontal	Pass
	1	0	Lowest	17.19	1.27	6.70	2.15	20.47	Vertical	Pass
	1	0	Middle	17.27	1.28	6.70	2.15	20.54	Vertical	Pass
	1	0	Highest	17.09	1.29	6.70	2.15	20.35	Vertical	Pass
Limit	ERP<7W=38.45dBm									

Radiated Power (ERP) for LTE Band 26(Part 22) / 10M										
Modulation	RB		Channel	Result						Conclusion
				S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization	
	Size	Offset							Of Max. ERP	
QPSK	1	0	Lowest	16.1	1.27	6.70	2.15	19.38	Horizontal	Pass
	1	0	Middle	16.1	1.28	6.70	2.15	19.37	Horizontal	Pass
	1	0	Highest	16.08	1.29	6.70	2.15	19.34	Horizontal	Pass
	1	0	Lowest	17.52	1.27	6.70	2.15	20.80	Vertical	Pass
	1	0	Middle	17.54	1.28	6.70	2.15	20.81	Vertical	Pass
	1	0	Highest	17.39	1.29	6.70	2.15	20.65	Vertical	Pass
16QAM	1	0	Lowest	15.8	1.27	6.70	2.15	19.08	Horizontal	Pass
	1	0	Middle	15.85	1.28	6.70	2.15	19.12	Horizontal	Pass
	1	0	Highest	15.92	1.29	6.70	2.15	19.18	Horizontal	Pass
	1	0	Lowest	17.24	1.27	6.70	2.15	20.52	Vertical	Pass
	1	0	Middle	17.25	1.28	6.70	2.15	20.52	Vertical	Pass
	1	0	Highest	17.28	1.29	6.70	2.15	20.54	Vertical	Pass
Limit	ERP<7W=38.45dBm									



Radiated Power (ERP) for LTE Band 26(Part 22) / 15M										
Modulation	RB		Channel	Result						Conclusion
				S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization	
	Size	Offset							Of Max. ERP	
QPSK	1	0	Lowest	17.1	1.27	6.70	2.15	20.38	Horizontal	Pass
	1	0	Middle	17.09	1.28	6.70	2.15	20.36	Horizontal	Pass
	1	0	Highest	17.25	1.29	6.70	2.15	20.51	Horizontal	Pass
	1	0	Lowest	18.45	1.27	6.70	2.15	21.73	Vertical	Pass
	1	0	Middle	18.58	1.28	6.70	2.15	21.85	Vertical	Pass
	1	0	Highest	18.66	1.29	6.70	2.15	21.92	Vertical	Pass
16QAM	1	0	Lowest	16.8	1.27	6.70	2.15	20.08	Horizontal	Pass
	1	0	Middle	16.97	1.28	6.70	2.15	20.24	Horizontal	Pass
	1	0	Highest	17.15	1.29	6.70	2.15	20.41	Horizontal	Pass
	1	0	Lowest	18.2	1.27	6.70	2.15	21.48	Vertical	Pass
	1	0	Middle	18.45	1.28	6.70	2.15	21.72	Vertical	Pass
	1	0	Highest	18.57	1.29	6.70	2.15	21.83	Vertical	Pass
Limit	ERP<7W=38.45dBm									

Radiated Power (ERP) for LTE Band 26(Part 90) / 1.4M										
Modulation	RB		Channel	Result						Conclusion
				S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization	
	Size	Offset							Of Max. ERP	
QPSK	1	0	Lowest	16.04	1.27	6.70	2.15	19.32	Horizontal	Pass
	1	0	Middle	16.3	1.27	6.70	2.15	19.58	Horizontal	Pass
	1	0	Highest	16.23	1.27	6.70	2.15	19.51	Horizontal	Pass
	1	0	Lowest	17.52	1.27	6.70	2.15	20.80	Vertical	Pass
	1	0	Middle	17.65	1.27	6.70	2.15	20.93	Vertical	Pass
	1	0	Highest	17.66	1.27	6.70	2.15	20.94	Vertical	Pass
16QAM	1	0	Lowest	15.91	1.27	6.70	2.15	19.19	Horizontal	Pass
	1	0	Middle	16.01	1.27	6.70	2.15	19.29	Horizontal	Pass
	1	0	Highest	16.06	1.27	6.70	2.15	19.34	Horizontal	Pass
	1	0	Lowest	17.31	1.27	6.70	2.15	20.59	Vertical	Pass
	1	0	Middle	17.42	1.27	6.70	2.15	20.70	Vertical	Pass
	1	0	Highest	17.48	1.27	6.70	2.15	20.76	Vertical	Pass
Limit	ERP<100W=50dBm									



Radiated Power (ERP) for LTE Band 26(Part 90) / 3M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	16.2	1.27	6.70	2.15	19.48	Horizontal	Pass
	1	0	Middle	16.08	1.27	6.70	2.15	19.36	Horizontal	Pass
	1	0	Highest	16.15	1.27	6.70	2.15	19.43	Horizontal	Pass
	1	0	Lowest	17.55	1.27	6.70	2.15	20.83	Vertical	Pass
	1	0	Middle	17.57	1.27	6.70	2.15	20.85	Vertical	Pass
	1	0	Highest	17.57	1.27	6.70	2.15	20.85	Vertical	Pass
16QAM	1	0	Lowest	15.99	1.27	6.70	2.15	19.27	Horizontal	Pass
	1	0	Middle	15.85	1.27	6.70	2.15	19.13	Horizontal	Pass
	1	0	Highest	15.84	1.27	6.70	2.15	19.12	Horizontal	Pass
	1	0	Lowest	17.35	1.27	6.70	2.15	20.63	Vertical	Pass
	1	0	Middle	17.31	1.27	6.70	2.15	20.59	Vertical	Pass
	1	0	Highest	17.33	1.27	6.70	2.15	20.61	Vertical	Pass
Limit	ERP<100W=50dBm									

Radiated Power (ERP) for LTE Band 26(Part 90) / 5M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	16.59	1.27	6.70	2.15	19.87	Horizontal	Pass
	1	0	Middle	16.46	1.27	6.70	2.15	19.74	Horizontal	Pass
	1	0	Highest	16.35	1.27	6.70	2.15	19.63	Horizontal	Pass
	1	0	Lowest	18.01	1.27	6.70	2.15	21.29	Vertical	Pass
	1	0	Middle	17.96	1.27	6.70	2.15	21.24	Vertical	Pass
	1	0	Highest	17.82	1.27	6.70	2.15	21.10	Vertical	Pass
16QAM	1	0	Lowest	16.39	1.27	6.70	2.15	19.67	Horizontal	Pass
	1	0	Middle	16.13	1.27	6.70	2.15	19.41	Horizontal	Pass
	1	0	Highest	16.14	1.27	6.70	2.15	19.42	Horizontal	Pass
	1	0	Lowest	17.83	1.27	6.70	2.15	21.11	Vertical	Pass
	1	0	Middle	17.62	1.27	6.70	2.15	20.90	Vertical	Pass
	1	0	Highest	17.59	1.27	6.70	2.15	20.87	Vertical	Pass
Limit	ERP<100W=50dBm									

Radiated Power (ERP) for LTE Band 26(Part 90) / 10M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Middle	17.1	1.27	6.70	2.15	20.38	Horizontal	Pass
	1	0	Middle	18.47	1.27	6.70	2.15	21.75	Vertical	Pass
16QAM	1	0	Middle	16.84	1.27	6.70	2.15	20.12	Horizontal	Pass
	1	0	Middle	18.06	1.27	6.70	2.15	21.34	Vertical	Pass
Limit	ERP<100W=50dBm									



Radiated Power (EIRP) for LTE Band41 / 5M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.42	2.56	10.60	19.46	Horizontal	Pass
	1	0	Middle	11.67	2.67	10.65	19.65	Horizontal	Pass
	1	0	Highest	11.82	2.72	10.70	19.80	Horizontal	Pass
	1	0	Lowest	12.91	2.56	10.60	20.95	Vertical	Pass
	1	0	Middle	13.12	2.67	10.65	21.10	Vertical	Pass
	1	0	Highest	13.24	2.72	10.70	21.22	Vertical	Pass
16QAM	1	0	Lowest	11.21	2.56	10.60	19.25	Horizontal	Pass
	1	0	Middle	11.45	2.67	10.65	19.43	Horizontal	Pass
	1	0	Highest	11.59	2.72	10.70	19.57	Horizontal	Pass
	1	0	Lowest	12.7	2.56	10.60	20.74	Vertical	Pass
	1	0	Middle	12.87	2.67	10.65	20.85	Vertical	Pass
	1	0	Highest	12.95	2.72	10.70	20.93	Vertical	Pass
Limit	EIRP<2W=33dBm								

Radiated Power (EIRP) for LTE Band 41 / 10M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.6	2.56	10.60	19.64	Horizontal	Pass
	1	0	Middle	11.7	2.67	10.65	19.68	Horizontal	Pass
	1	0	Highest	11.61	2.72	10.70	19.59	Horizontal	Pass
	1	0	Lowest	12.91	2.56	10.60	20.95	Vertical	Pass
	1	0	Middle	13.04	2.67	10.65	21.02	Vertical	Pass
	1	0	Highest	13.03	2.72	10.70	21.01	Vertical	Pass
16QAM	1	0	Lowest	11.2	2.56	10.60	19.24	Horizontal	Pass
	1	0	Middle	11.44	2.67	10.65	19.42	Horizontal	Pass
	1	0	Highest	11.44	2.72	10.70	19.42	Horizontal	Pass
	1	0	Lowest	12.56	2.56	10.60	20.60	Vertical	Pass
	1	0	Middle	12.89	2.67	10.65	20.87	Vertical	Pass
	1	0	Highest	12.88	2.72	10.70	20.86	Vertical	Pass
Limit	EIRP<2W=33dBm								



Radiated Power (EIRP) for LTE Band 41 / 15M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.69	2.56	10.60	19.73	Horizontal	Pass
	1	0	Middle	12.05	2.67	10.65	20.03	Horizontal	Pass
	1	0	Highest	12.31	2.72	10.70	20.29	Horizontal	Pass
	1	0	Lowest	13.16	2.56	10.60	21.20	Vertical	Pass
	1	0	Middle	13.43	2.67	10.65	21.41	Vertical	Pass
	1	0	Highest	13.65	2.72	10.70	21.63	Vertical	Pass
16QAM	1	0	Lowest	11.67	2.56	10.60	19.71	Horizontal	Pass
	1	0	Middle	11.78	2.67	10.65	19.76	Horizontal	Pass
	1	0	Highest	11.8	2.72	10.70	19.78	Horizontal	Pass
	1	0	Lowest	13	2.56	10.60	21.04	Vertical	Pass
	1	0	Middle	13.15	2.67	10.65	21.13	Vertical	Pass
	1	0	Highest	13.26	2.72	10.70	21.24	Vertical	Pass
Limit	EIRP<2W=33dBm								
Radiated Power (EIRP) for LTE Band 41 / 20M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	12.16	2.56	10.60	20.20	Horizontal	Pass
	1	0	Middle	12.41	2.67	10.65	20.39	Horizontal	Pass
	1	0	Highest	12.57	2.72	10.70	20.55	Horizontal	Pass
	1	0	Lowest	13.62	2.56	10.60	21.66	Vertical	Pass
	1	0	Middle	13.77	2.67	10.65	21.75	Vertical	Pass
	1	0	Highest	13.96	2.72	10.70	21.94	Vertical	Pass
16QAM	1	0	Lowest	12.17	2.56	10.60	20.21	Horizontal	Pass
	1	0	Middle	12.09	2.67	10.65	20.07	Horizontal	Pass
	1	0	Highest	12.26	2.72	10.70	20.24	Horizontal	Pass
	1	0	Lowest	13.53	2.56	10.60	21.57	Vertical	Pass
	1	0	Middle	13.53	2.67	10.65	21.51	Vertical	Pass
	1	0	Highest	13.71	2.72	10.70	21.69	Vertical	Pass
Limit	EIRP<2W=33dBm								



Radiated Power (EIRP) for LTE Band 66 / 1.4M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.62	2.35	10.13	19.40	Horizontal	Pass
	1	0	Middle	11.86	2.36	10.16	19.66	Horizontal	Pass
	1	0	Highest	11.88	2.37	10.22	19.73	Horizontal	Pass
	1	0	Lowest	13.11	2.35	10.13	20.89	Vertical	Pass
	1	0	Middle	13.16	2.36	10.16	20.96	Vertical	Pass
	1	0	Highest	13.19	2.37	10.22	21.04	Vertical	Pass
16QAM	1	0	Lowest	11.46	2.35	10.13	19.24	Horizontal	Pass
	1	0	Middle	11.35	2.36	10.16	19.15	Horizontal	Pass
	1	0	Highest	11.39	2.37	10.22	19.24	Horizontal	Pass
	1	0	Lowest	12.84	2.35	10.13	20.62	Vertical	Pass
	1	0	Middle	12.82	2.36	10.16	20.62	Vertical	Pass
	1	0	Highest	12.88	2.37	10.22	20.73	Vertical	Pass
Limit	EIRP<1W=30dBm								

Radiated Power (EIRP) for LTE Band 66 / 3M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.75	2.35	10.13	19.53	Horizontal	Pass
	1	0	Middle	11.44	2.36	10.16	19.24	Horizontal	Pass
	1	0	Highest	11.69	2.37	10.22	19.54	Horizontal	Pass
	1	0	Lowest	13.06	2.35	10.13	20.84	Vertical	Pass
	1	0	Middle	12.9	2.36	10.16	20.70	Vertical	Pass
	1	0	Highest	13.1	2.37	10.22	20.95	Vertical	Pass
16QAM	1	0	Lowest	11.43	2.35	10.13	19.21	Horizontal	Pass
	1	0	Middle	11.44	2.36	10.16	19.24	Horizontal	Pass
	1	0	Highest	11.3	2.37	10.22	19.15	Horizontal	Pass
	1	0	Lowest	12.8	2.35	10.13	20.58	Vertical	Pass
	1	0	Middle	12.78	2.36	10.16	20.58	Vertical	Pass
	1	0	Highest	12.8	2.37	10.22	20.65	Vertical	Pass
Limit	EIRP<1W=30dBm								



Radiated Power (EIRP) for LTE Band 66 / 5M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.65	2.35	10.13	19.43	Horizontal	Pass
	1	0	Middle	11.46	2.36	10.16	19.26	Horizontal	Pass
	1	0	Highest	11.4	2.37	10.22	19.25	Horizontal	Pass
	1	0	Lowest	13.01	2.35	10.13	20.79	Vertical	Pass
	1	0	Middle	12.94	2.36	10.16	20.74	Vertical	Pass
	1	0	Highest	12.88	2.37	10.22	20.73	Vertical	Pass
16QAM	1	0	Lowest	11.46	2.35	10.13	19.24	Horizontal	Pass
	1	0	Middle	11.31	2.36	10.16	19.11	Horizontal	Pass
	1	0	Highest	11.37	2.37	10.22	19.22	Horizontal	Pass
	1	0	Lowest	12.8	2.35	10.13	20.58	Vertical	Pass
	1	0	Middle	12.69	2.36	10.16	20.49	Vertical	Pass
	1	0	Highest	12.77	2.37	10.22	20.62	Vertical	Pass
Limit	EIRP<1W=30dBm								

Radiated Power (EIRP) for LTE Band 66 / 10M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	11.69	2.35	10.13	19.47	Horizontal	Pass
	1	0	Middle	11.49	2.36	10.16	19.29	Horizontal	Pass
	1	0	Highest	11.52	2.37	10.22	19.37	Horizontal	Pass
	1	0	Lowest	13.02	2.35	10.13	20.80	Vertical	Pass
	1	0	Middle	12.85	2.36	10.16	20.65	Vertical	Pass
	1	0	Highest	12.87	2.37	10.22	20.72	Vertical	Pass
16QAM	1	0	Lowest	11.4	2.35	10.13	19.18	Horizontal	Pass
	1	0	Middle	11.33	2.36	10.16	19.13	Horizontal	Pass
	1	0	Highest	11.29	2.37	10.22	19.14	Horizontal	Pass
	1	0	Lowest	12.7	2.35	10.13	20.48	Vertical	Pass
	1	0	Middle	12.68	2.36	10.16	20.48	Vertical	Pass
	1	0	Highest	12.67	2.37	10.22	20.52	Vertical	Pass
Limit	EIRP<1W=30dBm								



Radiated Power (EIRP) for LTE Band 66 / 15M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	12.59	2.35	10.13	20.37	Horizontal	Pass
	1	0	Middle	12.65	2.36	10.16	20.45	Horizontal	Pass
	1	0	Highest	12.74	2.37	10.22	20.59	Horizontal	Pass
	1	0	Lowest	14.04	2.35	10.13	21.82	Vertical	Pass
	1	0	Middle	13.98	2.36	10.16	21.78	Vertical	Pass
	1	0	Highest	14.04	2.37	10.22	21.89	Vertical	Pass
16QAM	1	0	Lowest	12.32	2.35	10.13	20.10	Horizontal	Pass
	1	0	Middle	12.5	2.36	10.16	20.30	Horizontal	Pass
	1	0	Highest	12.56	2.37	10.22	20.41	Horizontal	Pass
	1	0	Lowest	13.79	2.35	10.13	21.57	Vertical	Pass
	1	0	Middle	13.8	2.36	10.16	21.60	Vertical	Pass
	1	0	Highest	13.89	2.37	10.22	21.74	Vertical	Pass
Limit	EIRP<1W=30dBm								

Radiated Power (EIRP) for LTE Band 66 / 20M									
Modulation	RB		Channel	Result					Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	PMeas E.I.R.P.(dBm)	Polarization Of Max. EIRP	
QPSK	1	0	Lowest	12.84	2.35	10.13	20.62	Horizontal	Pass
	1	0	Middle	13.17	2.36	10.16	20.97	Horizontal	Pass
	1	0	Highest	12.96	2.37	10.22	20.81	Horizontal	Pass
	1	0	Lowest	14.3	2.35	10.13	22.08	Vertical	Pass
	1	0	Middle	14.57	2.36	10.16	22.37	Vertical	Pass
	1	0	Highest	14.38	2.37	10.22	22.23	Vertical	Pass
16QAM	1	0	Lowest	12.72	2.35	10.13	20.50	Horizontal	Pass
	1	0	Middle	12.75	2.36	10.16	20.55	Horizontal	Pass
	1	0	Highest	12.82	2.37	10.22	20.67	Horizontal	Pass
	1	0	Lowest	14.21	2.35	10.13	21.99	Vertical	Pass
	1	0	Middle	14.14	2.36	10.16	21.94	Vertical	Pass
	1	0	Highest	14.13	2.37	10.22	21.98	Vertical	Pass
Limit	EIRP<1W=30dBm								



Radiated Power (ERP) for LTE Band 71 / 5M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	16.32	1.21	6.40	2.15	19.36	Horizontal	Pass
	1	0	Middle	16.45	1.22	6.40	2.15	19.48	Horizontal	Pass
	1	0	Highest	16.61	1.23	6.40	2.15	19.63	Horizontal	Pass
	1	0	Lowest	17.75	1.21	6.40	2.15	20.79	Vertical	Pass
	1	0	Middle	17.89	1.22	6.40	2.15	20.92	Vertical	Pass
	1	0	Highest	18.01	1.23	6.40	2.15	21.03	Vertical	Pass
16QAM	1	0	Lowest	16.18	1.21	6.40	2.15	19.22	Horizontal	Pass
	1	0	Middle	16.16	1.22	6.40	2.15	19.19	Horizontal	Pass
	1	0	Highest	16.24	1.23	6.40	2.15	19.26	Horizontal	Pass
	1	0	Lowest	17.55	1.21	6.40	2.15	20.59	Vertical	Pass
	1	0	Middle	17.66	1.22	6.40	2.15	20.69	Vertical	Pass
	1	0	Highest	17.7	1.23	6.40	2.15	20.72	Vertical	Pass
Limit	ERP<3W=34.77dBm									

Radiated Power (ERP) for LTE Band 71 / 10M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	16.33	1.21	6.40	2.15	19.37	Horizontal	Pass
	1	0	Middle	16.27	1.22	6.40	2.15	19.30	Horizontal	Pass
	1	0	Highest	16.38	1.23	6.40	2.15	19.40	Horizontal	Pass
	1	0	Lowest	17.72	1.21	6.40	2.15	20.76	Vertical	Pass
	1	0	Middle	17.76	1.22	6.40	2.15	20.79	Vertical	Pass
	1	0	Highest	17.82	1.23	6.40	2.15	20.84	Vertical	Pass
16QAM	1	0	Lowest	16.14	1.21	6.40	2.15	19.18	Horizontal	Pass
	1	0	Middle	15.96	1.22	6.40	2.15	18.99	Horizontal	Pass
	1	0	Highest	16.28	1.23	6.40	2.15	19.30	Horizontal	Pass
	1	0	Lowest	17.51	1.21	6.40	2.15	20.55	Vertical	Pass
	1	0	Middle	17.46	1.22	6.40	2.15	20.49	Vertical	Pass
	1	0	Highest	17.78	1.23	6.40	2.15	20.80	Vertical	Pass
Limit	ERP<3W=34.77dBm									



Radiated Power (ERP) for LTE Band 71 / 15M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	16.82	1.21	6.40	2.15	19.86	Horizontal	Pass
	1	0	Middle	16.9	1.22	6.40	2.15	19.93	Horizontal	Pass
	1	0	Highest	16.9	1.23	6.40	2.15	19.92	Horizontal	Pass
	1	0	Lowest	18.24	1.21	6.40	2.15	21.28	Vertical	Pass
	1	0	Middle	18.29	1.22	6.40	2.15	21.32	Vertical	Pass
	1	0	Highest	18.21	1.23	6.40	2.15	21.23	Vertical	Pass
16QAM	1	0	Lowest	16.61	1.21	6.40	2.15	19.65	Horizontal	Pass
	1	0	Middle	16.62	1.22	6.40	2.15	19.65	Horizontal	Pass
	1	0	Highest	16.59	1.23	6.40	2.15	19.61	Horizontal	Pass
	1	0	Lowest	17.98	1.21	6.40	2.15	21.02	Vertical	Pass
	1	0	Middle	18	1.22	6.40	2.15	21.03	Vertical	Pass
	1	0	Highest	18.04	1.23	6.40	2.15	21.06	Vertical	Pass
Limit	ERP<3W=34.77dBm									

Radiated Power (ERP) for LTE Band 71 / 20M										
Modulation	RB		Channel	Result						Conclusion
	Size	Offset		S G.Level (dBm)	Cable loss	Gain (dBi)	correction factor(dB)	PMeas E.R.P(dBm)	Polarization Of Max. ERP	
QPSK	1	0	Lowest	17.47	1.21	6.40	2.15	20.51	Horizontal	Pass
	1	0	Middle	17.17	1.22	6.40	2.15	20.20	Horizontal	Pass
	1	0	Highest	17.35	1.23	6.40	2.15	20.37	Horizontal	Pass
	1	0	Lowest	18.82	1.21	6.40	2.15	21.86	Vertical	Pass
	1	0	Middle	18.67	1.22	6.40	2.15	21.70	Vertical	Pass
	1	0	Highest	18.82	1.23	6.40	2.15	21.84	Vertical	Pass
16QAM	1	0	Lowest	17.13	1.21	6.40	2.15	20.17	Horizontal	Pass
	1	0	Middle	16.94	1.22	6.40	2.15	19.97	Horizontal	Pass
	1	0	Highest	17.28	1.23	6.40	2.15	20.30	Horizontal	Pass
	1	0	Lowest	18.48	1.21	6.40	2.15	21.52	Vertical	Pass
	1	0	Middle	18.44	1.22	6.40	2.15	21.47	Vertical	Pass
	1	0	Highest	18.66	1.23	6.40	2.15	21.68	Vertical	Pass
Limit	ERP<3W=34.77dBm									

6. OCCUPIED BANDWIDTH


6.1 DESCRIPTION OF OCCUPIED BANDWIDTH MEASUREMENT

6.1.1 MEASUREMENT METHOD

1.The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

2.The 26 db emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 db below the maximum in-band spectral density of the modulated signal. spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

6.1.2 TEST SETUP



6.1.3 TEST PROCEDURES

1. The testing follows FCC KDB 971168 D01 v03r01 Section 4.2 and 4.3.
2. The EUT was connected to spectrum and system simulator via a power divider.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Set the test probe and measure the Occupied Bandwidth of the spectrum analyzer.
5. Measure and record the Occupied Bandwidth from the Spectrum Analyzer.

	LTE					
LTE BW	1.4M	3M	5M	10M	15M	20M
Span	3MHz	6MHz	10MHz	20MHz	30MHz	40MHz
RBW	30kHz	30kHz	100kHz	100kHz	300kHz	300kHz
VBW	100kHz	100kHz	300kHz	300kHz	1000kHz	1000kHz
Detector	PK	PK	PK	PK	PK	PK
Trace	Max	Max	Max	Max	Max	Max
Sweep Count	Auto	Auto	Auto	Auto	Auto	Auto



6.1.4 MEASUREMENT RESULT

LTE Band 2 Bandwidth [MHz]							
BW [MHz]	Mode	Lowest		Middle		Highest	
		99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
1.4	QPSK	1.1048	1.313	1.096	1.325	1.0984	1.367
1.4	16-QAM	1.094	1.288	1.096	1.307	1.1	1.322
3	QPSK	2.681	2.941	2.6877	2.929	2.684	2.95
3	16-QAM	2.681	2.926	2.6833	2.945	2.682	2.942
5	QPSK	4.524	4.994	4.5084	5.007	4.499	5.021
5	16-QAM	4.531	5.038	4.507	5.02	4.53	5.04
10	QPSK	8.918	9.75	8.926	9.66	8.931	9.872
10	16-QAM	8.92	9.639	8.921	9.67	8.9314	9.732
15	QPSK	13.38	14.68	13.425	14.75	13.479	14.77
15	16-QAM	13.434	14.64	13.453	14.65	13.463	14.74
20	QPSK	17.813	19.11	17.883	19.4	17.899	19.23
20	16-QAM	17.866	19.35	17.87	19.42	17.877	19.21
LTE Band 4 Bandwidth [MHz]							
BW [MHz]	Mode	Lowest		Middle		Highest	
		99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
1.4	QPSK	1.1008	1.304	1.096	1.319	1.098	1.316
1.4	16-QAM	1.0991	1.292	1.096	1.295	1.1	1.301
3	QPSK	2.69	2.935	2.683	2.943	2.682	2.93
3	16-QAM	2.682	2.945	2.6816	2.934	2.68	2.928
5	QPSK	4.498	5.014	4.525	5	4.506	5.045
5	16-QAM	4.522	5.02	4.535	5.027	4.508	4.999
10	QPSK	8.927	9.767	8.91	9.701	8.925	9.693
10	16-QAM	8.931	9.657	8.918	9.669	8.922	9.68
15	QPSK	13.39	14.71	13.427	14.66	13.449	14.66
15	16-QAM	13.431	14.65	13.433	14.62	13.446	14.64
20	QPSK	17.827	19.14	17.85	19.35	17.878	19.15
20	16-QAM	17.875	19.37	17.837	19.32	17.868	19.26
LTE Band 5 Bandwidth [MHz]							
BW [MHz]	Mode	Lowest		Middle		Highest	
		99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
1.4	QPSK	1.0945	1.3	1.098	1.304	1.1051	1.287
1.4	16-QAM	1.097	1.301	1.1	1.286	1.096	1.284
3	QPSK	2.685	2.91	2.686	2.921	2.683	2.932
3	16-QAM	2.682	2.925	2.68	2.927	2.6812	2.923
5	QPSK	4.506	5.029	4.492	4.969	4.515	5.025
5	16-QAM	4.511	5.028	4.5225	5.031	4.511	5.027
10	QPSK	8.939	9.713	8.903	9.572	8.951	9.76
10	16-QAM	8.943	9.621	8.903	9.578	8.933	9.689



LTE Band 7 Bandwidth [MHz]							
BW [MHz]	Mode	Lowest		Middle		Highest	
		99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
5	QPSK	4.503	5.031	4.497	4.985	4.5206	5.018
5	16-QAM	4.501	4.996	4.522	5.007	4.514	5.034
10	QPSK	8.917	9.649	8.928	9.665	8.921	9.722
10	16-QAM	8.9116	9.627	8.924	9.656	8.92	9.639
15	QPSK	13.453	14.7	13.459	14.79	13.41	14.66
15	16-QAM	13.452	14.65	13.454	14.6	13.459	14.6
20	QPSK	17.892	19.21	17.846	19.14	17.885	19.4
20	16-QAM	17.882	19.3	17.894	19.18	17.878	19.45
LTE Band 12 Bandwidth [MHz]							
BW [MHz]	Mode	Lowest		Middle		Highest	
		99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
1.4	QPSK	1.098	1.305	1.1049	1.283	1.094	1.295
1.4	16-QAM	1.0992	1.303	1.098	1.287	1.096	1.297
3	QPSK	2.681	2.916	2.687	2.926	2.685	2.935
3	16-QAM	2.677	2.93	2.682	2.943	2.68	2.927
5	QPSK	4.5	5.013	4.504	5	4.515	4.999
5	16-QAM	4.495	4.986	4.528	5.034	4.5141	5.019
10	QPSK	8.927	9.667	8.941	9.709	8.9	9.663
10	16-QAM	8.934	9.584	8.935	9.666	8.9	9.551
LTE Band 13 Bandwidth [MHz]							
BW [MHz]	Mode	Lowest		Middle		Highest	
		99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
5	QPSK	4.502	4.983	4.485	4.973	4.534	5.046
5	16-QAM	4.494	5.003	4.508	5.003	4.541	5.06
10	QPSK	N/A	N/A	8.903	9.684	N/A	N/A
10	16-QAM	N/A	N/A	8.91	9.61	N/A	N/A
LTE Band 14 Bandwidth [MHz]							
BW [MHz]	Mode	Lowest		Middle		Highest	
		99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
5	QPSK	4.499	5.011	4.495	4.98	4.517	5.014
5	16-QAM	4.504	4.988	4.513	5.011	4.521	5.03
10	QPSK	N/A	N/A	8.91	9.686	N/A	N/A
10	16-QAM	N/A	N/A	8.898	9.593	N/A	N/A
LTE Band 17 Bandwidth [MHz]							
BW [MHz]	Mode	Lowest		Middle		Highest	
		99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
5	QPSK	4.51	5.012	4.496	4.993	4.507	5.015
5	16-QAM	4.531	5.043	4.513	5.022	4.497	5.002
10	QPSK	8.914	9.624	8.909	9.603	8.906	9.661
10	16-QAM	8.925	9.562	8.906	9.593	8.898	9.597



LTE Band 25 Bandwidth [MHz]							
BW [MHz]	Mode	Lowest		Middle		Highest	
		99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
1.4	QPSK	1.096	1.311	1.0903	1.214	1.097	1.332
1.4	16-QAM	1.094	1.278	1.085	1.224	1.1	1.312
3	QPSK	2.69	2.933	2.683	2.922	2.684	2.925
3	16-QAM	2.682	2.932	2.682	2.933	2.681	2.952
5	QPSK	4.508	5.012	4.493	5.008	4.524	5.005
5	16-QAM	4.525	5.021	4.5259	5.024	4.509	5.018
10	QPSK	8.914	9.668	8.93	9.665	8.912	9.741
10	16-QAM	8.926	9.661	8.925	9.659	8.911	9.639
15	QPSK	13.393	14.59	13.441	14.65	13.406	14.74
15	16-QAM	13.438	14.67	13.45	14.76	13.427	14.65
20	QPSK	17.837	19.13	17.898	19.45	17.861	19.21
20	16-QAM	17.834	19.28	17.866	19.27	17.892	19.21
LTE Band 26(Part 22) Bandwidth [MHz]							
BW [MHz]	Mode	Lowest		Middle		Highest	
		99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
1.4	QPSK	1.1032	1.285	1.0949	1.292	1.098	1.308
1.4	16-QAM	1.098	1.297	1.1	1.293	1.092	1.268
3	QPSK	2.685	2.928	2.683	2.929	2.682	2.921
3	16-QAM	2.683	2.922	2.678	2.928	2.68	2.943
5	QPSK	4.509	5.001	4.493	4.97	4.515	5.021
5	16-QAM	4.532	5.006	4.516	5.033	4.497	4.99
10	QPSK	8.936	9.686	8.906	9.61	8.95	9.721
10	16-QAM	8.947	9.707	8.896	9.579	8.931	9.626
15	QPSK	13.428	14.67	13.374	14.63	13.468	14.7
15	16-QAM	13.453	14.65	13.38	14.59	13.456	14.71
LTE Band 26(Part 90) Bandwidth [MHz]							
BW [MHz]	Mode	Lowest		Middle		Highest	
		99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
1.4	QPSK	1.105	1.284	1.094	1.296	1.099	1.304
1.4	16-QAM	1.096	1.297	1.1006	1.308	1.093	1.27
3	QPSK	2.6854	2.913	2.682	2.932	2.684	2.921
3	16-QAM	2.682	2.928	2.679	2.925	2.68	2.948
5	QPSK	4.496	4.988	4.492	4.977	4.518	5.02
5	16-QAM	4.515	5.005	4.515	5.027	4.4981	4.99
10	QPSK	N/A	N/A	8.907	9.651	N/A	N/A
10	16-QAM	N/A	N/A	8.89	9.594	N/A	N/A
LTE Band 41 Bandwidth [MHz]							
BW [MHz]	Mode	Lowest		Middle		Highest	
		99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
5	QPSK	4.512	5.234	4.5	4.958	4.502	4.984
5	16-QAM	4.504	5.244	4.511	4.989	4.508	4.993
10	QPSK	8.928	9.989	8.925	9.696	8.929	9.931
10	16-QAM	8.914	9.677	8.921	9.965	8.927	9.546
15	QPSK	13.424	15.47	13.426	16.34	13.459	15.58
15	16-QAM	13.495	16.31	13.47	15.28	13.482	15.78
20	QPSK	17.854	19.16	17.859	19.69	17.879	19.1
20	16-QAM	17.851	20.35	17.836	19.27	17.836	19.6



LTE Band 66 Bandwidth [MHz]							
BW [MHz]	Mode	Lowest		Middle		Highest	
		99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
1.4	QPSK	1.0945	1.304	1.106	1.287	1.095	1.299
1.4	16-QAM	1.1	1.292	1.093	1.269	1.096	1.295
3	QPSK	2.688	2.925	2.684	2.919	2.684	2.919
3	16-QAM	2.682	2.931	2.68	2.928	2.679	2.913
5	QPSK	4.511	5.014	4.5	4.996	4.523	5.013
5	16-QAM	4.507	4.995	4.525	5.045	4.524	5.034
10	QPSK	8.923	9.679	8.93	9.709	8.936	9.705
10	16-QAM	8.926	9.561	8.927	9.664	8.93	9.667
15	QPSK	13.418	14.62	13.45	14.75	13.461	14.71
15	16-QAM	13.449	14.66	13.457	14.68	13.466	14.71
20	QPSK	17.851	19.18	17.898	19.35	17.882	19.18
20	16-QAM	17.893	19.31	17.891	19.41	17.847	19.24

LTE Band 71 Bandwidth [MHz]							
BW [MHz]	Mode	Lowest		Middle		Highest	
		99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
5	QPSK	4.495	4.999	4.524	5.022	4.5	5.017
5	16-QAM	4.523	4.995	4.527	5.047	4.493	4.969
10	QPSK	8.94	9.726	8.924	9.695	8.909	9.646
10	16-QAM	8.945	9.613	8.927	9.643	8.904	9.561
15	QPSK	13.437	14.64	13.452	14.65	13.416	14.7
15	16-QAM	13.473	14.65	13.452	14.57	13.414	14.57
20	QPSK	17.788	19.09	17.868	19.36	17.87	19.14
20	16-QAM	17.85	16.12	17.857	19.28	17.86	19.22

Note: Test chart See Appendix A



7. CONDUCTED BAND EDGE

7.1 DESCRIPTION OF CONDUCTED BAND EDGE MEASUREMENT

7.1.1 MEASUREMENT METHOD

1. §22.917(a)

For operations in the 824 – 849 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 100kHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

2. §24.238 (a)

For operations in the 1850-1910 and 1930-1990 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed

3. §27.53 (h)

For operations in the 1710 – 1755 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1 MHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.


4. §27.53(m)(4)

For operations in the 2500 MHz ~ 2570 MHz band this section, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

5. §27.53 (g)

For operations in the 698 -746 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 100 kHz bandwidth. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

7.1.2 TEST SETUP



7.1.3 TEST PROCEDURES

1. The testing FCC KDB 971168 D01 v03r01 Section 6.0 and ANSI C63.26 2015 Section 5.7.
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The band edges of low and high channels for the highest RF powers were measured. Set RBW $\geq 1\%$ EBW in the 1MHz band immediately outside and adjacent to the band edge.
4. Set spectrum analyzer with RMS/AVG detector.
5. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
6. The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)

$$= P(W) - [43 + 10\log(P)] \text{ (dB)}$$

$$= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)}$$

$$= -13\text{dBm}.$$

Band 7:

$$= P(W) - [55 + 10\log(P)] \text{ (dB)}$$

$$= [30 + 10\log(P)] \text{ (dBm)} - [55 + 10\log(P)] \text{ (dB)}$$

$$= -25\text{dBm}.$$

	LTE					
LTE BW	1.4M	3M	5M	10M	15M	20M
Span	12MHz	13MHz	15MHz	20MHz	25MHz	30MHz
RBW	30kHz	30kHz	100kHz	100kHz	300kHz	300kHz
VBW	100kHz	100kHz	300kHz	300kHz	1000kHz	1000kHz
Detector	RMS	RMS	RMS	RMS	RMS	RMS
Trace	Max	Max	Max	Max	Max	Max
Sweep Count	Auto	Auto	Auto	Auto	Auto	Auto

7.1.4 MEASUREMENT RESULT

Note: Test chart See Appendix B

8. CONDUCTED SPURIOUS EMISSION

8.1 DESCRIPTION OF CONDUCTED SPURIOUS EMISSION MEASUREMENT

8.1.1 MEASUREMENT METHOD


The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7:

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10th harmonic.

8.1.2 TEST SETUP



8.1.3 TEST PROCEDURES

1. The testing FCC KDB 971168 D01 v03r01 Section 6.0 and ANSI C63.26 2015 Section 5.7.
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement
4. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
5. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
6. The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)] \text{ (dB)} = [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)}$
 $= -13\text{dBm}.$

For Band 7: $P(W) - [43 + 10\log(P)] \text{ (dB)} = -25\text{dBm}$

	LTE					
LTE BW	1.4M	3M	5M	10M	15M	20M
Span	Auto	Auto	Auto	Auto	Auto	Auto
RBW	1000kHz	1000kHz	1000kHz	1000kHz	1000kHz	1000kHz
VBW	3000kHz	3000kHz	3000kHz	3000kHz	3000kHz	3000kHz
Detector	PK	PK	PK	PK	PK	PK
Trace	Max	Max	Max	Max	Max	Max

8.1.4 TEST RESULTS

Note: Test chart See Appendix C

9. RADIATED SPURIOUS EMISSION

9.1 DESCRIPTION OF RADIATED SPURIOUS EMISSION

9.1.1 MEASUREMENT METHOD

The radiated spurious emission was measured by substitution method according to ANSI C63.26 2015. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7 The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB. The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

9.1.2 TEST SETUP

The procedure of radiated spurious emissions is as follows:

a) Pre-calibration With pre-calibration method, the Radiated Spurious Emissions(RSE) is calculated as, $RSE = Rx (dBuV) + CL (dB) + SA (dB) + Gain (dBi) - 107 (dBuV \text{ to } dBm)$ The SA is calibrated using following setup.


b) EUT was placed on 1.5 m non-conductive stand at a 3 m test distance from the receive antenna. A receiving antenna was placed on the antenna mast 3 m from the test item for emission measurements. The height of receiving antenna is 0.8m. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the test item and adjusting the receiving antenna polarization. The radiated emission measurements of all non-harmonic and harmonics of the transmit frequency through the 10th harmonic measured with peak detector and 1MHz bandwidth.

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of any band into any of the other blocks.


The substitution method is used. Substitution values at each frequency are measured before and saved to the test software. A "reference path loss" is established and the ARpl is the attenuation of "reference path loss", and including the gain of receive antenna, the gain of the preamplifier, the cable loss and the air loss. The measurement results are obtained as described below:

Power=PMea+ARpl

For radiated test from 30MHz to 1GHz



For radiated test from above 1GHz



9.1.3 TEST PROCEDURES

1. The testing FCC KDB 971168 D01 Section 7 and ANSI C63.26 2015 Section 5.5.
2. The EUT was placed on a rotatable wooden table with 1.5 meter above ground.
3. The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.
4. The table was rotated 360 degrees to determine the position of the highest spurious emission.
5. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
7. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
8. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
9. Taking the record of output power at antenna port.
10. Repeat step 7 to step 8 for another polarization.
11. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)]$ (dB)
 $= [30 + 10\log(P)]$ (dBm) - $[43 + 10\log(P)]$ (dB)
 $= -13$ dBm

For Band 7:

The limit line is derived from $55 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= [30 + 10\log(P)]$ (dBm) - $[55 + 10\log(P)]$ (dB)
 $= -25$ dBm

$P_{Mea} = S.G \text{ Level} + \text{Ant-Cable loss}; \text{Margin} = P_{Mea} - \text{Limit}.$



9.1.4 TEST RESULTS

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3701.30	-33.87	12.60	12.93	-34.20	-13.00	-21.20	H
5552.12	-34.93	13.10	17.11	-38.94	-13.00	-25.94	H
7402.81	-33.52	11.50	22.20	-44.22	-13.00	-31.22	H
3701.30	-35.93	12.60	12.93	-36.26	-13.00	-23.26	V
5552.12	-34.78	13.10	17.11	-38.79	-13.00	-25.79	V
7402.81	-32.75	11.50	22.20	-43.45	-13.00	-30.45	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3760.21	-34.55	12.60	12.93	-34.88	-13.00	-21.88	H
5639.84	-34.56	13.10	17.11	-38.57	-13.00	-25.57	H
7520.09	-33.55	11.50	22.20	-44.25	-13.00	-31.25	H
3760.21	-35.75	12.60	12.93	-36.08	-13.00	-23.08	V
5639.84	-34.07	13.10	17.11	-38.08	-13.00	-25.08	V
7520.09	-32.62	11.50	22.20	-43.32	-13.00	-30.32	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3818.36	-34.57	12.60	12.93	-34.90	-13.00	-21.90	H
5727.76	-34.56	13.10	17.11	-38.57	-13.00	-25.57	H
7636.80	-33.40	11.50	22.20	-44.10	-13.00	-31.10	H
3818.36	-34.95	12.60	12.93	-35.28	-13.00	-22.28	V
5727.76	-34.29	13.10	17.11	-38.30	-13.00	-25.30	V
7636.80	-32.35	11.50	22.20	-43.05	-13.00	-30.05	V



LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3702.91	-34.66	12.60	12.93	-34.99	-13.00	-21.99	H
5554.44	-34.54	13.10	17.11	-38.55	-13.00	-25.55	H
7405.70	-33.25	11.50	22.20	-43.95	-13.00	-30.95	H
3702.91	-35.95	12.60	12.93	-36.28	-13.00	-23.28	V
5554.44	-34.34	13.10	17.11	-38.35	-13.00	-25.35	V
7405.70	-32.38	11.50	22.20	-43.08	-13.00	-30.08	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.00	-33.91	12.60	12.93	-34.24	-13.00	-21.24	H
5640.19	-34.24	13.10	17.11	-38.25	-13.00	-25.25	H
7520.29	-32.47	11.50	22.20	-43.17	-13.00	-30.17	H
3760.00	-35.23	12.60	12.93	-35.56	-13.00	-22.56	V
5640.19	-34.48	13.10	17.11	-38.49	-13.00	-25.49	V
7520.29	-33.13	11.50	22.20	-43.83	-13.00	-30.83	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3817.09	-34.23	12.60	12.93	-34.56	-13.00	-21.56	H
5725.26	-34.03	13.10	17.11	-38.04	-13.00	-25.04	H
7634.30	-33.57	11.50	22.20	-44.27	-13.00	-31.27	H
3817.09	-35.97	12.60	12.93	-36.30	-13.00	-23.30	V
5725.26	-33.85	13.10	17.11	-37.86	-13.00	-24.86	V
7634.30	-32.14	11.50	22.20	-42.84	-13.00	-29.84	V



LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3705.19	-34.66	12.60	12.93	-34.99	-13.00	-21.99	H
5557.26	-34.37	13.10	17.11	-38.38	-13.00	-25.38	H
7409.81	-33.39	11.50	22.20	-44.09	-13.00	-31.09	H
3705.19	-34.69	12.60	12.93	-35.02	-13.00	-22.02	V
5557.26	-34.88	13.10	17.11	-38.89	-13.00	-25.89	V
7409.81	-32.93	11.50	22.20	-43.63	-13.00	-30.63	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3759.95	-34.63	12.60	12.93	-34.96	-13.00	-21.96	H
5640.04	-34.33	13.10	17.11	-38.34	-13.00	-25.34	H
7520.24	-33.57	11.50	22.20	-44.27	-13.00	-31.27	H
3759.95	-35.54	12.60	12.93	-35.87	-13.00	-22.87	V
5640.04	-34.59	13.10	17.11	-38.60	-13.00	-25.60	V
7520.24	-32.63	11.50	22.20	-43.33	-13.00	-30.33	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3814.97	-34.33	12.60	12.93	-34.66	-13.00	-21.66	H
5722.45	-34.62	13.10	17.11	-38.63	-13.00	-25.63	H
7629.84	-33.39	11.50	22.20	-44.09	-13.00	-31.09	H
3814.97	-34.75	12.60	12.93	-35.08	-13.00	-22.08	V
5722.45	-35.20	13.10	17.11	-39.21	-13.00	-26.21	V
7629.84	-32.57	11.50	22.20	-43.27	-13.00	-30.27	V



LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.32	-34.15	12.60	12.93	-34.48	-13.00	-21.48	H
5565.18	-35.03	13.10	17.11	-39.04	-13.00	-26.04	H
7420.02	-32.23	11.50	22.20	-42.93	-13.00	-29.93	H
3710.32	-34.74	12.60	12.93	-35.07	-13.00	-22.07	V
5565.18	-33.82	13.10	17.11	-37.83	-13.00	-24.83	V
7420.02	-32.09	11.50	22.20	-42.79	-13.00	-29.79	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.88	-34.66	12.60	12.93	-34.99	-13.00	-21.99	H
5640.21	-34.07	13.10	17.11	-38.08	-13.00	-25.08	H
7519.91	-32.73	11.50	22.20	-43.43	-13.00	-30.43	H
3759.88	-35.18	12.60	12.93	-35.51	-13.00	-22.51	V
5640.21	-35.07	13.10	17.11	-39.08	-13.00	-26.08	V
7519.91	-32.75	11.50	22.20	-43.45	-13.00	-30.45	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.34	-34.23	12.60	12.93	-34.56	-13.00	-21.56	H
5715.06	-34.07	13.10	17.11	-38.08	-13.00	-25.08	H
7620.15	-32.78	11.50	22.20	-43.48	-13.00	-30.48	H
3810.34	-35.80	12.60	12.93	-36.13	-13.00	-23.13	V
5715.06	-35.10	13.10	17.11	-39.11	-13.00	-26.11	V
7620.15	-31.79	11.50	22.20	-42.49	-13.00	-29.49	V



LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3715.09	-33.62	12.60	12.93	-33.95	-13.00	-20.95	H
5572.35	-35.41	13.10	17.11	-39.42	-13.00	-26.42	H
7430.52	-32.30	11.50	22.20	-43.00	-13.00	-30.00	H
3715.09	-34.92	12.60	12.93	-35.25	-13.00	-22.25	V
5572.35	-33.85	13.10	17.11	-37.86	-13.00	-24.86	V
7430.52	-32.37	11.50	22.20	-43.07	-13.00	-30.07	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.24	-34.83	12.60	12.93	-35.16	-13.00	-22.16	H
5639.98	-35.49	13.10	17.11	-39.50	-13.00	-26.50	H
7520.17	-32.81	11.50	22.20	-43.51	-13.00	-30.51	H
3760.24	-35.54	12.60	12.93	-35.87	-13.00	-22.87	V
5639.98	-34.99	13.10	17.11	-39.00	-13.00	-26.00	V
7520.17	-33.11	11.50	22.20	-43.81	-13.00	-30.81	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.30	-34.83	12.60	12.93	-35.16	-13.00	-22.16	H
5707.56	-34.51	13.10	17.11	-38.52	-13.00	-25.52	H
7609.92	-32.86	11.50	22.20	-43.56	-13.00	-30.56	H
3805.30	-35.27	12.60	12.93	-35.60	-13.00	-22.60	V
5707.56	-33.86	13.10	17.11	-37.87	-13.00	-24.87	V
7609.92	-32.28	11.50	22.20	-42.98	-13.00	-29.98	V



LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3720.26	-33.80	12.60	12.93	-34.13	-13.00	-21.13	H
5580.31	-34.07	13.10	17.11	-38.08	-13.00	-25.08	H
7440.06	-32.78	11.50	22.20	-43.48	-13.00	-30.48	H
3720.26	-35.30	12.60	12.93	-35.63	-13.00	-22.63	V
5580.31	-35.15	13.10	17.11	-39.16	-13.00	-26.16	V
7440.06	-32.02	11.50	22.20	-42.72	-13.00	-29.72	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3760.14	-34.55	12.60	12.93	-34.88	-13.00	-21.88	H
5639.91	-34.77	13.10	17.11	-38.78	-13.00	-25.78	H
7519.92	-33.16	11.50	22.20	-43.86	-13.00	-30.86	H
3760.14	-35.01	12.60	12.93	-35.34	-13.00	-22.34	V
5639.91	-34.39	13.10	17.11	-38.40	-13.00	-25.40	V
7519.92	-32.66	11.50	22.20	-43.36	-13.00	-30.36	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3799.94	-34.85	12.60	12.93	-35.18	-13.00	-22.18	H
5700.07	-34.78	13.10	17.11	-38.79	-13.00	-25.79	H
7600.07	-32.55	11.50	22.20	-43.25	-13.00	-30.25	H
3799.94	-34.72	12.60	12.93	-35.05	-13.00	-22.05	V
5700.07	-34.54	13.10	17.11	-38.55	-13.00	-25.55	V
7600.07	-33.15	11.50	22.20	-43.85	-13.00	-30.85	V



LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3421.30	-34.62	12.90	12.56	-34.28	-13.00	-21.28	H
5132.04	-34.37	13.10	16.32	-37.59	-13.00	-24.59	H
6842.58	-33.05	12.33	21.13	-41.85	-13.00	-28.85	H
3421.30	-35.41	12.90	12.56	-35.07	-13.00	-22.07	V
5132.04	-35.17	13.10	16.32	-38.39	-13.00	-25.39	V
6842.58	-32.22	12.33	21.13	-41.02	-13.00	-28.02	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.91	-34.27	12.90	12.56	-33.93	-13.00	-20.93	H
5196.73	-34.47	13.10	16.32	-37.69	-13.00	-24.69	H
6930.07	-32.46	12.33	21.13	-41.26	-13.00	-28.26	H
3464.91	-35.75	12.90	12.56	-35.41	-13.00	-22.41	V
5196.73	-34.99	13.10	16.32	-38.21	-13.00	-25.21	V
6930.07	-32.38	12.33	21.13	-41.18	-13.00	-28.18	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3508.45	-33.50	12.90	12.56	-33.16	-13.00	-20.16	H
5262.16	-34.93	13.10	16.32	-38.15	-13.00	-25.15	H
7015.75	-33.56	12.33	21.13	-42.36	-13.00	-29.36	H
3508.45	-35.66	12.90	12.56	-35.32	-13.00	-22.32	V
5262.16	-34.79	13.10	16.32	-38.01	-13.00	-25.01	V
7015.75	-32.56	12.33	21.13	-41.36	-13.00	-28.36	V



LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.71	-33.62	12.90	12.56	-33.28	-13.00	-20.28	H
5196.82	-34.78	13.10	16.32	-38.00	-13.00	-25.00	H
6930.12	-32.75	12.33	21.13	-41.55	-13.00	-28.55	H
3464.71	-35.05	12.90	12.56	-34.71	-13.00	-21.71	V
5196.82	-34.82	13.10	16.32	-38.04	-13.00	-25.04	V
6930.12	-32.05	12.33	21.13	-40.85	-13.00	-27.85	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.71	-33.62	12.90	12.56	-33.28	-13.00	-20.28	H
5196.82	-34.78	13.10	16.32	-38.00	-13.00	-25.00	H
6930.12	-32.75	12.33	21.13	-41.55	-13.00	-28.55	H
3464.71	-35.05	12.90	12.56	-34.71	-13.00	-21.71	V
5196.82	-34.82	13.10	16.32	-38.04	-13.00	-25.04	V
6930.12	-32.05	12.33	21.13	-40.85	-13.00	-27.85	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3505.86	-33.86	12.90	12.56	-33.52	-13.00	-20.52	H
5261.76	-34.49	13.10	16.32	-37.71	-13.00	-24.71	H
7012.83	-33.03	12.33	21.13	-41.83	-13.00	-28.83	H
3505.86	-35.24	12.90	12.56	-34.90	-13.00	-21.90	V
5261.76	-34.76	13.10	16.32	-37.98	-13.00	-24.98	V
7012.83	-32.77	12.33	21.13	-41.57	-13.00	-28.57	V



LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.61	-33.54	12.90	12.56	-33.20	-13.00	-20.20	H
5137.12	-34.11	13.10	16.32	-37.33	-13.00	-24.33	H
6849.65	-33.40	12.33	21.13	-42.20	-13.00	-29.20	H
3424.61	-35.62	12.90	12.56	-35.28	-13.00	-22.28	V
5137.12	-34.67	13.10	16.32	-37.89	-13.00	-24.89	V
6849.65	-32.78	12.33	21.13	-41.58	-13.00	-28.58	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.42	-33.75	12.90	12.56	-33.41	-13.00	-20.41	H
5196.58	-34.83	13.10	16.32	-38.05	-13.00	-25.05	H
6929.54	-32.17	12.33	21.13	-40.97	-13.00	-27.97	H
3464.42	-35.42	12.90	12.56	-35.08	-13.00	-22.08	V
5196.58	-33.79	13.10	16.32	-37.01	-13.00	-24.01	V
6929.54	-32.53	12.33	21.13	-41.33	-13.00	-28.33	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3505.27	-33.57	12.90	12.56	-33.23	-13.00	-20.23	H
5257.18	-35.01	13.10	16.32	-38.23	-13.00	-25.23	H
7009.90	-32.26	12.33	21.13	-41.06	-13.00	-28.06	H
3505.27	-35.05	12.90	12.56	-34.71	-13.00	-21.71	V
5257.18	-34.61	13.10	16.32	-37.83	-13.00	-24.83	V
7009.90	-32.13	12.33	21.13	-40.93	-13.00	-27.93	V



LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3430.11	-34.56	12.90	12.56	-34.22	-13.00	-21.22	H
5145.39	-34.37	13.10	16.32	-37.59	-13.00	-24.59	H
6860.33	-33.41	12.33	21.13	-42.21	-13.00	-29.21	H
3430.11	-35.36	12.90	12.56	-35.02	-13.00	-22.02	V
5145.39	-34.50	13.10	16.32	-37.72	-13.00	-24.72	V
6860.33	-32.81	12.33	21.13	-41.61	-13.00	-28.61	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.40	-33.88	12.90	12.56	-33.54	-13.00	-20.54	H
5196.79	-34.73	13.10	16.32	-37.95	-13.00	-24.95	H
6929.36	-32.69	12.33	21.13	-41.49	-13.00	-28.49	H
3464.40	-35.68	12.90	12.56	-35.34	-13.00	-22.34	V
5196.79	-33.90	13.10	16.32	-37.12	-13.00	-24.12	V
6929.36	-32.60	12.33	21.13	-41.40	-13.00	-28.40	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3500.23	-34.71	12.90	12.56	-34.37	-13.00	-21.37	H
5250.11	-34.81	13.10	16.32	-38.03	-13.00	-25.03	H
6999.75	-33.48	12.33	21.13	-42.28	-13.00	-29.28	H
3500.23	-35.16	12.90	12.56	-34.82	-13.00	-21.82	V
5250.11	-34.59	13.10	16.32	-37.81	-13.00	-24.81	V
6999.75	-32.45	12.33	21.13	-41.25	-13.00	-28.25	V



LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3434.68	-34.18	12.90	12.56	-33.84	-13.00	-20.84	H
5152.60	-35.29	13.10	16.32	-38.51	-13.00	-25.51	H
6870.44	-32.73	12.33	21.13	-41.53	-13.00	-28.53	H
3434.68	-35.28	12.90	12.56	-34.94	-13.00	-21.94	V
5152.60	-34.46	13.10	16.32	-37.68	-13.00	-24.68	V
6870.44	-32.68	12.33	21.13	-41.48	-13.00	-28.48	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.78	-33.47	12.90	12.56	-33.13	-13.00	-20.13	H
5196.67	-34.62	13.10	16.32	-37.84	-13.00	-24.84	H
6929.95	-32.95	12.33	21.13	-41.75	-13.00	-28.75	H
3464.78	-35.10	12.90	12.56	-34.76	-13.00	-21.76	V
5196.67	-34.87	13.10	16.32	-38.09	-13.00	-25.09	V
6929.95	-32.24	12.33	21.13	-41.04	-13.00	-28.04	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3495.38	-33.67	12.90	12.56	-33.33	-13.00	-20.33	H
5242.22	-35.44	13.10	16.32	-38.66	-13.00	-25.66	H
6990.33	-32.61	12.33	21.13	-41.41	-13.00	-28.41	H
3495.38	-34.72	12.90	12.56	-34.38	-13.00	-21.38	V
5242.22	-35.16	13.10	16.32	-38.38	-13.00	-25.38	V
6990.33	-32.02	12.33	21.13	-40.82	-13.00	-27.82	V



LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3440.38	-33.59	12.90	12.56	-33.25	-13.00	-20.25	H
5160.00	-34.54	13.10	16.32	-37.76	-13.00	-24.76	H
6880.84	-33.45	12.33	21.13	-42.25	-13.00	-29.25	H
3440.38	-34.64	12.90	12.56	-34.30	-13.00	-21.30	V
5160.00	-35.10	13.10	16.32	-38.32	-13.00	-25.32	V
6880.84	-32.48	12.33	21.13	-41.28	-13.00	-28.28	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.65	-33.98	12.90	12.56	-33.64	-13.00	-20.64	H
5196.41	-34.06	13.10	16.32	-37.28	-13.00	-24.28	H
6929.85	-33.31	12.33	21.13	-42.11	-13.00	-29.11	H
3464.65	-34.99	12.90	12.56	-34.65	-13.00	-21.65	V
5196.41	-33.88	13.10	16.32	-37.10	-13.00	-24.10	V
6929.85	-32.62	12.33	21.13	-41.42	-13.00	-28.42	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3490.52	-34.86	12.90	12.56	-34.52	-13.00	-21.52	H
5235.02	-35.06	13.10	16.32	-38.28	-13.00	-25.28	H
6979.43	-32.35	12.33	21.13	-41.15	-13.00	-28.15	H
3490.52	-35.17	12.90	12.56	-34.83	-13.00	-21.83	V
5235.02	-34.37	13.10	16.32	-37.59	-13.00	-24.59	V
6979.43	-32.43	12.33	21.13	-41.23	-13.00	-28.23	V



LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1648.92	-34.02	9.56	9.72	-34.18	-13.00	-21.18	H
2473.37	-34.74	10.50	10.86	-35.10	-13.00	-22.10	H
3298.36	-32.80	12.78	11.57	-31.59	-13.00	-18.59	H
1648.92	-34.53	9.56	9.72	-34.69	-13.00	-21.69	V
2473.37	-33.90	10.50	10.86	-34.26	-13.00	-21.26	V
3298.36	-32.57	12.78	11.57	-31.36	-13.00	-18.36	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.65	-34.67	9.56	9.72	-34.83	-13.00	-21.83	H
2509.06	-35.11	10.50	10.86	-35.47	-13.00	-22.47	H
3345.49	-32.94	12.78	11.57	-31.73	-13.00	-18.73	H
1672.65	-34.97	9.56	9.72	-35.13	-13.00	-22.13	V
2509.06	-34.23	10.50	10.86	-34.59	-13.00	-21.59	V
3345.49	-32.98	12.78	11.57	-31.77	-13.00	-18.77	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1696.22	-34.15	9.56	9.72	-34.31	-13.00	-21.31	H
2544.76	-34.92	10.50	10.86	-35.28	-13.00	-22.28	H
3393.04	-33.42	12.78	11.57	-32.21	-13.00	-19.21	H
1696.22	-35.85	9.56	9.72	-36.01	-13.00	-23.01	V
2544.76	-34.37	10.50	10.86	-34.73	-13.00	-21.73	V
3393.04	-32.91	12.78	11.57	-31.70	-13.00	-18.70	V



LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.48	-33.46	9.56	9.72	-33.62	-13.00	-20.62	H
2475.80	-35.22	10.50	10.86	-35.58	-13.00	-22.58	H
3301.23	-32.22	12.78	11.57	-31.01	-13.00	-18.01	H
1650.48	-35.27	9.56	9.72	-35.43	-13.00	-22.43	V
2475.80	-33.86	10.50	10.86	-34.22	-13.00	-21.22	V
3301.23	-32.98	12.78	11.57	-31.77	-13.00	-18.77	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.42	-34.43	9.56	9.72	-34.59	-13.00	-21.59	H
2509.02	-34.95	10.50	10.86	-35.31	-13.00	-22.31	H
3345.53	-32.92	12.78	11.57	-31.71	-13.00	-18.71	H
1672.42	-35.20	9.56	9.72	-35.36	-13.00	-22.36	V
2509.02	-34.93	10.50	10.86	-35.29	-13.00	-22.29	V
3345.53	-31.74	12.78	11.57	-30.53	-13.00	-17.53	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.28	-34.21	9.56	9.72	-34.37	-13.00	-21.37	H
2541.86	-34.51	10.50	10.86	-34.87	-13.00	-21.87	H
3389.33	-33.51	12.78	11.57	-32.30	-13.00	-19.30	H
1694.28	-34.65	9.56	9.72	-34.81	-13.00	-21.81	V
2541.86	-34.08	10.50	10.86	-34.44	-13.00	-21.44	V
3389.33	-32.72	12.78	11.57	-31.51	-13.00	-18.51	V



LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1652.47	-33.68	9.56	9.72	-33.84	-13.00	-20.84	H
2478.73	-35.30	10.50	10.86	-35.66	-13.00	-22.66	H
3305.77	-32.68	12.78	11.57	-31.47	-13.00	-18.47	H
1652.47	-34.69	9.56	9.72	-34.85	-13.00	-21.85	V
2478.73	-34.45	10.50	10.86	-34.81	-13.00	-21.81	V
3305.77	-32.47	12.78	11.57	-31.26	-13.00	-18.26	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.18	-34.16	9.56	9.72	-34.32	-13.00	-21.32	H
2509.02	-34.94	10.50	10.86	-35.30	-13.00	-22.30	H
3345.66	-32.58	12.78	11.57	-31.37	-13.00	-18.37	H
1672.18	-35.31	9.56	9.72	-35.47	-13.00	-22.47	V
2509.02	-34.65	10.50	10.86	-35.01	-13.00	-22.01	V
3345.66	-32.24	12.78	11.57	-31.03	-13.00	-18.03	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1692.58	-34.15	9.56	9.72	-34.31	-13.00	-21.31	H
2538.96	-34.68	10.50	10.86	-35.04	-13.00	-22.04	H
3385.77	-33.10	12.78	11.57	-31.89	-13.00	-18.89	H
1692.58	-35.92	9.56	9.72	-36.08	-13.00	-23.08	V
2538.96	-34.67	10.50	10.86	-35.03	-13.00	-22.03	V
3385.77	-32.74	12.78	11.57	-31.53	-13.00	-18.53	V



LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1657.61	-34.13	9.56	9.72	-34.29	-13.00	-21.29	H
2486.24	-34.28	10.50	10.86	-34.64	-13.00	-21.64	H
3315.07	-33.04	12.78	11.57	-31.83	-13.00	-18.83	H
1657.61	-35.22	9.56	9.72	-35.38	-13.00	-22.38	V
2486.24	-34.83	10.50	10.86	-35.19	-13.00	-22.19	V
3315.07	-32.06	12.78	11.57	-30.85	-13.00	-17.85	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.20	-33.97	9.56	9.72	-34.13	-13.00	-21.13	H
2508.79	-34.79	10.50	10.86	-35.15	-13.00	-22.15	H
3345.05	-32.63	12.78	11.57	-31.42	-13.00	-18.42	H
1672.20	-35.33	9.56	9.72	-35.49	-13.00	-22.49	V
2508.79	-35.13	10.50	10.86	-35.49	-13.00	-22.49	V
3345.05	-31.87	12.78	11.57	-30.66	-13.00	-17.66	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1687.49	-34.35	9.56	9.72	-34.51	-13.00	-21.51	H
2531.63	-34.58	10.50	10.86	-34.94	-13.00	-21.94	H
3375.61	-32.41	12.78	11.57	-31.20	-13.00	-18.20	H
1687.49	-35.25	9.56	9.72	-35.41	-13.00	-22.41	V
2531.63	-34.56	10.50	10.86	-34.92	-13.00	-21.92	V
3375.61	-32.10	12.78	11.57	-30.89	-13.00	-17.89	V



LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5005.01	-33.70	12.66	15.86	-36.90	-25.00	-11.90	H
7507.61	-34.57	11.46	19.28	-42.39	-25.00	-17.39	H
10010.46	-32.31	12.79	23.19	-42.71	-25.00	-17.71	H
5005.01	-35.48	12.66	15.86	-38.68	-25.00	-13.68	V
7507.61	-34.26	11.46	19.28	-42.08	-25.00	-17.08	V
10010.46	-32.34	12.79	23.19	-42.74	-25.00	-17.74	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5070.04	-34.40	12.72	15.86	-37.54	-25.00	-12.54	H
7604.97	-35.35	11.46	19.28	-43.17	-25.00	-18.17	H
10139.73	-33.15	12.09	23.19	-44.25	-25.00	-19.25	H
5070.04	-34.69	12.72	15.86	-37.83	-25.00	-12.83	V
7604.97	-34.59	11.46	19.28	-42.41	-25.00	-17.41	V
10139.73	-32.25	12.09	23.19	-43.35	-25.00	-18.35	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5133.60	-34.25	12.76	15.86	-37.35	-25.00	-12.35	H
7701.45	-34.39	11.45	19.28	-42.22	-25.00	-17.22	H
10268.34	-33.34	12.28	23.19	-44.25	-25.00	-19.25	H
5133.60	-35.50	12.76	15.86	-38.60	-25.00	-13.60	V
7701.45	-34.07	11.45	19.28	-41.90	-25.00	-16.90	V
10268.34	-32.32	12.28	23.19	-43.23	-25.00	-18.23	V