




Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	78.6	18.77	97.37	N/A	N/A	PK
	@	5300	70.2	18.77	88.97	N/A	N/A	AVG
		5373.9	41.07	19.14	60.21	74	-13.79	PK
		5452.5	29.42	19.53	48.95	54	-5.05	AVG
	*	10600	29.38	18.04	47.42	68.2	-20.78	PK
Vertical	@	5300	97.44	18.77	116.21	N/A	N/A	PK
	@	5300	87.92	18.77	106.69	N/A	N/A	AVG
		5350.2	33.55	19.01	52.56	54	-1.44	AVG
		5354.1	43.82	19.04	62.86	74	-11.14	PK
	*	10600	28.78	18.04	46.82	68.2	-21.38	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	77.46	18.86	96.32	N/A	N/A	PK
	@	5320	68.84	18.86	87.7	N/A	N/A	AVG
		5457.3	29.52	19.55	49.07	54	-4.93	AVG
		5458.8	39.9	19.57	59.47	74	-14.53	PK
	*	10640	28.93	18.03	46.96	74	-27.04	PK
Vertical	@	5320	95.13	18.86	113.99	N/A	N/A	PK
	@	5320	86.68	18.86	105.54	N/A	N/A	AVG
		5350.5	46.45	19.01	65.46	74	-8.54	PK
		5350.5	34.36	19.01	53.37	54	-0.63	AVG
	*	10640	29.34	18.03	47.37	74	-26.63	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5447.6	39.89	19.5	59.39	74	-14.61	PK
		5457.75	29.44	19.55	48.99	54	-5.01	AVG
		5467.9	40.1	19.61	59.71	68.2	-8.49	PK
	@	5500	76.39	19.77	96.16	N/A	N/A	PK
	@	5500	68.79	19.77	88.56	N/A	N/A	AVG
	*	11000	30.11	18.41	48.52	74	-25.48	PK
Vertical		5458.1	43.45	19.56	63.01	74	-10.99	PK
		5459.15	31.73	19.57	51.3	54	-2.7	AVG
		5469.65	47.22	19.62	66.84	68.2	-1.36	PK
	@	5500	94.08	19.77	113.85	N/A	N/A	PK
	@	5500	86.21	19.77	105.98	N/A	N/A	AVG
	*	11000	30.25	18.41	48.66	74	-25.34	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	116
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5440.95	41.02	19.47	60.49	74	-13.51	PK
		5458.8	29.45	19.57	49.02	54	-4.98	AVG
		5469.3	40.14	19.62	59.76	68.2	-8.44	PK
	@	5580	81.74	19.76	101.5	N/A	N/A	PK
	@	5580	73.65	19.76	93.41	N/A	N/A	AVG
		5735.65	41.68	20.07	61.75	68.2	-6.45	PK
	*	11160	28.82	18.47	47.29	74	-26.71	PK
Vertical		5444.1	40.88	19.5	60.38	74	-13.62	PK
		5458.1	31.37	19.56	50.93	54	-3.07	AVG
		5464.4	40.6	19.59	60.19	68.2	-8.01	PK
	@	5580	97.68	19.76	117.44	N/A	N/A	PK
	@	5580	91.79	19.76	111.55	N/A	N/A	AVG
		5728.65	41.21	20	61.21	68.2	-6.99	PK
	*	11160	30.65	18.47	49.12	74	-24.88	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	140
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5458.8	29.42	19.57	48.99	54	-5.01	AVG
	@	5700	74.15	19.73	93.88	N/A	N/A	PK
	@	5700	64.7	19.73	84.43	N/A	N/A	AVG
		5746.5	40.71	20.16	60.87	68.2	-7.33	PK
	*	11400	29.71	18.85	48.56	74	-25.44	PK
Vertical		5455.65	29.59	19.54	49.13	54	-4.87	AVG
	@	5700	92.48	19.73	112.21	N/A	N/A	PK
	@	5700	82.11	19.73	101.84	N/A	N/A	AVG
		5725.15	48.11	19.96	68.07	68.2	-0.13	PK
	*	11400	30.18	18.85	49.03	74	-24.97	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 140)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 140)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Vertical







Mode	802.11ax(HE20)	Channel	144
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11440	28.91	19.06	47.97	74	-26.03	PK
Vertical	*	11440	29.31	19.06	48.37	74	-25.63	PK







Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5590	41.2	19.73	60.93	68.2	-7.27	PK
		5699	40.89	19.73	60.62	104.46	-43.84	PK
	@	5745	79.31	20.15	99.46	N/A	N/A	PK
	@	5745	69.85	20.15	90	N/A	N/A	AVG
	*	11490	29.29	19.33	48.62	74	-25.38	PK
Vertical		5602.5	41.09	19.71	60.8	68.2	-7.4	PK
		5695.5	49.59	19.72	69.31	101.88	-32.57	PK
	@	5745	99.25	20.15	119.4	N/A	N/A	PK
	@	5745	87.15	20.15	107.3	N/A	N/A	AVG
	*	11490	29.82	19.33	49.15	74	-24.85	PK

TX, 802.11ax(HE20) (Ch 149)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 149)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	157
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5549.5	42.42	19.83	62.25	68.2	-5.95	PK
		5692	40.7	19.72	60.42	99.3	-38.88	PK
	@	5785	79.38	20.45	99.83	N/A	N/A	PK
	@	5785	70.98	20.45	91.43	N/A	N/A	AVG
		5875	42.13	20.8	62.93	105.2	-42.27	PK
		6016	41.34	20.99	62.33	68.2	-5.87	PK
	*	11570	28.84	19.07	47.91	74	-26.09	PK
Vertical		5649	46.89	19.67	66.56	68.2	-1.64	PK
		5700	55.61	19.73	75.34	105.2	-29.86	PK
	@	5785	96.02	20.45	116.47	N/A	N/A	PK
	@	5785	85.99	20.45	106.44	N/A	N/A	AVG
		5875	52.23	20.8	73.03	105.2	-32.17	PK
		5925	44.33	20.96	65.29	68.2	-2.91	PK
	*	11570	29.25	19.07	48.32	74	-25.68	PK

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Vertical


Mode	802.11ax(HE20)	Channel	165
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	78.3	20.58	98.88	N/A	N/A	PK
	@	5825	69.16	20.58	89.74	N/A	N/A	AVG
		5889.5	40.85	20.91	61.76	94.44	-32.68	PK
		5954	41.11	20.95	62.06	68.2	-6.14	PK
	*	11650	29.13	18.83	47.96	74	-26.04	PK
Vertical	@	5825	97.65	20.58	118.23	N/A	N/A	PK
	@	5825	86.52	20.58	107.1	N/A	N/A	AVG
		5876.5	45.9	20.81	66.71	104.09	-37.38	PK
		5953.5	40.71	20.95	61.66	68.2	-6.54	PK
	*	11650	28.7	18.83	47.53	74	-26.47	PK



Mode	802.11ax(HE40)	Channel	38
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5057.05	31.59	19.13	50.72	54	-3.28	AVG
		5077.35	42.51	19.28	61.79	74	-12.21	PK
	@	5190	70.37	19.29	89.66	N/A	N/A	PK
	@	5190	59.64	19.29	78.93	N/A	N/A	AVG
	*	10380	31.32	17.61	48.93	68.2	-19.27	PK
Vertical		5148.05	44.05	19.4	63.45	74	-10.55	PK
		5149.8	33.41	19.4	52.81	54	-1.19	AVG
	@	5190	86.37	19.29	105.66	N/A	N/A	PK
	@	5190	74.78	19.29	94.07	N/A	N/A	AVG
	*	10380	31.29	17.61	48.9	68.2	-19.3	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	46
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5063.35	31.58	19.18	50.76	54	-3.24	AVG
		5081.2	42.99	19.31	62.3	74	-11.7	PK
	@	5230	78.39	19.05	97.44	N/A	N/A	PK
	@	5230	65.45	19.05	84.5	N/A	N/A	AVG
	*	10460	30.66	17.87	48.53	68.2	-19.67	PK
Vertical		5147.35	46.11	19.41	65.52	74	-8.48	PK
		5149.8	32.77	19.4	52.17	54	-1.83	AVG
	@	5230	92.7	19.05	111.75	N/A	N/A	PK
	@	5230	81.54	19.05	100.59	N/A	N/A	AVG
	*	10460	31.52	17.87	49.39	68.2	-18.81	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	54
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5270	75.76	18.85	94.61	N/A	N/A	PK
	@	5270	67.34	18.85	86.19	N/A	N/A	AVG
		5437.2	40.34	19.46	59.8	74	-14.2	PK
		5454	29.5	19.54	49.04	54	-4.96	AVG
	*	10540	31.52	18.01	49.53	68.2	-18.67	PK
Vertical	@	5270	93.6	18.85	112.45	N/A	N/A	PK
	@	5270	83.45	18.85	102.3	N/A	N/A	AVG
		5350.8	32.79	19.01	51.8	54	-2.2	AVG
		5366.1	42.5	19.09	61.59	74	-12.41	PK
	*	10540	30.65	18.01	48.66	68.2	-19.54	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	62
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5310	68.32	18.81	87.13	N/A	N/A	PK
	@	5310	60.95	18.81	79.76	N/A	N/A	AVG
		5442	29.76	19.48	49.24	54	-4.76	AVG
		5453.7	40.01	19.53	59.54	74	-14.46	PK
	*	10620	30.72	18.04	48.76	74	-25.24	PK
Vertical	@	5310	86.37	18.81	105.18	N/A	N/A	PK
	@	5310	78.35	18.81	97.16	N/A	N/A	AVG
		5351.1	42.62	19.01	61.63	74	-12.37	PK
		5351.7	33.65	19.02	52.67	54	-1.33	AVG
	*	10620	30.52	18.04	48.56	74	-25.44	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	102
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5423.8	39.5	19.39	58.89	74	-15.11	PK
		5451.1	29.76	19.52	49.28	54	-4.72	AVG
		5464.4	39.47	19.59	59.06	68.2	-9.14	PK
	@	5510	68.88	19.78	88.66	N/A	N/A	PK
	@	5510	59.3	19.78	79.08	N/A	N/A	AVG
	*	11020	30.52	18.42	48.94	74	-25.06	PK
Vertical		5459.5	41.32	19.57	60.89	74	-13.11	PK
		5459.85	32.68	19.57	52.25	54	-1.75	AVG
		5469.65	44.35	19.62	63.97	68.2	-4.23	PK
	@	5510	85.8	19.78	105.58	N/A	N/A	PK
	@	5510	77.93	19.78	97.71	N/A	N/A	AVG
	*	11020	31.15	18.42	49.57	74	-24.43	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	110
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5433.25	39.75	19.43	59.18	74	-14.82	PK
		5456	29.57	19.54	49.11	54	-4.89	AVG
		5468.95	39.23	19.62	58.85	68.2	-9.35	PK
	@	5550	72.25	19.83	92.08	N/A	N/A	PK
	@	5550	65.92	19.83	85.75	N/A	N/A	AVG
		5725.85	40.76	19.97	60.73	68.2	-7.47	PK
	*	11100	30.34	18.45	48.79	74	-25.21	PK
Vertical		5431.85	40.62	19.43	60.05	74	-13.95	PK
		5457.05	31.79	19.55	51.34	54	-2.66	AVG
		5468.95	43.28	19.62	62.9	68.2	-5.3	PK
	@	5550	91	19.83	110.83	N/A	N/A	PK
	@	5550	82.48	19.83	102.31	N/A	N/A	AVG
		5737.4	41.53	20.08	61.61	68.2	-6.59	PK
	*	11100	31.78	18.45	50.23	74	-23.77	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	134
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5433.6	29.86	19.43	49.29	54	-4.71	AVG
	@	5670	74.51	19.69	94.2	N/A	N/A	PK
	@	5670	66.3	19.69	85.99	N/A	N/A	AVG
		5730.4	41.04	20.01	61.05	68.2	-7.15	PK
	*	11340	30.24	18.58	48.82	74	-25.18	PK
Vertical		5458.1	30.67	19.56	50.23	54	-3.77	AVG
	@	5670	90.67	19.69	110.36	N/A	N/A	PK
	@	5670	82.69	19.69	102.38	N/A	N/A	AVG
		5727.25	47.32	19.99	67.31	68.2	-0.89	PK
	*	11340	30.03	18.58	48.61	74	-25.39	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1




Mode	802.11ax(HE40)	Channel	142
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11420	31.32	18.95	50.27	74	-23.73	PK
Vertical	*	11420	31.6	18.95	50.55	74	-23.45	PK




Mode	802.11ax(HE40)	Channel	151
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5616	41.09	19.69	60.78	68.2	-7.42	PK
		5699	41.9	19.73	61.63	104.46	-42.83	PK
	@	5755	78.28	20.22	98.5	N/A	N/A	PK
	@	5755	66.73	20.22	86.95	N/A	N/A	AVG
	*	11510	29.93	19.34	49.27	74	-24.73	PK
Vertical		5637.5	45.87	19.67	65.54	68.2	-2.66	PK
		5698	54.21	19.72	73.93	103.73	-29.8	PK
	@	5755	93.4	20.22	113.62	N/A	N/A	PK
	@	5755	84.22	20.22	104.44	N/A	N/A	AVG
	*	11510	29.6	19.34	48.94	74	-25.06	PK



Mode	802.11ax(HE40)	Channel	159
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5795	76.77	20.52	97.29	N/A	N/A	PK
	@	5795	68.1	20.52	88.62	N/A	N/A	AVG
		5896	41.01	20.95	61.96	89.62	-27.66	PK
		5933	41.36	20.95	62.31	68.2	-5.89	PK
	*	11590	31.05	18.99	50.04	74	-23.96	PK
Vertical	@	5795	93.35	20.52	113.87	N/A	N/A	PK
	@	5795	84	20.52	104.52	N/A	N/A	AVG
		5875	50.95	20.8	71.75	105.2	-33.45	PK
		5971	41.01	20.96	61.97	68.2	-6.23	PK
	*	11590	29.94	18.99	48.93	74	-25.07	PK



Mode	802.11ax(HE80)	Channel	42
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5105.7	42.74	19.44	62.18	74	-11.82	PK
		5117.25	31.32	19.44	50.76	54	-3.24	AVG
	@	5210	68.94	19.18	88.12	N/A	N/A	PK
	@	5210	59.07	19.18	78.25	N/A	N/A	AVG
	*	10420	31.01	17.76	48.77	68.2	-19.43	PK
Vertical		5149.45	44.55	19.4	63.95	74	-10.05	PK
		5149.8	33.88	19.4	53.28	54	-0.72	AVG
	@	5210	83.98	19.18	103.16	N/A	N/A	PK
	@	5210	74.2	19.18	93.38	N/A	N/A	AVG
	*	10420	31.27	17.76	49.03	68.2	-19.17	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1