

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1715	20000	10	1	0	22.65	20.75	0.119
				1	25	22.65	20.75	0.119
				1	49	22.66	20.76	0.119
				25	0	22.65	20.75	0.119
				25	12	22.65	20.75	0.119
				25	25	22.66	20.76	0.119
				50	0	22.66	20.76	0.119
	1732.5	20175		1	0	22.63	20.73	0.118
				1	25	22.63	20.73	0.118
				1	49	22.63	20.73	0.118
				25	0	22.64	20.74	0.119
				25	12	22.64	20.74	0.119
				25	25	22.64	20.74	0.119
				50	0	22.64	20.74	0.119
	1750	20350		1	0	22.45	20.55	0.114
				1	25	22.45	20.55	0.114
				1	49	22.45	20.55	0.114
				25	0	22.45	20.55	0.114
				25	12	22.45	20.55	0.114
				25	25	22.32	20.42	0.110
				50	0	22.32	20.42	0.110

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1717.5	20025	15	1	0	24.70	22.80	0.191
				1	37	24.50	22.60	0.182
				1	74	24.48	22.58	0.181
				36	0	23.60	21.70	0.148
				36	29	23.51	21.61	0.145
				36	30	23.51	21.61	0.145
				75	0	23.53	21.63	0.146
	1732.5	20175		1	0	24.68	22.78	0.190
				1	37	24.31	22.41	0.174
				1	74	24.43	22.53	0.179
				36	0	23.47	21.57	0.144
				36	29	23.46	21.56	0.143
				36	30	23.45	21.55	0.143
				75	0	23.43	21.53	0.142
	1747.5	20325		1	0	24.43	22.53	0.179
				1	37	24.14	22.24	0.167
				1	74	24.14	22.24	0.167
				36	0	23.25	21.35	0.136
				36	29	23.14	21.24	0.133
				36	30	23.15	21.25	0.133
				75	0	23.23	21.33	0.136
16QAM	1717.5	20025	1	0	24.17	22.27	0.169	
			1	37	24.06	22.16	0.164	
			1	74	24.05	22.15	0.164	
			36	0	22.72	20.82	0.121	
			36	29	22.75	20.85	0.122	
			36	30	22.77	20.87	0.122	
			75	0	22.79	20.89	0.123	
	1732.5	20175	1	0	23.79	21.89	0.155	
			1	37	23.54	21.64	0.146	
			1	74	23.57	21.67	0.147	
			36	0	22.75	20.85	0.122	
			36	29	22.63	20.73	0.118	
			36	30	22.63	20.73	0.118	
			75	0	22.62	20.72	0.118	
	1747.5	20325	1	0	23.80	21.90	0.155	
			1	37	23.71	21.81	0.152	
			1	74	23.68	21.78	0.151	
			36	0	22.49	20.59	0.115	
			36	29	22.31	20.41	0.110	
			36	30	22.31	20.41	0.110	
			75	0	22.36	20.46	0.111	

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1717.5	20025	15	1	0	22.80	20.90	0.123
				1	37	22.80	20.90	0.123
				1	74	22.80	20.90	0.123
				36	0	22.80	20.90	0.123
				36	29	22.80	20.90	0.123
				36	30	22.81	20.91	0.123
				75	0	22.70	20.80	0.120
	1732.5	20175		1	0	22.62	20.72	0.118
				1	37	22.62	20.72	0.118
				1	74	22.62	20.72	0.118
				36	0	22.62	20.72	0.118
				36	29	22.63	20.73	0.118
				36	30	22.62	20.72	0.118
				75	0	22.63	20.73	0.118
	1747.5	20325		1	0	22.28	20.38	0.109
				1	37	22.36	20.46	0.111
				1	74	22.28	20.38	0.109
				36	0	22.37	20.47	0.111
				36	29	22.36	20.46	0.111
				36	30	22.37	20.47	0.111
				75	0	22.29	20.39	0.109

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1720	20050	20	1	0	24.87	22.97	0.198
				1	49	24.50	22.60	0.182
				1	99	24.47	22.57	0.181
				50	0	23.61	21.71	0.148
				50	24	23.57	21.67	0.147
				50	50	23.46	21.56	0.143
				100	0	23.56	21.66	0.147
	1732.5	20175		1	0	24.56	22.66	0.185
				1	49	24.58	22.68	0.185
				1	99	24.57	22.67	0.185
				50	0	23.64	21.74	0.149
				50	24	23.42	21.52	0.142
				50	50	23.42	21.52	0.142
				100	0	23.43	21.53	0.142
	1745	20300		1	0	24.52	22.62	0.183
				1	49	24.29	22.39	0.173
				1	99	24.28	22.38	0.173
				50	0	23.43	21.53	0.142
				50	24	23.28	21.38	0.137
				50	50	23.29	21.39	0.138
				100	0	23.21	21.31	0.135
16QAM	1720	20050	1	0	23.97	22.07	0.161	
			1	49	23.69	21.79	0.151	
			1	99	23.52	21.62	0.145	
			50	0	22.81	20.91	0.123	
			50	24	22.68	20.78	0.120	
			50	50	22.68	20.78	0.120	
			100	0	22.70	20.80	0.120	
	1732.5	20175	1	0	23.75	21.85	0.153	
			1	49	23.46	21.56	0.143	
			1	99	23.53	21.63	0.146	
			50	0	22.60	20.70	0.117	
			50	24	22.54	20.64	0.116	
			50	50	22.66	20.76	0.119	
			100	0	22.57	20.67	0.117	
	1745	20300	1	0	24.37	22.47	0.177	
			1	49	24.07	22.17	0.165	
			1	99	24.08	22.18	0.165	
			50	0	22.49	20.59	0.115	
			50	24	22.42	20.52	0.113	
			50	50	22.42	20.52	0.113	
			100	0	22.40	20.50	0.112	

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1720	20050	20	1	0	22.71	20.81	0.121
				1	49	22.71	20.81	0.121
				1	99	22.71	20.81	0.121
				50	0	22.71	20.81	0.121
				50	24	22.72	20.82	0.121
				50	50	22.71	20.81	0.121
				100	0	22.71	20.81	0.121
	1732.5	20175		1	0	22.57	20.67	0.117
				1	49	22.57	20.67	0.117
				1	99	22.57	20.67	0.117
				50	0	22.57	20.67	0.117
				50	24	22.57	20.67	0.117
				50	50	22.64	20.74	0.119
				100	0	22.56	20.66	0.116
	1745	20300		1	0	22.40	20.50	0.112
				1	49	22.40	20.50	0.112
				1	99	22.40	20.50	0.112
				50	0	22.41	20.51	0.112
				50	24	22.41	20.51	0.112
				50	50	22.41	20.51	0.112
				100	0	22.41	20.51	0.112