

Auden Communications & Multimedia Techno (Kunshan) Co., Ltd
Shenzhen branch

Antenna Evaluating Report

Contact Information:

PM:

RD:

ME:

Prepared By: WCCai

Checked By:

Date of Report: May 9,2023


Report History

Date	Rev	Description
2023-05-9	01	Test passive efficiency and gain




Manufacturer & DIM

- Manufacturer:
Shenzhen Xinzhide Technology Co., Ltd.
- Model: HW709 ANT
- Antenna Gain: 0.99dBi
- Antenna Type/DIM: PCB antenna



Equipment



- Chamber : GTS Rayzone1800
- Network Analyzer : Agilent E5071C
- 2G/3G Comprehensive Tester : Agilent 8960
- LTEComprehensive Tester : Anritsu MT8820
- TDComprehensive Tester : StarPoint SP6010
- WiFiComprehensive Tester : Anritsu MT8860
- GPS signal generator : Agilent E4438C



Antenna operating frequency

RF mode	Band	RF mode	Band
GSM	-	WIFI / BT	2.4G(2400-2500MHz)
WCDMA	-	GPS	-
TD-SCDMA	-	FM	-
CDMA	-	Others	-
FDD LTE			
TDD LTE			

Antenna Testing

Frequency(MHz)	Gain	Eff.
2400	-1.03	33.5
2410	-0.51	36.1
2420	-0.33	36.1
2430	0.07	38.7
2440	0.15	40.7
2450	0.38	42.6
2460	0.78	47.5
2470	0.99	49.5
2480	0.82	46.7
2490	0.94	48.3
2500	0.99	48.6


Antenna Testing

Radiation pattern (E1)




Antenna Testing

Radiation pattern (E2)




Antenna Testing

Radiation pattern (H)



Antenna Testing

3D Radiation pattern



Thank You

auden^o



AUDEN
ASPIRE
UPGRADE
DEVOTE
EXCELLENCE
NAVIGATOR

AUDEN Techno Corp. Taiwan

TEL: +886-3-363-1901

No.19 Lane 772, Ho Ping Road Bade City, Taoyuan Hsien, Taiwan.

AUDEN communications & Multimedia Techno (Shenzhen) Co., Ltd.

TEL: +86 0755 8653 9953

AUDEN Techno Corp. Korea

TEL: +82 2 401 1206

**RM 205 5F Jaeil Officetel Songpa daero Songpa-Gu Seoul.
ZIP : 138-719 Korea**

AUDEN Techno Corp. USA

TEL: +1 631 9791630

4 Cygnet Drive Smittown, NY 11787

E-mail: service@auden.com.tw

Website: <http://www.auden.com.tw>

Company Confidential, Auden

Many aspects of this presentation are protected by US, TW, CN and international patents and patent applications