


Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4843.850	35.43	6.48	41.91	74.00	-32.09	peak	
2	*	4844.950	26.49	6.48	32.97	54.00	-21.03	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	28.80	33.38	62.18	74.00	-11.82	peak	
2		2390.000	15.94	33.38	49.32	54.00	-4.68	AVG	
3	*	2417.000	52.29	33.45	85.74	54.00	31.74	AVG	Fundamental frequency, no limit
4	X	2427.000	63.08	33.47	96.55	74.00	22.55	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4843.900	33.94	6.48	40.42	74.00	-33.58	peak	
2	*	4843.900	25.80	6.48	32.28	54.00	-21.72	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2424.000	67.35	33.47	100.82	74.00	26.82	peak	Fundamental frequency, no limit
2	*	2424.200	56.92	33.47	90.39	54.00	36.39	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4873.850	35.30	6.55	41.85	74.00	-32.15	peak	
2	*	4873.850	27.55	6.55	34.10	54.00	-19.90	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2422.200	66.06	33.47	99.53	74.00	25.53	peak	Fundamental frequency, no limit
2	*	2432.200	54.92	33.49	88.41	54.00	34.41	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4874.650	25.64	6.55	32.19	54.00	-21.81	AVG	
2		4874.750	34.33	6.55	40.88	74.00	-33.12	peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2448.600	65.96	33.53	99.49	74.00	25.49	peak	Fundamental frequency, no limit
2	*	2449.400	52.13	33.53	85.66	54.00	31.66	AVG	Fundamental frequency, no limit
3		2483.500	30.48	33.62	64.10	74.00	-9.90	peak	
4		2483.500	13.09	33.62	46.71	54.00	-7.29	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4903.500	32.30	6.61	38.91	74.00	-35.09	peak	
2	*	4903.500	23.95	6.61	30.56	54.00	-23.44	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2437.000	64.93	33.50	98.43	74.00	24.43	peak	Fundamental frequency, no limit
2	*	2438.000	53.39	33.50	86.89	54.00	32.89	AVG	Fundamental frequency, no limit
3		2483.500	31.88	33.62	65.50	74.00	-8.50	peak	
4		2483.500	14.22	33.62	47.84	54.00	-6.16	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4903.500	25.93	6.61	32.54	54.00	-21.46	AVG	
2		4904.350	36.17	6.61	42.78	74.00	-31.22	peak	

ATTACHMENT E - BANDWIDTH

Test Mode : TX B Mode_CH01/06/11


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	8.03	10.90	500	Complies
2437 MHz	9.12	11.45	500	Complies
2462 MHz	8.48	11.65	500	Complies

TX CH01




Date: 22.JUL.2014 14:01:46

TX CH06



Date: 22.JUL.2014 14:07:58

TX CH11




Date: 22.JUL.2014 14:09:50

Test Mode: TX G Mode_CH01/06/11


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	15.71	16.35	500	Complies
2437 MHz	15.01	16.35	500	Complies
2462 MHz	15.01	16.35	500	Complies

TX CH01




Date: 22.JUL.2014 14:16:17

TX CH06



Date: 22.JUL.2014 14:18:02

TX CH11




Date: 22.JUL.2014 14:19:27

Test Mode : TX N-20MHz Mode_CH01/06/11_ANT 1


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	15.06	17.45	500	Complies
2437 MHz	14.96	17.40	500	Complies
2462 MHz	15.16	17.45	500	Complies

TX CH01




Date: 22.JUL.2014 14:23:30

TX CH06



Date: 22.JUL.2014 14:26:16

TX CH11




Date: 22.JUL.2014 14:29:19

Test Mode : TX N-20MHz Mode_CH01/06/11_ANT 2


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	15.41	17.45	500	Complies
2437 MHz	15.01	17.45	500	Complies
2462 MHz	14.71	17.45	500	Complies

TX CH01




Date: 22.JUL.2014 14:23:45

TX CH06




Date: 22.JUL.2014 14:26:32

TX CH11




Date: 22.JUL.2014 14:29:33

TX CH06




Date: 22.JUL.2014 14:35:25

TX CH09




Date: 22.JUL.2014 14:37:35

TX CH06



Date: 22.JUL.2014 14:35:44

TX CH09



Date: 22.JUL.2014 14:37:46

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode : TX B Mode					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	18.73	0.0746	30.00	1.00	Complies
2437 MHz	18.69	0.0740	30.00	1.00	Complies
2462 MHz	17.12	0.0515	30.00	1.00	Complies

Test Mode : TX G Mode					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	20.19	0.1045	30.00	1.00	Complies
2437 MHz	21.12	0.1294	30.00	1.00	Complies
2462 MHz	20.17	0.1040	30.00	1.00	Complies

Test Mode : TX N-20M Mode ANT 1					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	19.37	0.0865	30.00	1.00	Complies
2437 MHz	20.35	0.1084	30.00	1.00	Complies
2462 MHz	19.51	0.0893	30.00	1.00	Complies

Test Mode : TX N-20M Mode ANT 2					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	19.18	0.0828	30.00	1.00	Complies
2437 MHz	20.54	0.1132	30.00	1.00	Complies
2462 MHz	19.31	0.0853	30.00	1.00	Complies

Test Mode : TX N-20M Mode Total					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	22.29	0.1693	30.00	1.00	Complies
2437 MHz	23.46	0.2216	30.00	1.00	Complies
2462 MHz	22.42	0.1746	30.00	1.00	Complies

Test Mode : TX N-40M Mode ANT 1					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2422 MHz	13.27	0.0212	30.00	1.00	Complies
2437 MHz	14.91	0.0310	30.00	1.00	Complies
2452 MHz	14.34	0.0272	30.00	1.00	Complies


Test Mode : TX N-40M Mode ANT 2					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2422 MHz	13.08	0.0203	30.00	1.00	Complies
2437 MHz	14.72	0.0296	30.00	1.00	Complies
2452 MHz	14.11	0.0258	30.00	1.00	Complies

Test Mode : TX N-40M Mode Total					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2422 MHz	16.19	0.0416	30.00	1.00	Complies
2437 MHz	17.83	0.0606	30.00	1.00	Complies
2452 MHz	17.24	0.0529	30.00	1.00	Complies

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode :	TX B Mode
--------------------	------------------

TX B mode CH01




Date: 22.JUL.2014 14:02:02

TX B mode CH11




Date: 22.JUL.2014 14:10:12

TX B mode CH01 (10 Harmonic of the frequency)




Date: 22.JUL.2014 14:13:31

TX B mode CH06 (10 Harmonic of the frequency)



Date: 22.JUL.2014 14:07:01


TX B mode CH11 (10 Harmonic of the frequency)



Date: 22.JUL.2014 14:09:18


Test Mode :	TX G Mode
--------------------	------------------

TX G mode CH01




Date: 22.JUL.2014 14:16:36

TX G mode CH11




Date: 22.JUL.2014 14:19:45

TX G mode CH01 (10 Harmonic of the frequency)




Date: 22.JUL.2014 14:15:52

TX G mode CH06 (10 Harmonic of the frequency)



Date: 22.JUL.2014 14:17:44


TX G mode CH11 (10 Harmonic of the frequency)



Date: 22.JUL.2014 14:19:08


Test Mode :	TX N-20M Mode_ANT 1
-------------	---------------------

TX HT20 mode CH01




Date: 22.JUL.2014 14:24:01

TX HT20 mode CH11




Date: 22.JUL.2014 14:29:57

TX HT20 mode CH01 (10 Harmonic of the frequency)




Date: 22.JUL.2014 14:21:50

TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 22.JUL.2014 14:25:37


TX HT20 mode CH11 (10 Harmonic of the frequency)



Date: 22.JUL.2014 14:28:32


Test Mode :	TX N-20M Mode_ANT 2
--------------------	----------------------------

TX HT20 mode CH01




Date: 22.JUL.2014 14:24:12

TX HT20 mode CH11




Date: 22.JUL.2014 14:30:20

TX HT20 mode CH01 (10 Harmonic of the frequency)




Date: 22.JUL.2014 14:23:11

TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 22.JUL.2014 14:25:59


TX HT20 mode CH11 (10 Harmonic of the frequency)



Date: 22.JUL.2014 14:29:04


Test Mode :	TX N-40M Mode_ANT 1
-------------	---------------------

TX HT40 mode CH03




Date: 22.JUL.2014 14:33:18

TX HT40 mode CH09




Date: 22.JUL.2014 14:38:00

TX HT40 mode CH03 (10 Harmonic of the frequency)




Date: 22.JUL.2014 14:32:12

TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 22.JUL.2014 14:34:53


TX HT40 mode CH09 (10 Harmonic of the frequency)



Date: 22.JUL.2014 14:37:00


Test Mode :	TX N-40M Mode_ANT 2
--------------------	----------------------------

TX HT40 mode CH03




Date: 22.JUL.2014 14:33:31

TX HT40 mode CH09




Date: 22.JUL.2014 14:38:35

TX HT40 mode CH03 (10 Harmonic of the frequency)




Date: 22.JUL.2014 14:32:35

TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 22.JUL.2014 14:35:09

TX HT40 mode CH09 (10 Harmonic of the frequency)




Date: 22.JUL.2014 14:37:20

ATTACHMENT H - POWER SPECTRAL DENSITY

Test Mode :TX B Mode_CH01/06/11


Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-7.05	0.20	8.00	Complies
2437 MHz	-7.75	0.17	8.00	Complies
2462 MHz	-8.21	0.15	8.00	Complies

TX CH01




Date: 22.JUL.2014 14:04:19

TX CH06



Date: 22.JUL.2014 14:08:21

TX CH11




Date: 22.JUL.2014 14:10:42

Test Mode :TX G Mode_CH01/06/11


Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-12.66	0.05	8.00	Complies
2437 MHz	-11.96	0.06	8.00	Complies
2462 MHz	-12.53	0.06	8.00	Complies

TX CH01




Date: 22.JUL.2014 14:17:03

TX CH06



Date: 22.JUL.2014 14:18:26

TX CH11




Date: 22.JUL.2014 14:20:09

Test Mode : TX N-20M Mode_CH01/06/11_ANT 1

Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-12.81	0.05	8.00	Complies
2437 MHz	-13.80	0.04	8.00	Complies
2462 MHz	-13.94	0.04	8.00	Complies

TX CH01



Date: 22.JUL.2014 14:24:29