Shenzhen Anwei Wireless Technology Co., Ltd

M513H Antenna report


RF: LEI YAO BO


Mobile phone number: 15986728949


Report edition: 2025.5.6


Introduction to project debugging


	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3						
Plate type	Machine						
Antenna profile	Main antenna	Band		Antenna status	Antenn a form	Design area	Match the changes
		2G	B2/3/5/8	Metal frame antenna	PIFA	The bottom of the phone	Yes
		3G	WCDMA B1/2/4/5/8				
		4G	FDD B1/2/3/4/5/7/8/12 /17/18/19/20/26/2 8A/B/66 TDD 38/40/41				
		5G					
	Other antennas	BT/WIFI	2.4G/5G/WIFI/BT	FPC+Met	al Frame PIFA	The top of the phone	NO
		GPS	1575	frame antenna			NO
		Episode		Metal frame antenna	PIFA	The top of the phone	YES






































































































LTE B1/2 GSM1900 W1/2Apple Diagram and Direction Chart





LTE B1/2 GSM1900 W1/2Apple Diagram and Direction Chart



















































































Antenna gain

天线增益(Antenna gain)

Standard	Band	Frequency	Gain(dbi)
FDD_LTE	FDD_B1	1925	-0.87
FDD_LTE	FDD_B2	1855	-0.7
FDD_LTE	FDD_B3	1715	-1.59
FDD_LTE	FDD_B4	1715	-1.58
FDD_LTE	FDD_B5	829	-1.45
FDD_LTE	FDD_B7	2505	0.76
FDD_LTE	FDD_B8	885	-2.87
FDD_LTE	FDD_B12	707	-2.78
FDD_LTE	FDD_B17	709	-2.78
FDD_LTE	FDD_B18	820	-1.48
FDD_LTE	FDD_B19	835	-1.44
FDD_LTE	FDD_B20	837	-1.46
FDD_LTE	FDD_B26	819	-1.49

Antenna gain

FDD_B28	723	-2.70
FDD_B66	1745	-1.55
TDD_B38	2580	0.74
TDD_B40	2310	-1.56
TDD_B41	2593	0.82
WCDMA_B1	1922.4	-0.85
WCDMA_B2	1852.4	-0.71
WCDMA B4	1715	-1.54
WCDMA B5	826.4	-1.45
WCDMA_B8	882.4	-2.83
GSM850	824.2	-1.45
GSM900	890.2	-2.83
PCS1900	1850.2	-0.71
DCS1800	1710.2	-1.53
	FDD_B66 TDD_B38 TDD_B40 TDD_B41 WCDMA_B1 WCDMA_B2 WCDMA B4 WCDMA B5 WCDMA_B8 GSM850 GSM900 PCS1900	FDD_B66 1745 TDD_B38 2580 TDD_B40 2310 TDD_B41 2593 WCDMA_B1 1922.4 WCDMA_B2 1852.4 WCDMA B4 1715 WCDMA B5 826.4 WCDMA_B8 882.4 GSM850 824.2 GSM900 890.2 PCS1900 1850.2

Antenna gain

2.4GWIFI	2412	-0.56
Z. I O V VIII I		0.00

www.aw168.c	n
-------------	---

BT	2400	-0.56
GPS	1575	2.51
5GWIFI	5800	0.92

The End