

11AC40MIMO_Ant2_High_5310



11AC40MIMO_Ant1_Low_5510



11AC40MIMO_Ant2_Low_5510



11AC40MIMO_Ant1_High_5670



11AC40MIMO_Ant2_High_5670



11AC80MIMO_Ant1_Low_5210



11AC80MIMO_Ant2_Low_5210



11AC80MIMO_Ant1_High_5290



11AC80MIMO_Ant2_High_5290



11AC80MIMO_Ant1_Low_5530



11AC80MIMO_Ant2_Low_5530



11AC80MIMO_Ant1_High_5610



11AC80MIMO_Ant2_High_5610



11AX20MIMO_Ant1_Low_5180



11AX20MIMO_Ant2_Low_5180



11AX20MIMO_Ant1_High_5320



11AX20MIMO_Ant2_High_5320



11AX20MIMO_Ant1_Low_5500



11AX20MIMO_Ant2_Low_5500



11AX20MIMO_Ant1_High_5700



11AX20MIMO_Ant2_High_5700



11AX40MIMO_Ant1_Low_5190



11AX40MIMO_Ant2_Low_5190



11AX40MIMO_Ant1_High_5310



11AX40MIMO_Ant2_High_5310



11AX40MIMO_Ant1_Low_5510



11AX40MIMO_Ant2_Low_5510



11AX40MIMO_Ant1_High_5670



11AX40MIMO_Ant2_High_5670



11AX80MIMO_Ant1_Low_5210



11AX80MIMO_Ant2_Low_5210



11AX80MIMO_Ant1_High_5290



11AX80MIMO_Ant2_High_5290



11AX80MIMO_Ant1_Low_5530



11AX80MIMO_Ant2_Low_5530



11AX80MIMO_Ant1_High_5610



11AX80MIMO_Ant2_High_5610



11A_Ant1_Low_5745



Date: 13.JUL.2024 10:35:36

11A_Ant1_High_5825



Date: 13.JUL.2024 10:51:26

11N20MIMO_Ant1_Low_5745



Date: 13.JUL.2024 11:49:41

11N20MIMO_Ant2_Low_5745



11N20MIMO_Ant1_High_5825



11N20MIMO_Ant2_High_5825



11N40MIMO_Ant1_Low_5755



11N40MIMO_Ant2_Low_5755



11N40MIMO_Ant1_High_5795



11N40MIMO_Ant2_High_5795



11AC20MIMO_Ant1_Low_5745



11AC20MIMO_Ant2_Low_5745



11AC20MIMO_Ant1_High_5825



11AC20MIMO_Ant2_High_5825



11AC40MIMO_Ant1_Low_5755



11AC40MIMO_Ant2_Low_5755



11AC40MIMO_Ant1_High_5795



11AC40MIMO_Ant2_High_5795



11AC80MIMO_Ant1_Low_5775



11AC80MIMO_Ant1_High_5775



11AC80MIMO_Ant2_Low_5775



11AC80MIMO_Ant2_High_5775



11AX20MIMO_Ant1_Low_5745



11AX20MIMO_Ant2_Low_5745



11AX20MIMO_Ant1_High_5825



11AX20MIMO_Ant2_High_5825



11AX40MIMO_Ant1_Low_5755



11AX40MIMO_Ant2_Low_5755



11AX40MIMO_Ant1_High_5795



11AX40MIMO_Ant2_High_5795



11AX80MIMO_Ant1_Low_5775



11AX80MIMO_Ant2_High_5775



ABOVE 1000 MHz

Note: All the modes have been tested and recorded worst mode in the report.

UNII-1

TX AX20 MIMO Channel 36 / 5180 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10652	H	44.32	---	9.03	53.35	---	74	54	-20.65
15525	H	40.27	---	9.87	50.14	---	74	54	-23.86
---	H	---	---	---	---	---	---	---	---
10652	V	44.02	---	9.03	53.05	---	74	54	-20.95
15542	V	43.09	---	9.88	52.97	---	74	54	-21.03
---	V	---	---	---	---	---	---	---	---
TX AX20 MIMO Channel 40 / 5200 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10669	H	44.13	---	9.09	53.22	---	74	54	-20.78
15601	H	43.08	---	9.91	52.99	---	74	54	-21.01
---	H	---	---	---	---	---	---	---	---
10668	V	43.97	---	9.09	53.06	---	74	54	-20.94
15601	V	42.99	---	9.91	52.90	---	74	54	-21.10
---	V	---	---	---	---	---	---	---	---
TX AX20 MIMO Channel 48 / 5240 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10760	H	43.61	---	9.24	52.85	---	74	54	43.61
15725	H	42.97	---	10.01	52.98	---	74	54	42.97
---	H	---	---	---	---	---	---	---	---
10759	V	43.27	---	9.24	52.51	---	74	54	-21.49
15725	V	39.98	---	10.01	49.99	---	74	54	-24.01
---	V	---	---	---	---	---	---	---	---

UNII-2A

TX AC20 MIMO Channel 52 / 5260 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10985	H	42.29	---	9.44	51.73	---	74	54	-22.27
15783	H	41.08	---	10.12	51.20	---	74	54	-22.80
---	H	---	---	---	---	---	---	---	---
10989	V	44.05	---	9.46	53.51	---	74	54	-20.49
15788	V	42.07	---	10.13	52.20	---	74	54	-21.80
---	V	---	---	---	---	---	---	---	---
TX AC20 MIMO Channel 56 / 5280 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11251	H	43.69	---	9.51	53.20	---	74	54	-20.80
15845	H	40.73	---	10.51	51.24	---	74	54	-22.76
---	H	---	---	---	---	---	---	---	---
11250	V	44.07	---	9.51	53.58	---	74	54	-20.42
15849	V	43.01	---	10.49	53.50	---	74	54	-20.50
---	V	---	---	---	---	---	---	---	---
TX AC20 MIMO Channel 64 / 5320 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11643	H	44.02	---	9.63	53.65	---	74	54	-20.35
15961	H	41.52	---	11.25	52.77	---	74	54	-21.23
---	H	---	---	---	---	---	---	---	---
11641	V	43.97	---	9.63	53.60	---	74	54	-20.40
15958	V	42.31	---	11.23	53.54	---	74	54	-20.46
---	V	---	---	---	---	---	---	---	---

UNII-2C

TX AC20 MIMO Channel 100 / 5500 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10658	H	43.86	---	9.15	53.01	---	74	54	-20.99
15798	H	42.17	---	10.25	52.42	---	74	54	-21.58
---	H	---	---	---	---	---	---	---	---
10759	V	43.02	---	9.99	53.01	---	74	54	-20.99
15839	V	41.92	---	10.95	52.87	---	74	54	-21.13
---	V	---	---	---	---	---	---	---	---
TX AC20 MIMO Channel 116 / 5580 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10798	H	43.31	---	10.01	53.32	---	74	54	-20.68
15905	H	42.24	---	10.79	53.03	---	74	54	-20.97
---	H	---	---	---	---	---	---	---	---
10966	V	43.34	---	10.05	53.39	---	74	54	-20.61
15995	V	41.76	---	11.93	53.69	---	74	54	-20.31
---	V	---	---	---	---	---	---	---	---
TX AC20 MIMO Channel 140 / 5700 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10788	H	41.98	---	10	51.98	---	74	54	-22.02
16116	H	40.51	---	12.04	52.55	---	74	54	-21.45
---	H	---	---	---	---	---	---	---	---
10855	V	42.14	---	10.12	52.26	---	74	54	-21.74
16016	V	41.96	---	11.32	53.28	---	74	54	-20.72
---	V	---	---	---	---	---	---	---	---

UNII-3

TX AC20 MIMO Channel 149 / 5745 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11727	H	43.61	---	9.81	53.42	---	74	54	-20.58
17739	H	40.17	---	12.96	53.13	---	74	54	-20.87
---	H	---	---	---	---	---	---	---	---
11726	V	43.84	---	9.81	53.65	---	74	54	-20.35
17738	V	40.14	---	12.95	53.09	---	74	54	-20.91
---	V	---	---	---	---	---	---	---	---
TX AC20 MIMO Channel 153 / 5765 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11837	H	43.38	---	9.91	53.29	---	74	54	-20.71
18126	H	39.97	---	13.21	53.18	---	74	54	-20.82
---	H	---	---	---	---	---	---	---	---
11849	V	42.71	---	9.92	52.63	---	74	54	-21.37
18356	V	39.08	---	13.22	52.30	---	74	54	-21.70
---	V	---	---	---	---	---	---	---	---
TX AC20 MIMO Channel 165/ 5825 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11906	H	43.66	---	10.01	53.67	---	74	54	-20.33
18254	H	38.97	---	14.01	52.98	---	74	54	-21.02
---	H	---	---	---	---	---	---	---	---
11932	V	43.27	---	9.98	53.25	---	74	54	-20.75
18298	V	36.17	---	13.99	50.16	---	74	54	-23.84
---	V	---	---	---	---	---	---	---	---

Notes:
1). Radiated emissions measured in frequency range from 9 KHz~10th harmonic or 40GHz (which is less) were made with an instrument using Peak detector mode.
2). Data of measurement within this frequency range shown "---" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
3). Measured Level = Reading Level + Factor, Margin = Measured Level – Limit

APPENDIXE -BANDWIDTH

TestMode	Antenna	Freq(MHz)	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	19.88	5170.08	5189.96	---	---
	Ant1	5200	19.92	5190.04	5209.96	---	---
	Ant1	5240	19.72	5230.08	5249.80	---	---
	Ant1	5260	19.80	5250.12	5269.92	---	---
	Ant1	5300	19.84	5290.12	5309.96	---	---
	Ant1	5320	19.88	5310.08	5329.96	---	---
	Ant1	5500	19.92	5489.92	5509.84	---	---
	Ant1	5600	19.92	5590.00	5609.92	---	---
	Ant1	5700	19.88	5690.04	5709.92	---	---
	Ant1	5745	19.84	5735.00	5754.84	---	---
	Ant1	5785	19.68	5775.16	5794.84	---	---
	Ant1	5825	19.72	5815.20	5834.92	---	---
	Ant2	5180	19.80	5170.12	5189.92	---	---
	Ant2	5200	20.00	5190.08	5210.08	---	---
	Ant2	5240	20.00	5229.96	5249.96	---	---
	Ant2	5260	19.84	5250.04	5269.88	---	---
	Ant2	5280	19.72	5270.16	5289.88	---	---
	Ant2	5320	19.84	5310.08	5329.92	---	---
	Ant2	5500	19.88	5490.08	5509.96	---	---
	Ant2	5580	20.00	5570.04	5590.04	---	---
	Ant2	5700	19.76	5690.04	5709.80	---	---
	Ant2	5745	19.76	5735.12	5754.88	---	---
	Ant2	5785	19.92	5774.96	5794.88	---	---
	Ant2	5825	19.80	5815.16	5834.96	---	---
11N20MIMO	Ant1	5180	19.92	5170.04	5189.96	---	---
	Ant2	5180	20.16	5170.04	5190.20	---	---
	Ant1	5200	20.00	5190.00	5210.00	---	---
	Ant2	5200	19.80	5190.08	5209.88	---	---
	Ant1	5240	20.04	5229.88	5249.92	---	---
	Ant2	5240	19.80	5230.00	5249.80	---	---
	Ant1	5260	19.92	5250.04	5269.96	---	---
	Ant2	5260	19.76	5250.12	5269.88	---	---
	Ant1	5300	20.00	5289.96	5309.96	---	---
	Ant2	5300	19.84	5290.08	5309.92	---	---
	Ant1	5320	20.08	5309.92	5330.00	---	---
	Ant2	5320	20.08	5309.84	5329.92	---	---
	Ant1	5500	19.80	5490.04	5509.84	---	---
	Ant2	5500	19.92	5489.96	5509.88	---	---
	Ant1	5600	20.00	5589.92	5609.92	---	---
	Ant2	5600	19.92	5590.00	5609.92	---	---
	Ant1	5700	20.00	5689.92	5709.92	---	---
	Ant2	5700	19.92	5690.00	5709.92	---	---
	Ant1	5745	19.96	5735.04	5755.00	---	---
	Ant2	5745	19.72	5735.08	5754.80	---	---
	Ant1	5785	19.92	5775.04	5794.96	---	---
	Ant2	5785	19.84	5775.08	5794.92	---	---
	Ant1	5825	20.08	5814.84	5834.92	---	---
	Ant2	5825	20.00	5814.76	5834.76	---	---
11N40MIMO	Ant1	5190	40.72	5169.44	5210.16	---	---
	Ant2	5190	40.16	5169.92	5210.08	---	---
	Ant1	5230	39.60	5210.08	5249.68	---	---
	Ant2	5230	40.16	5210.16	5250.32	---	---
	Ant1	5270	40.48	5249.84	5290.32	---	---
	Ant2	5270	40.16	5249.92	5290.08	---	---
	Ant1	5310	40.08	5290.08	5330.16	---	---
	Ant2	5310	40.56	5289.68	5330.24	---	---
	Ant1	5510	40.16	5489.84	5530.00	---	---
	Ant2	5510	40.80	5489.36	5530.16	---	---
	Ant1	5590	40.08	5569.68	5609.76	---	---
	Ant2	5590	39.92	5570.00	5609.92	---	---
	Ant1	5670	40.40	5649.92	5690.32	---	---

	Ant2	5670	40.72	5649.68	5690.40	---	---
	Ant1	5755	40.00	5735.00	5775.00	---	---
	Ant2	5755	39.84	5735.16	5775.00	---	---
	Ant1	5795	40.48	5775.08	5815.56	---	---
	Ant2	5795	42.24	5774.20	5816.44	---	---
11AC20MIMO	Ant1	5180	19.88	5169.96	5189.84	---	---
	Ant2	5180	20.08	5170.00	5190.08	---	---
	Ant1	5200	19.88	5190.04	5209.92	---	---
	Ant2	5200	20.32	5189.76	5210.08	---	---
	Ant1	5240	19.80	5230.12	5249.92	---	---
	Ant2	5240	20.04	5229.84	5249.88	---	---
	Ant1	5260	19.92	5250.04	5269.96	---	---
	Ant2	5260	20.16	5249.84	5270.00	---	---
	Ant1	5300	19.88	5290.04	5309.92	---	---
	Ant2	5300	20.04	5290.04	5310.08	---	---
	Ant1	5320	19.76	5310.16	5329.92	---	---
	Ant2	5320	20.04	5309.88	5329.92	---	---
	Ant1	5500	19.96	5490.04	5510.00	---	---
	Ant2	5500	20.12	5489.80	5509.92	---	---
	Ant1	5600	19.92	5590.00	5609.92	---	---
	Ant2	5600	20.36	5589.84	5610.20	---	---
	Ant1	5700	19.92	5689.92	5709.84	---	---
	Ant2	5700	20.24	5689.84	5710.08	---	---
	Ant1	5745	19.92	5735.08	5755.00	---	---
	Ant2	5745	20.04	5734.96	5755.00	---	---
	Ant1	5785	19.72	5775.12	5794.84	---	---
	Ant2	5785	20.16	5774.92	5795.08	---	---
	Ant1	5825	20.04	5815.04	5835.08	---	---
	Ant2	5825	20.40	5814.76	5835.16	---	---
11AC40MIMO	Ant1	5190	40.64	5169.68	5210.32	---	---
	Ant2	5190	40.40	5169.92	5210.32	---	---
	Ant1	5230	39.28	5210.24	5249.52	---	---
	Ant2	5230	40.40	5209.92	5250.32	---	---
	Ant1	5270	40.16	5249.92	5290.08	---	---
	Ant2	5270	40.88	5249.76	5290.64	---	---
	Ant1	5310	40.00	5289.84	5329.84	---	---
	Ant2	5310	40.80	5289.76	5330.56	---	---
	Ant1	5510	40.16	5490.08	5530.24	---	---
	Ant2	5510	40.40	5489.76	5530.16	---	---
	Ant1	5590	40.32	5569.76	5610.08	---	---
	Ant2	5590	40.48	5569.76	5610.24	---	---
	Ant1	5670	40.32	5649.84	5690.16	---	---
	Ant2	5670	40.64	5649.60	5690.24	---	---
	Ant1	5755	40.24	5735.00	5775.24	---	---
	Ant2	5755	40.40	5734.84	5775.24	---	---
	Ant1	5795	40.00	5775.00	5815.00	---	---
	Ant2	5795	41.36	5774.44	5815.80	---	---
11AC80MIMO	Ant1	5210	80.80	5169.20	5250.00	---	---
	Ant2	5210	79.68	5170.00	5249.68	---	---
	Ant1	5290	79.84	5250.16	5330.00	---	---
	Ant2	5290	80.00	5250.00	5330.00	---	---
	Ant1	5530	80.96	5489.04	5570.00	---	---
	Ant2	5530	80.00	5490.00	5570.00	---	---
	Ant1	5610	81.12	5568.88	5650.00	---	---
	Ant2	5610	80.96	5568.88	5649.84	---	---
	Ant1	5775	80.64	5734.36	5815.00	---	---
	Ant2	5775	80.32	5734.52	5814.84	---	---
11AX20MIMO	Ant1	5180	20.08	5170.00	5190.08	---	---
	Ant2	5180	20.44	5169.80	5190.24	---	---
	Ant1	5200	19.88	5190.04	5209.92	---	---
	Ant2	5200	20.08	5189.96	5210.04	---	---
	Ant1	5240	20.20	5229.76	5249.96	---	---
	Ant2	5240	20.08	5229.92	5250.00	---	---
	Ant1	5260	19.84	5250.08	5269.92	---	---
	Ant2	5260	20.20	5249.92	5270.12	---	---
	Ant1	5300	19.92	5290.04	5309.96	---	---
	Ant2	5300	20.24	5289.88	5310.12	---	---

	Ant1	5320	19.72	5310.04	5329.76	---	---
	Ant2	5320	20.16	5309.92	5330.08	---	---
	Ant1	5500	19.96	5489.92	5509.88	---	---
	Ant2	5500	20.24	5489.92	5510.16	---	---
	Ant1	5600	19.88	5590.04	5609.92	---	---
	Ant2	5600	20.00	5589.92	5609.92	---	---
	Ant1	5700	19.88	5690.12	5710.00	---	---
	Ant2	5700	20.04	5689.92	5709.96	---	---
	Ant1	5745	20.20	5734.88	5755.08	---	---
	Ant2	5745	20.20	5734.84	5755.04	---	---
	Ant1	5785	20.04	5774.92	5794.96	---	---
	Ant2	5785	20.32	5774.88	5795.20	---	---
	Ant1	5825	20.08	5814.88	5834.96	---	---
	Ant2	5825	40.00	5805.00	5845.00	---	---
11AX40MIMO	Ant1	5190	39.52	5170.16	5209.68	---	---
	Ant2	5190	40.40	5169.92	5210.32	---	---
	Ant1	5230	40.24	5209.92	5250.16	---	---
	Ant2	5230	40.88	5209.60	5250.48	---	---
	Ant1	5270	40.08	5250.08	5290.16	---	---
	Ant2	5270	40.24	5249.84	5290.08	---	---
	Ant1	5310	40.24	5289.92	5330.16	---	---
	Ant2	5310	40.40	5289.76	5330.16	---	---
	Ant1	5510	40.40	5489.76	5530.16	---	---
	Ant2	5510	40.48	5489.68	5530.16	---	---
	Ant1	5590	39.76	5569.92	5609.68	---	---
	Ant2	5590	40.72	5569.52	5610.24	---	---
	Ant1	5670	40.40	5649.76	5690.16	---	---
	Ant2	5670	40.72	5649.76	5690.48	---	---
	Ant1	5755	40.80	5734.60	5775.40	---	---
	Ant2	5755	40.64	5734.76	5775.40	---	---
	Ant1	5795	39.60	5775.40	5815.00	---	---
	Ant2	5795	40.32	5774.92	5815.24	---	---
11AX80MIMO	Ant1	5210	80.80	5169.36	5250.16	---	---
	Ant2	5210	80.48	5169.36	5249.84	---	---
	Ant1	5290	80.16	5250.00	5330.16	---	---
	Ant2	5290	79.52	5250.16	5329.68	---	---
	Ant1	5530	80.80	5489.04	5569.84	---	---
	Ant2	5530	80.00	5489.84	5569.84	---	---
	Ant1	5610	80.16	5569.68	5649.84	---	---
	Ant2	5610	79.68	5570.16	5649.84	---	---
	Ant1	5775	80.64	5734.20	5814.84	---	---
	Ant2	5775	80.00	5735.00	5815.00	---	---