



















7. Frequency Stability

7.1. Test Results

7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-3.80	-0.002021	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-6.10	-0.003245	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-5.00	-0.002660	Pass

7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-2.20	-0.001170	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-8.30	-0.004415	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-6.30	-0.003351	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	-7.50	-0.003989	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-8.20	-0.004362	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-7.80	-0.004149	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	-8.30	-0.004415	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-7.00	-0.003723	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-5.00	-0.002660	Pass

The End