


5.2G WIFI

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	97.05	0.13	2.7
NVNT	a	5200	Ant1	97.07	0.13	2.7
NVNT	a	5240	Ant1	97.06	0.13	2.78
NVNT	n20	5180	Ant1	97.05	0.13	2.86
NVNT	n20	5200	Ant1	97.02	0.13	2.86
NVNT	n20	5240	Ant1	96.8	0.14	2.86
NVNT	n40	5190	Ant1	94.42	0.25	5.26
NVNT	n40	5230	Ant1	94.51	0.25	5.26
NVNT	ac20	5180	Ant1	96.74	0.14	3.03
NVNT	ac20	5200	Ant1	96.76	0.14	3.03
NVNT	ac20	5240	Ant1	96.75	0.14	2.94
NVNT	ac40	5190	Ant1	94.16	0.26	5.56
NVNT	ac40	5230	Ant1	94.16	0.26	5.56
NVNT	ac80	5210	Ant1	90.47	0.43	9.09

Test Graphs


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1




Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1



Duty Cycle NVNT ac40 5230MHz Ant1



Duty Cycle NVNT ac80 5210MHz Ant1



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	12.51	0.13	12.64	24	Pass
NVNT	a	5200	Ant1	12.97	0.13	13.1	24	Pass
NVNT	a	5240	Ant1	13.3	0.13	13.43	24	Pass
NVNT	n20	5180	Ant1	12.2	0.13	12.33	24	Pass
NVNT	n20	5200	Ant1	13.03	0.13	13.16	24	Pass
NVNT	n20	5240	Ant1	12.39	0.14	12.53	24	Pass
NVNT	n40	5190	Ant1	11.53	0.25	11.78	24	Pass
NVNT	n40	5230	Ant1	12.34	0.25	12.59	24	Pass
NVNT	ac20	5180	Ant1	12.12	0.14	12.26	24	Pass
NVNT	ac20	5200	Ant1	12.97	0.14	13.11	24	Pass
NVNT	ac20	5240	Ant1	12.35	0.14	12.49	24	Pass
NVNT	ac40	5190	Ant1	12.28	0.26	12.54	24	Pass
NVNT	ac40	5230	Ant1	12.31	0.26	12.57	24	Pass
NVNT	ac80	5210	Ant1	11.44	0.43	11.87	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	19.719	Pass
NVNT	a	5200	Ant1	19.617	Pass
NVNT	a	5240	Ant1	20.526	Pass
NVNT	n20	5180	Ant1	19.902	Pass
NVNT	n20	5200	Ant1	20.001	Pass
NVNT	n20	5240	Ant1	20.169	Pass
NVNT	n40	5190	Ant1	42.906	Pass
NVNT	n40	5230	Ant1	41.772	Pass
NVNT	ac20	5180	Ant1	19.8	Pass
NVNT	ac20	5200	Ant1	19.581	Pass
NVNT	ac20	5240	Ant1	19.851	Pass
NVNT	ac40	5190	Ant1	42.9	Pass
NVNT	ac40	5230	Ant1	41.934	Pass
NVNT	ac80	5210	Ant1	85.02	Pass

Test Graphs


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1




-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1



-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.534
NVNT	a	5200	Ant1	16.513
NVNT	a	5240	Ant1	16.573
NVNT	n20	5180	Ant1	17.692
NVNT	n20	5200	Ant1	17.617
NVNT	n20	5240	Ant1	17.755
NVNT	n40	5190	Ant1	36.308
NVNT	n40	5230	Ant1	36.296
NVNT	ac20	5180	Ant1	17.623
NVNT	ac20	5200	Ant1	17.62
NVNT	ac20	5240	Ant1	17.671
NVNT	ac40	5190	Ant1	36.26
NVNT	ac40	5230	Ant1	36.308
NVNT	ac80	5210	Ant1	76.384

Test Graphs


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1




OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1



OBW NVNT ac40 5230MHz Ant1



OBW NVNT ac80 5210MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	0.07	0.13	0.2	11	Pass
NVNT	a	5200	Ant1	0.13	0.13	0.26	11	Pass
NVNT	a	5240	Ant1	-1.79	0.13	-1.66	11	Pass
NVNT	n20	5180	Ant1	-0.93	0.13	-0.8	11	Pass
NVNT	n20	5200	Ant1	-0.6	0.13	-0.47	11	Pass
NVNT	n20	5240	Ant1	-0.65	0.14	-0.51	11	Pass
NVNT	n40	5190	Ant1	-6.3	0.25	-6.05	11	Pass
NVNT	n40	5230	Ant1	-3.9	0.25	-3.65	11	Pass
NVNT	ac20	5180	Ant1	-1.08	0.14	-0.94	11	Pass
NVNT	ac20	5200	Ant1	-1.17	0.14	-1.03	11	Pass
NVNT	ac20	5240	Ant1	0.52	0.14	0.66	11	Pass
NVNT	ac40	5190	Ant1	-6.64	0.26	-6.38	11	Pass
NVNT	ac40	5230	Ant1	-6.08	0.26	-5.82	11	Pass
NVNT	ac80	5210	Ant1	-10.81	0.43	-10.38	11	Pass

Test Graphs


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1




PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1



PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac80 5210MHz Ant1




Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-27.95	-27	Pass
NVNT	a	5240	Ant1	-40.91	-27	Pass
NVNT	n20	5180	Ant1	-29.74	-27	Pass
NVNT	n20	5240	Ant1	-41.45	-27	Pass
NVNT	n40	5190	Ant1	-27.83	-27	Pass
NVNT	n40	5230	Ant1	-37.61	-27	Pass
NVNT	ac20	5180	Ant1	-27.63	-27	Pass
NVNT	ac20	5240	Ant1	-41.26	-27	Pass
NVNT	ac40	5190	Ant1	-30.07	-27	Pass
NVNT	ac40	5230	Ant1	-40.26	-27	Pass
NVNT	ac80	5210	Ant1	-40.57	-27	Pass

Test Graphs


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1




Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac40 5190MHz Low Ant1



Band Edge NVNT ac40 5230MHz High Ant1






Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-35.26	-27	Pass
NVNT	a	5200	Ant1	-34.27	-27	Pass
NVNT	a	5240	Ant1	-36.25	-27	Pass
NVNT	n20	5180	Ant1	-33.95	-27	Pass
NVNT	n20	5200	Ant1	-36.03	-27	Pass
NVNT	n20	5240	Ant1	-36.56	-27	Pass
NVNT	n40	5190	Ant1	-37.67	-27	Pass
NVNT	n40	5230	Ant1	-37.17	-27	Pass
NVNT	ac20	5180	Ant1	-34.83	-27	Pass
NVNT	ac20	5200	Ant1	-36.72	-27	Pass
NVNT	ac20	5240	Ant1	-35.37	-27	Pass
NVNT	ac40	5190	Ant1	-37.52	-27	Pass
NVNT	ac40	5230	Ant1	-36.88	-27	Pass
NVNT	ac80	5210	Ant1	-36.33	-27	Pass

Test Graphs


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission




Tx. Spurious NVNT n40 5190MHz Ant1 Emission




Tx. Spurious NVNT n40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission



Tx. Spurious NVNT ac40 5230MHz Ant1 Emission



Tx. Spurious NVNT ac80 5210MHz Ant1 Emission




5.3G WIFI

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant1	97.06	0.13	2.7
NVNT	a	5280	Ant1	97.03	0.13	2.7
NVNT	a	5320	Ant1	97.03	0.13	2.7
NVNT	n20	5260	Ant1	96.81	0.14	2.78
NVNT	n20	5280	Ant1	97.08	0.13	2.78
NVNT	n20	5320	Ant1	96.85	0.14	2.78
NVNT	n40	5270	Ant1	94.45	0.25	5.26
NVNT	n40	5310	Ant1	94.42	0.25	5.26
NVNT	ac20	5260	Ant1	96.74	0.14	3.03
NVNT	ac20	5280	Ant1	96.74	0.14	2.94
NVNT	ac20	5320	Ant1	96.75	0.14	2.94
NVNT	ac40	5270	Ant1	94.17	0.26	5.56
NVNT	ac40	5310	Ant1	94.18	0.26	5.56
NVNT	ac80	5290	Ant1	90.46	0.44	10

Test Graphs


Duty Cycle NVNT a 5260MHz Ant1




Duty Cycle NVNT a 5280MHz Ant1




Duty Cycle NVNT a 5320MHz Ant1




Duty Cycle NVNT n20 5260MHz Ant1




Duty Cycle NVNT n20 5280MHz Ant1




Duty Cycle NVNT n20 5320MHz Ant1




Duty Cycle NVNT n40 5270MHz Ant1




Duty Cycle NVNT n40 5310MHz Ant1




Duty Cycle NVNT ac20 5260MHz Ant1




Duty Cycle NVNT ac20 5280MHz Ant1




Duty Cycle NVNT ac20 5320MHz Ant1




Duty Cycle NVNT ac40 5270MHz Ant1



Duty Cycle NVNT ac40 5310MHz Ant1



Duty Cycle NVNT ac80 5290MHz Ant1



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	12.91	0.13	13.04	24	Pass
NVNT	a	5280	Ant1	12.08	0.13	12.21	24	Pass
NVNT	a	5320	Ant1	11.87	0.13	12	24	Pass
NVNT	n20	5260	Ant1	13.15	0.14	13.29	24	Pass
NVNT	n20	5280	Ant1	12.32	0.13	12.45	24	Pass
NVNT	n20	5320	Ant1	12.07	0.14	12.21	24	Pass
NVNT	n40	5270	Ant1	12.43	0.25	12.68	24	Pass
NVNT	n40	5310	Ant1	11.44	0.25	11.69	24	Pass
NVNT	ac20	5260	Ant1	13.17	0.14	13.31	24	Pass
NVNT	ac20	5280	Ant1	12.3	0.14	12.44	24	Pass
NVNT	ac20	5320	Ant1	12.05	0.14	12.19	24	Pass
NVNT	ac40	5270	Ant1	12.41	0.26	12.67	24	Pass
NVNT	ac40	5310	Ant1	11.41	0.26	11.67	24	Pass
NVNT	ac80	5290	Ant1	11.46	0.44	11.9	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	19.395	0.5	Pass
NVNT	a	5280	Ant1	19.866	0.5	Pass
NVNT	a	5320	Ant1	19.638	0.5	Pass
NVNT	n20	5260	Ant1	20.286	0.5	Pass
NVNT	n20	5280	Ant1	20.589	0.5	Pass
NVNT	n20	5320	Ant1	20.01	0.5	Pass
NVNT	n40	5270	Ant1	43.23	0.5	Pass
NVNT	n40	5310	Ant1	43.122	0.5	Pass
NVNT	ac20	5260	Ant1	20.727	0.5	Pass
NVNT	ac20	5280	Ant1	20.28	0.5	Pass
NVNT	ac20	5320	Ant1	20.31	0.5	Pass
NVNT	ac40	5270	Ant1	47.01	0.5	Pass
NVNT	ac40	5310	Ant1	42.894	0.5	Pass
NVNT	ac80	5290	Ant1	92.34	0.5	Pass

Test Graphs


-26dB Bandwidth NVNT a 5260MHz Ant1




-26dB Bandwidth NVNT a 5280MHz Ant1




-26dB Bandwidth NVNT a 5320MHz Ant1




-26dB Bandwidth NVNT n20 5260MHz Ant1




-26dB Bandwidth NVNT n20 5280MHz Ant1




-26dB Bandwidth NVNT n20 5320MHz Ant1




-26dB Bandwidth NVNT n40 5270MHz Ant1




-26dB Bandwidth NVNT n40 5310MHz Ant1




-26dB Bandwidth NVNT ac20 5260MHz Ant1




-26dB Bandwidth NVNT ac20 5280MHz Ant1




-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac40 5270MHz Ant1



-26dB Bandwidth NVNT ac40 5310MHz Ant1



-26dB Bandwidth NVNT ac80 5290MHz Ant1




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.546
NVNT	a	5280	Ant1	16.504
NVNT	a	5320	Ant1	16.534
NVNT	n20	5260	Ant1	17.683
NVNT	n20	5280	Ant1	17.68
NVNT	n20	5320	Ant1	17.656
NVNT	n40	5270	Ant1	36.374
NVNT	n40	5310	Ant1	36.35
NVNT	ac20	5260	Ant1	17.602
NVNT	ac20	5280	Ant1	17.737
NVNT	ac20	5320	Ant1	17.647
NVNT	ac40	5270	Ant1	36.284
NVNT	ac40	5310	Ant1	36.272
NVNT	ac80	5290	Ant1	76.072

Test Graphs

OBW NVNT a 5260MHz Ant1




OBW NVNT a 5280MHz Ant1



OBW NVNT a 5320MHz Ant1




OBW NVNT n20 5260MHz Ant1




OBW NVNT n20 5280MHz Ant1




OBW NVNT n20 5320MHz Ant1




OBW NVNT n40 5270MHz Ant1




OBW NVNT n40 5310MHz Ant1




OBW NVNT ac20 5260MHz Ant1




OBW NVNT ac20 5280MHz Ant1




OBW NVNT ac20 5320MHz Ant1




OBW NVNT ac40 5270MHz Ant1



OBW NVNT ac40 5310MHz Ant1



OBW NVNT ac80 5290MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	0.21	0.13	0.34	11	Pass
NVNT	a	5280	Ant1	-1.55	0.13	-1.42	11	Pass
NVNT	a	5320	Ant1	-2.94	0.13	-2.81	11	Pass
NVNT	n20	5260	Ant1	-1.3	0.14	-1.16	11	Pass
NVNT	n20	5280	Ant1	-1.03	0.13	-0.9	11	Pass
NVNT	n20	5320	Ant1	-2.29	0.14	-2.15	11	Pass
NVNT	n40	5270	Ant1	-5.71	0.25	-5.46	11	Pass
NVNT	n40	5310	Ant1	-6.9	0.25	-6.65	11	Pass
NVNT	ac20	5260	Ant1	-1.54	0.14	-1.4	11	Pass
NVNT	ac20	5280	Ant1	-1.5	0.14	-1.36	11	Pass
NVNT	ac20	5320	Ant1	-2.76	0.14	-2.62	11	Pass
NVNT	ac40	5270	Ant1	-6.07	0.26	-5.81	11	Pass
NVNT	ac40	5310	Ant1	-7.5	0.26	-7.24	11	Pass
NVNT	ac80	5290	Ant1	-11.43	0.44	-10.99	11	Pass

Test Graphs

PSD NVNT a 5260MHz Ant1



PSD NVNT a 5280MHz Ant1

