




802.11ac(VHT20)_5825




802.11ac(VHT40)_5755



802.11ac(VHT40)_5795



802.11ac(VHT80)_5775



Appendix B: Maximum conducted output power

Test Result

Test Mode	Channel	Result[dBm]	Limit[dBm]	Verdict
802.11a	5180	15.95	<=24	PASS
	5200	14.90	<=24	PASS
	5240	14.29	<=24	PASS
	5260	13.57	<=24	PASS
	5280	13.17	<=24	PASS
	5320	12.39	<=24	PASS
	5500	8.86	<=24	PASS
	5580	8.89	<=24	PASS
	5700	8.01	<=24	PASS
	5745	14.13	<=30	PASS
	5785	14.07	<=30	PASS
	5825	14.02	<=30	PASS
802.11n(HT20)	5180	15.00	<=24	PASS
	5200	15.11	<=24	PASS
	5240	14.12	<=24	PASS
	5260	12.92	<=24	PASS
	5280	12.66	<=24	PASS
	5320	11.94	<=24	PASS
	5500	12.28	<=24	PASS
	5580	12.40	<=24	PASS
	5700	10.38	<=24	PASS
	5745	10.89	<=30	PASS
	5785	10.86	<=30	PASS
	5825	10.90	<=30	PASS
802.11n(HT40)	5190	15.29	<=24	PASS
	5230	14.73	<=24	PASS
	5270	14.91	<=24	PASS
	5310	14.20	<=24	PASS
	5510	11.85	<=24	PASS
	5550	11.98	<=24	PASS
	5670	11.06	<=24	PASS
	5755	10.41	<=30	PASS
	5795	10.75	<=30	PASS
802.11ac(VHT20)	5180	15.28	<=24	PASS
	5200	15.08	<=24	PASS
	5240	14.44	<=24	PASS
	5260	15.05	<=24	PASS
	5280	14.65	<=24	PASS
	5320	13.79	<=24	PASS
	5500	12.18	<=24	PASS
	5580	12.03	<=24	PASS
	5700	10.13	<=24	PASS

	5745	10.77	<=30	PASS
	5785	10.91	<=30	PASS
	5825	11.00	<=30	PASS
802.11ac(VHT40)	5190	15.05	<=24	PASS
	5230	14.60	<=24	PASS
	5270	14.44	<=24	PASS
	5310	13.96	<=24	PASS
	5510	11.99	<=24	PASS
	5550	11.32	<=24	PASS
	5670	9.86	<=24	PASS
	5755	10.30	<=30	PASS
	5795	10.57	<=30	PASS
802.11ac(VHT80)	5210	14.86	<=24	PASS
	5290	14.16	<=24	PASS
	5530	10.02	<=24	PASS
	5610	10.40	<=24	PASS
	5775	10.37	<=30	PASS

Note: Test results increased RF cable loss by 0.5dB.

Appendix C: Maximum power spectral density

Test Result

Test Mode	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
802.11a	5180	4.88	<=11	PASS
	5200	4.19	<=11	PASS
	5240	3.13	<=11	PASS
	5260	2.82	<=11	PASS
	5280	2.54	<=11	PASS
	5320	1.74	<=11	PASS
	5500	-1.81	<=11	PASS
	5580	-1.24	<=11	PASS
	5700	-2.85	<=11	PASS
	5745	0.94	<=30	PASS
	5785	1.4	<=30	PASS
	5825	1.02	<=30	PASS
802.11n(HT20)	5180	4.08	<=11	PASS
	5200	4.3	<=11	PASS
	5240	3.41	<=11	PASS
	5260	2.7	<=11	PASS
	5280	1.82	<=11	PASS
	5320	1	<=11	PASS
	5500	1.33	<=11	PASS
	5580	1.47	<=11	PASS
	5700	-0.46	<=11	PASS
	5745	-2.29	<=30	PASS
	5785	-2.17	<=30	PASS
	5825	-1.97	<=30	PASS
802.11n(HT40)	5190	-13.79	<=11	PASS
	5230	-13.88	<=11	PASS
	5270	1.47	<=11	PASS
	5310	0.44	<=11	PASS
	5510	-11.72	<=11	PASS
	5550	-1.73	<=11	PASS
	5670	-19.22	<=11	PASS
	5755	-5.14	<=30	PASS
	5795	-4.6	<=30	PASS
802.11ac(VHT20)	5180	4.07	<=11	PASS
	5200	4	<=11	PASS
	5240	3.4	<=11	PASS
	5260	4.12	<=11	PASS
	5280	3.61	<=11	PASS
	5320	2.71	<=11	PASS
	5500	1.45	<=11	PASS
	5580	1.24	<=11	PASS

	5700	-0.76	<=11	PASS
	5745	-2.39	<=30	PASS
	5785	-2.12	<=30	PASS
	5825	-1.85	<=30	PASS
802.11ac(VHT40)	5190	1.31	<=11	PASS
	5230	1.35	<=11	PASS
	5270	1.05	<=11	PASS
	5310	0.14	<=11	PASS
	5510	-1.66	<=11	PASS
	5550	-2.27	<=11	PASS
	5670	-3.66	<=11	PASS
	5755	-4.94	<=30	PASS
	5795	-4.99	<=30	PASS
802.11ac(VHT80)	5210	-16.86	<=11	PASS
	5290	-2.36	<=11	PASS
	5530	-14.44	<=11	PASS
	5610	-18.43	<=11	PASS
	5775	-20.81	<=30	PASS

Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2. The Duty Cycle Factor and RBW Factor is compensated in the graph.

3. 5.725–5.85 GHz correction factor = $10\lg(BW_{Reference}/BW_{Measured}) = 2.22$,

Test Graphs

802.11a_5180



802.11a_5200



802.11a_5240



802.11a_5260



802.11a_5280



802.11a_5320



802.11a_5500



802.11a_5580



802.11a_5700



802.11a_5745



802.11a_5785



802.11a_5825



802.11n(HT20)_5180



802.11n(HT20)_5200



802.11n(HT20)_5240



802.11n(HT20)_5260



802.11n(HT20)_5280



802.11n(HT20)_5320



802.11n(HT20)_5500



802.11n(HT20)_5580



802.11n(HT20)_5700



802.11n(HT20)_5745



802.11n(HT20)_5785



802.11n(HT20)_5825



802.11n(HT40)_5190



802.11n(HT40)_5230



802.11n(HT40)_5270



802.11n(HT40)_5310



802.11n(HT40)_5510



802.11n(HT40)_5550



802.11n(HT40)_5670



802.11n(HT40)_5755



802.11n(HT40)_5795



802.11ac(VHT20)_5180



802.11ac(VHT20)_5200



802.11ac(VHT20)_5240



802.11ac(VHT20)_5260



802.11ac(VHT20)_5280



802.11ac(VHT20)_5320



802.11ac(VHT20)_5500



802.11ac(VHT20)_5580



802.11ac(VHT20)_5700



802.11ac(VHT20)_5745



802.11ac(VHT20)_5785



802.11ac(VHT20)_5825



802.11ac(VHT40)_5190



802.11ac(VHT40)_5230



802.11ac(VHT40)_5270



802.11ac(VHT40)_5310



802.11ac(VHT40)_5510



802.11ac(VHT40)_5550



802.11ac(VHT40)_5670



802.11ac(VHT40)_5755



802.11ac(VHT40)_5795



802.11ac(VHT80)_5210



802.11ac(VHT80)_5290



802.11ac(VHT80)_5530



802.11ac(VHT80)_5610



802.11ac(VHT80)_5775



Appendix D: Frequency Stability

Test Result

Voltage							
Test Mode	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20MHz	5180	NV	NT	-24000	-4.633205	20	PASS
		LV	NT	-24000	-4.633205	20	PASS
		HV	NT	-24000	-4.633205	20	PASS
	5200	NV	NT	-25000	-4.807692	20	PASS
		LV	NT	-25000	-4.807692	20	PASS
		HV	NT	-25000	-4.807692	20	PASS
	5240	NV	NT	-26000	-4.961832	20	PASS
		LV	NT	-26000	-4.961832	20	PASS
		HV	NT	-26000	-4.961832	20	PASS
	5260	NV	NT	-21000	-3.992395	20	PASS
		LV	NT	-21000	-3.992395	20	PASS
		HV	NT	-22000	-4.18251	20	PASS
	5280	NV	NT	-24000	-4.545455	20	PASS
		LV	NT	-24000	-4.545455	20	PASS
		HV	NT	-24000	-4.545455	20	PASS
	5320	NV	NT	-25000	-4.699248	20	PASS
		LV	NT	-25000	-4.699248	20	PASS
		HV	NT	-25000	-4.699248	20	PASS
	5500	NV	NT	-26000	-4.727273	20	PASS
		LV	NT	-26000	-4.727273	20	PASS
		HV	NT	-26000	-4.727273	20	PASS
	5580	NV	NT	-27000	-4.83871	20	PASS
		LV	NT	-27000	-4.83871	20	PASS
		HV	NT	-27000	-4.83871	20	PASS
	5700	NV	NT	-27000	-4.736842	20	PASS
		LV	NT	-27000	-4.736842	20	PASS
		HV	NT	-27000	-4.736842	20	PASS
	5745	NV	NT	-27000	-4.699739	20	PASS
		LV	NT	-27000	-4.699739	20	PASS
		HV	NT	-27000	-4.699739	20	PASS
	5785	NV	NT	-27000	-4.667243	20	PASS
		LV	NT	-28000	-4.840104	20	PASS
		HV	NT	-27000	-4.667243	20	PASS
	5825	NV	NT	-28000	-4.806867	20	PASS
		LV	NT	-28000	-4.806867	20	PASS
		HV	NT	-28000	-4.806867	20	PASS
40MHz	5190	NV	NT	-25000	-4.816956	20	PASS
		LV	NT	-25000	-4.816956	20	PASS
		HV	NT	-25000	-4.816956	20	PASS
	5230	NV	NT	-25000	-4.780115	20	PASS

		LV	NT	-26000	-4.971319	20	PASS
		HV	NT	-26000	-4.971319	20	PASS
	5270	NV	NT	-24000	-4.55408	20	PASS
		LV	NT	-25000	-4.743833	20	PASS
		HV	NT	-24000	-4.55408	20	PASS
	5310	NV	NT	-25000	-4.708098	20	PASS
		LV	NT	-25000	-4.708098	20	PASS
		HV	NT	-25000	-4.708098	20	PASS
	5510	NV	NT	-26000	-4.718693	20	PASS
		LV	NT	-26000	-4.718693	20	PASS
		HV	NT	-27000	-4.900181	20	PASS
	5550	NV	NT	-29000	-5.225225	20	PASS
		LV	NT	-29000	-5.225225	20	PASS
		HV	NT	-29000	-5.225225	20	PASS
	5670	NV	NT	-30000	-5.291005	20	PASS
		LV	NT	-30000	-5.291005	20	PASS
		HV	NT	-30000	-5.291005	20	PASS
	5755	NV	NT	-28000	-4.865334	20	PASS
		LV	NT	-28000	-4.865334	20	PASS
		HV	NT	-28000	-4.865334	20	PASS
	5795	NV	NT	-28000	-4.831752	20	PASS
		LV	NT	-28000	-4.831752	20	PASS
		HV	NT	-28000	-4.831752	20	PASS
80MHz	5210	NV	NT	-25000	-4.798464	20	PASS
		LV	NT	-25000	-4.798464	20	PASS
		HV	NT	-25000	-4.798464	20	PASS
	5290	NV	NT	-28000	-5.293006	20	PASS
		LV	NT	-28000	-5.293006	20	PASS
		HV	NT	-28000	-5.293006	20	PASS
	5775	NV	NT	-28000	-4.848485	20	PASS
		LV	NT	-29000	-5.021645	20	PASS
		HV	NT	-28000	-4.848485	20	PASS

Temperature							
TestMode	Channel	Voltage [Vdc]	Temperature(°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20MHz	5180	NV	0	-25000	-4.826255	20	PASS
		NV	10	-25000	-4.826255	20	PASS
		NV	20	-24000	-4.633205	20	PASS
		NV	30	-25000	-4.826255	20	PASS
		NV	40	-25000	-4.826255	20	PASS
		NV	50	-25000	-4.826255	20	PASS
	5200	NV	0	-25000	-4.807692	20	PASS
		NV	10	-25000	-4.807692	20	PASS
		NV	20	-25000	-4.807692	20	PASS
		NV	30	-26000	-5.000000	20	PASS
		NV	40	-26000	-5.000000	20	PASS
		NV	50	-25000	-4.807692	20	PASS
	5240	NV	0	-26000	-4.961832	20	PASS
		NV	10	-26000	-4.961832	20	PASS
		NV	20	-26000	-4.961832	20	PASS
		NV	30	-26000	-4.961832	20	PASS
		NV	40	-26000	-4.961832	20	PASS
		NV	50	-26000	-4.961832	20	PASS
	5260	NV	0	-23000	-4.372624	20	PASS
		NV	10	-23000	-4.372624	20	PASS
		NV	20	-23000	-4.372624	20	PASS
		NV	30	-23000	-4.372624	20	PASS
		NV	40	-23000	-4.372624	20	PASS
		NV	50	-24000	-4.562738	20	PASS
	5280	NV	0	-24000	-4.545455	20	PASS
		NV	10	-25000	-4.734848	20	PASS
		NV	20	-25000	-4.734848	20	PASS
		NV	30	-25000	-4.734848	20	PASS
		NV	40	-25000	-4.734848	20	PASS
		NV	50	-25000	-4.734848	20	PASS
	5320	NV	0	-25000	-4.699248	20	PASS
		NV	10	-25000	-4.699248	20	PASS
		NV	20	-25000	-4.699248	20	PASS
		NV	30	-25000	-4.699248	20	PASS
		NV	40	-25000	-4.699248	20	PASS
		NV	50	-25000	-4.699248	20	PASS
	5500	NV	0	-26000	-4.727273	20	PASS
		NV	10	-26000	-4.727273	20	PASS
		NV	20	-26000	-4.727273	20	PASS
		NV	30	-26000	-4.727273	20	PASS
		NV	40	-26000	-4.727273	20	PASS
		NV	50	-26000	-4.727273	20	PASS
	5580	NV	0	-27000	-4.83871	20	PASS

		NV	10	-27000	-4.83871	20	PASS
		NV	20	-27000	-4.83871	20	PASS
		NV	30	-27000	-4.83871	20	PASS
		NV	40	-27000	-4.83871	20	PASS
		NV	50	-27000	-4.83871	20	PASS
	5700	NV	0	-27000	-4.736842	20	PASS
		NV	10	-27000	-4.736842	20	PASS
		NV	20	-27000	-4.736842	20	PASS
		NV	30	-27000	-4.736842	20	PASS
		NV	40	-27000	-4.736842	20	PASS
		NV	50	-27000	-4.736842	20	PASS
	5745	NV	0	-28000	-4.873803	20	PASS
		NV	10	-27000	-4.699739	20	PASS
		NV	20	-27000	-4.699739	20	PASS
		NV	30	-27000	-4.699739	20	PASS
		NV	40	-27000	-4.699739	20	PASS
		NV	50	-27000	-4.699739	20	PASS
	5785	NV	0	-28000	-4.840104	20	PASS
		NV	10	-27000	-4.667243	20	PASS
		NV	20	-28000	-4.840104	20	PASS
		NV	30	-28000	-4.840104	20	PASS
		NV	40	-27000	-4.667243	20	PASS
		NV	50	-28000	-4.840104	20	PASS
	5825	NV	0	-28000	-4.806867	20	PASS
		NV	10	-28000	-4.806867	20	PASS
		NV	20	-28000	-4.806867	20	PASS
		NV	30	-28000	-4.806867	20	PASS
		NV	40	-28000	-4.806867	20	PASS
		NV	50	-28000	-4.806867	20	PASS
40MHz	5190	NV	0	-25000	-4.816956	20	PASS
		NV	10	-25000	-4.816956	20	PASS
		NV	20	-26000	-5.009634	20	PASS
		NV	30	-26000	-5.009634	20	PASS
		NV	40	-26000	-5.009634	20	PASS
		NV	50	-26000	-5.009634	20	PASS
	5230	NV	0	-26000	-4.971319	20	PASS
		NV	10	-26000	-4.971319	20	PASS
		NV	20	-26000	-4.971319	20	PASS
		NV	30	-26000	-4.971319	20	PASS
		NV	40	-26000	-4.971319	20	PASS
		NV	50	-26000	-4.971319	20	PASS
	5270	NV	0	-25000	-4.743833	20	PASS
		NV	10	-25000	-4.743833	20	PASS
		NV	20	-25000	-4.743833	20	PASS
		NV	30	-25000	-4.743833	20	PASS
		NV	40	-25000	-4.743833	20	PASS

		NV	50	-25000	-4.743833	20	PASS
	5310	NV	0	-25000	-4.708098	20	PASS
		NV	10	-25000	-4.708098	20	PASS
		NV	20	-26000	-4.896422	20	PASS
		NV	30	-26000	-4.896422	20	PASS
		NV	40	-25000	-4.708098	20	PASS
		NV	50	-26000	-4.896422	20	PASS
	5510	NV	0	-28000	-5.08167	20	PASS
		NV	10	-28000	-5.08167	20	PASS
		NV	20	-28000	-5.08167	20	PASS
		NV	30	-28000	-5.08167	20	PASS
		NV	40	-29000	-5.263158	20	PASS
		NV	50	-29000	-5.263158	20	PASS
	5550	NV	0	-29000	-5.225225	20	PASS
		NV	10	-29000	-5.225225	20	PASS
		NV	20	-30000	-5.405405	20	PASS
		NV	30	-29000	-5.225225	20	PASS
		NV	40	-30000	-5.405405	20	PASS
		NV	50	-29000	-5.225225	20	PASS
	5670	NV	0	-30000	-5.291005	20	PASS
		NV	10	-30000	-5.291005	20	PASS
		NV	20	-30000	-5.291005	20	PASS
		NV	30	-30000	-5.291005	20	PASS
		NV	40	-30000	-5.291005	20	PASS
		NV	50	-30000	-5.291005	20	PASS
	5755	NV	0	-28000	-4.865334	20	PASS
		NV	10	-28000	-4.865334	20	PASS
		NV	20	-28000	-4.865334	20	PASS
		NV	30	-28000	-4.865334	20	PASS
		NV	40	-28000	-4.865334	20	PASS
		NV	50	-28000	-4.865334	20	PASS
	5795	NV	0	-28000	-4.831752	20	PASS
		NV	10	-28000	-4.831752	20	PASS
		NV	20	-28000	-4.831752	20	PASS
		NV	30	-28000	-4.831752	20	PASS
		NV	40	-28000	-4.831752	20	PASS
		NV	50	-28000	-4.831752	20	PASS
80MHz	5210	NV	0	-25000	-4.798464	20	PASS
		NV	10	-26000	-4.990403	20	PASS
		NV	20	-26000	-4.990403	20	PASS
		NV	30	-26000	-4.990403	20	PASS
		NV	40	-26000	-4.990403	20	PASS
		NV	50	-26000	-4.990403	20	PASS
	5290	NV	0	-28000	-5.293006	20	PASS
		NV	10	-28000	-5.293006	20	PASS
		NV	20	-28000	-5.293006	20	PASS

		NV	30	-29000	-5.482042	20	PASS
		NV	40	-29000	-5.482042	20	PASS
		NV	50	-29000	-5.482042	20	PASS
	5530	NV	0	-29000	-5.244123	20	PASS
		NV	10	-30000	-5.424955	20	PASS
		NV	20	-30000	-5.424955	20	PASS
		NV	30	-30000	-5.424955	20	PASS
		NV	40	-30000	-5.424955	20	PASS
		NV	50	-30000	-5.424955	20	PASS
		NV	0	-30000	-5.347594	20	PASS
	5610	NV	10	-30000	-5.347594	20	PASS
		NV	20	-30000	-5.347594	20	PASS
		NV	30	-30000	-5.347594	20	PASS
		NV	40	-30000	-5.347594	20	PASS
		NV	50	-30000	-5.347594	20	PASS
		NV	0	-28000	-4.848485	20	PASS
	5775	NV	10	-28000	-4.848485	20	PASS
		NV	20	-28000	-4.848485	20	PASS
		NV	30	-28000	-4.848485	20	PASS
		NV	40	-28000	-4.848485	20	PASS
		NV	50	-28000	-4.848485	20	PASS
		NV	0	-28000	-4.848485	20	PASS

Appendix E: Duty Cycle


Test Result

Test Mode	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
802.11a	5180	0.11	0.20	55.00	5.00	6.2
	5200	0.11	0.19	57.89	5.26	6.2
	5240	0.11	0.19	57.89	5.26	6.2
	5260	0.11	0.19	57.89	5.26	6.2
	5280	0.11	0.19	57.89	5.26	6.2
	5320	0.11	0.19	57.89	5.26	6.2
	5500	0.11	0.19	57.89	5.26	6.2
	5580	0.11	0.19	57.89	5.26	6.2
	5700	0.11	0.19	57.89	5.26	6.2
	5745	0.11	0.19	57.89	5.26	6.2
	5785	0.11	0.19	57.89	5.26	6.2
	5825	0.11	0.19	57.89	5.26	6.2
802.11n(HT20)	5180	0.11	0.19	57.89	5.26	6.2
	5200	0.11	0.20	55.00	5.00	6.2
	5240	0.11	0.19	57.89	5.26	6.2
	5260	0.11	0.19	57.89	5.26	6.2
	5280	0.11	0.19	57.89	5.26	6.2
	5320	0.11	0.20	55.00	5.00	6.2
	5500	0.11	0.19	57.89	5.26	6.2
	5580	0.11	0.19	57.89	5.26	6.2
	5700	0.11	0.19	57.89	5.26	6.2
	5745	0.11	0.19	57.89	5.26	6.2
	5785	0.11	0.19	57.89	5.26	6.2
	5825	0.11	0.19	57.89	5.26	6.2
802.11n(HT40)	5190	0.07	0.15	46.67	6.67	8.2
	5230	0.07	0.15	46.67	6.67	8.2
	5270	0.07	0.15	46.67	6.67	8.2
	5310	0.07	0.15	46.67	6.67	8.2
	5510	0.07	0.15	46.67	6.67	8.2
	5550	0.07	0.15	46.67	6.67	8.2
	5670	0.07	0.15	46.67	6.67	8.2
	5755	0.07	0.15	46.67	6.67	8.2
	5795	0.07	0.15	46.67	6.67	8.2
802.11ac(VHT20)	5180	0.12	0.20	60.00	5.00	5.1
	5200	0.12	0.20	60.00	5.00	5.1
	5240	0.12	0.20	60.00	5.00	5.1
	5260	0.12	0.20	60.00	5.00	5.1
	5280	0.12	0.20	60.00	5.00	5.1
	5320	0.12	0.20	60.00	5.00	5.1
	5500	0.12	0.20	60.00	5.00	5.1


	5580	0.12	0.20	60.00	5.00	5.1
	5700	0.12	0.20	60.00	5.00	5.1
	5745	0.12	0.20	60.00	5.00	5.1
	5785	0.12	0.20	60.00	5.00	5.1
	5825	0.12	0.20	60.00	5.00	5.1
802.11ac(VHT40)	5190	0.08	0.16	50.00	6.25	8.2
	5230	0.08	0.16	50.00	6.25	8.2
	5270	0.08	0.15	53.33	6.67	8.2
	5310	0.08	0.16	50.00	6.25	8.2
	5510	0.08	0.16	50.00	6.25	8.2
	5550	0.08	0.15	53.33	6.67	8.2
	5670	0.08	0.15	53.33	6.67	8.2
	5755	0.08	0.15	53.33	6.67	8.2
	5795	0.08	0.15	53.33	6.67	8.2
802.11ac(VHT80)	5210	0.06	0.13	46.15	7.69	8.2
	5290	0.06	0.13	46.15	7.69	8.2
	5530	0.06	0.13	46.15	7.69	8.2
	5610	0.06	0.13	46.15	7.69	8.2
	5775	0.06	0.13	46.15	7.69	8.2

Test Graphs


802.11a_5180




802.11a_5200




802.11a_5240




802.11a_5260




802.11a_5280




802.11a_5320




802.11a_5500




802.11a_5580




802.11a_5700




802.11a_5745




802.11a_5785




802.11a_5825




802.11n(HT20)_5180




802.11n(HT20)_5200




802.11n(HT20)_5240




802.11n(HT20)_5260




802.11n(HT20)_5280




802.11n(HT20)_5320




802.11n(HT20)_5500




802.11n(HT20)_5580




802.11n(HT20)_5700




802.11n(HT20)_5745




802.11n(HT20)_5785




802.11n(HT20)_5825




802.11n(HT40)_5190




802.11n(HT40)_5230




802.11n(HT40)_5270




802.11n(HT40)_5310




802.11n(HT40)_5510




802.11n(HT40)_5550




802.11n(HT40)_5670




802.11n(HT40)_5755




802.11n(HT40)_5795




802.11ac(VHT20)_5180




802.11ac(VHT20)_5200




802.11ac(VHT20)_5240




802.11ac(VHT20)_5260




802.11ac(VHT20)_5280




802.11ac(VHT20)_5320




802.11ac(VHT20)_5500




802.11ac(VHT20)_5580




802.11ac(VHT20)_5700




802.11ac(VHT20)_5745




802.11ac(VHT20)_5785




802.11ac(VHT20)_5825




802.11ac(VHT40)_5190




802.11ac(VHT40)_5230




802.11ac(VHT40)_5270




802.11ac(VHT40)_5310




802.11ac(VHT40)_5510




802.11ac(VHT40)_5550




802.11ac(VHT40)_5670




802.11ac(VHT40)_5755




802.11ac(VHT40)_5795




802.11ac(VHT80)_5210




802.11ac(VHT80)_5290




802.11ac(VHT80)_5530



802.11ac(VHT80)_5610



802.11ac(VHT80)_5775



-----End-----