

Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6465 MHz; 11be80 (80 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6463.750000	0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6463.750000	0.8	0.0	0.8	PASS
6484.250000	0.7	0.1	0.8	PASS
6478.750000	0.6	0.2	0.8	PASS
6446.750000	0.6	0.2	0.8	PASS
6466.750000	0.6	0.3	0.8	PASS
6430.250000	0.6	0.3	0.8	PASS
6481.250000	0.5	0.3	0.8	PASS
6501.750000	0.5	0.3	0.8	PASS
6441.750000	0.5	0.4	0.8	PASS
6439.750000	0.4	0.4	0.8	PASS
6486.750000	0.4	0.4	0.8	PASS
6436.250000	0.4	0.4	0.8	PASS
6492.250000	0.4	0.5	0.8	PASS
6442.750000	0.4	0.5	0.8	PASS
6495.750000	0.3	0.5	0.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6465 MHz; 11be80 (80 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6440.250000	1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6462.250000	1.2	0.2	1.3	PASS
6462.750000	1.1	0.3	1.3	PASS
6455.250000	1.1	0.3	1.3	PASS
6461.750000	1.1	0.3	1.3	PASS
6451.750000	1.0	0.3	1.3	PASS
6439.750000	1.0	0.3	1.3	PASS
6430.250000	0.9	0.4	1.3	PASS
6438.750000	0.9	0.4	1.3	PASS
6459.250000	0.9	0.4	1.3	PASS
6471.750000	0.9	0.4	1.3	PASS
6434.750000	0.9	0.5	1.3	PASS
6487.750000	0.9	0.5	1.3	PASS
6436.750000	0.9	0.5	1.3	PASS
6457.750000	0.8	0.5	1.3	PASS
6435.750000	0.8	0.5	1.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6465 MHz; 11be80 (80 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6444.250000	-0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6444.250000	-0.1	0.0	-0.1	PASS
6437.250000	-0.2	0.1	-0.1	PASS
6445.250000	-0.2	0.1	-0.1	PASS
6471.250000	-0.3	0.3	-0.1	PASS
6469.250000	-0.4	0.3	-0.1	PASS
6475.250000	-0.4	0.3	-0.1	PASS
6445.750000	-0.4	0.3	-0.1	PASS
6450.750000	-0.4	0.3	-0.1	PASS
6457.750000	-0.5	0.4	-0.1	PASS
6468.250000	-0.5	0.4	-0.1	PASS
6468.750000	-0.5	0.4	-0.1	PASS
6449.750000	-0.5	0.4	-0.1	PASS
6472.250000	-0.5	0.4	-0.1	PASS
6495.750000	-0.5	0.4	-0.1	PASS
6447.250000	-0.5	0.5	-0.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6465 MHz; 11be80 (80 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6474.750000	0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6474.750000	0.6	0.0	0.6	PASS
6475.750000	0.5	0.1	0.6	PASS
6463.750000	0.4	0.2	0.6	PASS
6494.250000	0.3	0.2	0.6	PASS
6467.750000	0.3	0.2	0.6	PASS
6459.250000	0.2	0.3	0.6	PASS
6473.250000	0.2	0.3	0.6	PASS
6469.250000	0.2	0.3	0.6	PASS
6432.250000	0.2	0.4	0.6	PASS
6471.250000	0.2	0.4	0.6	PASS
6454.750000	0.2	0.4	0.6	PASS
6475.250000	0.1	0.4	0.6	PASS
6450.250000	0.1	0.4	0.6	PASS
6477.750000	0.1	0.5	0.6	PASS
6491.750000	0.1	0.5	0.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6545 MHz; 11be80 (80 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6507.250000	0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6520.250000	0.6	0.1	0.6	PASS
6521.750000	0.4	0.2	0.6	PASS
6523.750000	0.4	0.2	0.6	PASS
6529.250000	0.4	0.3	0.6	PASS
6523.250000	0.4	0.3	0.6	PASS
6563.250000	0.3	0.3	0.6	PASS
6524.250000	0.3	0.3	0.6	PASS
6526.250000	0.3	0.3	0.6	PASS
6520.750000	0.3	0.4	0.6	PASS
6530.750000	0.3	0.4	0.6	PASS
6521.250000	0.3	0.4	0.6	PASS
6525.250000	0.3	0.4	0.6	PASS
6511.250000	0.3	0.4	0.6	PASS
6562.750000	0.2	0.4	0.6	PASS
6518.250000	0.2	0.4	0.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6545 MHz; 11be80 (80 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6508.750000	0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6507.750000	0.8	0.0	0.9	PASS
6511.750000	0.7	0.1	0.9	PASS
6537.250000	0.7	0.1	0.9	PASS
6512.750000	0.7	0.2	0.9	PASS
6521.250000	0.6	0.2	0.9	PASS
6535.250000	0.6	0.2	0.9	PASS
6523.750000	0.6	0.2	0.9	PASS
6561.750000	0.6	0.3	0.9	PASS
6516.250000	0.6	0.3	0.9	PASS
6523.250000	0.6	0.3	0.9	PASS
6573.750000	0.5	0.3	0.9	PASS
6510.250000	0.5	0.3	0.9	PASS
6512.250000	0.5	0.3	0.9	PASS
6520.750000	0.5	0.3	0.9	PASS
6567.250000	0.5	0.4	0.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6545 MHz; 11be80 (80 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6514.250000	-0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6514.250000	-0.4	0.0	-0.4	PASS
6514.750000	-0.6	0.2	-0.4	PASS
6511.250000	-0.6	0.2	-0.4	PASS
6528.250000	-0.7	0.3	-0.4	PASS
6532.250000	-0.7	0.3	-0.4	PASS
6518.250000	-0.8	0.4	-0.4	PASS
6512.750000	-0.8	0.4	-0.4	PASS
6533.250000	-0.8	0.4	-0.4	PASS
6551.750000	-0.8	0.4	-0.4	PASS
6530.250000	-0.8	0.4	-0.4	PASS
6536.250000	-0.9	0.4	-0.4	PASS
6579.750000	-0.9	0.4	-0.4	PASS
6507.750000	-0.9	0.5	-0.4	PASS
6515.750000	-0.9	0.5	-0.4	PASS
6509.750000	-0.9	0.5	-0.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6545 MHz; 11be80 (80 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6572.750000	0.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6572.750000	0.2	0.0	0.2	PASS
6551.250000	0.2	0.0	0.2	PASS
6554.250000	0.2	0.1	0.2	PASS
6553.250000	0.2	0.1	0.2	PASS
6572.250000	0.1	0.1	0.2	PASS
6574.750000	0.1	0.1	0.2	PASS
6576.250000	0.1	0.2	0.2	PASS
6551.750000	0.0	0.2	0.2	PASS
6582.250000	0.0	0.2	0.2	PASS
6516.250000	0.0	0.2	0.2	PASS
6555.750000	0.0	0.2	0.2	PASS
6513.250000	0.0	0.2	0.2	PASS
6577.750000	0.0	0.2	0.2	PASS
6511.250000	0.0	0.3	0.2	PASS
6521.750000	0.0	0.3	0.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6625 MHz; 11be80 (80 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6619.750000	1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6603.250000	0.9	0.3	1.2	PASS
6603.750000	0.7	0.5	1.2	PASS
6602.250000	0.7	0.5	1.2	PASS
6641.250000	0.7	0.5	1.2	PASS
6619.250000	0.6	0.6	1.2	PASS
6661.250000	0.6	0.6	1.2	PASS
6622.750000	0.6	0.6	1.2	PASS
6607.250000	0.6	0.6	1.2	PASS
6617.250000	0.6	0.6	1.2	PASS
6601.250000	0.5	0.7	1.2	PASS
6604.250000	0.5	0.8	1.2	PASS
6623.250000	0.5	0.8	1.2	PASS
6586.750000	0.5	0.8	1.2	PASS
6645.750000	0.5	0.8	1.2	PASS
6627.750000	0.4	0.8	1.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6625 MHz; 11be80 (80 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6630.750000	1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6630.750000	1.2	0.0	1.2	PASS
6594.750000	1.1	0.1	1.2	PASS
6600.250000	1.1	0.1	1.2	PASS
6604.250000	1.0	0.2	1.2	PASS
6588.250000	1.0	0.2	1.2	PASS
6598.750000	1.0	0.2	1.2	PASS
6612.750000	1.0	0.3	1.2	PASS
6592.750000	0.9	0.3	1.2	PASS
6614.250000	0.9	0.3	1.2	PASS
6628.250000	0.9	0.3	1.2	PASS
6616.750000	0.9	0.4	1.2	PASS
6610.750000	0.9	0.4	1.2	PASS
6601.250000	0.8	0.4	1.2	PASS
6604.750000	0.8	0.4	1.2	PASS
6606.750000	0.8	0.4	1.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6625 MHz; 11be80 (80 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6590.750000	0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6590.750000	0.1	0.0	0.1	PASS
6591.750000	0.1	0.1	0.1	PASS
6627.250000	0.0	0.1	0.1	PASS
6595.750000	0.0	0.1	0.1	PASS
6597.750000	0.0	0.1	0.1	PASS
6587.750000	0.0	0.1	0.1	PASS
6628.250000	0.0	0.2	0.1	PASS
6587.250000	0.0	0.2	0.1	PASS
6611.250000	-0.1	0.2	0.1	PASS
6607.250000	-0.1	0.2	0.1	PASS
6594.750000	-0.1	0.3	0.1	PASS
6588.750000	-0.1	0.3	0.1	PASS
6604.250000	-0.2	0.3	0.1	PASS
6594.250000	-0.2	0.3	0.1	PASS
6592.250000	-0.2	0.4	0.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6625 MHz; 11be80 (80 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6633.250000	1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6615.250000	1.1	0.0	1.1	PASS
6610.750000	1.0	0.1	1.1	PASS
6596.250000	1.0	0.1	1.1	PASS
6611.250000	0.9	0.2	1.1	PASS
6594.750000	0.9	0.2	1.1	PASS
6622.250000	0.8	0.2	1.1	PASS
6590.750000	0.8	0.3	1.1	PASS
6597.750000	0.7	0.3	1.1	PASS
6593.250000	0.7	0.3	1.1	PASS
6598.250000	0.7	0.3	1.1	PASS
6589.250000	0.7	0.4	1.1	PASS
6608.250000	0.7	0.4	1.1	PASS
6605.250000	0.7	0.4	1.1	PASS
6590.250000	0.7	0.4	1.1	PASS
6631.250000	0.6	0.4	1.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11be80 (80 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6668.750000	0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6684.750000	0.4	0.2	0.6	PASS
6669.250000	0.3	0.3	0.6	PASS
6721.750000	0.3	0.3	0.6	PASS
6721.250000	0.2	0.4	0.6	PASS
6670.750000	0.2	0.4	0.6	PASS
6681.750000	0.2	0.4	0.6	PASS
6666.750000	0.2	0.4	0.6	PASS
6667.750000	0.2	0.4	0.6	PASS
6668.250000	0.1	0.4	0.6	PASS
6706.750000	0.1	0.4	0.6	PASS
6680.750000	0.1	0.5	0.6	PASS
6742.250000	0.1	0.5	0.6	PASS
6685.750000	0.1	0.5	0.6	PASS
6683.250000	0.1	0.5	0.6	PASS
6678.250000	0.1	0.5	0.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11be80 (80 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6725.250000	1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6742.750000	1.2	0.0	1.2	PASS
6736.750000	1.1	0.0	1.2	PASS
6734.250000	1.1	0.1	1.2	PASS
6733.250000	1.0	0.1	1.2	PASS
6733.750000	1.0	0.2	1.2	PASS
6735.750000	1.0	0.2	1.2	PASS
6718.250000	0.9	0.2	1.2	PASS
6738.250000	0.9	0.2	1.2	PASS
6672.250000	0.9	0.2	1.2	PASS
6713.750000	0.9	0.2	1.2	PASS
6730.750000	0.9	0.2	1.2	PASS
6743.250000	0.9	0.3	1.2	PASS
6728.750000	0.9	0.3	1.2	PASS
6729.250000	0.9	0.3	1.2	PASS
6717.750000	0.8	0.3	1.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11be80 (80 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6742.250000	0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6727.750000	0.6	0.1	0.6	PASS
6711.750000	0.4	0.3	0.6	PASS
6710.750000	0.4	0.3	0.6	PASS
6731.750000	0.4	0.3	0.6	PASS
6720.750000	0.3	0.3	0.6	PASS
6734.750000	0.3	0.3	0.6	PASS
6703.750000	0.3	0.3	0.6	PASS
6709.250000	0.3	0.3	0.6	PASS
6713.750000	0.3	0.3	0.6	PASS
6731.250000	0.3	0.3	0.6	PASS
6729.250000	0.3	0.3	0.6	PASS
6715.750000	0.3	0.4	0.6	PASS
6724.250000	0.2	0.4	0.6	PASS
6704.250000	0.2	0.4	0.6	PASS
6712.750000	0.2	0.4	0.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11be80 (80 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6711.250000	1.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6708.250000	1.6	0.3	1.9	PASS
6728.250000	1.5	0.4	1.9	PASS
6691.750000	1.5	0.5	1.9	PASS
6714.250000	1.4	0.5	1.9	PASS
6702.250000	1.4	0.5	1.9	PASS
6689.250000	1.4	0.5	1.9	PASS
6717.750000	1.4	0.5	1.9	PASS
6712.750000	1.4	0.5	1.9	PASS
6713.750000	1.4	0.6	1.9	PASS
6729.750000	1.3	0.6	1.9	PASS
6735.750000	1.3	0.6	1.9	PASS
6732.250000	1.3	0.6	1.9	PASS
6710.750000	1.3	0.6	1.9	PASS
6709.250000	1.3	0.6	1.9	PASS
6719.750000	1.3	0.6	1.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11be80 (80 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6747.750000	0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6747.250000	0.6	0.1	0.7	PASS
6766.250000	0.5	0.2	0.7	PASS
6779.250000	0.4	0.2	0.7	PASS
6764.250000	0.4	0.2	0.7	PASS
6761.250000	0.4	0.3	0.7	PASS
6782.250000	0.4	0.3	0.7	PASS
6762.250000	0.4	0.3	0.7	PASS
6749.250000	0.3	0.3	0.7	PASS
6764.750000	0.3	0.3	0.7	PASS
6748.250000	0.3	0.4	0.7	PASS
6787.750000	0.3	0.4	0.7	PASS
6784.250000	0.2	0.5	0.7	PASS
6762.750000	0.2	0.5	0.7	PASS
6758.250000	0.1	0.5	0.7	PASS
6758.750000	0.1	0.5	0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11be80 (80 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6748.750000	1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6752.250000	1.1	0.2	1.3	PASS
6747.750000	1.0	0.3	1.3	PASS
6748.250000	1.0	0.3	1.3	PASS
6759.250000	1.0	0.3	1.3	PASS
6758.750000	1.0	0.3	1.3	PASS
6753.750000	1.0	0.3	1.3	PASS
6750.750000	1.0	0.3	1.3	PASS
6771.750000	0.9	0.4	1.3	PASS
6772.250000	0.8	0.4	1.3	PASS
6756.750000	0.8	0.4	1.3	PASS
6752.750000	0.8	0.5	1.3	PASS
6757.750000	0.8	0.5	1.3	PASS
6757.250000	0.8	0.5	1.3	PASS
6746.750000	0.8	0.5	1.3	PASS
6769.750000	0.7	0.6	1.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11be80 (80 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6752.250000	1.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6752.250000	1.6	0.0	1.6	PASS
6771.250000	1.1	0.5	1.6	PASS
6770.750000	1.1	0.5	1.6	PASS
6757.250000	1.0	0.5	1.6	PASS
6748.250000	0.9	0.6	1.6	PASS
6751.750000	0.9	0.6	1.6	PASS
6754.750000	0.9	0.7	1.6	PASS
6749.750000	0.9	0.7	1.6	PASS
6753.250000	0.8	0.7	1.6	PASS
6747.250000	0.8	0.8	1.6	PASS
6773.250000	0.8	0.8	1.6	PASS
6777.250000	0.8	0.8	1.6	PASS
6783.250000	0.8	0.8	1.6	PASS
6755.750000	0.8	0.8	1.6	PASS
6750.250000	0.8	0.8	1.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11be80 (80 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6788.750000	1.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6788.750000	1.7	0.0	1.7	PASS
6809.250000	1.7	0.0	1.7	PASS
6771.750000	1.7	0.0	1.7	PASS
6750.750000	1.5	0.1	1.7	PASS
6791.250000	1.5	0.2	1.7	PASS
6792.750000	1.5	0.2	1.7	PASS
6767.750000	1.4	0.2	1.7	PASS
6753.250000	1.4	0.3	1.7	PASS
6770.250000	1.3	0.3	1.7	PASS
6777.250000	1.3	0.4	1.7	PASS
6752.750000	1.3	0.4	1.7	PASS
6753.750000	1.3	0.4	1.7	PASS
6813.750000	1.3	0.4	1.7	PASS
6773.250000	1.3	0.4	1.7	PASS
6805.250000	1.3	0.4	1.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6865 MHz; 11be80 (80 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6866.250000	0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6866.250000	0.6	0.0	0.6	PASS
6886.750000	0.6	0.0	0.6	PASS
6863.750000	0.6	0.0	0.6	PASS
6883.750000	0.5	0.1	0.6	PASS
6880.750000	0.5	0.1	0.6	PASS
6889.250000	0.5	0.1	0.6	PASS
6881.750000	0.5	0.1	0.6	PASS
6863.250000	0.4	0.2	0.6	PASS
6862.250000	0.4	0.2	0.6	PASS
6889.750000	0.4	0.3	0.6	PASS
6886.250000	0.4	0.3	0.6	PASS
6843.250000	0.4	0.3	0.6	PASS
6867.750000	0.3	0.3	0.6	PASS
6901.250000	0.3	0.3	0.6	PASS
6866.750000	0.3	0.4	0.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6865 MHz; 11be80 (80 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6849.750000	1.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6849.750000	1.7	0.0	1.7	PASS
6866.250000	1.7	0.0	1.7	PASS
6870.750000	1.6	0.1	1.7	PASS
6858.750000	1.6	0.1	1.7	PASS
6880.250000	1.5	0.2	1.7	PASS
6851.750000	1.5	0.2	1.7	PASS
6851.250000	1.5	0.2	1.7	PASS
6842.750000	1.5	0.3	1.7	PASS
6869.750000	1.4	0.3	1.7	PASS
6867.250000	1.4	0.3	1.7	PASS
6832.750000	1.4	0.3	1.7	PASS
6858.250000	1.4	0.3	1.7	PASS
6873.250000	1.4	0.4	1.7	PASS
6877.250000	1.4	0.4	1.7	PASS
6892.750000	1.3	0.4	1.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6865 MHz; 11be80 (80 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6828.250000	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6854.250000	1.8	0.0	1.8	PASS
6872.250000	1.8	0.0	1.8	PASS
6876.750000	1.7	0.1	1.8	PASS
6858.250000	1.7	0.1	1.8	PASS
6837.250000	1.6	0.2	1.8	PASS
6857.750000	1.6	0.2	1.8	PASS
6877.750000	1.6	0.2	1.8	PASS
6849.250000	1.6	0.2	1.8	PASS
6835.250000	1.6	0.2	1.8	PASS
6860.250000	1.6	0.2	1.8	PASS
6839.750000	1.5	0.3	1.8	PASS
6852.750000	1.5	0.3	1.8	PASS
6835.750000	1.5	0.3	1.8	PASS
6829.750000	1.5	0.3	1.8	PASS
6874.250000	1.5	0.3	1.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6865 MHz; 11be80 (80 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6831.750000	3.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6831.750000	3.0	0.0	3.0	PASS
6827.750000	2.8	0.3	3.0	PASS
6830.250000	2.6	0.4	3.0	PASS
6853.250000	2.6	0.4	3.0	PASS
6828.750000	2.5	0.5	3.0	PASS
6831.250000	2.5	0.5	3.0	PASS
6868.750000	2.5	0.5	3.0	PASS
6845.750000	2.5	0.6	3.0	PASS
6834.250000	2.5	0.6	3.0	PASS
6829.750000	2.4	0.6	3.0	PASS
6869.250000	2.4	0.6	3.0	PASS
6856.250000	2.4	0.6	3.0	PASS
6832.250000	2.4	0.6	3.0	PASS
6848.750000	2.4	0.6	3.0	PASS
6873.250000	2.4	0.7	3.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6945 MHz; 11be80 (80 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6907.750000	1.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6907.750000	1.5	0.0	1.5	PASS
6923.250000	1.5	0.0	1.5	PASS
6911.250000	1.5	0.1	1.5	PASS
6906.750000	1.4	0.1	1.5	PASS
6915.750000	1.4	0.1	1.5	PASS
6918.250000	1.4	0.1	1.5	PASS
6909.750000	1.4	0.2	1.5	PASS
6916.250000	1.4	0.2	1.5	PASS
6908.750000	1.3	0.2	1.5	PASS
6921.250000	1.3	0.2	1.5	PASS
6907.250000	1.2	0.3	1.5	PASS
6908.250000	1.2	0.3	1.5	PASS
6909.250000	1.2	0.3	1.5	PASS
6917.250000	1.2	0.3	1.5	PASS
6924.250000	1.2	0.4	1.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6945 MHz; 11be80 (80 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6916.250000	1.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6910.250000	1.5	0.0	1.5	PASS
6957.750000	1.4	0.1	1.5	PASS
6942.250000	1.4	0.1	1.5	PASS
6955.250000	1.4	0.1	1.5	PASS
6975.250000	1.3	0.1	1.5	PASS
6970.750000	1.3	0.2	1.5	PASS
6963.250000	1.3	0.2	1.5	PASS
6962.750000	1.3	0.2	1.5	PASS
6957.250000	1.3	0.2	1.5	PASS
6928.750000	1.2	0.3	1.5	PASS
6910.750000	1.2	0.3	1.5	PASS
6981.250000	1.2	0.3	1.5	PASS
6912.750000	1.2	0.3	1.5	PASS
6936.250000	1.2	0.3	1.5	PASS
6911.250000	1.2	0.3	1.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6945 MHz; 11be80 (80 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6924.750000	2.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6924.250000	2.1	0.1	2.2	PASS
6912.250000	2.1	0.1	2.2	PASS
6914.750000	2.1	0.1	2.2	PASS
6909.750000	2.1	0.1	2.2	PASS
6914.250000	2.1	0.1	2.2	PASS
6919.250000	2.0	0.3	2.2	PASS
6978.750000	1.9	0.4	2.2	PASS
6933.250000	1.9	0.4	2.2	PASS
6921.250000	1.8	0.4	2.2	PASS
6946.750000	1.8	0.4	2.2	PASS
6907.250000	1.8	0.4	2.2	PASS
6936.750000	1.8	0.4	2.2	PASS
6951.250000	1.8	0.4	2.2	PASS
6957.250000	1.8	0.4	2.2	PASS
6915.750000	1.8	0.4	2.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6945 MHz; 11be80 (80 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6930.750000	3.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6930.750000	3.5	0.0	3.5	PASS
6912.750000	3.5	0.0	3.5	PASS
6931.750000	3.5	0.0	3.5	PASS
6910.750000	3.4	0.1	3.5	PASS
6949.750000	3.3	0.2	3.5	PASS
6910.250000	3.3	0.2	3.5	PASS
6927.250000	3.3	0.2	3.5	PASS
6915.250000	3.3	0.2	3.5	PASS
6949.250000	3.3	0.2	3.5	PASS
6911.750000	3.2	0.3	3.5	PASS
6934.250000	3.2	0.3	3.5	PASS
6914.750000	3.2	0.3	3.5	PASS
6907.750000	3.2	0.3	3.5	PASS
6921.250000	3.2	0.3	3.5	PASS
6937.750000	3.2	0.3	3.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7020.750000	1.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7020.750000	1.6	0.0	1.6	PASS
7022.250000	1.6	0.0	1.6	PASS
6998.250000	1.5	0.1	1.6	PASS
7000.250000	1.5	0.1	1.6	PASS
6999.250000	1.5	0.1	1.6	PASS
7021.750000	1.5	0.2	1.6	PASS
7017.750000	1.4	0.2	1.6	PASS
7021.250000	1.4	0.2	1.6	PASS
7005.750000	1.4	0.2	1.6	PASS
7008.750000	1.4	0.2	1.6	PASS
6997.250000	1.4	0.2	1.6	PASS
7045.750000	1.4	0.2	1.6	PASS
6987.750000	1.3	0.3	1.6	PASS
7009.750000	1.3	0.3	1.6	PASS
6999.750000	1.3	0.3	1.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7007.250000	1.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7007.250000	1.9	0.0	1.9	PASS
6993.250000	1.9	0.0	1.9	PASS
7014.250000	1.9	0.1	1.9	PASS
6988.750000	1.9	0.1	1.9	PASS
6996.250000	1.8	0.1	1.9	PASS
7000.250000	1.8	0.1	1.9	PASS
6987.750000	1.8	0.1	1.9	PASS
6999.750000	1.8	0.2	1.9	PASS
6994.750000	1.8	0.2	1.9	PASS
6996.750000	1.8	0.2	1.9	PASS
7004.250000	1.7	0.2	1.9	PASS
6988.250000	1.7	0.2	1.9	PASS
7002.750000	1.7	0.2	1.9	PASS
6997.250000	1.7	0.2	1.9	PASS
6986.750000	1.7	0.2	1.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6999.250000	2.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6994.250000	2.5	0.1	2.6	PASS
7007.750000	2.5	0.2	2.6	PASS
7015.250000	2.4	0.2	2.6	PASS
6996.750000	2.4	0.2	2.6	PASS
7002.250000	2.4	0.2	2.6	PASS
6998.750000	2.4	0.2	2.6	PASS
7018.250000	2.4	0.2	2.6	PASS
7019.750000	2.4	0.2	2.6	PASS
6991.750000	2.3	0.3	2.6	PASS
7011.250000	2.3	0.4	2.6	PASS
7001.750000	2.3	0.4	2.6	PASS
6989.250000	2.2	0.4	2.6	PASS
6988.250000	2.2	0.4	2.6	PASS
6995.750000	2.2	0.4	2.6	PASS
7013.250000	2.2	0.4	2.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6989.750000	3.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7011.750000	3.1	0.1	3.2	PASS
7028.750000	3.0	0.2	3.2	PASS
7012.250000	3.0	0.2	3.2	PASS
7037.750000	3.0	0.2	3.2	PASS
7016.750000	3.0	0.3	3.2	PASS
6992.750000	2.9	0.3	3.2	PASS
6988.750000	2.9	0.3	3.2	PASS
7012.750000	2.9	0.3	3.2	PASS
6990.250000	2.9	0.4	3.2	PASS
7031.250000	2.9	0.4	3.2	PASS
7039.750000	2.9	0.4	3.2	PASS
6987.750000	2.8	0.4	3.2	PASS
6987.250000	2.8	0.4	3.2	PASS
6999.750000	2.8	0.4	3.2	PASS
7016.250000	2.8	0.4	3.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6101.500000	3.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6040.500000	3.8	0.0	3.8	PASS
6098.500000	3.7	0.1	3.8	PASS
6045.500000	3.7	0.2	3.8	PASS
6069.500000	3.6	0.2	3.8	PASS
6087.500000	3.6	0.2	3.8	PASS
6063.500000	3.6	0.2	3.8	PASS
6100.500000	3.6	0.3	3.8	PASS
6084.500000	3.5	0.4	3.8	PASS
6061.500000	3.5	0.4	3.8	PASS
6085.500000	3.4	0.4	3.8	PASS
6070.500000	3.4	0.4	3.8	PASS
6076.500000	3.4	0.4	3.8	PASS
6059.500000	3.4	0.4	3.8	PASS
6082.500000	3.4	0.5	3.8	PASS
6099.500000	3.4	0.5	3.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6021.500000	4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6021.500000	4.1	0.0	4.1	PASS
6017.500000	4.1	0.1	4.1	PASS
6062.500000	4.0	0.1	4.1	PASS
6050.500000	4.0	0.1	4.1	PASS
6083.500000	4.0	0.2	4.1	PASS
5992.500000	3.9	0.2	4.1	PASS
6037.500000	3.9	0.2	4.1	PASS
6048.500000	3.9	0.2	4.1	PASS
6036.500000	3.9	0.2	4.1	PASS
6051.500000	3.9	0.2	4.1	PASS
6035.500000	3.9	0.2	4.1	PASS
6015.500000	3.9	0.2	4.1	PASS
6034.500000	3.9	0.2	4.1	PASS
6054.500000	3.9	0.2	4.1	PASS
6046.500000	3.9	0.2	4.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6050.500000	3.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5993.500000	2.8	0.2	3.0	PASS
6049.500000	2.8	0.2	3.0	PASS
5957.500000	2.6	0.4	3.0	PASS
6052.500000	2.6	0.4	3.0	PASS
6030.500000	2.6	0.4	3.0	PASS
6010.500000	2.6	0.4	3.0	PASS
6013.500000	2.5	0.5	3.0	PASS
5990.500000	2.5	0.5	3.0	PASS
6031.500000	2.5	0.5	3.0	PASS
6062.500000	2.5	0.5	3.0	PASS
5991.500000	2.5	0.5	3.0	PASS
5989.500000	2.5	0.5	3.0	PASS
6008.500000	2.5	0.5	3.0	PASS
5948.500000	2.5	0.5	3.0	PASS
6015.500000	2.5	0.5	3.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6036.500000	4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6014.500000	3.9	0.1	4.0	PASS
6037.500000	3.8	0.2	4.0	PASS
6034.500000	3.7	0.3	4.0	PASS
6076.500000	3.7	0.3	4.0	PASS
6054.500000	3.7	0.4	4.0	PASS
6010.500000	3.6	0.4	4.0	PASS
6046.500000	3.6	0.4	4.0	PASS
6016.500000	3.6	0.4	4.0	PASS
6031.500000	3.6	0.5	4.0	PASS
6052.500000	3.5	0.5	4.0	PASS
6017.500000	3.5	0.5	4.0	PASS
6035.500000	3.5	0.5	4.0	PASS
6056.500000	3.5	0.5	4.0	PASS
6050.500000	3.5	0.5	4.0	PASS
6028.500000	3.5	0.6	4.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6201.500000	3.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6201.500000	3.3	0.0	3.3	PASS
6203.500000	3.1	0.2	3.3	PASS
6218.500000	3.0	0.3	3.3	PASS
6206.500000	3.0	0.3	3.3	PASS
6221.500000	2.9	0.3	3.3	PASS
6181.500000	2.8	0.4	3.3	PASS
6207.500000	2.8	0.4	3.3	PASS
6205.500000	2.8	0.5	3.3	PASS
6147.500000	2.8	0.5	3.3	PASS
6241.500000	2.8	0.5	3.3	PASS
6244.500000	2.8	0.5	3.3	PASS
6198.500000	2.7	0.5	3.3	PASS
6202.500000	2.7	0.5	3.3	PASS
6188.500000	2.7	0.5	3.3	PASS
6199.500000	2.7	0.6	3.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6120.500000	3.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6120.500000	3.7	0.0	3.7	PASS
6113.500000	3.4	0.2	3.7	PASS
6178.500000	3.3	0.3	3.7	PASS
6164.500000	3.3	0.3	3.7	PASS
6190.500000	3.2	0.4	3.7	PASS
6122.500000	3.2	0.4	3.7	PASS
6187.500000	3.2	0.5	3.7	PASS
6111.500000	3.2	0.5	3.7	PASS
6202.500000	3.2	0.5	3.7	PASS
6205.500000	3.1	0.5	3.7	PASS
6209.500000	3.1	0.5	3.7	PASS
6125.500000	3.1	0.5	3.7	PASS
6201.500000	3.1	0.5	3.7	PASS
6173.500000	3.1	0.6	3.7	PASS
6116.500000	3.1	0.6	3.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6253.500000	3.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6249.500000	3.4	0.0	3.4	PASS
6250.500000	3.4	0.0	3.4	PASS
6259.500000	3.2	0.3	3.4	PASS
6251.500000	3.1	0.3	3.4	PASS
6258.500000	3.1	0.3	3.4	PASS
6252.500000	3.1	0.3	3.4	PASS
6211.500000	3.1	0.4	3.4	PASS
6257.500000	3.0	0.4	3.4	PASS
6194.500000	3.0	0.4	3.4	PASS
6266.500000	-17.0	0.4	-16.6	PASS
6246.500000	3.0	0.4	3.4	PASS
6256.500000	3.0	0.5	3.4	PASS
6261.500000	2.9	0.5	3.4	PASS
6255.500000	2.9	0.5	3.4	PASS
6239.500000	2.9	0.5	3.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6193.500000	4.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6193.500000	4.2	0.0	4.2	PASS
6158.500000	4.0	0.1	4.2	PASS
6173.500000	4.0	0.2	4.2	PASS
6169.500000	3.9	0.3	4.2	PASS
6165.500000	3.9	0.3	4.2	PASS
6171.500000	3.8	0.3	4.2	PASS
6178.500000	3.8	0.3	4.2	PASS
6180.500000	3.8	0.4	4.2	PASS
6189.500000	3.8	0.4	4.2	PASS
6172.500000	3.8	0.4	4.2	PASS
6174.500000	3.8	0.4	4.2	PASS
6200.500000	3.7	0.4	4.2	PASS
6168.500000	3.7	0.4	4.2	PASS
6188.500000	3.7	0.5	4.2	PASS
6177.500000	3.7	0.5	4.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6338.500000	3.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6338.500000	3.8	0.0	3.8	PASS
6363.500000	3.7	0.2	3.8	PASS
6348.500000	3.6	0.2	3.8	PASS
6322.500000	3.6	0.2	3.8	PASS
6323.500000	3.5	0.3	3.8	PASS
6340.500000	3.5	0.4	3.8	PASS
6362.500000	3.5	0.4	3.8	PASS
6364.500000	3.5	0.4	3.8	PASS
6341.500000	3.4	0.4	3.8	PASS
6355.500000	3.4	0.4	3.8	PASS
6335.500000	3.4	0.4	3.8	PASS
6325.500000	3.4	0.4	3.8	PASS
6320.500000	3.4	0.5	3.8	PASS
6365.500000	3.3	0.5	3.8	PASS
6317.500000	3.3	0.6	3.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6280.500000	4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6300.500000	4.2	0.1	4.3	PASS
6361.500000	4.2	0.1	4.3	PASS
6338.500000	4.1	0.2	4.3	PASS
6342.500000	4.0	0.3	4.3	PASS
6324.500000	4.0	0.3	4.3	PASS
6292.500000	4.0	0.3	4.3	PASS
6333.500000	4.0	0.3	4.3	PASS
6279.500000	4.0	0.3	4.3	PASS
6282.500000	4.0	0.3	4.3	PASS
6341.500000	4.0	0.3	4.3	PASS
6326.500000	3.9	0.4	4.3	PASS
6302.500000	3.9	0.4	4.3	PASS
6301.500000	3.9	0.4	4.3	PASS
6325.500000	3.9	0.4	4.3	PASS
6323.500000	3.9	0.4	4.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6355.500000	3.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6355.500000	3.3	0.0	3.3	PASS
6349.500000	3.3	0.0	3.3	PASS
6330.500000	3.2	0.1	3.3	PASS
6338.500000	3.1	0.2	3.3	PASS
6327.500000	3.1	0.2	3.3	PASS
6329.500000	3.1	0.2	3.3	PASS
6331.500000	3.1	0.2	3.3	PASS
6377.500000	3.0	0.2	3.3	PASS
6337.500000	3.0	0.2	3.3	PASS
6373.500000	3.0	0.2	3.3	PASS
6333.500000	3.0	0.3	3.3	PASS
6342.500000	3.0	0.3	3.3	PASS
6417.500000	3.0	0.3	3.3	PASS
6375.500000	3.0	0.3	3.3	PASS
6335.500000	3.0	0.3	3.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6272.500000	4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6272.500000	4.6	0.0	4.6	PASS
6275.500000	4.5	0.1	4.6	PASS
6335.500000	4.5	0.1	4.6	PASS
6317.500000	4.5	0.1	4.6	PASS
6330.500000	4.4	0.2	4.6	PASS
6279.500000	4.4	0.2	4.6	PASS
6341.500000	4.4	0.2	4.6	PASS
6315.500000	4.3	0.3	4.6	PASS
6332.500000	4.3	0.3	4.6	PASS
6356.500000	4.3	0.3	4.6	PASS
6291.500000	4.2	0.4	4.6	PASS
6293.500000	4.2	0.4	4.6	PASS
6340.500000	4.2	0.4	4.6	PASS
6333.500000	4.2	0.4	4.6	PASS
6289.500000	4.2	0.4	4.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6482.500000	4.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6482.500000	4.5	0.0	4.5	PASS
6428.500000	4.4	0.1	4.5	PASS
6443.500000	4.4	0.1	4.5	PASS
6495.500000	4.4	0.2	4.5	PASS
6438.500000	4.4	0.2	4.5	PASS
6440.500000	4.3	0.2	4.5	PASS
6463.500000	4.3	0.3	4.5	PASS
6511.500000	4.3	0.3	4.5	PASS
6525.500000	4.2	0.3	4.5	PASS
6444.500000	4.2	0.3	4.5	PASS
6441.500000	4.2	0.3	4.5	PASS
6484.500000	4.2	0.3	4.5	PASS
6517.500000	4.2	0.3	4.5	PASS
6485.500000	4.2	0.3	4.5	PASS
6479.500000	4.2	0.4	4.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6440.500000	4.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6440.500000	4.9	0.0	4.9	PASS
6497.500000	4.8	0.1	4.9	PASS
6481.500000	4.8	0.1	4.9	PASS
6475.500000	4.8	0.1	4.9	PASS
6478.500000	4.7	0.2	4.9	PASS
6496.500000	4.6	0.3	4.9	PASS
6433.500000	4.6	0.3	4.9	PASS
6500.500000	4.6	0.3	4.9	PASS
6443.500000	4.5	0.4	4.9	PASS
6484.500000	4.5	0.4	4.9	PASS
6520.500000	4.5	0.4	4.9	PASS
6485.500000	4.5	0.4	4.9	PASS
6455.500000	4.5	0.4	4.9	PASS
6453.500000	4.5	0.4	4.9	PASS
6428.500000	4.5	0.4	4.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6454.500000	3.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6469.500000	3.4	0.0	3.4	PASS
6434.500000	3.4	0.0	3.4	PASS
6428.500000	3.3	0.1	3.4	PASS
6486.500000	3.2	0.2	3.4	PASS
6491.500000	3.2	0.2	3.4	PASS
6437.500000	3.2	0.2	3.4	PASS
6447.500000	3.1	0.2	3.4	PASS
6435.500000	3.1	0.3	3.4	PASS
6432.500000	3.1	0.3	3.4	PASS
6439.500000	3.1	0.3	3.4	PASS
6433.500000	3.1	0.3	3.4	PASS
6441.500000	3.1	0.3	3.4	PASS
6490.500000	3.1	0.3	3.4	PASS
6471.500000	3.1	0.3	3.4	PASS
6440.500000	3.1	0.3	3.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6452.500000	4.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6476.500000	4.2	0.0	4.2	PASS
6453.500000	4.1	0.1	4.2	PASS
6510.500000	4.1	0.1	4.2	PASS
6498.500000	4.1	0.1	4.2	PASS
6469.500000	4.0	0.2	4.2	PASS
6470.500000	4.0	0.2	4.2	PASS
6449.500000	4.0	0.2	4.2	PASS
6434.500000	4.0	0.2	4.2	PASS
6450.500000	4.0	0.3	4.2	PASS
6442.500000	4.0	0.3	4.2	PASS
6494.500000	4.0	0.3	4.2	PASS
6457.500000	3.9	0.3	4.2	PASS
6482.500000	3.9	0.3	4.2	PASS
6430.500000	3.9	0.3	4.2	PASS
6492.500000	3.9	0.3	4.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6608.500000	4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6628.500000	4.4	0.0	4.4	PASS
6644.500000	4.3	0.1	4.4	PASS
6641.500000	4.2	0.2	4.4	PASS
6599.500000	4.1	0.3	4.4	PASS
6620.500000	4.1	0.3	4.4	PASS
6603.500000	4.1	0.3	4.4	PASS
6607.500000	4.1	0.3	4.4	PASS
6590.500000	4.1	0.3	4.4	PASS
6639.500000	4.1	0.3	4.4	PASS
6645.500000	4.1	0.3	4.4	PASS
6640.500000	4.1	0.3	4.4	PASS
6605.500000	4.1	0.3	4.4	PASS
6643.500000	4.0	0.4	4.4	PASS
6614.500000	4.0	0.4	4.4	PASS
6606.500000	4.0	0.4	4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6618.500000	4.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6618.500000	4.7	0.0	4.7	PASS
6588.500000	4.7	0.0	4.7	PASS
6596.500000	4.6	0.1	4.7	PASS
6611.500000	4.6	0.1	4.7	PASS
6592.500000	4.6	0.1	4.7	PASS
6601.500000	4.6	0.2	4.7	PASS
6598.500000	4.6	0.2	4.7	PASS
6609.500000	4.5	0.2	4.7	PASS
6605.500000	4.5	0.2	4.7	PASS
6590.500000	4.5	0.2	4.7	PASS
6616.500000	4.5	0.2	4.7	PASS
6595.500000	4.5	0.3	4.7	PASS
6607.500000	4.4	0.3	4.7	PASS
6612.500000	4.4	0.3	4.7	PASS
6599.500000	4.4	0.3	4.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6608.500000	4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6608.500000	4.0	0.0	4.0	PASS
6588.500000	3.9	0.1	4.0	PASS
6597.500000	3.9	0.1	4.0	PASS
6599.500000	3.9	0.2	4.0	PASS
6600.500000	3.8	0.2	4.0	PASS
6598.500000	3.7	0.3	4.0	PASS
6590.500000	3.7	0.3	4.0	PASS
6596.500000	3.7	0.3	4.0	PASS
6612.500000	3.7	0.3	4.0	PASS
6606.500000	3.6	0.4	4.0	PASS
6610.500000	3.6	0.4	4.0	PASS
6632.500000	3.6	0.4	4.0	PASS
6592.500000	3.6	0.4	4.0	PASS
6617.500000	3.6	0.4	4.0	PASS
6616.500000	3.6	0.4	4.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6612.500000	5.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6592.500000	5.2	0.0	5.2	PASS
6590.500000	5.2	0.1	5.2	PASS
6605.500000	4.9	0.3	5.2	PASS
6597.500000	4.8	0.4	5.2	PASS
6610.500000	4.8	0.4	5.2	PASS
6595.500000	4.8	0.4	5.2	PASS
6588.500000	4.8	0.5	5.2	PASS
6593.500000	4.8	0.5	5.2	PASS
6591.500000	4.7	0.5	5.2	PASS
6607.500000	4.7	0.5	5.2	PASS
6617.500000	4.7	0.5	5.2	PASS
6589.500000	4.7	0.5	5.2	PASS
6711.500000	4.7	0.6	5.2	PASS
6602.500000	4.6	0.6	5.2	PASS
6600.500000	4.6	0.6	5.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6764.500000	4.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6764.500000	4.2	0.0	4.2	PASS
6763.500000	4.2	0.0	4.2	PASS
6761.500000	4.1	0.2	4.2	PASS
6760.500000	4.1	0.2	4.2	PASS
6782.500000	4.0	0.3	4.2	PASS
6751.500000	4.0	0.3	4.2	PASS
6779.500000	3.9	0.3	4.2	PASS
6747.500000	3.9	0.3	4.2	PASS
6762.500000	3.9	0.3	4.2	PASS
6749.500000	3.9	0.3	4.2	PASS
6759.500000	3.9	0.3	4.2	PASS
6748.500000	3.8	0.4	4.2	PASS
6765.500000	3.8	0.4	4.2	PASS
6767.500000	3.8	0.5	4.2	PASS
6750.500000	3.7	0.5	4.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6754.500000	5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6750.500000	4.9	0.1	5.0	PASS
6755.500000	4.9	0.1	5.0	PASS
6758.500000	4.8	0.2	5.0	PASS
6766.500000	4.7	0.3	5.0	PASS
6752.500000	4.7	0.3	5.0	PASS
6759.500000	4.7	0.3	5.0	PASS
6747.500000	4.7	0.3	5.0	PASS
6757.500000	4.7	0.3	5.0	PASS
6760.500000	4.7	0.3	5.0	PASS
6753.500000	4.6	0.4	5.0	PASS
6749.500000	4.6	0.4	5.0	PASS
6763.500000	4.6	0.4	5.0	PASS
6816.500000	4.6	0.4	5.0	PASS
6761.500000	4.6	0.4	5.0	PASS
6756.500000	4.5	0.5	5.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6755.500000	5.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6755.500000	5.5	0.0	5.5	PASS
6749.500000	5.1	0.4	5.5	PASS
6752.500000	5.1	0.4	5.5	PASS
6750.500000	5.0	0.4	5.5	PASS
6754.500000	5.0	0.4	5.5	PASS
6753.500000	5.0	0.5	5.5	PASS
6758.500000	5.0	0.5	5.5	PASS
6809.500000	4.9	0.5	5.5	PASS
6775.500000	4.9	0.6	5.5	PASS
6756.500000	4.9	0.6	5.5	PASS
6757.500000	4.9	0.6	5.5	PASS
6794.500000	4.8	0.6	5.5	PASS
6751.500000	4.8	0.6	5.5	PASS
6818.500000	4.8	0.6	5.5	PASS
6779.500000	4.8	0.6	5.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6754.500000	5.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6754.500000	5.9	0.0	5.9	PASS
6832.500000	5.7	0.2	5.9	PASS
6751.500000	5.6	0.3	5.9	PASS
6821.500000	5.6	0.3	5.9	PASS
6749.500000	5.6	0.3	5.9	PASS
6833.500000	5.6	0.3	5.9	PASS
6813.500000	5.6	0.3	5.9	PASS
6836.500000	5.6	0.3	5.9	PASS
6794.500000	5.6	0.4	5.9	PASS
6755.500000	5.5	0.4	5.9	PASS
6750.500000	5.5	0.4	5.9	PASS
6792.500000	5.5	0.4	5.9	PASS
6806.500000	5.5	0.4	5.9	PASS
6829.500000	5.5	0.4	5.9	PASS
6790.500000	5.5	0.4	5.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6910.500000	4.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6907.500000	4.5	0.1	4.5	PASS
6909.500000	4.4	0.2	4.5	PASS
6908.500000	4.3	0.2	4.5	PASS
6924.500000	4.2	0.3	4.5	PASS
6921.500000	4.2	0.3	4.5	PASS
6922.500000	4.2	0.3	4.5	PASS
6919.500000	4.2	0.4	4.5	PASS
6912.500000	4.1	0.4	4.5	PASS
6911.500000	4.1	0.4	4.5	PASS
6925.500000	4.1	0.4	4.5	PASS
7002.500000	4.1	0.5	4.5	PASS
6927.500000	4.0	0.5	4.5	PASS
6915.500000	4.0	0.5	4.5	PASS
6929.500000	4.0	0.5	4.5	PASS
6917.500000	4.0	0.5	4.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6908.500000	5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6993.500000	4.9	0.2	5.0	PASS
6917.500000	4.8	0.3	5.0	PASS
6912.500000	4.7	0.3	5.0	PASS
6909.500000	4.7	0.3	5.0	PASS
6910.500000	4.7	0.3	5.0	PASS
6915.500000	4.7	0.3	5.0	PASS
6914.500000	4.7	0.4	5.0	PASS
6924.500000	4.6	0.4	5.0	PASS
6911.500000	4.6	0.4	5.0	PASS
6913.500000	4.6	0.4	5.0	PASS
6994.500000	4.6	0.4	5.0	PASS
6940.500000	4.6	0.4	5.0	PASS
6930.500000	4.5	0.5	5.0	PASS
6979.500000	4.5	0.5	5.0	PASS
6958.500000	4.5	0.5	5.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6918.500000	5.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6918.500000	5.3	0.0	5.3	PASS
6919.500000	5.3	0.0	5.3	PASS
6920.500000	5.2	0.1	5.3	PASS
6913.500000	5.2	0.2	5.3	PASS
6958.500000	5.1	0.2	5.3	PASS
6911.500000	5.1	0.2	5.3	PASS
6980.500000	5.1	0.3	5.3	PASS
6908.500000	5.1	0.3	5.3	PASS
6999.500000	5.0	0.3	5.3	PASS
6917.500000	5.0	0.3	5.3	PASS
6939.500000	5.0	0.3	5.3	PASS
6962.500000	5.0	0.3	5.3	PASS
6979.500000	5.0	0.3	5.3	PASS
6932.500000	5.0	0.4	5.3	PASS
6915.500000	5.0	0.4	5.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6912.500000	6.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6912.500000	6.7	0.0	6.7	PASS
6914.500000	6.6	0.1	6.7	PASS
6973.500000	6.4	0.3	6.7	PASS
6928.500000	6.4	0.3	6.7	PASS
6911.500000	6.4	0.3	6.7	PASS
6913.500000	6.4	0.4	6.7	PASS
6918.500000	6.3	0.4	6.7	PASS
6933.500000	6.3	0.4	6.7	PASS
6909.500000	6.3	0.4	6.7	PASS
6943.500000	6.3	0.4	6.7	PASS
6930.500000	6.3	0.4	6.7	PASS
6950.500000	6.3	0.5	6.7	PASS
6908.500000	6.3	0.5	6.7	PASS
6968.500000	6.2	0.5	6.7	PASS
6970.500000	6.2	0.5	6.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	Off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6088.505155	4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6112.497657	4.3	0.2	4.4	PASS
6085.506092	4.3	0.2	4.4	PASS
6090.004686	4.2	0.2	4.4	PASS
6084.006560	4.2	0.2	4.4	PASS
6069.011246	4.2	0.2	4.4	PASS
6167.980319	4.2	0.2	4.4	PASS
6100.501406	4.2	0.2	4.4	PASS
6164.981256	4.2	0.2	4.4	PASS
6091.504217	4.2	0.2	4.4	PASS
6239.957826	4.1	0.3	4.4	PASS
6124.493908	4.1	0.3	4.4	PASS
6242.956888	4.1	0.3	4.4	PASS
6173.978444	4.1	0.3	4.4	PASS
6099.001874	4.1	0.3	4.4	PASS
6096.002812	4.1	0.3	4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6049.517338	4.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6048.017807	4.7	0.0	4.7	PASS
6078.008435	4.7	0.0	4.7	PASS
6054.015933	4.7	0.0	4.7	PASS
6021.026242	4.7	0.1	4.7	PASS
6046.518276	4.7	0.1	4.7	PASS
6051.016870	4.6	0.1	4.7	PASS
6060.014058	4.6	0.1	4.7	PASS
6055.515464	4.6	0.1	4.7	PASS
6090.004686	4.6	0.1	4.7	PASS
6030.023430	4.6	0.1	4.7	PASS
6040.520150	4.6	0.1	4.7	PASS
6079.507966	4.6	0.1	4.7	PASS
6088.505155	4.6	0.2	4.7	PASS
6012.029053	4.6	0.2	4.7	PASS
6084.006560	4.5	0.2	4.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6260.951265	4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6256.452671	4.3	0.0	4.3	PASS
6259.451734	4.3	0.1	4.3	PASS
6247.455483	4.2	0.1	4.3	PASS
6251.954077	4.2	0.1	4.3	PASS
6257.952202	4.2	0.1	4.3	PASS
6238.458294	4.2	0.2	4.3	PASS
6245.955951	4.1	0.2	4.3	PASS
6254.953140	4.1	0.2	4.3	PASS
6236.958763	4.1	0.2	4.3	PASS
6230.960637	4.1	0.3	4.3	PASS
6229.461106	4.0	0.3	4.3	PASS
6232.460169	4.0	0.3	4.3	PASS
6196.471415	3.9	0.4	4.3	PASS
6250.454545	3.9	0.4	4.3	PASS
6209.967198	3.9	0.4	4.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6055.515464	4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6055.515464	4.6	0.0	4.6	PASS
6036.021556	4.5	0.1	4.6	PASS
6094.503280	4.5	0.1	4.6	PASS
6033.022493	4.4	0.1	4.6	PASS
6054.015933	4.4	0.2	4.6	PASS
6039.020619	4.3	0.2	4.6	PASS
6040.520150	4.3	0.2	4.6	PASS
6176.977507	4.3	0.2	4.6	PASS
6042.019681	4.3	0.2	4.6	PASS
6046.518276	4.3	0.3	4.6	PASS
6093.003749	4.3	0.3	4.6	PASS
6034.522024	4.3	0.3	4.6	PASS
6072.010309	4.2	0.3	4.6	PASS
6081.007498	4.2	0.3	4.6	PASS
6051.016870	4.2	0.3	4.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6223.013121	4.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6223.013121	4.5	0.0	4.5	PASS
6245.506092	4.5	0.0	4.5	PASS
6221.513590	4.5	0.0	4.5	PASS
6202.019681	4.5	0.0	4.5	PASS
6242.507029	4.5	0.0	4.5	PASS
6218.514527	4.4	0.1	4.5	PASS
6257.502343	4.4	0.1	4.5	PASS
6241.007498	4.4	0.1	4.5	PASS
6229.011246	4.4	0.1	4.5	PASS
6203.519213	4.3	0.2	4.5	PASS
6190.023430	4.3	0.2	4.5	PASS
6247.005623	4.3	0.2	4.5	PASS
6217.014995	4.3	0.2	4.5	PASS
6239.507966	4.3	0.2	4.5	PASS
6244.006560	4.3	0.2	4.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6121.044986	4.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6121.044986	4.5	0.0	4.5	PASS
6127.043112	4.4	0.0	4.5	PASS
6119.545455	4.4	0.1	4.5	PASS
6297.989691	4.4	0.1	4.5	PASS
6320.482662	4.4	0.1	4.5	PASS
6324.981256	4.4	0.1	4.5	PASS
6124.044049	4.4	0.1	4.5	PASS
6299.489222	4.4	0.1	4.5	PASS
6109.048735	4.4	0.1	4.5	PASS
6323.481724	4.3	0.1	4.5	PASS
6110.548266	4.3	0.1	4.5	PASS
6302.488285	4.3	0.2	4.5	PASS
6118.045923	4.3	0.2	4.5	PASS
6113.547329	4.3	0.2	4.5	PASS
6317.483599	4.3	0.2	4.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6396.958763	4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6324.981256	4.2	0.0	4.3	PASS
6330.979381	4.2	0.0	4.3	PASS
6296.490159	4.2	0.0	4.3	PASS
6407.455483	4.2	0.1	4.3	PASS
6399.957826	4.2	0.1	4.3	PASS
6339.976570	4.2	0.1	4.3	PASS
6333.978444	4.1	0.1	4.3	PASS
6326.480787	4.1	0.1	4.3	PASS
6359.470478	4.1	0.1	4.3	PASS
6371.466729	4.1	0.1	4.3	PASS
6293.491097	4.1	0.1	4.3	PASS
6309.985942	4.1	0.1	4.3	PASS
6312.985005	4.1	0.2	4.3	PASS
6270.998126	4.1	0.2	4.3	PASS
6318.983130	4.1	0.2	4.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6175.028116	6.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6175.028116	6.1	0.0	6.1	PASS
6154.034677	6.0	0.1	6.1	PASS
6160.032802	6.0	0.1	6.1	PASS
6173.528585	6.0	0.1	6.1	PASS
6259.001874	6.0	0.1	6.1	PASS
6190.023430	6.0	0.1	6.1	PASS
6196.021556	6.0	0.1	6.1	PASS
6133.041237	5.9	0.1	6.1	PASS
6137.539831	5.9	0.1	6.1	PASS
6176.527648	5.9	0.2	6.1	PASS
6131.541706	5.9	0.2	6.1	PASS
6149.536082	5.9	0.2	6.1	PASS
6130.042174	5.9	0.2	6.1	PASS
6275.496720	5.8	0.2	6.1	PASS
6178.027179	5.8	0.2	6.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6363.519213	5.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6381.513590	5.4	0.0	5.5	PASS
6380.014058	5.4	0.0	5.5	PASS
6378.514527	5.4	0.1	5.5	PASS
6405.506092	5.4	0.1	5.5	PASS
6404.006560	5.3	0.1	5.5	PASS
6324.531396	5.3	0.1	5.5	PASS
6341.026242	5.3	0.1	5.5	PASS
6383.013121	5.3	0.1	5.5	PASS
6360.520150	5.3	0.2	5.5	PASS
6321.532334	5.2	0.2	5.5	PASS
6326.030928	5.2	0.2	5.5	PASS
6365.018744	5.2	0.2	5.5	PASS
6356.021556	5.2	0.3	5.5	PASS
6407.005623	5.2	0.3	5.5	PASS
6366.518276	5.2	0.3	5.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6320.032802	6.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6320.032802	6.0	0.0	6.0	PASS
6323.031865	6.0	0.0	6.0	PASS
6338.027179	5.9	0.1	6.0	PASS
6420.501406	5.8	0.2	6.0	PASS
6299.039363	5.7	0.3	6.0	PASS
6321.532334	5.7	0.3	6.0	PASS
6282.544517	5.7	0.3	6.0	PASS
6341.026242	5.6	0.4	6.0	PASS
6381.513590	5.6	0.4	6.0	PASS
6442.994377	5.6	0.4	6.0	PASS
6362.019681	5.6	0.4	6.0	PASS
6339.526710	5.6	0.4	6.0	PASS
6281.044986	5.6	0.4	6.0	PASS
6279.545455	5.6	0.4	6.0	PASS
6399.507966	5.6	0.4	6.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6429.498594	4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6429.498594	4.4	0.0	4.4	PASS
6414.503280	4.4	0.0	4.4	PASS
6408.505155	4.3	0.1	4.4	PASS
6378.514527	4.3	0.1	4.4	PASS
6380.014058	4.3	0.1	4.4	PASS
6354.522024	4.3	0.1	4.4	PASS
6436.996251	4.2	0.1	4.4	PASS
6407.005623	4.2	0.2	4.4	PASS
6450.492034	4.2	0.2	4.4	PASS
6416.002812	4.2	0.2	4.4	PASS
6399.507966	4.2	0.2	4.4	PASS
6392.010309	4.2	0.2	4.4	PASS
6401.007498	4.1	0.3	4.4	PASS
6444.493908	4.1	0.3	4.4	PASS
6430.998126	4.1	0.3	4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6279.545455	5.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6294.540769	5.6	0.1	5.7	PASS
6276.546392	5.5	0.1	5.7	PASS
6297.539831	5.5	0.2	5.7	PASS
6288.542643	5.5	0.2	5.7	PASS
6272.047798	5.4	0.2	5.7	PASS
6314.034677	5.4	0.2	5.7	PASS
6273.547329	5.4	0.3	5.7	PASS
6275.046860	5.4	0.3	5.7	PASS
6284.044049	5.4	0.3	5.7	PASS
6332.029053	5.3	0.3	5.7	PASS
6311.035614	5.3	0.3	5.7	PASS
6291.541706	5.3	0.3	5.7	PASS
6296.040300	5.3	0.3	5.7	PASS
6317.033739	5.3	0.4	5.7	PASS
6287.043112	5.3	0.4	5.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6484.531396	4.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6517.521087	4.7	0.1	4.8	PASS
6444.044049	4.6	0.2	4.8	PASS
6463.537957	4.5	0.2	4.8	PASS
6523.519213	4.5	0.3	4.8	PASS
6486.030928	4.5	0.3	4.8	PASS
6442.544517	4.5	0.3	4.8	PASS
6429.048735	4.4	0.3	4.8	PASS
6541.513590	4.4	0.3	4.8	PASS
6480.032802	4.4	0.3	4.8	PASS
6436.546392	4.4	0.4	4.8	PASS
6487.530459	4.4	0.4	4.8	PASS
6481.532334	4.4	0.4	4.8	PASS
6441.044986	4.4	0.4	4.8	PASS
6489.029991	4.4	0.4	4.8	PASS
6448.542643	4.4	0.4	4.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6436.546392	5.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6436.546392	5.1	0.0	5.1	PASS
6459.039363	5.1	0.0	5.1	PASS
6477.033739	4.9	0.1	5.1	PASS
6441.044986	4.9	0.1	5.1	PASS
6460.538894	4.9	0.2	5.1	PASS
6462.038425	4.9	0.2	5.1	PASS
6472.535145	4.8	0.3	5.1	PASS
6444.044049	4.8	0.3	5.1	PASS
6577.502343	4.8	0.3	5.1	PASS
6480.032802	4.8	0.3	5.1	PASS
6456.040300	4.7	0.3	5.1	PASS
6580.501406	4.7	0.4	5.1	PASS
6481.532334	4.7	0.4	5.1	PASS
6499.526710	4.7	0.4	5.1	PASS
6438.045923	4.7	0.4	5.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6475.534208	3.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6475.534208	3.8	0.0	3.8	PASS
6430.548266	3.8	0.0	3.8	PASS
6444.044049	3.8	0.1	3.8	PASS
6474.034677	3.8	0.1	3.8	PASS
6433.547329	3.8	0.1	3.8	PASS
6436.546392	3.8	0.1	3.8	PASS
6495.028116	3.8	0.1	3.8	PASS
6429.048735	3.7	0.1	3.8	PASS
6447.043112	3.7	0.2	3.8	PASS
6435.046860	3.7	0.2	3.8	PASS
6445.543580	3.7	0.2	3.8	PASS
6459.039363	3.7	0.2	3.8	PASS
6439.545455	3.7	0.2	3.8	PASS
6457.539831	3.6	0.2	3.8	PASS
6450.042174	3.6	0.2	3.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6576.002812	4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6474.034677	4.1	0.3	4.4	PASS
6590.998126	4.1	0.3	4.4	PASS
6573.003749	4.1	0.3	4.4	PASS
6579.001874	4.1	0.3	4.4	PASS
6595.496720	4.1	0.3	4.4	PASS
6571.504217	4.1	0.3	4.4	PASS
6454.540769	4.1	0.3	4.4	PASS
6589.498594	4.1	0.3	4.4	PASS
6433.547329	4.0	0.4	4.4	PASS
6489.029991	4.0	0.4	4.4	PASS
6570.004686	4.0	0.4	4.4	PASS
6471.035614	4.0	0.4	4.4	PASS
6593.997188	4.0	0.4	4.4	PASS
6496.527648	4.0	0.4	4.4	PASS
6432.047798	4.0	0.4	4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6605.543580	5.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6644.531396	5.1	0.0	5.1	PASS
6643.031865	5.1	0.0	5.1	PASS
6646.030928	5.0	0.1	5.1	PASS
6602.544517	5.0	0.1	5.1	PASS
6604.044049	5.0	0.1	5.1	PASS
6640.032802	5.0	0.1	5.1	PASS
6622.038425	5.0	0.1	5.1	PASS
6620.538894	4.9	0.1	5.1	PASS
6641.532334	4.9	0.1	5.1	PASS
6601.044986	4.9	0.2	5.1	PASS
6607.043112	4.9	0.2	5.1	PASS
6608.542643	4.9	0.2	5.1	PASS
6628.036551	4.9	0.2	5.1	PASS
6635.534208	4.8	0.2	5.1	PASS
6629.536082	4.8	0.3	5.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6595.046860	5.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6593.547329	5.5	0.0	5.6	PASS
6598.045923	5.5	0.0	5.6	PASS
6602.544517	5.5	0.1	5.6	PASS
6599.545455	5.5	0.1	5.6	PASS
6596.546392	5.5	0.1	5.6	PASS
6590.548266	5.4	0.1	5.6	PASS
6592.047798	5.4	0.2	5.6	PASS
6589.048735	5.4	0.2	5.6	PASS
6610.042174	5.4	0.2	5.6	PASS
6620.538894	5.4	0.2	5.6	PASS
6607.043112	5.4	0.2	5.6	PASS
6604.044049	5.4	0.2	5.6	PASS
6601.044986	5.4	0.2	5.6	PASS
6619.039363	5.3	0.3	5.6	PASS
6614.540769	5.3	0.3	5.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6610.042174	5.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6592.047798	5.0	0.0	5.1	PASS
6590.548266	5.0	0.0	5.1	PASS
6613.041237	5.0	0.1	5.1	PASS
6608.542643	5.0	0.1	5.1	PASS
6593.547329	5.0	0.1	5.1	PASS
6611.541706	5.0	0.1	5.1	PASS
6607.043112	4.9	0.1	5.1	PASS
6605.543580	4.9	0.1	5.1	PASS
6614.540769	4.9	0.2	5.1	PASS
6595.046860	4.8	0.2	5.1	PASS
6596.546392	4.8	0.2	5.1	PASS
6631.035614	4.8	0.3	5.1	PASS
6619.039363	4.8	0.3	5.1	PASS
6617.539831	4.8	0.3	5.1	PASS
6589.048735	4.8	0.3	5.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6592.047798	5.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6610.042174	5.9	0.0	5.9	PASS
6730.004686	5.9	0.0	5.9	PASS
6595.046860	5.8	0.1	5.9	PASS
6712.010309	5.8	0.1	5.9	PASS
6715.009372	5.8	0.1	5.9	PASS
6589.048735	5.8	0.1	5.9	PASS
6593.547329	5.8	0.1	5.9	PASS
6734.503280	5.8	0.1	5.9	PASS
6611.541706	5.8	0.1	5.9	PASS
6733.003749	5.8	0.1	5.9	PASS
6731.504217	5.8	0.1	5.9	PASS
6596.546392	5.8	0.1	5.9	PASS
6590.548266	5.8	0.1	5.9	PASS
6710.510778	5.8	0.1	5.9	PASS
6613.041237	5.8	0.2	5.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6764.044049	4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6761.044986	4.3	0.1	4.4	PASS
6767.043112	4.3	0.1	4.4	PASS
6762.544517	4.3	0.1	4.4	PASS
6765.543580	4.2	0.1	4.4	PASS
6768.542643	4.1	0.2	4.4	PASS
6758.045923	4.1	0.3	4.4	PASS
6759.545455	4.0	0.3	4.4	PASS
6756.546392	4.0	0.3	4.4	PASS
6749.048735	4.0	0.4	4.4	PASS
6782.038425	4.0	0.4	4.4	PASS
6753.547329	4.0	0.4	4.4	PASS
6780.538894	4.0	0.4	4.4	PASS
6774.540769	3.9	0.4	4.4	PASS
6752.047798	3.9	0.5	4.4	PASS
6750.548266	3.9	0.5	4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6752.047798	4.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6755.046860	4.8	0.1	4.9	PASS
6758.045923	4.8	0.1	4.9	PASS
6749.048735	4.7	0.1	4.9	PASS
6753.547329	4.7	0.1	4.9	PASS
6756.546392	4.7	0.2	4.9	PASS
6750.548266	4.7	0.2	4.9	PASS
6761.044986	4.6	0.2	4.9	PASS
6759.545455	4.5	0.3	4.9	PASS
6765.543580	4.5	0.3	4.9	PASS
6762.544517	4.5	0.4	4.9	PASS
6768.542643	4.4	0.4	4.9	PASS
6767.043112	4.4	0.5	4.9	PASS
6764.044049	4.4	0.5	4.9	PASS
6771.541706	4.3	0.5	4.9	PASS
6776.040300	4.3	0.6	4.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6752.047798	5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6752.047798	5.0	0.0	5.0	PASS
6750.548266	4.9	0.0	5.0	PASS
6749.048735	4.9	0.1	5.0	PASS
6753.547329	4.8	0.1	5.0	PASS
6756.546392	4.7	0.2	5.0	PASS
6758.045923	4.7	0.2	5.0	PASS
6755.046860	4.7	0.2	5.0	PASS
6774.540769	4.7	0.3	5.0	PASS
6759.545455	4.7	0.3	5.0	PASS
6768.542643	4.7	0.3	5.0	PASS
6773.041237	4.7	0.3	5.0	PASS
6762.544517	4.7	0.3	5.0	PASS
6770.042174	4.6	0.3	5.0	PASS
6764.044049	4.6	0.3	5.0	PASS
6776.040300	4.6	0.3	5.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6750.548266	6.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6749.048735	6.2	0.0	6.2	PASS
6752.047798	6.2	0.0	6.2	PASS
6792.535145	6.2	0.1	6.2	PASS
6753.547329	6.2	0.1	6.2	PASS
6755.046860	6.1	0.2	6.2	PASS
6812.029053	6.0	0.2	6.2	PASS
6375.665417	-34.0	0.2	-33.8	PASS
6852.516401	6.0	0.2	6.2	PASS
6770.042174	6.0	0.2	6.2	PASS
6374.165886	-34.0	0.2	-33.8	PASS
6810.529522	6.0	0.2	6.2	PASS
6771.541706	6.0	0.2	6.2	PASS
6773.041237	6.0	0.2	6.2	PASS
6809.029991	6.0	0.2	6.2	PASS
6807.530459	6.0	0.2	6.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

Beamforming on

Emission Bandwidth 26 dB (5955 MHz; 11be20 (20 MHz)) - Ant0


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5955.000000	21.900000	---	320.000000	5944.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
5955.000000	5965.950000	---	3.6	PASS

26 dB B a n d w i d t h



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.93500 GHz	5.93500 GHz
Stop Frequency	5.97500 GHz	5.97500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (5955 MHz; 11be20 (20 MHz)) - Ant1


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5955.000000	22.800000	---	320.000000	5943.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
5955.000000	5966.350000	---	-0.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.93500 GHz	5.93500 GHz
Stop Frequency	5.97500 GHz	5.97500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (5955 MHz; 11be20 (20 MHz)) - Ant2


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5955.000000	22.600000	---	320.000000	5943.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
5955.000000	5966.250000	---	-1.0	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.93500 GHz	5.93500 GHz
Stop Frequency	5.97500 GHz	5.97500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (5955 MHz; 11be20 (20 MHz)) - Ant3


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5955.000000	22.500000	---	320.000000	5943.950000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
5955.000000	5966.450000	---	-0.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.93500 GHz	5.93500 GHz
Stop Frequency	5.97500 GHz	5.97500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6175 MHz; 11be20 (20 MHz)) - Ant0


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6175.000000	21.500000	---	320.000000	6164.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6175.000000	6186.050000	---	2.9	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.15500 GHz	6.15500 GHz
Stop Frequency	6.19500 GHz	6.19500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6175 MHz; 11be20 (20 MHz)) - Ant1


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6175.000000	21.000000	---	320.000000	6164.350000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6175.000000	6185.350000	---	0.9	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.15500 GHz	6.15500 GHz
Stop Frequency	6.19500 GHz	6.19500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6175 MHz; 11be20 (20 MHz)) - Ant2


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6175.000000	22.400000	---	320.000000	6163.850000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6175.000000	6186.250000	---	-0.7	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.15500 GHz	6.15500 GHz
Stop Frequency	6.19500 GHz	6.19500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6175 MHz; 11be20 (20 MHz)) - Ant3


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6175.000000	22.200000	---	320.000000	6163.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6175.000000	6185.850000	---	2.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.15500 GHz	6.15500 GHz
Stop Frequency	6.19500 GHz	6.19500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6415 MHz; 11be20 (20 MHz)) - Ant0


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6415.000000	21.600000	---	320.000000	6404.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6415.000000	6425.850000	---	5.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.39500 GHz	6.39500 GHz
Stop Frequency	6.43500 GHz	6.43500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6415 MHz; 11be20 (20 MHz)) - Ant1


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6415.000000	22.900000	---	320.000000	6403.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6415.000000	6426.450000	---	1.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.39500 GHz	6.39500 GHz
Stop Frequency	6.43500 GHz	6.43500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6415 MHz; 11be20 (20 MHz)) - Ant2


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6415.000000	22.500000	---	320.000000	6404.150000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6415.000000	6426.650000	---	2.3	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.39500 GHz	6.39500 GHz
Stop Frequency	6.43500 GHz	6.43500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6415 MHz; 11be20 (20 MHz)) - Ant3


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6415.000000	21.900000	---	320.000000	6404.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6415.000000	6425.950000	---	3.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.39500 GHz	6.39500 GHz
Stop Frequency	6.43500 GHz	6.43500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6435 MHz; 11be20 (20 MHz)) - Ant0


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6435.000000	22.000000	---	320.000000	6424.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6435.000000	6446.050000	---	5.3	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.41500 GHz	6.41500 GHz
Stop Frequency	6.45500 GHz	6.45500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6435 MHz; 11be20 (20 MHz)) - Ant1


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6435.000000	22.700000	---	320.000000	6423.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6435.000000	6446.250000	---	3.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.41500 GHz	6.41500 GHz
Stop Frequency	6.45500 GHz	6.45500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6435 MHz; 11be20 (20 MHz)) - Ant2


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6435.000000	21.800000	---	320.000000	6423.950000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6435.000000	6445.750000	---	2.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.41500 GHz	6.41500 GHz
Stop Frequency	6.45500 GHz	6.45500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6435 MHz; 11be20 (20 MHz)) - Ant3


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6435.000000	21.800000	---	320.000000	6424.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6435.000000	6446.450000	---	1.8	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.41500 GHz	6.41500 GHz
Stop Frequency	6.45500 GHz	6.45500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6475 MHz; 11be20 (20 MHz)) - Ant0


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6475.000000	21.400000	---	320.000000	6464.350000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6475.000000	6485.750000	---	5.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.45500 GHz	6.45500 GHz
Stop Frequency	6.49500 GHz	6.49500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6475 MHz; 11be20 (20 MHz)) - Ant1


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6475.000000	22.700000	---	320.000000	6463.350000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6475.000000	6486.050000	---	3.3	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.45500 GHz	6.45500 GHz
Stop Frequency	6.49500 GHz	6.49500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6475 MHz; 11be20 (20 MHz)) - Ant2


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6475.000000	22.800000	---	320.000000	6463.950000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6475.000000	6486.750000	---	3.0	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.45500 GHz	6.45500 GHz
Stop Frequency	6.49500 GHz	6.49500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	128 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6475 MHz; 11be20 (20 MHz)) - Ant3


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6475.000000	22.800000	---	320.000000	6463.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6475.000000	6486.350000	---	1.7	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.45500 GHz	6.45500 GHz
Stop Frequency	6.49500 GHz	6.49500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6515 MHz; 11be20 (20 MHz)) - Ant0


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6515.000000	22.100000	---	320.000000	6503.950000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6515.000000	6526.050000	---	5.6	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.49500 GHz	6.49500 GHz
Stop Frequency	6.53500 GHz	6.53500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6515 MHz; 11be20 (20 MHz)) - Ant1


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6515.000000	22.500000	---	320.000000	6503.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6515.000000	6526.250000	---	2.6	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.49500 GHz	6.49500 GHz
Stop Frequency	6.53500 GHz	6.53500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6515 MHz; 11be20 (20 MHz)) - Ant2


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6515.000000	22.600000	---	320.000000	6503.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6515.000000	6526.250000	---	2.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.49500 GHz	6.49500 GHz
Stop Frequency	6.53500 GHz	6.53500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6515 MHz; 11be20 (20 MHz)) - Ant3


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6515.000000	22.600000	---	320.000000	6503.850000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6515.000000	6526.450000	---	1.6	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.49500 GHz	6.49500 GHz
Stop Frequency	6.53500 GHz	6.53500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6535 MHz; 11be20 (20 MHz)) - Ant0


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6535.000000	21.600000	---	320.000000	6524.150000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6535.000000	6545.750000	---	5.2	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.51500 GHz	6.51500 GHz
Stop Frequency	6.55500 GHz	6.55500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6535 MHz; 11be20 (20 MHz)) - Ant1


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6535.000000	22.600000	---	320.000000	6523.850000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6535.000000	6546.450000	---	3.0	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.51500 GHz	6.51500 GHz
Stop Frequency	6.55500 GHz	6.55500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6535 MHz; 11be20 (20 MHz)) - Ant2


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6535.000000	22.300000	---	320.000000	6523.850000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6535.000000	6546.150000	---	1.9	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.51500 GHz	6.51500 GHz
Stop Frequency	6.55500 GHz	6.55500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6535 MHz; 11be20 (20 MHz)) - Ant3


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6535.000000	21.400000	---	320.000000	6523.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6535.000000	6545.050000	---	3.6	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.51500 GHz	6.51500 GHz
Stop Frequency	6.55500 GHz	6.55500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6695 MHz; 11be20 (20 MHz)) - Ant0


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6695.000000	21.800000	---	320.000000	6683.950000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6695.000000	6705.750000	---	4.9	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.67500 GHz	6.67500 GHz
Stop Frequency	6.71500 GHz	6.71500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6695 MHz; 11be20 (20 MHz)) - Ant1


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6695.000000	22.700000	---	320.000000	6683.450000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6695.000000	6706.150000	---	2.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.67500 GHz	6.67500 GHz
Stop Frequency	6.71500 GHz	6.71500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB