




Japan

**[11n(HT20)]**  
**W53 / Channel Low**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1035  
Serial No. : N/A  
Test mode : 5GHz\_W53\_11n(HT20)\_Tx\_ch:Low

Standard : FCC Part.15 subpart E  
Operator : T.Watanabe  
Temp,Hum : 23.8[°C] 35.3[%]  
Note1 : CH:52 5260MHz  
Note2 :

[dB(μV/m)]



<FCC B\_3m>  
Limit(QP)  
<13\_MHz\_Tx\_W53\_11n(HT20)\_Low>  
Peak level(H,PK)  
Peak level(V,PK)

Final Result


No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	

- Note:
- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
  - No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT20)]**  
**W53 / Channel Low**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1035  
 Serial No. : N/A  
 Test mode : 5GHz\_W53\_11n(HT20)\_Tx\_Low

Standard : FCC Part.15 subpart E  
 Operator : T.Watanabe  
 Temp,Hum,Atm : 23.0[°C] 35.8[%]  
 Note1 : ch:52\_5260MHz  
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]
1	10520.000	H	46.4	10.9	57.3	68.2	10.9	134.0	171.0

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

**[11n(HT20)]**  
**W53 / Channel Middle**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1035  
Serial No. : N/A  
Test mode : 5GHz\_W53\_11n(HT20)\_Tx\_ch:Mid

Standard : FCC Part.15 subpart E  
Operator : T.Watanabe  
Temp,Hum : 23.8[°C] 35.3[%]  
Note1 : CH:56 5280MHz  
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT20)]**  
**W53 / Channel Middle**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1035  
 Serial No. : N/A  
 Test mode : 5GHz\_W53\_11n(HT20)\_Tx\_Middle

Standard : FCC Part.15 subpart E  
 Operator : T.Watanabe  
 Temp,Hum,Atm : 23.0[°C] 35.8[%]  
 Note1 : ch:56\_5280MHz  
 Note2 :



**Final Result**

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10560.000	H	45.2	11.0	56.2	68.2	12.0	177.0	129.0	

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

**[11n(HT20)]**  
**W53 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1035  
Serial No. : N/A  
Test mode : 5GHz\_W53\_11n(HT20)\_Tx\_ch:High

Standard : FCC Part.15 subpart E  
Operator : T.Watanabe  
Temp,Hum : 23.8[°C] 35.3[%]  
Note1 : CH:64 5320MHz  
Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

**[11n(HT20)]**  
**W53 / Channel High**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1035  
Serial No. : N/A  
Test mode : 5GHz\_W53\_11n(HT20)\_Tx\_High

Standard : FCC Part.15 subpart E  
Operator : T.Watanabe  
Temp,Hum,Atm : 23.0[°C] 35.8[%]  
Note1 : ch:64\_5320MHz  
Note2 :

[dB(μV/m)]



<FCC E\_GHz(Peak\_Only)\_3m>  
Limit(PK)  
<06\_GHz\_Tx\_W53\_11n(HT20)\_High>  
Peak level(H,PK)  
Peak level(V,PK)  
Emission level(H,PK)  
妨害レベル(H,CAV)

Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	10640.000	H	45.5	33.1	11.2	56.7	44.3	74.0	17.3	9.7	171.0	250.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT20)]**  
**W56 / Channel Low**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1035  
Serial No. : N/A  
Test mode : 5GHz\_W56\_11n(HT20)\_Tx\_ch:Low

Standard : FCC Part.15 subpart E  
Operator : T.Watanabe  
Temp,Hum : 23.8[°C] 35.3[%]  
Note1 : CH:100 5500MHz  
Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

**[11n(HT20)]**  
**W56 / Channel Low**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1035  
Serial No. : N/A  
Test mode : 5GHz\_W56\_11n(HT20)\_Tx\_Low

Standard : FCC Part.15 subpart E  
Operator : T.Watanabe  
Temp,Hum,Atm : 23.0[°C] 35.8[%]  
Note1 : ch:100\_5500MHz  
Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	5469.900	H	53.5	-----	11.3	64.8	-----	68.2	3.4	-----	197.0	86.0	
2	5464.700	V	50.4	-----	11.3	61.7	-----	68.2	6.5	-----	195.0	326.0	
3	11000.000	H	44.2	32.5	11.9	56.1	44.4	74.0	17.9	9.6	147.0	45.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.






Japan

**[11n(HT20)]**  
**W56 / Channel Middle**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1035  
Serial No. : N/A  
Test mode : 5GHz\_W56\_11n(HT20)\_Tx\_ch:Mid

Standard : FCC Part.15 subpart E  
Operator : T.Watanabe  
Temp,Hum : 23.8[°C] 35.3[%]  
Note1 : CH:116 5580MHz  
Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT20)]**  
**W56 / Channel Middle**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1035  
 Serial No. : N/A  
 Test mode : 5GHz\_W56\_11n(HT20)\_Tx\_Middle

Standard : FCC Part.15 subpart E  
 Operator : T.Watanabe  
 Temp,Hum,Atm : 23.0[°C] 35.8[%]  
 Note1 : ch:116\_5580MHz  
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	11160.000	H	45.1	32.9	12.0	57.1	44.9	74.0	16.9	9.1	139.0	161.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT20)]**  
**W56 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1035  
 Serial No. : N/A  
 Test mode : 5GHz\_W56\_11n(HT20)\_Tx\_ch:High

Standard : FCC Part.15 subpart E  
 Operator : T.Watanabe  
 Temp,Hum : 24.1[°C] 36.1[%]  
 Note1 : CH:140 5700MHz  
 Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

**[11n(HT20)]**  
**W56 / Channel High**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1035  
Serial No. : N/A  
Test mode : 5GHz\_W56\_11n(HT20)\_Tx\_High

Standard : FCC Part.15 subpart E  
Operator : T.Watanabe  
Temp,Hum,Atm : 23.0[°C] 35.8[%]  
Note1 : ch:140\_5700MHz  
Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	11400.000	H	45.1	33.3	12.1	57.2	45.4	74.0	16.8	8.6	130.0	116.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W52 / Channel Low**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1035  
 Serial No. : N/A  
 Test mode : 5GHz\_W52\_11n(HT40)\_Tx\_ch:Low

Standard : FCC Part.15 subpart E  
 Operator : T.Watanabe  
 Temp,Hum : 24.1[°C] 36.1[%]  
 Note1 : CH:38 5190MHz  
 Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W52 / Channel Low**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1035  
 Serial No. : N/A  
 Test mode : 5GHz\_W52\_11n(HT40)\_Tx\_Low

Standard : FCC Part.15 subpart E  
 Operator : T.Watanabe  
 Temp,Hum,Atm : 23.0[°C] 35.8[%]  
 Note1 : ch:38\_5190MHz  
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB( $\mu$ V)]	c. f [dB(1/m)]	Result PK [dB( $\mu$ V/m)]	Limit PK [dB( $\mu$ V/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10380.000	H	45.4	10.7	56.1	68.2	12.1	120.0	194.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W52 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1035  
 Serial No. : N/A  
 Test mode : 5GHz\_W52\_11n(HT40)\_Tx\_ch:High

Standard : FCC Part.15 subpart E  
 Operator : T.Watanabe  
 Temp,Hum : 24.1[°C] 36.1[%]  
 Note1 : CH:46 5230MHz  
 Note2 :

[dB(μV/m)]



<FCC B\_3m>  
 Limit(QP)  
 <09\_MHz\_Tx\_W52\_11n(HT40)\_High>  
 Peak level(H,PK)  
 Peak level(V,PK)

Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W52 / Channel High**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1035  
 Serial No. : N/A  
 Test mode : 5GHz\_W52\_11n(HT40)\_Tx\_High

Standard : FCC Part.15 subpart C  
 Operator : T.Watanabe  
 Temp,Hum,Atm : 22.0[°C] 36.9[%]  
 Note1 : ch:46\_5230MHz  
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10460.000	H	44.5	10.8	55.3	68.2	12.9	149.0	292.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.






Japan

**[11n(HT40)]**  
**W53 / Channel Low**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1035  
Serial No. : N/A  
Test mode : 5GHz\_W53\_11n(HT40)\_Tx\_ch:Low

Standard : FCC Part.15 subpart E  
Operator : T.Watanabe  
Temp,Hum : 24.1[°C] 36.1[%]  
Note1 : CH:54 5270MHz  
Note2 :

[dB(μ V/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB (1/m)]	[cm]	[° ]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W53 / Channel Low**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1035  
 Serial No. : N/A  
 Test mode : 5GHz\_W53\_11n(HT40)\_Tx\_Low

Standard : FCC Part.15 subpart E  
 Operator : T.Watanabe  
 Temp,Hum,Atm : 22.0[°C] 36.9[%]  
 Note1 : ch:54\_5270MHz  
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10540.000	H	45.0	11.0	56.0	68.2	12.2	159.0	152.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W53 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1035  
 Serial No. : N/A  
 Test mode : 5GHz\_W53\_11n(HT40)\_Tx\_ch:High

Standard : FCC Part.15 subpart E  
 Operator : T.Watanabe  
 Temp,Hum : 24.1[°C] 36.1[%]  
 Note1 : CH:62 5310MHz  
 Note2 :

[dB(μV/m)]



<FCC B\_3m>  
 Limit(QP)  
 <11\_MHz\_Tx\_W53\_11n(HT40)\_High>  
 Peak level(H,PK)  
 Peak level(V,PK)

## Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

## Note:


1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W53 / Channel High**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1035  
 Serial No. : N/A  
 Test mode : 5GHz\_W53\_11n(HT40)\_Tx\_High

Standard : FCC Part.15 subpart E  
 Operator : T.Watanabe  
 Temp,Hum,Atm : 22.0[°C] 36.9[%]  
 Note1 : ch:62\_5310MHz  
 Note2 :

[dB(μV/m)]



<FCC E GHz(Peak Only) 3m>  
 Limit(PK)  
 <04\_GHz\_Tx\_W53\_11n(HT40)\_High>  
 Peak level(H,PK)  
 Peak level(V,PK)  
 Emission level(H,PK)  
 妨害レベル(H,CAV)

## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	10620.000	H	44.8	33.0	11.2	56.0	44.2	74.0	18.0	9.8	160.0	269.0	

## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

**[11n(HT40)]**  
**W56 / Channel Low**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1035  
Serial No. : N/A  
Test mode : 5GHz\_W56\_11n(HT40)\_Tx\_ch:Low

Standard : FCC Part.15 subpart E  
Operator : T.Watanabe  
Temp,Hum : 24.1[°C] 36.1[%]  
Note1 : CH:102 5510MHz  
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W56 / Channel Low**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1035  
 Serial No. : N/A  
 Test mode : 5GHz\_W56\_11n(HT40)\_Tx\_Low

Standard : FCC Part.15 subpart E  
 Operator : T.Watanabe  
 Temp,Hum,Atm : 22.0[°C] 36.9[%]  
 Note1 : ch:102\_5510MHz  
 Note2 :



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	5467.900	H	56.3	-----	11.3	67.6	-----	68.2	0.6	-----	114.0	96.0	
2	5469.700	V	50.7	-----	11.3	62.0	-----	68.2	6.2	-----	106.0	207.0	
3	11020.000	H	45.4	33.0	11.9	57.3	44.9	74.0	16.7	9.1	141.0	93.0	

## Note:

- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

**[11n(HT40)]**  
**W56 / Channel Middle**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1035  
Serial No. : N/A  
Test mode : 5GHz\_W56\_11n(HT40)\_Tx\_ch:Mid

Standard : FCC Part.15 subpart E  
Operator : T.Watanabe  
Temp,Hum : 24.1[°C] 36.1[%]  
Note1 : CH:110 5550MHz  
Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**[11n(HT40)]**  
**W56 / Channel Middle**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Mobile Phone  
 Model No. : EB1035  
 Serial No. : N/A  
 Test mode : 5GHz W56\_11n(HT40)\_Tx.Middle

Standard : FCC Part.15 subpart E  
 Operator : T.Watanabe  
 Temp,Hum,Atm : 22.0[°C] 36.9[%]  
 Note1 : ch:110\_5550MHz  
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	11100.000	H	44.0	32.9	11.9	55.9	44.8	74.0	18.1	9.2	117.0	168.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.






Japan

**[11n(HT40)]**  
**W56 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1035  
Serial No. : N/A  
Test mode : 5GHz\_W56\_11n(HT40)\_Tx\_ch:High

Standard : FCC Part.15 subpart E  
Operator : T.Watanabe  
Temp,Hum : 24.1[°C] 36.1[%]  
Note1 : CH:134 5670MHz  
Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

**[11n(HT40)]**  
**W56 / Channel High**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
EUT : Mobile Phone  
Model No. : EB1035  
Serial No. : N/A  
Test mode : 5GHz\_W56\_11n(HT40)\_Tx\_High

Standard : FCC Part.15 subpart E  
Operator : T.Watanabe  
Temp,Hum,Atm : 22.0[°C] 36.9[%]  
Note1 : ch:134\_5670MHz  
Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	11340.000	H	44.8	35.3	12.2	57.0	47.5	74.0	17.0	6.5	100.0	93.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.