


Intertek Testing Services
RF VOLTAGE

EUT: MWL-34B1
Manuf: Microlink
Op Cond: LISN-L
Operator: Jerry
Test Spec: FCC 15 Class B
Comment: EMI RCV:825788/014
120V 60Hz 22'C 53%RH Tx at low channel
Date: 29. Apr 03 10:40

Scan Settings (1 Range)			Receiver Settings				
----- Frequencies -----			-----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: MWL-34B1
Manuf: Microlink
Op Cond: LISN-N
Operator: Jerry
Test Spec: FCC 15 Class B
Comment: EMI RCV:825788/014
120V 60Hz 22'C 53%RH Tx at low channel
Date: 29. Apr 03 10:48

Scan Settings (1 Range)
|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp
150k 30M 8k 9k PK 20ms AUTO LN OFF

Final Measurement: x QP / + AV
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: MWL-34B1
Manuf: Microlink
Op Cond: LISN-L
Operator: Jerry
Test Spec: FCC 15 Class B
Comment: EMI RCV:825788/014
120V 60Hz 22'C 53%RH Tx at middle channel
Date: 29. Apr 03 11:03

Scan Settings (1 Range)			Receiver Settings				
----- Frequencies -----			-----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: MWL-34B1
Manuf: Microlink
Op Cond: LISN-N
Operator: Jerry
Test Spec: FCC 15 Class B
Comment: EMI RCV:825788/014
120V 60Hz 22'C 53%RH Tx at middle channel
Date: 29. Apr 03 10:57

Scan Settings (1 Range)
|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp
150k 30M 8k 9k PK 20ms AUTO LN OFF

Final Measurement: x QP / + AV
Meas Time: 1 s




Intertek Testing Services

RF VOLTAGE

EUT: MWL-34B1
Manuf: Microlink
Op Cond: LISN-L
Operator: Jerry
Test Spec: FCC 15 Class B
Comment: EMI RCV:825788/014
120V 60Hz 22'C 53%RH Tx at high channel
Date: 29. Apr 03 11:09

Scan Settings (1 Range)			Receiver Settings				
----- Frequencies -----			-----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services
RF VOLTAGE

EUT: MWL-34B1
Manuf: Microlink
Op Cond: LISN-N
Operator: Jerry
Test Spec: FCC 15 Class B
Comment: EMI RCV:825788/014
120V 60Hz 22'C 53%RH Tx at high channel
Date: 29. Apr 03 11:15

Scan Settings (1 Range)			Receiver Settings				
Frequencies			IF BW	Detector	M-Time	Atten	Preamp
Start	Stop	Step					
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s

