



<FR1 n78_PC3_Ant 7_Index 5>FCC Part 27Q

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		20.26		21.1
100	PI/2 BPSK	1	137		20.03		
100	PI/2 BPSK	1	271		19.59		
100	PI/2 BPSK	135	0		20.04		21.1
100	PI/2 BPSK	135	69		19.94		21.1
100	PI/2 BPSK	135	138		19.84		21.1
100	PI/2 BPSK	270	0		19.93		
100	QPSK	1	1		20.22		21.1
100	QPSK	1	137		19.99		
100	QPSK	1	271		19.59		
100	QPSK	135	0		20.05		21.1
100	QPSK	135	69		19.95		
100	QPSK	135	138		19.85		
100	QPSK	270	0		19.93		21.1
100	16QAM	1	1		20.20		21.1
100	64QAM	1	1		19.63		21.1
100	256QAM	1	1		17.65		19.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	20.24	20.20	20.22	21.1
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	20.17	20.10	20.12	21.1
Channel				632334	633332	634332	Tune-up limit (dBm)
Frequency (MHz)				3485.01	3499.98	3514.98	
70	PI/2 BPSK	1	1	20.15	20.17	20.18	21.1
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	20.22	20.14	20.13	21.1
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	20.20	20.17	20.16	21.1
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	20.17	20.11	20.17	21.1
Channel				631000	633332	635666	Tune-up limit (dBm)
Frequency (MHz)				3465	3499.98	3534.99	
30	PI/2 BPSK	1	1	20.17	20.10	20.17	21.1
Channel				630834	633332	635832	Tune-up limit (dBm)
Frequency (MHz)				3462.51	3499.98	3537.48	
25	PI/2 BPSK	1	1	20.24	20.11	20.18	21.1
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	20.22	20.12	20.19	21.1
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	20.22	20.12	20.21	21.1
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	20.14	20.15	20.17	21.1



<FR1 n78_PC3_Ant 7_Index 6>FCC Part 270

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					650000		
Frequency (MHz)					3750		
100	PI/2 BPSK	1	1		20.22		20.4
100	PI/2 BPSK	1	137		20.04		
100	PI/2 BPSK	1	271		19.50		
100	PI/2 BPSK	135	0		20.21		20.4
100	PI/2 BPSK	135	69		20.03		20.4
100	PI/2 BPSK	135	138		19.77		20.4
100	PI/2 BPSK	270	0		20.01		
100	QPSK	1	1		20.19		20.4
100	QPSK	1	137		20.05		
100	QPSK	1	271		19.50		
100	QPSK	135	0		20.20		20.4
100	QPSK	135	69		20.03		
100	QPSK	135	138		19.77		
100	QPSK	270	0		20.01		20.4
100	16QAM	1	1		20.19		20.4
100	64QAM	1	1		19.62		20.4
100	256QAM	1	1		17.65		19.0
Channel				649668	650000	650332	Tune-up limit (dBm)
Frequency (MHz)				3745.02	3750	3754.98	
90	PI/2 BPSK	1	1	20.20	20.21	20.21	20.4
Channel				649334	650000	650666	Tune-up limit (dBm)
Frequency (MHz)				3740.01	3750	3759.99	
80	PI/2 BPSK	1	1	20.14	20.19	20.13	20.4
Channel				649000	650000	651000	Tune-up limit (dBm)
Frequency (MHz)				3735	3750	3765	
70	PI/2 BPSK	1	1	20.19	20.13	20.12	20.4
Channel				648668	650000	651332	Tune-up limit (dBm)
Frequency (MHz)				3730.02	3750	3769.98	
60	PI/2 BPSK	1	1	20.14	20.15	20.18	20.4
Channel				648334	650000	651666	Tune-up limit (dBm)
Frequency (MHz)				3725.01	3750	3774.99	
50	PI/2 BPSK	1	1	20.11	20.18	20.19	20.4
Channel				648000	650000	652000	Tune-up limit (dBm)
Frequency (MHz)				3720	3750	3780	
40	PI/2 BPSK	1	1	20.16	20.21	20.14	20.4
Channel				647668	650000	652332	Tune-up limit (dBm)
Frequency (MHz)				3715.02	3750.00	3784.98	
30	PI/2 BPSK	1	1	20.16	20.16	20.13	20.4
Channel				647500	650000	652500	Tune-up limit (dBm)
Frequency (MHz)				3712.5	3750.00	3787.50	
25	PI/2 BPSK	1	1	20.16	20.18	20.12	20.4
Channel				647334	650000	652666	Tune-up limit (dBm)
Frequency (MHz)				3710.01	3750	3789.99	
20	PI/2 BPSK	1	1	20.20	20.18	20.11	20.4
Channel				647168	650000	652832	Tune-up limit (dBm)
Frequency (MHz)				3707.52	3750	3792.48	
15	PI/2 BPSK	1	1	20.20	20.17	20.13	20.4
Channel				647000	650000	653000	Tune-up limit (dBm)
Frequency (MHz)				3705	3750	3795	
10	PI/2 BPSK	1	1	20.12	20.21	20.12	20.4



FCC SAR TEST REPORT

Report No. : FA2D0208-01F

<FR1 n78_PC3_Ant 7_Index 6>FCC Part 27Q

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		20.26		20.4
100	PI/2 BPSK	1	137		20.03		
100	PI/2 BPSK	1	271		19.59		
100	PI/2 BPSK	135	0		20.04		20.4
100	PI/2 BPSK	135	69		19.94		20.4
100	PI/2 BPSK	135	138		19.84		20.4
100	PI/2 BPSK	270	0		19.93		
100	QPSK	1	1		20.22		20.4
100	QPSK	1	137		19.99		
100	QPSK	1	271		19.59		
100	QPSK	135	0		20.05		20.4
100	QPSK	135	69		19.95		
100	QPSK	135	138		19.85		
100	QPSK	270	0		19.93		20.4
100	16QAM	1	1		20.20		20.4
100	64QAM	1	1		19.63		20.4
100	256QAM	1	1		17.65		19.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	20.24	20.20	20.22	20.4
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	20.17	20.10	20.12	20.4
Channel				632334	633332	634332	Tune-up limit (dBm)
Frequency (MHz)				3485.01	3499.98	3514.98	
70	PI/2 BPSK	1	1	20.15	20.17	20.18	20.4
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	20.22	20.14	20.13	20.4
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	20.20	20.17	20.16	20.4
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	20.17	20.11	20.17	20.4
Channel				631000	633332	635666	Tune-up limit (dBm)
Frequency (MHz)				3465	3499.98	3534.99	
30	PI/2 BPSK	1	1	20.17	20.10	20.17	20.4
Channel				630834	633332	635832	Tune-up limit (dBm)
Frequency (MHz)				3462.51	3499.98	3537.48	
25	PI/2 BPSK	1	1	20.24	20.11	20.18	20.4
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	20.22	20.12	20.19	20.4
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	20.22	20.12	20.21	20.4
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	20.14	20.15	20.17	20.4



<FR1 n78_PC2_Ant 7_Index 2/3>FCC Part 270

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					650000		
Frequency (MHz)					3750		
100	PI/2 BPSK	1	1		25.74		27.0
100	PI/2 BPSK	1	137		25.64		
100	PI/2 BPSK	1	271		24.80		
100	PI/2 BPSK	135	0		25.19		26.5
100	PI/2 BPSK	135	69		25.61		27.0
100	PI/2 BPSK	135	138		24.91		26.5
100	PI/2 BPSK	270	0		25.07		
100	QPSK	1	1		25.73		27.0
100	QPSK	1	137		25.59		
100	QPSK	1	271		24.80		
100	QPSK	135	0		24.69		27.0
100	QPSK	135	69		25.63		
100	QPSK	135	138		24.43		
100	QPSK	270	0		24.18		26.0
100	16QAM	1	1		24.55		26.0
100	64QAM	1	1		22.97		24.5
100	256QAM	1	1		21.09		22.5
Channel				649668	650000	650332	Tune-up limit (dBm)
Frequency (MHz)				3745.02	3750	3754.98	
90	PI/2 BPSK	1	1	25.30	25.32	25.28	27.0
Channel				649334	650000	650666	Tune-up limit (dBm)
Frequency (MHz)				3740.01	3750	3759.99	
80	PI/2 BPSK	1	1	25.20	25.32	25.23	27.0
Channel				649000	650000	651000	Tune-up limit (dBm)
Frequency (MHz)				3735	3750	3765	
70	PI/2 BPSK	1	1	25.27	25.22	25.18	27.0
Channel				648668	650000	651332	Tune-up limit (dBm)
Frequency (MHz)				3730.02	3750	3769.98	
60	PI/2 BPSK	1	1	25.24	25.30	25.27	27.0
Channel				648334	650000	651666	Tune-up limit (dBm)
Frequency (MHz)				3725.01	3750	3774.99	
50	PI/2 BPSK	1	1	25.21	25.23	25.21	27.0
Channel				648000	650000	652000	Tune-up limit (dBm)
Frequency (MHz)				3720	3750	3780	
40	PI/2 BPSK	1	1	25.21	25.22	25.27	27.0
Channel				647668	650000	652332	Tune-up limit (dBm)
Frequency (MHz)				3715.02	3750.00	3784.98	
30	PI/2 BPSK	1	1	25.21	25.27	25.20	27.0
Channel				647500	650000	652500	Tune-up limit (dBm)
Frequency (MHz)				3712.5	3750.00	3787.50	
25	PI/2 BPSK	1	1	25.23	25.27	25.20	27.0
Channel				647334	650000	652666	Tune-up limit (dBm)
Frequency (MHz)				3710.01	3750	3789.99	
20	PI/2 BPSK	1	1	25.28	25.28	25.21	27.0
Channel				647168	650000	652832	Tune-up limit (dBm)
Frequency (MHz)				3707.52	3750	3792.48	
15	PI/2 BPSK	1	1	25.28	25.24	25.24	27.0
Channel				647000	650000	653000	Tune-up limit (dBm)
Frequency (MHz)				3705	3750	3795	
10	PI/2 BPSK	1	1	25.25	25.31	25.26	27.0

**<FR1 n78_PC2_Ant 7_Index 2/3>FCC Part 27Q**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		25.70		27.0
100	PI/2 BPSK	1	137		25.61		
100	PI/2 BPSK	1	271		25.03		
100	PI/2 BPSK	135	0		25.16		26.5
100	PI/2 BPSK	135	69		25.59		27.0
100	PI/2 BPSK	135	138		24.92		26.5
100	PI/2 BPSK	270	0		25.01		
100	QPSK	1	1		25.63		27.0
100	QPSK	1	137		25.54		
100	QPSK	1	271		24.99		
100	QPSK	135	0		24.68		27.0
100	QPSK	135	69		25.56		
100	QPSK	135	138		24.45		
100	QPSK	270	0		24.11		26.0
100	16QAM	1	1		24.43		26.0
100	64QAM	1	1		22.86		24.5
100	256QAM	1	1		21.09		22.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	25.20	25.25	25.29	27.0
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	25.14	25.25	25.21	27.0
Channel				632334	633332	634332	Tune-up limit (dBm)
Frequency (MHz)				3485.01	3499.98	3514.98	
70	PI/2 BPSK	1	1	25.12	25.15	25.28	27.0
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	25.18	25.25	25.20	27.0
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	25.14	25.16	25.27	27.0
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	25.19	25.22	25.27	27.0
Channel				631000	633332	635666	Tune-up limit (dBm)
Frequency (MHz)				3465	3499.98	3534.99	
30	PI/2 BPSK	1	1	25.12	25.20	25.24	27.0
Channel				630834	633332	635832	Tune-up limit (dBm)
Frequency (MHz)				3462.51	3499.98	3537.48	
25	PI/2 BPSK	1	1	25.17	25.23	25.27	27.0
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	25.17	25.24	25.21	27.0
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	25.19	25.25	25.20	27.0
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	25.15	25.22	25.25	27.0



<FR1 n78_PC2_Ant 7_Index 4> FCC Part 270

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					650000		
Frequency (MHz)					3750		
100	PI/2 BPSK	1	1		23.27		23.4
100	PI/2 BPSK	1	137		23.10		
100	PI/2 BPSK	1	271		22.24		
100	PI/2 BPSK	135	0		23.08		23.4
100	PI/2 BPSK	135	69		22.99		23.4
100	PI/2 BPSK	135	138		22.45		23.4
100	PI/2 BPSK	270	0		23.00		
100	QPSK	1	1		23.26		23.4
100	QPSK	1	137		23.11		
100	QPSK	1	271		22.26		
100	QPSK	135	0		23.10		23.4
100	QPSK	135	69		23.01		
100	QPSK	135	138		22.45		
100	QPSK	270	0		23.01		23.4
100	16QAM	1	1		23.26		23.4
100	64QAM	1	1		22.70		23.4
100	256QAM	1	1		20.76		22.5
Channel				649668	650000	650332	Tune-up limit (dBm)
Frequency (MHz)				3745.02	3750	3754.98	
90	PI/2 BPSK	1	1	23.24	23.25	23.22	23.4
Channel				649334	650000	650666	Tune-up limit (dBm)
Frequency (MHz)				3740.01	3750	3759.99	
80	PI/2 BPSK	1	1	23.19	23.19	23.19	23.4
Channel				649000	650000	651000	Tune-up limit (dBm)
Frequency (MHz)				3735	3750	3765	
70	PI/2 BPSK	1	1	23.19	23.15	23.20	23.4
Channel				648668	650000	651332	Tune-up limit (dBm)
Frequency (MHz)				3730.02	3750	3769.98	
60	PI/2 BPSK	1	1	23.18	23.19	23.13	23.4
Channel				648334	650000	651666	Tune-up limit (dBm)
Frequency (MHz)				3725.01	3750	3774.99	
50	PI/2 BPSK	1	1	23.14	23.19	23.20	23.4
Channel				648000	650000	652000	Tune-up limit (dBm)
Frequency (MHz)				3720	3750	3780	
40	PI/2 BPSK	1	1	23.14	23.20	23.16	23.4
Channel				647668	650000	652332	Tune-up limit (dBm)
Frequency (MHz)				3715.02	3750.00	3784.98	
30	PI/2 BPSK	1	1	23.17	23.17	23.16	23.4
Channel				647500	650000	652500	Tune-up limit (dBm)
Frequency (MHz)				3712.5	3750.00	3787.50	
25	PI/2 BPSK	1	1	23.21	23.21	23.20	23.4
Channel				647334	650000	652666	Tune-up limit (dBm)
Frequency (MHz)				3710.01	3750	3789.99	
20	PI/2 BPSK	1	1	23.22	23.25	23.18	23.4
Channel				647168	650000	652832	Tune-up limit (dBm)
Frequency (MHz)				3707.52	3750	3792.48	
15	PI/2 BPSK	1	1	23.18	23.16	23.15	23.4
Channel				647000	650000	653000	Tune-up limit (dBm)
Frequency (MHz)				3705	3750	3795	
10	PI/2 BPSK	1	1	23.22	23.22	23.20	23.4



<FR1 n78_PC2_Ant 7_Index 4>FCC Part 27Q

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		23.15		23.4
100	PI/2 BPSK	1	137		22.99		
100	PI/2 BPSK	1	271		22.53		
100	PI/2 BPSK	135	0		23.05		23.4
100	PI/2 BPSK	135	69		22.95		23.4
100	PI/2 BPSK	135	138		22.84		23.4
100	PI/2 BPSK	270	0		22.93		
100	QPSK	1	1		23.14		23.4
100	QPSK	1	137		22.98		
100	QPSK	1	271		22.52		
100	QPSK	135	0		23.05		23.4
100	QPSK	135	69		22.96		
100	QPSK	135	138		22.84		
100	QPSK	270	0		22.93		23.4
100	16QAM	1	1		23.14		23.4
100	64QAM	1	1		22.59		23.4
100	256QAM	1	1		20.63		22.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	23.10	23.12	23.11	23.4
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	23.06	23.09	23.03	23.4
Channel				632334	633332	634332	Tune-up limit (dBm)
Frequency (MHz)				3485.01	3499.98	3514.98	
70	PI/2 BPSK	1	1	23.01	23.08	23.05	23.4
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	23.03	23.03	23.03	23.4
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	23.09	23.08	23.09	23.4
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	23.03	23.02	23.03	23.4
Channel				631000	633332	635666	Tune-up limit (dBm)
Frequency (MHz)				3465	3499.98	3534.99	
30	PI/2 BPSK	1	1	23.07	23.10	23.05	23.4
Channel				630834	633332	635832	Tune-up limit (dBm)
Frequency (MHz)				3462.51	3499.98	3537.48	
25	PI/2 BPSK	1	1	23.10	23.06	23.03	23.4
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	23.02	23.12	23.07	23.4
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	23.09	23.10	23.07	23.4
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	23.04	23.03	23.11	23.4



<FR1 n78_PC2_Ant 7_Index 5>FCC Part 270

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					650000		
Frequency (MHz)					3750		
100	PI/2 BPSK	1	1		23.27		24.1
100	PI/2 BPSK	1	137		23.10		
100	PI/2 BPSK	1	271		22.24		
100	PI/2 BPSK	135	0		23.08		24.1
100	PI/2 BPSK	135	69		22.99		24.1
100	PI/2 BPSK	135	138		22.45		24.1
100	PI/2 BPSK	270	0		23.00		
100	QPSK	1	1		23.26		24.1
100	QPSK	1	137		23.11		
100	QPSK	1	271		22.26		
100	QPSK	135	0		23.10		24.1
100	QPSK	135	69		23.01		
100	QPSK	135	138		22.45		
100	QPSK	270	0		23.01		24.1
100	16QAM	1	1		23.26		24.1
100	64QAM	1	1		22.70		24.1
100	256QAM	1	1		20.76		22.5
Channel				649668	650000	650332	Tune-up limit (dBm)
Frequency (MHz)				3745.02	3750	3754.98	
90	PI/2 BPSK	1	1	23.24	23.25	23.22	24.1
Channel				649334	650000	650666	Tune-up limit (dBm)
Frequency (MHz)				3740.01	3750	3759.99	
80	PI/2 BPSK	1	1	23.19	23.19	23.19	24.1
Channel				649000	650000	651000	Tune-up limit (dBm)
Frequency (MHz)				3735	3750	3765	
70	PI/2 BPSK	1	1	23.19	23.15	23.20	24.1
Channel				648668	650000	651332	Tune-up limit (dBm)
Frequency (MHz)				3730.02	3750	3769.98	
60	PI/2 BPSK	1	1	23.18	23.19	23.13	24.1
Channel				648334	650000	651666	Tune-up limit (dBm)
Frequency (MHz)				3725.01	3750	3774.99	
50	PI/2 BPSK	1	1	23.14	23.19	23.20	24.1
Channel				648000	650000	652000	Tune-up limit (dBm)
Frequency (MHz)				3720	3750	3780	
40	PI/2 BPSK	1	1	23.14	23.20	23.16	24.1
Channel				647668	650000	652332	Tune-up limit (dBm)
Frequency (MHz)				3715.02	3750.00	3784.98	
30	PI/2 BPSK	1	1	23.17	23.17	23.16	24.1
Channel				647500	650000	652500	Tune-up limit (dBm)
Frequency (MHz)				3712.5	3750.00	3787.50	
25	PI/2 BPSK	1	1	23.21	23.21	23.20	24.1
Channel				647334	650000	652666	Tune-up limit (dBm)
Frequency (MHz)				3710.01	3750	3789.99	
20	PI/2 BPSK	1	1	23.22	23.25	23.18	24.1
Channel				647168	650000	652832	Tune-up limit (dBm)
Frequency (MHz)				3707.52	3750	3792.48	
15	PI/2 BPSK	1	1	23.18	23.16	23.15	24.1
Channel				647000	650000	653000	Tune-up limit (dBm)
Frequency (MHz)				3705	3750	3795	
10	PI/2 BPSK	1	1	23.22	23.22	23.20	24.1

**<FR1 n78_PC2_Ant 7_Index 5>FCC Part 27Q**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		23.15		24.1
100	PI/2 BPSK	1	137		22.99		
100	PI/2 BPSK	1	271		22.53		
100	PI/2 BPSK	135	0		23.05		24.1
100	PI/2 BPSK	135	69		22.95		24.1
100	PI/2 BPSK	135	138		22.84		24.1
100	PI/2 BPSK	270	0		22.93		
100	QPSK	1	1		23.14		24.1
100	QPSK	1	137		22.98		
100	QPSK	1	271		22.52		
100	QPSK	135	0		23.05		24.1
100	QPSK	135	69		22.96		
100	QPSK	135	138		22.84		
100	QPSK	270	0		22.93		24.1
100	16QAM	1	1		23.14		24.1
100	64QAM	1	1		22.59		24.1
100	256QAM	1	1		20.63		22.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	23.10	23.12	23.11	24.1
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	23.06	23.09	23.03	24.1
Channel				632334	633332	634332	Tune-up limit (dBm)
Frequency (MHz)				3485.01	3499.98	3514.98	
70	PI/2 BPSK	1	1	23.01	23.08	23.05	24.1
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	23.03	23.03	23.03	24.1
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	23.09	23.08	23.09	24.1
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	23.03	23.02	23.03	24.1
Channel				631000	633332	635666	Tune-up limit (dBm)
Frequency (MHz)				3465	3499.98	3534.99	
30	PI/2 BPSK	1	1	23.07	23.10	23.05	24.1
Channel				630834	633332	635832	Tune-up limit (dBm)
Frequency (MHz)				3462.51	3499.98	3537.48	
25	PI/2 BPSK	1	1	23.10	23.06	23.03	24.1
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	23.02	23.12	23.07	24.1
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	23.09	23.10	23.07	24.1
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	23.04	23.03	23.11	24.1



<FR1 n78_PC2_Ant 7_Index 6>FCC Part 270

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					650000		
Frequency (MHz)					3750		
100	PI/2 BPSK	1	1		23.27		23.4
100	PI/2 BPSK	1	137		23.10		
100	PI/2 BPSK	1	271		22.24		
100	PI/2 BPSK	135	0		23.08		23.4
100	PI/2 BPSK	135	69		22.99		23.4
100	PI/2 BPSK	135	138		22.45		23.4
100	PI/2 BPSK	270	0		23.00		
100	QPSK	1	1		23.26		23.4
100	QPSK	1	137		23.11		
100	QPSK	1	271		22.26		
100	QPSK	135	0		23.10		23.4
100	QPSK	135	69		23.01		
100	QPSK	135	138		22.45		
100	QPSK	270	0		23.01		23.4
100	16QAM	1	1		23.26		23.4
100	64QAM	1	1		22.70		23.4
100	256QAM	1	1		20.76		22.5
Channel				649668	650000	650332	Tune-up limit (dBm)
Frequency (MHz)				3745.02	3750	3754.98	
90	PI/2 BPSK	1	1	23.24	23.25	23.22	23.4
Channel				649334	650000	650666	Tune-up limit (dBm)
Frequency (MHz)				3740.01	3750	3759.99	
80	PI/2 BPSK	1	1	23.19	23.19	23.19	23.4
Channel				649000	650000	651000	Tune-up limit (dBm)
Frequency (MHz)				3735	3750	3765	
70	PI/2 BPSK	1	1	23.19	23.15	23.20	23.4
Channel				648668	650000	651332	Tune-up limit (dBm)
Frequency (MHz)				3730.02	3750	3769.98	
60	PI/2 BPSK	1	1	23.18	23.19	23.13	23.4
Channel				648334	650000	651666	Tune-up limit (dBm)
Frequency (MHz)				3725.01	3750	3774.99	
50	PI/2 BPSK	1	1	23.14	23.19	23.20	23.4
Channel				648000	650000	652000	Tune-up limit (dBm)
Frequency (MHz)				3720	3750	3780	
40	PI/2 BPSK	1	1	23.14	23.20	23.16	23.4
Channel				647668	650000	652332	Tune-up limit (dBm)
Frequency (MHz)				3715.02	3750.00	3784.98	
30	PI/2 BPSK	1	1	23.17	23.17	23.16	23.4
Channel				647500	650000	652500	Tune-up limit (dBm)
Frequency (MHz)				3712.5	3750.00	3787.50	
25	PI/2 BPSK	1	1	23.21	23.21	23.20	23.4
Channel				647334	650000	652666	Tune-up limit (dBm)
Frequency (MHz)				3710.01	3750	3789.99	
20	PI/2 BPSK	1	1	23.22	23.25	23.18	23.4
Channel				647168	650000	652832	Tune-up limit (dBm)
Frequency (MHz)				3707.52	3750	3792.48	
15	PI/2 BPSK	1	1	23.18	23.16	23.15	23.4
Channel				647000	650000	653000	Tune-up limit (dBm)
Frequency (MHz)				3705	3750	3795	
10	PI/2 BPSK	1	1	23.22	23.22	23.20	23.4



<FR1 n78_PC2_Ant 7_Index 6>FCC Part 27Q

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		23.15		23.4
100	PI/2 BPSK	1	137		22.99		
100	PI/2 BPSK	1	271		22.53		
100	PI/2 BPSK	135	0		23.05		23.4
100	PI/2 BPSK	135	69		22.95		23.4
100	PI/2 BPSK	135	138		22.84		23.4
100	PI/2 BPSK	270	0		22.93		
100	QPSK	1	1		23.14		23.4
100	QPSK	1	137		22.98		
100	QPSK	1	271		22.52		
100	QPSK	135	0		23.05		23.4
100	QPSK	135	69		22.96		
100	QPSK	135	138		22.84		
100	QPSK	270	0		22.93		23.4
100	16QAM	1	1		23.14		23.4
100	64QAM	1	1		22.59		23.4
100	256QAM	1	1		20.63		22.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	23.10	23.12	23.11	23.4
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	23.06	23.09	23.03	23.4
Channel				632334	633332	634332	Tune-up limit (dBm)
Frequency (MHz)				3485.01	3499.98	3514.98	
70	PI/2 BPSK	1	1	23.01	23.08	23.05	23.4
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	23.03	23.03	23.03	23.4
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	23.09	23.08	23.09	23.4
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	23.03	23.02	23.03	23.4
Channel				631000	633332	635666	Tune-up limit (dBm)
Frequency (MHz)				3465	3499.98	3534.99	
30	PI/2 BPSK	1	1	23.07	23.10	23.05	23.4
Channel				630834	633332	635832	Tune-up limit (dBm)
Frequency (MHz)				3462.51	3499.98	3537.48	
25	PI/2 BPSK	1	1	23.10	23.06	23.03	23.4
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	23.02	23.12	23.07	23.4
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	23.09	23.10	23.07	23.4
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	23.04	23.03	23.11	23.4

WLAN 2.4GHz Power index 1

2.4GHz WLAN				Ant 3		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	13.25	15.00	98.85
		6	2437	13.45	15.00	
		11	2462	13.35	15.00	
		12	2467	13.35	15.00	
		13	2472	13.35	15.00	

Ant 4						
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	13.25	15.00	98.97
		6	2437	13.35	15.00	
		11	2462	13.15	15.00	
		12	2467	13.25	15.00	
		13	2472	13.25	15.00	

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11g 6Mbps	1	2412	13.35	15.00	13.25	15.00	16.31	18.00	93.46
		6	2437	13.45	15.00	13.45	15.00	16.46	18.00	
		11	2462	13.25	15.00	13.45	15.00	16.36	18.00	
		12	2467	13.35	15.00	13.35	15.00	16.36	18.00	
		13	2472	12.65	13.00	12.05	13.00	15.37	16.00	
	802.11n-HT20 MCS0	1	2412	not required	15.00	not required	15.00	not required	18.00	not required
		6	2437		15.00		15.00		18.00	
		11	2462		15.00		15.00		18.00	
		12	2467		15.00		15.00		18.00	
		13	2472		12.00		12.00		15.01	
	802.11ac-VHT20 MCS0	1	2412		15.00		15.00		18.00	
		6	2437		15.00		15.00		18.00	
		11	2462		15.00		15.00		18.00	
		12	2467		15.00		15.00		18.00	
		13	2472		12.00		12.00		15.01	
	802.11ax-HE20 MCS0	1	2412		15.00		15.00		18.00	
		6	2437		15.00		15.00		18.00	
		11	2462		15.00		15.00		18.00	
		12	2467		15.00		15.00		18.00	
		13	2472		12.00		12.00		15.01	
	802.11be EHT20	1	2412		15.00		15.00		18.00	
		6	2437		15.00		15.00		18.00	
		11	2462		15.00		15.00		18.00	
		12	2467		15.00		15.00		18.00	
		13	2472		12.00		12.00		15.01	

WLAN 2.4GHz Power index 2

2.4GHz WLAN				Ant 3		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	13.25	14.00	98.85
		6	2437	13.45	14.00	
		11	2462	13.35	14.00	
		12	2467	13.35	14.00	
		13	2472	13.35	14.00	

Ant 4						
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	13.25	14.00	98.97
		6	2437	13.35	14.00	
		11	2462	13.15	14.00	
		12	2467	13.25	14.00	
		13	2472	13.25	14.00	

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11g 6Mbps	1	2412	13.35	14.00	13.25	14.00	16.31	17.00	93.46
		6	2437	13.45	14.00	13.45	14.00	16.46	17.00	
		11	2462	13.25	14.00	13.45	14.00	16.36	17.00	
		12	2467	13.35	14.00	13.35	14.00	16.36	17.00	
		13	2472	12.65	13.00	12.05	13.00	15.37	16.00	
	802.11n-HT20 MCS0	1	2412	not required	14.00	not required	14.00	not required	17.00	not required
		6	2437		14.00		14.00		17.00	
		11	2462		14.00		14.00		17.00	
		12	2467		14.00		14.00		17.00	
		13	2472		12.00		12.00		15.01	
	802.11ac-VHT20 MCS0	1	2412		14.00		14.00		17.00	
		6	2437		14.00		14.00		17.00	
		11	2462		14.00		14.00		17.00	
		12	2467		14.00		14.00		17.00	
		13	2472		12.00		12.00		15.01	
	802.11ax-HE20 MCS0	1	2412		14.00		14.00		17.00	
		6	2437		14.00		14.00		17.00	
		11	2462		14.00		14.00		17.00	
		12	2467		14.00		14.00		17.00	
		13	2472		12.00		12.00		15.01	
	802.11be EHT20	1	2412		14.00		14.00		17.00	
		6	2437		14.00		14.00		17.00	
		11	2462		14.00		14.00		17.00	
		12	2467		14.00		14.00		17.00	
		13	2472		12.00		12.00		15.01	

WLAN 2.4GHz Power index 3

2.4GHz WLAN				Ant 3		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	11.95	12.00	98.85
		6	2437	11.95	12.00	
		11	2462	11.85	12.00	
		12	2467	11.75	12.00	
		13	2472	11.85	12.00	

Ant 4						
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	11.65	12.00	98.97
		6	2437	11.85	12.00	
		11	2462	11.85	12.00	
		12	2467	11.65	12.00	
		13	2472	11.85	12.00	

Ant 3+4										
	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		Duty Cycle %
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
2.4GHz WLAN	802.11g 6Mbps	1	2412	11.85	12.00	11.55	12.00	14.71	15.00	93.46
		6	2437	11.85	12.00	11.55	12.00	14.71	15.00	
		11	2462	11.65	12.00	11.75	12.00	14.71	15.00	
		12	2467	11.55	12.00	11.55	12.00	14.56	15.00	
		13	2472	11.85	12.00	11.55	12.00	14.71	15.00	
	802.11n-HT20 MCS0	1	2412	not required	12.00	not required	12.00	not required	15.00	not required
		6	2437		12.00		12.00		15.00	
		11	2462		12.00		12.00		15.00	
		12	2467		12.00		12.00		15.00	
		13	2472		12.00		12.00		15.00	
	802.11ac-VHT20 MCS0	1	2412		12.00		12.00		15.00	
		6	2437		12.00		12.00		15.00	
		11	2462		12.00		12.00		15.00	
		12	2467		12.00		12.00		15.00	
		13	2472		12.00		12.00		15.00	
	802.11ax-HE20 MCS0	1	2412		12.00		12.00		15.00	
		6	2437		12.00		12.00		15.00	
		11	2462		12.00		12.00		15.00	
		12	2467		12.00		12.00		15.00	
		13	2472		12.00		12.00		15.00	
	802.11be EHT20	1	2412		12.00		12.00		15.00	
		6	2437		12.00		12.00		15.00	
		11	2462		12.00		12.00		15.00	
		12	2467		12.00		12.00		15.00	
		13	2472		12.00		12.00		15.00	

WLAN 2.4GHz Power index 4

2.4GHz WLAN				Ant 3		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	9.85	10.00	98.85
		6	2437	9.75	10.00	
		11	2462	9.65	10.00	
		12	2467	9.85	10.00	
		13	2472	9.75	10.00	

Ant 4						
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	9.85	10.00	98.97
		6	2437	9.85	10.00	
		11	2462	9.95	10.00	
		12	2467	9.85	10.00	
		13	2472	9.85	10.00	

Ant 3+4(3)										
Ant 3+4(4)										
Ant 3+4										
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11g 6Mbps	1	2412	9.85	10.00	9.85	10.00	12.86	13.00	93.46
		6	2437	9.55	10.00	9.55	10.00	12.56	13.00	
		11	2462	9.85	10.00	9.95	10.00	12.91	13.00	
		12	2467	9.75	10.00	9.75	10.00	12.76	13.00	
		13	2472	9.95	10.00	9.55	10.00	12.76	13.00	
	802.11n-HT20 MCS0	1	2412	not required	10.00	not required	10.00	not required	13.00	not required
		6	2437		10.00		10.00		13.00	
		11	2462		10.00		10.00		13.00	
		12	2467		10.00		10.00		13.00	
		13	2472		10.00		10.00		13.00	
	802.11ac-VHT20 MCS0	1	2412		10.00		10.00		13.00	
		6	2437		10.00		10.00		13.00	
		11	2462		10.00		10.00		13.00	
		12	2467		10.00		10.00		13.00	
		13	2472		10.00		10.00		13.00	
	802.11ax-HE20 MCS0	1	2412		10.00		10.00		13.00	
		6	2437		10.00		10.00		13.00	
		11	2462		10.00		10.00		13.00	
		12	2467		10.00		10.00		13.00	
		13	2472		10.00		10.00		13.00	
	802.11be EHT20	1	2412		10.00		10.00		13.00	
		6	2437		10.00		10.00		13.00	
		11	2462		10.00		10.00		13.00	
		12	2467		10.00		10.00		13.00	
		13	2472		10.00		10.00		13.00	

WLAN 2.4GHz Power index 5/6

2.4GHz WLAN				Ant 3		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	20.15	20.50	98.85
		6	2437	20.35	20.50	
		11	2462	20.35	20.50	
		12	2467	20.35	20.50	
		13	2472	20.25	20.50	

Ant 4						
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	20.35	20.50	98.97
		6	2437	20.45	20.50	
		11	2462	20.15	20.50	
		12	2467	20.25	20.50	
		13	2472	19.55	20.00	

				Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11g 6Mbps	1	2412	20.35	20.50	20.25	20.50	23.31	23.50	93.46
		6	2437	20.45	20.50	20.45	20.50	23.46	23.50	
		11	2462	19.15	19.50	19.45	19.50	22.31	22.50	
		12	2467	15.25	15.50	15.15	15.50	18.21	18.50	
		13	2472	12.65	13.00	12.05	13.00	15.37	16.00	
	802.11n-HT20 MCS0	1	2412	19.55	20.00	19.55	20.00	19.55	23.0	19.55
		6	2437		20.50		20.50		23.5	
		11	2462		18.50		18.50		21.5	
		12	2467		15.50		15.50		18.5	
		13	2472		12.00		12.00		15.0	
	802.11ac-VHT20 MCS0	1	2412		20.00		20.00		23.0	
		6	2437		20.50		20.50		23.5	
		11	2462		18.50		18.50		21.5	
		12	2467		15.50		15.50		18.5	
		13	2472		12.00		12.00		15.0	
	802.11ax-HE20 MCS0	1	2412		20.00		20.00		23.0	
		6	2437		20.50		20.50		23.5	
		11	2462		18.50		18.50		21.5	
		12	2467		15.50		15.50		18.5	
		13	2472		12.00		12.00		15.0	
	802.11be EHT20	1	2412		20.00		20.00		23.0	
		6	2437		20.50		20.50		23.5	
		11	2462		18.50		18.50		21.5	
		12	2467		15.50		15.50		18.5	
		13	2472		12.00		12.00		15.0	

WLAN 2.4GHz Power index 7

2.4GHz WLAN				Ant 3		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	17.95	18.00	98.85
		6	2437	17.65	18.00	
		11	2462	17.85	18.00	
		12	2467	17.75	18.00	
		13	2472	17.65	18.00	

Ant 4						
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	17.65	18.00	98.97
		6	2437	17.75	18.00	
		11	2462	17.65	18.00	
		12	2467	17.95	18.00	
		13	2472	17.75	18.00	

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		Duty Cycle %
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
2.4GHz WLAN	802.11g 6Mbps	1	2412	17.95	18.00	17.85	18.00	20.91	21.00	93.46
		6	2437	17.75	18.00	17.55	18.00	20.66	21.00	
		11	2462	17.65	18.00	17.65	18.00	20.66	21.00	
		12	2467	15.25	15.50	15.15	15.50	18.21	18.50	
		13	2472	12.65	13.00	12.05	13.00	15.37	16.00	
	802.11n-HT20 MCS0	1	2412	not required	18.00	not required	18.00	not required	21.0	not required
		6	2437		18.00		18.00		21.0	
		11	2462		18.00		18.00		21.0	
		12	2467		15.50		15.50		18.5	
		13	2472		12.00		12.00		15.0	
	802.11ac-VHT20 MCS0	1	2412		18.00		18.00		21.0	
		6	2437		18.00		18.00		21.0	
		11	2462		18.00		18.00		21.0	
		12	2467		15.50		15.50		18.5	
		13	2472		12.00		12.00		15.0	
	802.11ax-HE20 MCS0	1	2412		18.00		18.00		21.0	
		6	2437		18.00		18.00		21.0	
		11	2462		18.00		18.00		21.0	
		12	2467		15.50		15.50		18.5	
		13	2472		12.00		12.00		15.0	
	802.11be EHT20	1	2412		18.00		18.00		21.0	
		6	2437		18.00		18.00		21.0	
		11	2462		18.00		18.00		21.0	
		12	2467		15.50		15.50		18.5	
		13	2472		12.00		12.00		15.0	

WLAN 2.4GHz Power index 8

2.4GHz WLAN				Ant 3		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	15.45	15.50	98.85
		6	2437	15.25	15.50	
		11	2462	15.35	15.50	
		12	2467	15.35	15.50	
		13	2472	15.25	15.50	

Ant 4						
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	15.25	15.50	98.97
		6	2437	15.25	15.50	
		11	2462	15.35	15.50	
		12	2467	15.35	15.50	
		13	2472	15.35	15.50	

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		Duty Cycle %
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
2.4GHz WLAN	802.11g 6Mbps	1	2412	15.45	15.50	15.35	15.50	18.41	18.50	93.46
		6	2437	15.35	15.50	15.25	15.50	18.31	18.50	
		11	2462	15.45	15.50	15.45	15.50	18.46	18.50	
		12	2467	15.45	15.50	15.45	15.50	18.46	18.50	
		13	2472	15.45	15.50	15.05	15.50	18.26	18.50	
	802.11n-HT20 MCS0	1	2412	not required	15.50	not required	15.50	not required	18.5	not required
		6	2437		15.50		15.50		18.5	
		11	2462		15.50		15.50		18.5	
		12	2467		15.50		15.50		18.5	
		13	2472		12.00		12.00		15.0	
	802.11ac-VHT20 MCS0	1	2412		15.50		15.50		18.5	
		6	2437		15.50		15.50		18.5	
		11	2462		15.50		15.50		18.5	
		12	2467		15.50		15.50		18.5	
		13	2472		12.00		12.00		15.0	
	802.11ax-HE20 MCS0	1	2412		15.50		15.50		18.5	
		6	2437		15.50		15.50		18.5	
		11	2462		15.50		15.50		18.5	
		12	2467		15.50		15.50		18.5	
		13	2472		12.00		12.00		15.0	
	802.11be EHT20	1	2412		15.50		15.50		18.5	
		6	2437		15.50		15.50		18.5	
		11	2462		15.50		15.50		18.5	
		12	2467		15.50		15.50		18.5	
		13	2472		12.00		12.00		15.0	

WLAN 5.2GHz Power index 1/2

	Mode	Channel	Frequency (MHz)	Ant 1+2(1)		Ant 1+2(2)		Ant 1+2		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.2GHz WLAN	802.11a 6Mbps	36	5180	not required	13.50	not required	13.50	not required	16.50	not required
		40	5200		13.50		13.50		16.50	
		44	5220		13.50		13.50		16.50	
		48	5240		13.50		13.50		16.50	
	802.11n-HT20 MCS0	36	5180		13.50		13.50		16.50	
		40	5200		13.50		13.50		16.50	
		44	5220		13.50		13.50		16.50	
		48	5240		13.50		13.50		16.50	
	802.11n-HT40 MCS0	38	5190		13.50		13.50		16.50	
		46	5230		13.50		13.50		16.50	
	802.11ac-VHT20 MCS0	36	5180		13.50		13.50		16.50	
		40	5200		13.50		13.50		16.50	
		44	5220		13.50		13.50		16.50	
		48	5240		13.50		13.50		16.50	
	802.11ac-VHT40 MCS0	38	5190		13.50		13.50		16.50	
		46	5230		13.50		13.50		16.50	
	802.11ac-VHT80 MCS0	42	5210		13.50		13.50		16.50	
		36	5180		13.50		13.50		16.50	
	802.11ax-HE20 MCS0	40	5200		13.50		13.50		16.50	
		44	5220		13.50		13.50		16.50	
		48	5240		13.50		13.50		16.50	
	802.11ax-HE40 MCS0	38	5190		13.50		13.50		16.50	
		46	5230		13.50		13.50		16.50	
	802.11ax-HE80 MCS0	42	5210		13.50		13.50		16.50	
		36	5180		13.50		13.50		16.50	
	802.11be-EHT20 MCS0	40	5200		13.50		13.50		16.50	
		44	5220		13.50		13.50		16.50	
		48	5240		13.50		13.50		16.50	
	802.11be-EHT40 MCS0	38	5190		13.50		13.50		16.50	
		46	5230		13.50		13.50		16.50	
	802.11be-EHT80 MCS0	42	5210		13.50		13.50		16.50	

WLAN 5.2GHz Power index 3/4

	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.2GHz WLAN	802.11a 6Mbps	36	5180	not required	12.00	not required	12.00	not required	15.00	not required
		40	5200		12.00		12.00		15.00	
		44	5220		12.00		12.00		15.00	
		48	5240		12.00		12.00		15.00	
	802.11n-HT20 MCS0	36	5180		12.00		12.00		15.00	
		40	5200		12.00		12.00		15.00	
		44	5220		12.00		12.00		15.00	
		48	5240		12.00		12.00		15.00	
	802.11n-HT40 MCS0	38	5190		12.00		12.00		15.00	
		46	5230		12.00		12.00		15.00	
	802.11ac-VHT20 MCS0	36	5180		12.00		12.00		15.00	
		40	5200		12.00		12.00		15.00	
		44	5220		12.00		12.00		15.00	
		48	5240		12.00		12.00		15.00	
	802.11ac-VHT40 MCS0	38	5190		12.00		12.00		15.00	
		46	5230		12.00		12.00		15.00	
	802.11ac-VHT80 MCS0	42	5210		12.00		12.00		15.00	
	802.11ax-HE20 MCS0	36	5180		12.00		12.00		15.00	
		40	5200		12.00		12.00		15.00	
		44	5220		12.00		12.00		15.00	
		48	5240		12.00		12.00		15.00	
	802.11ax-HE40 MCS0	38	5190		12.00		12.00		15.00	
		46	5230		12.00		12.00		15.00	
	802.11ax-HE80 MCS0	42	5210		12.00		12.00		15.00	
	802.11be-EHT20 MCS0	36	5180		12.00		12.00		15.00	
		40	5200		12.00		12.00		15.00	
		44	5220		12.00		12.00		15.00	
		48	5240		12.00		12.00		15.00	
	802.11be-EHT40 MCS0	38	5190		12.00		12.00		15.00	
		46	5230		12.00		12.00		15.00	
	802.11be-EHT80 MCS0	42	5210		12.00		12.00		15.00	

WLAN 5.2GHz Power index 5/6

	Mode	Channel	Frequency (MHz)	Ant 1+2(1)		Ant 1+2(2)		Ant 1+2		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.2GHz WLAN	802.11a 6Mbps	36	5180	not required	18.50	not required	18.50	not required	21.5	not required
		40	5200		18.50		18.50		21.5	
		44	5220		18.50		18.50		21.5	
		48	5240		18.50		18.50		21.5	
	802.11n-HT20 MCS0	36	5180		18.50		18.50		21.5	
		40	5200		18.50		18.50		21.5	
		44	5220		18.50		18.50		21.5	
		48	5240		18.50		18.50		21.5	
	802.11n-HT40 MCS0	38	5190		16.50		16.50		19.5	
		46	5230		18.50		18.50		21.5	
	802.11ac-VHT20 MCS0	36	5180		18.50		18.50		21.5	
		40	5200		18.50		18.50		21.5	
		44	5220		18.50		18.50		21.5	
		48	5240		18.50		18.50		21.5	
	802.11ac-VHT40 MCS0	38	5190		16.50		16.50		19.5	
		46	5230		18.50		18.50		21.5	
	802.11ac-VHT80 MCS0	42	5210		16.50		16.50		19.5	
	802.11ax-HE20 MCS0	36	5180		18.50		18.50		21.5	
		40	5200		18.50		18.50		21.5	
		44	5220		18.50		18.50		21.5	
		48	5240		18.50		18.50		21.5	
	802.11ax-HE40 MCS0	38	5190		16.50		16.50		19.5	
		46	5230		18.50		18.50		21.5	
	802.11ax-HE80 MCS0	42	5210		16.50		16.50		19.5	
	802.11be-EHT20 MCS0	36	5180		18.50		18.50		21.5	
		40	5200		18.50		18.50		21.5	
		44	5220		18.50		18.50		21.5	
		48	5240		18.50		18.50		21.5	
	802.11be-EHT40 MCS0	38	5190		16.50		16.50		19.5	
		46	5230		18.50		18.50		21.5	
	802.11be-EHT80 MCS0	42	5210		16.50		16.50		19.5	

WLAN 5.2GHz Power index 7/8/9

	Mode	Channel	Frequency (MHz)	Ant 1+2(1)		Ant 1+2(2)		Ant 1+2		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.2GHz WLAN	802.11a 6Mbps	36	5180	not required	15.00	not required	15.00	not required	18.0	not required
		40	5200		15.00		15.00		18.0	
		44	5220		15.00		15.00		18.0	
		48	5240		15.00		15.00		18.0	
	802.11n-HT20 MCS0	36	5180		15.00		15.00		18.0	
		40	5200		15.00		15.00		18.0	
		44	5220		15.00		15.00		18.0	
		48	5240		15.00		15.00		18.0	
	802.11n-HT40 MCS0	38	5190		15.00		15.00		18.0	
		46	5230		15.00		15.00		18.0	
	802.11ac-VHT20 MCS0	36	5180		15.00		15.00		18.0	
		40	5200		15.00		15.00		18.0	
		44	5220		15.00		15.00		18.0	
		48	5240		15.00		15.00		18.0	
	802.11ac-VHT40 MCS0	38	5190		15.00		15.00		18.0	
		46	5230		15.00		15.00		18.0	
	802.11ac-VHT80 MCS0	42	5210	14.95	15.00	14.70	15.00	17.84	18.00	91.94
	802.11ax-HE20 MCS0	36	5180	not required	15.00	not required	15.00	not required	18.0	not required
		40	5200		15.00		15.00		18.0	
		44	5220		15.00		15.00		18.0	
		48	5240		15.00		15.00		18.0	
	802.11ax-HE40 MCS0	38	5190		15.00		15.00		18.0	
		46	5230		15.00		15.00		18.0	
	802.11ax-HE80 MCS0	42	5210		15.00		15.00		18.0	
	802.11be-EHT20 MCS0	36	5180		15.00		15.00		18.0	
		40	5200		15.00		15.00		18.0	
		44	5220		15.00		15.00		18.0	
		48	5240		15.00		15.00		18.0	
	802.11be-EHT40 MCS0	38	5190		15.00		15.00		18.0	
		46	5230		15.00		15.00		18.0	
	802.11be-EHT80 MCS0	42	5210		15.00		15.00		18.0	

WLAN 5.3GHz Power index 1/2

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.3GHz WLAN	802.11a 6Mbps	52	5260	not required	13.50	not required	13.50	not required	16.50	not required
		56	5280		13.50		13.50		16.50	
		60	5300		13.50		13.50		16.50	
		64	5320		13.50		13.50		16.50	
	802.11n-HT20 MCS0	52	5260		13.50		13.50		16.50	
		56	5280		13.50		13.50		16.50	
		60	5300		13.50		13.50		16.50	
		64	5320		13.50		13.50		16.50	
	802.11n-HT40 MCS0	54	5270		13.50		13.50		16.50	
		62	5310		13.50		13.50		16.50	
	802.11ac-VHT20 MCS0	52	5260		13.50		13.50		16.50	
		56	5280		13.50		13.50		16.50	
		60	5300		13.50		13.50		16.50	
		64	5320		13.50		13.50		16.50	
	802.11ac-VHT40 MCS0	54	5270		13.50		13.50		16.50	
		62	5310		13.50		13.50		16.50	
	802.11ac-VHT80 MCS0	58	5290		13.50		13.50		16.50	
	802.11ac-VHT160 MCS0	50	5250	12.55	13.50	13.40	13.50	16.01	16.50	87.95
	802.11ax-HE20 MCS0	52	5260	not required	13.50	not required	13.50	not required	16.50	not required
		56	5280		13.50		13.50		16.50	
		60	5300		13.50		13.50		16.50	
		64	5320		13.50		13.50		16.50	
	802.11ax-HE40 MCS0	54	5270		13.50		13.50		16.50	
		62	5310		13.50		13.50		16.50	
	802.11ax-HE80 MCS0	58	5290		13.50		13.50		16.50	
	802.11ax-HE160 MCS0	50	5250		13.50		13.50		16.50	
	802.11be-EHT20 MCS0	52	5260		13.50		13.50		16.50	
		56	5280		13.50		13.50		16.50	
		60	5300		13.50		13.50		16.50	
		64	5320		13.50		13.50		16.50	
	802.11be-EHT40 MCS0	54	5270		13.50		13.50		16.50	
		62	5310		13.50		13.50		16.50	
	802.11be-EHT80 MCS0	58	5290		13.50		13.50		16.50	
	802.11be-EHT160 MCS0	50	5250		13.50		13.50		16.50	

WLAN 5.3GHz Power index 3/4

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.3GHz WLAN	802.11a 6Mbps	52	5260	not required	12.00	not required	12.00	not required	15.00	not required
		56	5280		12.00		12.00		15.00	
		60	5300		12.00		12.00		15.00	
		64	5320		12.00		12.00		15.00	
	802.11n-HT20 MCS0	52	5260		12.00		12.00		15.00	
		56	5280		12.00		12.00		15.00	
		60	5300		12.00		12.00		15.00	
		64	5320		12.00		12.00		15.00	
	802.11n-HT40 MCS0	54	5270		12.00		12.00		15.00	
		62	5310		12.00		12.00		15.00	
	802.11ac-VHT20 MCS0	52	5260		12.00		12.00		15.00	
		56	5280		12.00		12.00		15.00	
		60	5300		12.00		12.00		15.00	
		64	5320		12.00		12.00		15.00	
	802.11ac-VHT40 MCS0	54	5270		12.00		12.00		15.00	
		62	5310		12.00		12.00		15.00	
	802.11ac-VHT80 MCS0	58	5290		12.00		12.00		15.00	
	802.11ac-VHT160 MCS0	50	5250	10.45	12.00	11.90	12.00	14.25	15.00	87.95
	802.11ax-HE20 MCS0	52	5260	not required	12.00	not required	12.00	not required	15.00	not required
		56	5280		12.00		12.00		15.00	
		60	5300		12.00		12.00		15.00	
		64	5320		12.00		12.00		15.00	
	802.11ax-HE40 MCS0	54	5270		12.00		12.00		15.00	
		62	5310		12.00		12.00		15.00	
	802.11ax-HE80 MCS0	58	5290		12.00		12.00		15.00	
	802.11ax-HE160 MCS0	50	5250		12.00		12.00		15.00	
	802.11be-EHT20 MCS0	52	5260		12.00		12.00		15.00	
		56	5280		12.00		12.00		15.00	
		60	5300		12.00		12.00		15.00	
		64	5320		12.00		12.00		15.00	
	802.11be-EHT40 MCS0	54	5270		12.00		12.00		15.00	
		62	5310		12.00		12.00		15.00	
	802.11be-EHT80 MCS0	58	5290		12.00		12.00		15.00	
	802.11be-EHT160 MCS0	50	5250		12.00		12.00		15.00	

WLAN 5.3GHz Power index 5/6/7/8/9

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.3GHz WLAN	802.11a 6Mbps	52	5260	not required	18.50	not required	18.50	not required	21.5	93.42
		56	5280		18.50		18.50		21.5	
		60	5300		18.50		18.50		21.5	
		64	5320		18.50		18.50		21.5	
	802.11n-HT20 MCS0	52	5260		18.50		18.50		21.5	93.06
		56	5280		18.50		18.50		21.5	
		60	5300		18.50		18.50		21.5	
		64	5320		18.50		18.50		21.5	
	802.11n-HT40 MCS0	54	5270	18.45	18.50	18.50	18.50	21.49	21.50	96.79
		62	5310	16.25	17.00	16.70	17.00	19.49	20	
	802.11ac-VHT20 MCS0	52	5260	not required	18.50	not required	18.50	not required	21.5	not required
		56	5280		18.50		18.50		21.5	
		60	5300		18.50		18.50		21.5	
		64	5320		18.50		18.50		21.5	
	802.11ac-VHT40 MCS0	54	5270		18.50		18.50		21.5	
		62	5310		17.0		17.0		20.0	
	802.11ac-VHT80 MCS0	58	5290		16.5		16.5		19.5	
	802.11ac-VHT160 MCS0	50	5250		15.0		15.0		18.0	
	802.11ax-HE20 MCS0	52	5260		18.50		18.50		21.5	
		56	5280		18.50		18.50		21.5	
		60	5300		18.50		18.50		21.5	
		64	5320		18.50		18.50		21.5	
	802.11ax-HE40 MCS0	54	5270		18.50		18.50		21.5	
		62	5310		17.0		17.0		20.0	
	802.11ax-HE80 MCS0	58	5290		16.5		16.5		19.5	
	802.11ax-HE160 MCS0	50	5250		15.0		15.0		18.0	
	802.11be-EHT20 MCS0	52	5260		18.50		18.50		21.5	
		56	5280		18.50		18.50		21.5	
		60	5300		18.50		18.50		21.5	
		64	5320		18.50		18.50		21.5	
	802.11be-EHT40 MCS0	54	5270		18.50		18.50		21.5	
		62	5310		17.0		17.0		20.0	
	802.11be-EHT80 MCS0	58	5290		16.5		16.5		19.5	
	802.11be-EHT160 MCS0	50	5250		15.0		15.0		18.0	

WLAN 5.5GHz Power index 1/2

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.5GHz WLAN	802.11a 6Mbps	100	5500	not required	15.00	not required	15.00	not required	18.00	not required
		116	5580		15.00		15.00		18.00	
		124	5620		15.00		15.00		18.00	
		132	5660		15.00		15.00		18.00	
		144	5720		15.00		15.00		18.00	
	802.11n-HT20 MCS0	100	5500		15.00		15.00		18.00	
		116	5580		15.00		15.00		18.00	
		124	5620		15.00		15.00		18.00	
		132	5660		15.00		15.00		18.00	
		144	5720		15.00		15.00		18.00	
	802.11n-HT40 MCS0	102	5510		15.00		15.00		18.00	
		110	5550		15.00		15.00		18.00	
		134	5670		15.00		15.00		18.00	
		142	5710		15.00		15.00		18.00	
		100	5500		15.00		15.00		18.00	
	802.11ac-VHT20 MCS0	116	5580		15.00		15.00		18.00	
		124	5620		15.00		15.00		18.00	
		144	5720		15.00		15.00		18.00	
		102	5510		15.00		15.00		18.00	
	802.11ac-VHT40 MCS0	110	5550		15.00		15.00		18.00	
		126	5630		15.00		15.00		18.00	
		134	5670		15.00		15.00		18.00	
		142	5710		15.00		15.00		18.00	
		106	5530		15.00		15.00		18.00	
	802.11ac-VHT80 MCS0	122	5610		15.00		15.00		18.00	
		138	5690		15.00		15.00		18.00	
		114	5570	14.95	15.00	15.00	15.00	17.99	18.00	87.95
	802.11ax-HE20 MCS0	100	5500	not required	15.00	not required	15.00	not required	18.00	not required
		116	5580		15.00		15.00		18.00	
		124	5620		15.00		15.00		18.00	
		132	5660		15.00		15.00		18.00	
		144	5720		15.00		15.00		18.00	
	802.11ax-HE40 MCS0	102	5510		15.00		15.00		18.00	
		110	5550		15.00		15.00		18.00	
		126	5630		15.00		15.00		18.00	
		134	5670		15.00		15.00		18.00	
		142	5710		15.00		15.00		18.00	
	802.11ax-HE80 MCS0	106	5530		15.00		15.00		18.00	
		122	5610		15.00		15.00		18.00	
		138	5690		15.00		15.00		18.00	
		100	5500		15.00		15.00		18.00	
	802.11be-EHT20 MCS0	116	5580		15.00		15.00		18.00	
		124	5620		15.00		15.00		18.00	
		132	5660		15.00		15.00		18.00	
		144	5720		15.00		15.00		18.00	
		102	5510		15.00		15.00		18.00	
	802.11be-EHT40 MCS0	110	5550		15.00		15.00		18.00	
		126	5630		15.00		15.00		18.00	
		134	5670		15.00		15.00		18.00	
		142	5710		15.00		15.00		18.00	
		106	5530		15.00		15.00		18.00	
	802.11be-EHT80 MCS0	122	5610		15.00		15.00		18.00	
		138	5690		15.00		15.00		18.00	
		100	5500		15.00		15.00		18.00	

WLAN 5.5GHz Power index 3/4

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.5GHz WLAN	802.11a 6Mbps	100	5500	not required	11.50	not required	11.50	not required	14.50	not required
		116	5580		11.50		11.50		14.50	
		124	5620		11.50		11.50		14.50	
		132	5660		11.50		11.50		14.50	
		144	5720		11.50		11.50		14.50	
	802.11n-HT20 MCS0	100	5500		11.50		11.50		14.50	
		116	5580		11.50		11.50		14.50	
		124	5620		11.50		11.50		14.50	
		132	5660		11.50		11.50		14.50	
		144	5720		11.50		11.50		14.50	
	802.11n-HT40 MCS0	102	5510		11.50		11.50		14.50	
		110	5550		11.50		11.50		14.50	
		134	5670		11.50		11.50		14.50	
		142	5710		11.50		11.50		14.50	
		100	5500		11.50		11.50		14.50	
	802.11ac-VHT20 MCS0	116	5580		11.50		11.50		14.50	
		124	5620		11.50		11.50		14.50	
		144	5720		11.50		11.50		14.50	
		102	5510		11.50		11.50		14.50	
	802.11ac-VHT40 MCS0	110	5550		11.50		11.50		14.50	
		126	5630		11.50		11.50		14.50	
		134	5670		11.50		11.50		14.50	
		142	5710		11.50		11.50		14.50	
		106	5530		11.50		11.50		14.50	
	802.11ac-VHT80 MCS0	122	5610		11.50		11.50		14.50	
		138	5690		11.50		11.50		14.50	
		114	5570	10.05	11.50	11.40	11.50	13.79	14.50	87.95
	802.11ax-HE20 MCS0	100	5500	not required	11.50	not required	11.50	not required	14.50	not required
		116	5580		11.50		11.50		14.50	
		124	5620		11.50		11.50		14.50	
		132	5660		11.50		11.50		14.50	
		144	5720		11.50		11.50		14.50	
	802.11ax-HE40 MCS0	102	5510		11.50		11.50		14.50	
		110	5550		11.50		11.50		14.50	
		126	5630		11.50		11.50		14.50	
		134	5670		11.50		11.50		14.50	
		142	5710		11.50		11.50		14.50	
	802.11ax-HE80 MCS0	106	5530		11.50		11.50		14.50	
		122	5610		11.50		11.50		14.50	
		138	5690		11.50		11.50		14.50	
		100	5500		11.50		11.50		14.50	
	802.11be-EHT20 MCS0	116	5580		11.50		11.50		14.50	
		124	5620		11.50		11.50		14.50	
		132	5660		11.50		11.50		14.50	
		144	5720		11.50		11.50		14.50	
		102	5510		11.50		11.50		14.50	
	802.11be-EHT40 MCS0	110	5550		11.50		11.50		14.50	
		126	5630		11.50		11.50		14.50	
		134	5670		11.50		11.50		14.50	
		142	5710		11.50		11.50		14.50	
		106	5530		11.50		11.50		14.50	
	802.11be-EHT80 MCS0	122	5610		11.50		11.50		14.50	
		138	5690		11.50		11.50		14.50	

WLAN 5.5GHz Power index 5/6/7/8/9

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.5GHz WLAN	802.11a 6Mbps	100	5500	not required	18.50	not required	18.50	not required	21.5	not required
		116	5580		18.50		18.50		21.5	
		124	5620		18.50		18.50		21.5	
		132	5660		18.50		18.50		21.5	
		144	5720		18.50		18.50		21.5	
	802.11n-HT20 MCS0	100	5500		18.50		18.50		21.5	
		116	5580		18.50		18.50		21.5	
		124	5620		18.50		18.50		21.5	
		132	5660		18.50		18.50		21.5	
		144	5720		18.50		18.50		21.5	
	802.11n-HT40 MCS0	102	5510		18.0		18.0		21.0	
		110	5550		18.50		18.50		21.5	
		134	5670		18.50		18.50		21.5	
		142	5710		18.50		18.50		21.5	
	802.11ac-VHT20 MCS0	100	5500		18.50		18.50		21.5	
		116	5580		18.50		18.50		21.5	
		124	5620		18.50		18.50		21.5	
		144	5720		18.50		18.50		21.5	
	802.11ac-VHT40 MCS0	102	5510		18.0		18.0		21.0	
		110	5550		18.50		18.50		21.5	
		126	5630		18.50		18.50		21.5	
		134	5670		18.50		18.50		21.5	
	802.11ac-VHT80 MCS0	106	5530	16.35	16.50	16.20	16.50	19.29	19.50	91.94
		122	5610	18.35	18.50	18.40	18.50	21.39	21.50	
		138	5690	18.25	18.50	18.10	18.50	21.19	21.50	
	802.11ac-VHT160 MCS0	114	5570	not required	15.5	not required	15.5	not required	18.5	not required
	802.11ax-HE20 MCS0	100	5500		18.50		18.50		21.5	
		116	5580		18.50		18.50		21.5	
		124	5620		18.50		18.50		21.5	
		132	5660		18.50		18.50		21.5	
		144	5720		18.50		18.50		21.5	
	802.11ax-HE40 MCS0	102	5510		18.0		18.0		21.0	
		110	5550		18.50		18.50		21.5	
		126	5630		18.50		18.50		21.5	
		134	5670		18.50		18.50		21.5	
	802.11ax-HE80 MCS0	106	5530		16.5		16.5		19.5	
		122	5610		18.50		18.50		21.5	
		138	5690		18.50		18.50		21.5	
	802.11be-EHT20 MCS0	100	5500		18.50		18.50		21.5	
		116	5580		18.50		18.50		21.5	
		124	5620		18.50		18.50		21.5	
		132	5660		18.50		18.50		21.5	
	802.11be-EHT40 MCS0	144	5720		18.50		18.50		21.5	
		102	5510		18.0		18.0		21.0	
		110	5550		18.50		18.50		21.5	
		126	5630		18.50		18.50		21.5	
		134	5670		18.50		18.50		21.5	
	802.11be-EHT80 MCS0	142	5710		18.50		18.50		21.5	
		106	5530		16.5		16.5		19.5	
		122	5610		18.50		18.50		21.5	
		138	5690		18.50		18.50		21.5	

WLAN 5.8GHz Power index 1/2

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.8GHz WLAN	802.11a 6Mbps	149	5745	not required	16.00	not required	16.00	not required	19.00	not required
		157	5785		16.00		16.00		19.00	
		165	5825		16.00		16.00		19.00	
	802.11n-HT20 MCS0	149	5745		16.00		16.00		19.00	
		157	5785		16.00		16.00		19.00	
		165	5825		16.00		16.00		19.00	
	802.11n-HT40 MCS0	151	5755		16.00		16.00		19.00	
		159	5795		16.00		16.00		19.00	
		165	5825		16.00		16.00		19.00	
	802.11ac-VHT20 MCS0	149	5745		16.00		16.00		19.00	
		157	5785		16.00		16.00		19.00	
		165	5825		16.00		16.00		19.00	
	802.11ac-VHT40 MCS0	151	5755		16.00		16.00		19.00	
		159	5795		16.00		16.00		19.00	
		165	5825		16.00		16.00		19.00	
	802.11ac-VHT80 MCS0	155	5775	15.85	16.00	15.70	16.00	18.79	19.00	91.94
	802.11ax-HE20 MCS0	149	5745	not required	16.00	not required	16.00	not required	19.00	not required
		157	5785		16.00		16.00		19.00	
		165	5825		16.00		16.00		19.00	
	802.11ax-HE40 MCS0	151	5755		16.00		16.00		19.00	
		159	5795		16.00		16.00		19.00	
	802.11ax-HE80 MCS0	155	5775		16.00		16.00		19.00	
	802.11be-EHT20 MCS0	149	5745		16.00		16.00		19.00	
		157	5785		16.00		16.00		19.00	
		165	5825		16.00		16.00		19.00	
	802.11be-EHT40 MCS0	151	5755		16.00		16.00		19.00	
		159	5795		16.00		16.00		19.00	
	802.11be-EHT80 MCS0	155	5775		16.00		16.00		19.00	

WLAN 5.8GHz Power index 3/4

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.8GHz WLAN	802.11a 6Mbps	149	5745	not required	12.50	not required	12.50	not required	15.50	not required
		157	5785		12.50		12.50		15.50	
		165	5825		12.50		12.50		15.50	
	802.11n-HT20 MCS0	149	5745		12.50		12.50		15.50	
		157	5785		12.50		12.50		15.50	
		165	5825		12.50		12.50		15.50	
	802.11n-HT40 MCS0	151	5755		12.50		12.50		15.50	
		159	5795		12.50		12.50		15.50	
		149	5745		12.50		12.50		15.50	
	802.11ac-VHT20 MCS0	157	5785		12.50		12.50		15.50	
		165	5825		12.50		12.50		15.50	
		151	5755		12.50		12.50		15.50	
	802.11ac-VHT40 MCS0	159	5795		12.50		12.50		15.50	
		149	5745		12.50		12.50		15.50	
		155	5775	12.35	12.50	12.20	12.50	15.29	15.50	91.94
	802.11ax-HE20 MCS0	149	5745	not required	12.50	not required	12.50	not required	15.50	not required
		157	5785		12.50		12.50		15.50	
		165	5825		12.50		12.50		15.50	
	802.11ax-HE40 MCS0	151	5755		12.50		12.50		15.50	
		159	5795		12.50		12.50		15.50	
		155	5775		12.50		12.50		15.50	
	802.11ax-HE80 MCS0	149	5745		12.50		12.50		15.50	
		157	5785		12.50		12.50		15.50	
		165	5825		12.50		12.50		15.50	
	802.11be-EHT20 MCS0	151	5755		12.50		12.50		15.50	
		159	5795		12.50		12.50		15.50	
		155	5775		12.50		12.50		15.50	
	802.11be-EHT40 MCS0	149	5745		12.50		12.50		15.50	
		157	5785		12.50		12.50		15.50	
		165	5825		12.50		12.50		15.50	
	802.11be-EHT80 MCS0	151	5755		12.50		12.50		15.50	
		159	5795		12.50		12.50		15.50	
		155	5775		12.50		12.50		15.50	

WLAN 5.8GHz Power index 5/6

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.8GHz WLAN	802.11a 6Mbps	149	5745	not required	20.00	not required	20.00	not required	23.0	not required
		157	5785		20.00		20.00		23.0	
		165	5825		20.00		20.00		23.0	
	802.11n-HT20 MCS0	149	5745		20.00		20.00		23.0	
		157	5785		20.00		20.00		23.0	
		165	5825		20.00		20.00		23.0	
	802.11n-HT40 MCS0	151	5755		20.00		20.00		23.0	
		159	5795		20.00		20.00		23.0	
		149	5745		20.00		20.00		23.0	
	802.11ac-VHT20 MCS0	157	5785		20.00		20.00		23.0	
		165	5825		20.00		20.00		23.0	
		151	5755		20.00		20.00		23.0	
	802.11ac-VHT40 MCS0	159	5795		20.00		20.00		23.0	
		155	5775	19.65	20.00	19.00	20.00	22.35	23.0	91.94
	802.11ax-HE20 MCS0	149	5745	not required	20.00	not required	20.00	not required	23.0	not required
		157	5785		20.00		20.00		23.0	
		165	5825		20.00		20.00		23.0	
	802.11ax-HE40 MCS0	151	5755		20.00		20.00		23.0	
		159	5795		20.00		20.00		23.0	
	802.11ax-HE80 MCS0	155	5775		20.00		20.00		23.0	
	802.11be-EHT20 MCS0	149	5745		20.00		20.00		23.0	
		157	5785		20.00		20.00		23.0	
		165	5825		20.00		20.00		23.0	
	802.11be-EHT40 MCS0	151	5755		20.00		20.00		23.0	
		159	5795		20.00		20.00		23.0	
	802.11be-EHT80 MCS0	155	5775		20.00		20.00		23.0	

WLAN 5.8GHz Power index 7/8/9

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.8GHz WLAN	802.11a 6Mbps	149	5745	not required	18.50	not required	18.50	not required	21.5	not required
		157	5785		18.50		18.50		21.5	
		165	5825		18.50		18.50		21.5	
	802.11n-HT20 MCS0	149	5745		18.50		18.50		21.5	
		157	5785		18.50		18.50		21.5	
		165	5825		18.50		18.50		21.5	
	802.11n-HT40 MCS0	151	5755		18.50		18.50		21.5	
		159	5795		18.50		18.50		21.5	
		149	5745		18.50		18.50		21.5	
	802.11ac-VHT20 MCS0	157	5785		18.50		18.50		21.5	
		165	5825		18.50		18.50		21.5	
		151	5755		18.50		18.50		21.5	
	802.11ac-VHT40 MCS0	159	5795		18.50		18.50		21.5	
		149	5745		18.50		18.50		21.5	
		155	5775	18.15	18.50	18.20	18.50	21.19	21.50	91.94
	802.11ax-HE20 MCS0	149	5745	not required	18.50	not required	18.50	not required	21.5	not required
		157	5785		18.50		18.50		21.5	
		165	5825		18.50		18.50		21.5	
	802.11ax-HE40 MCS0	151	5755		18.50		18.50		21.5	
		159	5795		18.50		18.50		21.5	
	802.11ax-HE80 MCS0	155	5775		18.50		18.50		21.5	
	802.11be-EHT20 MCS0	149	5745		18.50		18.50		21.5	
		157	5785		18.50		18.50		21.5	
		165	5825		18.50		18.50		21.5	
	802.11be-EHT40 MCS0	151	5755		18.50		18.50		21.5	
		159	5795		18.50		18.50		21.5	
	802.11be-EHT80 MCS0	155	5775		18.50		18.50		21.5	

WLAN 5.8GHz UNII4 Power index 1/2

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.8GHz UNII4 WLAN	802.11a 6Mbps	169	5845	not required	16.00	not required	16.00	not required	19.00	not required
		173	5865		16.00		16.00		19.00	
		177	5885		16.00		16.00		19.00	
	802.11n-HT20 MCS0	169	5845		16.00		16.00		19.00	
		173	5865		16.00		16.00		19.00	
		177	5885		16.00		16.00		19.00	
	802.11n-HT40 MCS0	167	5835		16.00		16.00		19.00	
		175	5875		16.00		16.00		19.00	
		169	5845		16.00		16.00		19.00	
	802.11ac-VHT20 MCS0	173	5865		16.00		16.00		19.00	
		177	5885		16.00		16.00		19.00	
		167	5835		16.00		16.00		19.00	
	802.11ac-VHT40 MCS0	175	5875		16.00		16.00		19.00	
		169	5845		16.00		16.00		19.00	
		173	5865		16.00		16.00		19.00	
	802.11ac-VHT80 MCS0	177	5885		16.00		16.00		19.00	
		167	5835		16.00		16.00		19.00	
		175	5875		16.00		16.00		19.00	
	802.11ac-VHT160 MCS0	171	5855		16.00		16.00		19.00	
	802.11ac-VHT160 MCS0	163	5815	15.85	16.00	15.70	16.00	18.79	19.00	87.95
	802.11ax-HE20 MCS0	169	5845	not required	16.00	not required	16.00	not required	19.00	not required
		173	5865		16.00		16.00		19.00	
		177	5885		16.00		16.00		19.00	
	802.11ax-HE40 MCS0	167	5835		16.00		16.00		19.00	
		175	5875		16.00		16.00		19.00	
		169	5845		16.00		16.00		19.00	
	802.11ax-HE80 MCS0	171	5855		16.00		16.00		19.00	
	802.11ax-HE160 MCS0	163	5815		16.00		16.00		19.00	
	802.11be-EHT20 MCS0	169	5845		16.00		16.00		19.00	
		173	5865		16.00		16.00		19.00	
		177	5885		16.00		16.00		19.00	
	802.11be-EHT40 MCS0	167	5835		16.00		16.00		19.00	
		175	5875		16.00		16.00		19.00	
		169	5845		16.00		16.00		19.00	
	802.11be-EHT80 MCS0	171	5855		16.00		16.00		19.00	
	802.11be-EHT160 MCS0	163	5815		16.00		16.00		19.00	

WLAN 5.8GHz UNII4 Power index 3/4

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.8GHz UNII4 WLAN	802.11a 6Mbps	169	5845	not required	12.50	not required	12.50	not required	15.50	not required
		173	5865		12.50		12.50		15.50	
		177	5885		12.50		12.50		15.50	
	802.11n-HT20 MCS0	169	5845		12.50		12.50		15.50	
		173	5865		12.50		12.50		15.50	
		177	5885		12.50		12.50		15.50	
	802.11n-HT40 MCS0	167	5835		12.50		12.50		15.50	
		175	5875		12.50		12.50		15.50	
		169	5845		12.50		12.50		15.50	
	802.11ac-VHT20 MCS0	173	5865		12.50		12.50		15.50	
		177	5885		12.50		12.50		15.50	
		167	5835		12.50		12.50		15.50	
	802.11ac-VHT40 MCS0	175	5875		12.50		12.50		15.50	
		169	5845		12.50		12.50		15.50	
		173	5865		12.50		12.50		15.50	
	802.11ac-VHT80 MCS0	177	5885		12.50		12.50		15.50	
		167	5835		12.50		12.50		15.50	
		175	5875		12.50		12.50		15.50	
	802.11ac-VHT160 MCS0	171	5855		12.50		12.50		15.50	
	802.11ac-VHT160 MCS0	163	5815	12.35	12.50	12.20	12.50	15.29	15.50	87.95
	802.11ax-HE20 MCS0	169	5845	not required	12.50	not required	12.50	not required	15.50	not required
		173	5865		12.50		12.50		15.50	
		177	5885		12.50		12.50		15.50	
	802.11ax-HE40 MCS0	167	5835		12.50		12.50		15.50	
		175	5875		12.50		12.50		15.50	
		169	5845		12.50		12.50		15.50	
	802.11ax-HE80 MCS0	171	5855		12.50		12.50		15.50	
	802.11ax-HE160 MCS0	163	5815		12.50		12.50		15.50	
	802.11be-EHT20 MCS0	169	5845		12.50		12.50		15.50	
		173	5865		12.50		12.50		15.50	
		177	5885		12.50		12.50		15.50	
	802.11be-EHT40 MCS0	167	5835		12.50		12.50		15.50	
		175	5875		12.50		12.50		15.50	
		169	5845		12.50		12.50		15.50	
	802.11be-EHT80 MCS0	171	5855		12.50		12.50		15.50	
	802.11be-EHT160 MCS0	163	5815		12.50		12.50		15.50	

WLAN 5.8GHz UNII4 Power index 5/6

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.8GHz UNII4 WLAN	802.11a 6Mbps	169	5845	not required	20.00	not required	20.00	not required	23.0	not required
		173	5865		20.00		20.00		23.0	
		177	5885		20.00		20.00		23.0	
	802.11n-HT20 MCS0	169	5845		20.00		20.00		23.0	
		173	5865		20.00		20.00		23.0	
		177	5885		20.00		20.00		23.0	
	802.11n-HT40 MCS0	167	5835		20.00		20.00		23.0	
		175	5875		20.00		20.00		23.0	
		169	5845		20.00		20.00		23.0	
	802.11ac-VHT20 MCS0	173	5865		20.00		20.00		23.0	
		177	5885		20.00		20.00		23.0	
		167	5835		20.00		20.00		23.0	
	802.11ac-VHT40 MCS0	175	5875		20.00		20.00		23.0	
		171	5855	19.45	20.00	18.80	20.00	22.15	23.0	92.74
	802.11ac-VHT80 MCS0	163	5815	not required	19.00	not required	19.00	not required	22.0	not required
	802.11ax-HE20 MCS0	169	5845		20.00		20.00		23.0	
		173	5865		20.00		20.00		23.0	
		177	5885		20.00		20.00		23.0	
	802.11ax-HE40 MCS0	167	5835		20.00		20.00		23.0	
		175	5875		20.00		20.00		23.0	
	802.11ax-HE80 MCS0	171	5855		20.00		20.00		23.0	
	802.11ax-HE160 MCS0	163	5815		19.00		19.00		22.0	
	802.11be-EHT20 MCS0	169	5845		20.00		20.00		23.0	
		173	5865		20.00		20.00		23.0	
		177	5885		20.00		20.00		23.0	
	802.11be-EHT40 MCS0	167	5835		20.00		20.00		23.0	
		175	5875		20.00		20.00		23.0	
	802.11be-EHT80 MCS0	171	5855		20.00		20.00		23.0	
	802.11be-EHT160 MCS0	163	5815		19.00		19.00		22.0	

WLAN 5.8GHz UNII4 Power index 7/8/9

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.8GHz UNII4 WLAN	802.11a 6Mbps	169	5845	not required	18.50	not required	18.50	not required	21.5	not required
		173	5865		18.50		18.50		21.5	
		177	5885		18.50		18.50		21.5	
	802.11n-HT20 MCS0	169	5845		18.50		18.50		21.5	
		173	5865		18.50		18.50		21.5	
		177	5885		18.50		18.50		21.5	
	802.11n-HT40 MCS0	167	5835		18.50		18.50		21.5	
		175	5875		18.50		18.50		21.5	
		169	5845		18.50		18.50		21.5	
	802.11ac-VHT20 MCS0	173	5865		18.50		18.50		21.5	
		177	5885		18.50		18.50		21.5	
		167	5835		18.50		18.50		21.5	
	802.11ac-VHT40 MCS0	175	5875		18.50		18.50		21.5	
		169	5845		18.50		18.50		21.5	
		173	5865		18.50		18.50		21.5	
	802.11ac-VHT80 MCS0	177	5885		18.50		18.50		21.5	
		167	5835		18.50		18.50		21.5	
		175	5875		18.50		18.50		21.5	
	802.11ac-VHT160 MCS0	171	5855		18.50		18.50		21.5	
	802.11ac-VHT160 MCS0	163	5815	18.45	18.50	18.40	18.50	21.44	21.50	87.95
	802.11ax-HE20 MCS0	169	5845	not required	18.50	not required	18.50	not required	21.5	not required
		173	5865		18.50		18.50		21.5	
		177	5885		18.50		18.50		21.5	
	802.11ax-HE40 MCS0	167	5835		18.50		18.50		21.5	
		175	5875		18.50		18.50		21.5	
		169	5845		18.50		18.50		21.5	
	802.11ax-HE80 MCS0	171	5855		18.50		18.50		21.5	
	802.11ax-HE160 MCS0	163	5815		18.50		18.50		21.5	
	802.11be-EHT20 MCS0	169	5845		18.50		18.50		21.5	
		173	5865		18.50		18.50		21.5	
		177	5885		18.50		18.50		21.5	
	802.11be-EHT40 MCS0	167	5835		18.50		18.50		21.5	
		175	5875		18.50		18.50		21.5	
		169	5845		18.50		18.50		21.5	
	802.11be-EHT80 MCS0	171	5855		18.50		18.50		21.5	
	802.11be-EHT160 MCS0	163	5815		18.50		18.50		21.5	

WLAN(6E) Power index 1/2/3/4

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
WiFi 6E	802.11a 6Mbps	1	5955	not required	9.50	not required	9.50	not required	12.5	not required
		57	6235		9.00		9.00		12.0	
		113	6515		9.50		9.50		12.5	
		173	6815		8.50		8.50		11.5	
		233	7115		9.00		9.00		12.0	
	802.11ax-HE20 MCS0	1	5955		10.00		10.00		13.0	
		57	6235		10.00		10.00		13.0	
		113	6515		10.00		10.00		13.0	
		173	6815		10.00		10.00		13.0	
		233	7115		10.00		10.00		13.0	
	802.11ax-HE40 MCS0	3	5965		12.00		12.00		15.0	
		59	6245		12.00		12.00		15.0	
		107	6485		10.00		10.00		13.0	
		171	6805		8.50		8.50		11.5	
		227	7085		12.00		12.00		15.0	
	802.11ax-HE80 MCS0	7	5985		12.00		12.00		15.0	
		71	6305		12.00		12.00		15.0	
		119	6545		10.00		10.00		13.0	
		167	6785		8.50		8.50		11.5	
		215	7025		12.00		12.00		15.0	
	802.11ax-HE160 MCS0	15	6025	11.80	12.00	11.80	12.00	14.81	15.0	86.30
		47	6185	11.60	12.00	12.00	12.00	14.81	15.0	
		111	6505	10.00	10.00	9.80	10.00	12.91	13.0	
		143	6665	8.40	8.50	7.60	8.50	11.03	11.5	
		207	6985	11.80	12.00	11.40	12.00	14.61	15.0	
	802.11be EHT20 MCS0	1	5955	not required	10.00	not required	10.00	not required	13.0	not required
		57	6235		10.00		10.00		13.0	
		113	6515		10.00		10.00		13.0	
		173	6815		8.50		8.50		11.5	
		233	7115		10.00		10.00		13.0	
	802.11be EHT40 MCS0	3	5965		12.00		12.00		15.0	
		59	6245		12.00		12.00		15.0	
		107	6485		10.00		10.00		13.0	
		171	6805		8.50		8.50		11.5	
		227	7085		12.00		10.00		14.1	
	802.11be EHT80 MCS0	7	5985		12.00		12.00		15.0	
		71	6305		12.00		12.00		15.0	
		119	6545		10.00		10.00		13.0	
		167	6785		8.50		8.50		11.5	
		215	7025		12.00		12.00		15.0	
	802.11be EHT160 MCS0	15	6025		12.00		12.00		15.0	
		47	6185		12.00		12.00		15.0	
		111	6505		10.00		10.00		13.0	
		143	6665		8.50		8.50		11.5	
		207	6985		12.00		12.00		15.0	

WLAN(6E) Power index 5/6/7/8/9

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
WiFi 6E	802.11a 6Mbps	1	5955	not required	9.50	not required	9.50	not required	12.5	not required
		57	6235		9.00		9.00		12.0	
		113	6515		9.50		9.50		12.5	
		173	6815		9.00		9.00		12.0	
		233	7115		9.00		9.00		12.0	
	802.11ax-HE20 MCS0	1	5955		10.00		10.00		13.0	
		57	6235		10.00		10.00		13.0	
		113	6515		10.00		10.00		13.0	
		173	6815		10.00		10.00		13.0	
		233	7115		10.00		10.00		13.0	
	802.11ax-HE40 MCS0	3	5965		13.00		13.00		16.0	
		59	6245		13.00		13.00		16.0	
		107	6485		13.00		13.00		16.0	
		171	6805		13.00		13.00		16.0	
		227	7085		13.00		10.00		14.8	
	802.11ax-HE80 MCS0	7	5985		13.50		13.50		16.5	
		71	6305		13.50		13.50		16.5	
		119	6545		13.50		13.50		16.5	
		167	6785		13.00		13.00		16.0	
		215	7025		15.00		15.00		18.0	
	802.11ax-HE160 MCS0	15	6025	13.40	13.50	13.50	13.50	16.46	16.50	86.30
		47	6185	13.20	13.50	13.50	13.50	16.36	16.50	
		111	6505	13.50	13.50	12.90	13.50	16.22	16.50	
		143	6665	13.00	13.00	12.10	13.00	15.58	16.00	
		207	6985	15.00	15.00	14.50	15.00	17.77	18.00	
	802.11be EHT20 MCS0	1	5955	not required	10.00	not required	10.00	not required	13.0	not required
		57	6235		10.00		10.00		13.0	
		113	6515		10.00		10.00		13.0	
		173	6815		10.00		10.00		13.0	
		233	7115		10.00		10.00		13.0	
	802.11be EHT40 MCS0	3	5965		13.00		13.00		16.0	
		59	6245		13.00		13.00		16.0	
		107	6485		13.00		13.00		16.0	
		171	6805		13.00		13.00		16.0	
		227	7085		13.00		10.00		14.8	
	802.11be EHT80 MCS0	7	5985		13.50		13.50		16.5	
		71	6305		13.50		13.50		16.5	
		119	6545		13.50		13.50		16.5	
		167	6785		13.00		13.00		16.0	
		215	7025		15.00		15.00		18.0	
	802.11be EHT160 MCS0	15	6025		13.50		13.50		16.5	
		47	6185		13.50		13.50		16.5	
		111	6505		13.50		13.50		16.5	
		143	6665		13.00		13.00		16.0	
		207	6985		15.00		15.00		18.0	

Bluetooth Power Index 1

	Mode	Channel	Frequency (MHz)	Ant 3			Ant 4		
				Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Duty Cycle %
Bluetooth	BR / EDR 1Mbps	0	2402	8.42	9.00	77.13	7.54	9.00	77.07
		39	2441	8.99	9.00		8.32	9.00	
		78	2480	9.00	9.00		7.16	9.00	
	BR / EDR 2Mbps	0	2402	not required	9.00	not required	not required	9.00	not required
		39	2441		9.00			9.00	
		78	2480		9.00			9.00	
	BR / EDR 3Mbps	0	2402		9.00			9.00	
		39	2441		9.00			9.00	
		78	2480		9.00			9.00	
	LE 1Mbps	0	2402		9.00			9.00	
		19	2440		9.00			9.00	
		39	2480		9.00			9.00	
	LE 2Mbps	0	2402		9.00			9.00	
		19	2440		9.00			9.00	
		39	2480		9.00			9.00	
	HR 2Mbps	0	2402		9.00			9.00	
		39	2441		9.00			9.00	
		78	2480		9.00			9.00	
	HR 4Mbps	2	2404		9.00			9.00	
		39	2441		9.00			9.00	
		76	2478		9.00			9.00	
	HR 8Mbps	2	2404		9.00			9.00	
		39	2441		9.00			9.00	
		76	2478		9.00			9.00	

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
Bluetooth	BR / EDR 1Mbps	0	2402	7.18	9.00	7.32	9.00	10.26	12.0	77.07
		39	2441	7.28	9.00	8.18	9.00	10.76	12.0	
		78	2480	7.38	9.00	7.01	9.00	10.21	12.0	
	BR / EDR 2Mbps	0	2402	not required	9.00	not required	9.00	not required	12.0	not required
		39	2441		9.00		9.00		12.0	
		78	2480		9.00		9.00		12.0	
	BR / EDR 3Mbps	0	2402		9.00		9.00		12.0	
		39	2441		9.00		9.00		12.0	
		78	2480		9.00		9.00		12.0	
	LE 1Mbps	0	2402		9.00		9.00		12.0	
		19	2440		9.00		9.00		12.0	
		39	2480		9.00		9.00		12.0	
	LE 2Mbps	0	2402		9.00		9.00		12.0	
		19	2440		9.00		9.00		12.0	
		39	2480		9.00		9.00		12.0	
	HR 2Mbps	0	2402		9.00		9.00		12.0	
		39	2441		9.00		9.00		12.0	
		78	2480		9.00		9.00		12.0	
	HR 4Mbps	2	2404		9.00		9.00		12.0	
		39	2441		9.00		9.00		12.0	
		76	2478		9.00		9.00		12.0	
	HR 8Mbps	2	2404		9.00		9.00		12.0	
		39	2441		9.00		9.00		12.0	
		76	2478		9.00		9.00		12.0	

Bluetooth Power Index 2

				Ant 3			Ant 4		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Duty Cycle %
Bluetooth	BR / EDR 1Mbps	0	2402	19.68	21.00	77.13	19.63	21.00	77.07
		39	2441	19.32	21.00		19.61	21.00	
		78	2480	19.22	21.00		19.01	21.00	
	BR / EDR 2Mbps	0	2402	not required	19.00	not required	not required	19.00	not required
		39	2441		19.00			19.00	
		78	2480		19.00			19.00	
	BR / EDR 3Mbps	0	2402		18.00			18.00	
		39	2441		18.00			18.00	
		78	2480		18.00			18.00	
	LE 1Mbps	0	2402		20.00			20.00	
		19	2440		20.00			20.00	
		39	2480		20.00			20.00	
	LE 2Mbps	0	2402		20.00			20.00	
		19	2440		20.00			20.00	
		39	2480		20.00			20.00	
	HR 2Mbps	0	2402		19.00			19.00	
		39	2441		18.00			18.00	
		78	2480		18.00			18.00	
	HR 4Mbps	2	2404		19.00			19.00	
		39	2441		18.00			18.00	
		76	2478		18.00			18.00	
	HR 8Mbps	2	2404		19.00			19.00	
		39	2441		18.00			18.00	
		76	2478		18.00			18.00	


				Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
Bluetooth	BR / EDR 1Mbps	0	2402	16.50	18.00	16.64	18.00	19.58	21.0	77.07
		39	2441	16.36	18.00	16.70	18.00	19.54	21.0	
		78	2480	16.39	18.00	16.00	18.00	19.21	21.0	
	BR / EDR 2Mbps	0	2402	not required	15.00	not required	15.00	not required	18.0	not required
		39	2441		15.00		15.00		18.0	
		78	2480		15.00		15.00		18.0	
	BR / EDR 3Mbps	0	2402		15.00		15.00		18.0	
		39	2441		15.00		15.00		18.0	
		78	2480		15.00		15.00		18.0	
	LE 1Mbps	0	2402		18.00		18.00		21.0	
		19	2440		18.00		18.00		21.0	
		39	2480		18.00		18.00		21.0	
	LE 2Mbps	0	2402		18.00		18.00		21.0	
		19	2440		18.00		18.00		21.0	
		39	2480		18.00		18.00		21.0	
	HR 2Mbps	0	2402		15.00		15.00		18.0	
		39	2441		15.00		15.00		18.0	
		78	2480		15.00		15.00		18.0	
	HR 4Mbps	2	2404		18.00		18.00		21.0	
		39	2441		18.00		18.00		21.0	
		76	2478		18.00		18.00		21.0	
	HR 8Mbps	2	2404		18.00		18.00		21.0	
		39	2441		18.00		18.00		21.0	
		76	2478		14.00		14.00		17.0	

Bluetooth Power Index 3,4

	Mode	Channel	Frequency (MHz)	Ant 3			Ant 4		
				Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Duty Cycle %
Bluetooth	BR / EDR 1Mbps	0	2402	14.69	15.00	77.13	14.61	15.00	77.07
		39	2441	14.50	15.00		14.59	15.00	
		78	2480	14.39	15.00		14.24	15.00	
	BR / EDR 2Mbps	0	2402	not required	15.00	not required	not required	15.00	not required
		39	2441		15.00			15.00	
		78	2480		15.00			15.00	
	BR / EDR 3Mbps	0	2402		15.00			15.00	
		39	2441		15.00			15.00	
		78	2480		15.00			15.00	
	LE 1Mbps	0	2402		15.00			15.00	
		19	2440		15.00			15.00	
		39	2480		15.00			15.00	
	LE 2Mbps	0	2402		15.00			15.00	
		19	2440		15.00			15.00	
		39	2480		15.00			15.00	
	HR 2Mbps	0	2402		15.00			15.00	
		39	2441		15.00			15.00	
		78	2480		15.00			15.00	
	HR 4Mbps	2	2404		15.00			15.00	
		39	2441		15.00			15.00	
		76	2478		15.00			15.00	
	HR 8Mbps	2	2404		15.00			15.00	
		39	2441		15.00			15.00	
		76	2478		15.00			15.00	

	Mode	Channel	Frequency (MHz)	Ant 3+4(3)		Ant 3+4(4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
Bluetooth	BR / EDR 1Mbps	0	2402	14.33	15.00	14.37	15.00	17.36	18.0	77.07
		39	2441	14.12	15.00	14.40	15.00	17.27	18.0	
		78	2480	14.13	15.00	13.88	15.00	17.02	18.0	
	BR / EDR 2Mbps	0	2402	not required	15.00	not required	15.00	not required	18.0	not required
		39	2441		15.00		15.00		18.0	
		78	2480		15.00		15.00		18.0	
	BR / EDR 3Mbps	0	2402		15.00		15.00		18.0	
		39	2441		15.00		15.00		18.0	
		78	2480		15.00		15.00		18.0	
	LE 1Mbps	0	2402		15.00		15.00		18.0	
		19	2440		15.00		15.00		18.0	
		39	2480		15.00		15.00		18.0	
	LE 2Mbps	0	2402		15.00		15.00		18.0	
		19	2440		15.00		15.00		18.0	
		39	2480		15.00		15.00		18.0	
	HR 2Mbps	0	2402		15.00		15.00		18.0	
		39	2441		15.00		15.00		18.0	
		78	2480		15.00		15.00		18.0	
	HR 4Mbps	2	2404		15.00		15.00		18.0	
		39	2441		15.00		15.00		18.0	
		76	2478		15.00		15.00		18.0	
	HR 8Mbps	2	2404		15.00		15.00		18.0	
		39	2441		15.00		15.00		18.0	
		76	2478		14.00		14.00		17.0	

BT Duty Cycle_Ant3



BT Duty Cycle_Ant4 / Ant 4+3

