


Agilent



Freq/Channel

Center Freq
 416.700000 MHz

Start Freq
 411.700000 MHz

Stop Freq
 421.700000 MHz


CF Step
 1.00000000 MHz
 Auto Man

Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent



Freq/Channel

Center Freq
 416.700000 MHz

Start Freq
 411.700000 MHz

Stop Freq
 421.700000 MHz


CF Step
 1.00000000 MHz
 Auto Man

Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent



Freq/Channel

Center Freq
416.700000 MHz

Start Freq
416.700000 MHz

Stop Freq
416.700000 MHz


CF Step
100.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Scale Type
Log Lin

Agilent



Freq/Channel

Center Freq
416.700000 MHz

Start Freq
416.700000 MHz

Stop Freq
416.700000 MHz

CF Step
100.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


Scale Type
Log Lin

Agilent

OH SUNG Model: MX-200UHF RF Remote
Ref -50 dBm Atten 5 dB

Peak
Log
5
dB/

V1 S2
S3 FC
AA



Center 416.7 MHz

Res BW 100 kHz

#VBW 300 kHz

Span 0 Hz
Sweep 100 ms (401 pts)

Freq/Channel

Center Freq
416.700000 MHz

Start Freq
416.700000 MHz

Stop Freq
416.700000 MHz

CF Step
100.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


Scale Type
Log Lin

Agilent

OH SUNG Model: MX-200UHF RF Remote
Ref -50 dBm Atten 5 dB

Peak
Log
5
dB/

V1 S2
S3 FC
AA



Center 416.7 MHz

Res BW 100 kHz

#VBW 300 kHz

Span 0 Hz
Sweep 100 ms (401 pts)

Freq/Channel

Center Freq
416.700000 MHz

Start Freq
416.700000 MHz

Stop Freq
416.700000 MHz

CF Step
100.000000 kHz
Auto Man


Freq Offset
0.00000000 Hz

Signal Track
On Off

Scale Type
Log Lin

OH SUNG Elect. Model: MX-200UHF
Infrared Remote Control LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV Emission [dB]	Limit [dBuV]	Margin [dB]	
1	28.754	32.63	-	-	32.63	48.00	-15.37
2	28.704	32.85	-	-	32.85	48.00	-15.15
3	28.534	32.40	-	-	32.40	48.00	-15.60
4	29.120	32.29	-	-	32.29	48.00	-15.71
5	28.013	31.07	-	-	31.07	48.00	-16.93
6	28.198	31.95	-	-	31.95	48.00	-16.05
7	27.857	30.50	-	-	30.50	48.00	-17.50
8	28.202	31.74	-	-	31.74	48.00	-16.26
9	.450	27.30	-	-	27.30	48.00	-20.70
10	27.788	30.36	-	-	30.36	48.00	-17.64

OH SUNG Elect. Model: MX-200UHF
Infrared Remote Control LINE B

PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV Emission [dB]	Limit [dBuV]	Margin [dB]
1	27.905	30.77	-	-	48.00	-17.23
2	28.646	32.90	-	-	48.00	-15.10
3	28.376	31.93	-	-	48.00	-16.07
4	28.279	31.94	-	-	48.00	-16.06
5	28.451	32.23	-	-	48.00	-15.77
6	29.318	31.28	-	-	48.00	-16.72
7	28.991	32.27	-	-	48.00	-15.73
8	27.831	30.60	-	-	48.00	-17.40
9	29.114	31.99	-	-	48.00	-16.01
10	4.025	26.83	-	-	48.00	-21.17