








































































Radiated Spurious Emissions

Test Result


Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5179.22	34.38	13.90	48.28	-	-	Horizontal	NA
2	8369.96	36.73	1.03	37.76	54.00	16.24	Horizontal	PASS
3	12039.35	34.93	5.39	40.32	54.00	13.68	Horizontal	PASS
4	17991.95	32.74	13.68	46.42	54.00	7.58	Horizontal	PASS
5	5176.84	40.55	13.91	54.46	-	-	Horizontal	NA
6	6356.26	35.50	17.19	52.69	68.20	15.51	Horizontal	PASS
7	13695.02	41.06	9.39	50.45	68.20	17.75	Horizontal	PASS
8	17913.36	39.41	13.26	52.67	74.00	21.33	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5176.84	45.63	13.91	59.54	-	-	Vertical	NA
2	7383.23	37.13	-0.58	36.55	54.00	17.45	Vertical	PASS
3	12245.59	35.21	5.36	40.57	54.00	13.43	Vertical	PASS
4	17978.15	32.53	13.47	46.00	54.00	8.00	Vertical	PASS
5	5175.92	51.69	13.90	65.59	-	-	Vertical	NA
6	6185.76	35.42	16.02	51.44	68.20	16.76	Vertical	PASS
7	12146.69	42.94	4.78	47.72	74.00	26.28	Vertical	PASS
8	17964.73	39.64	13.28	52.92	74.00	21.08	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7399.71	36.78	-0.28	36.50	54.00	17.50	Horizontal	PASS
2	12020.57	34.95	5.31	40.26	54.00	13.74	Horizontal	PASS
3	17995.02	31.78	13.72	45.50	54.00	8.50	Horizontal	PASS
4	6316.29	34.28	16.96	51.24	68.20	16.96	Horizontal	PASS
5	15074.30	40.77	9.13	49.90	68.20	18.30	Horizontal	PASS
6	17838.99	38.75	13.52	52.27	74.00	21.73	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5192.61	37.74	13.91	51.65	-	-	Vertical	NA
2	5192.06	43.46	13.92	57.38	-	-	Vertical	NA

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8028.78	38.01	0.27	38.28	54.00	15.72	Horizontal	PASS
2	11465.10	34.89	4.99	39.88	54.00	14.12	Horizontal	PASS
3	17968.18	32.31	13.33	45.64	54.00	8.36	Horizontal	PASS
4	6360.30	34.05	17.13	51.18	68.20	17.02	Horizontal	PASS
5	11415.65	42.04	5.29	47.33	74.00	26.67	Horizontal	PASS
6	17832.48	39.80	13.24	53.04	74.00	20.96	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5241.56	32.43	14.11	46.54	-	-	Vertical	NA
2	8116.95	36.64	0.62	37.26	54.00	16.74	Vertical	PASS
3	12108.35	35.22	5.12	40.34	54.00	13.66	Vertical	PASS
4	17891.51	32.24	13.45	45.69	54.00	8.31	Vertical	PASS
5	5240.27	38.39	14.11	52.50	-	-	Vertical	NA
6	6331.69	34.34	17.11	51.45	68.20	16.75	Vertical	PASS
7	12122.15	41.94	4.99	46.93	74.00	27.07	Vertical	PASS
8	17980.07	39.71	13.50	53.21	74.00	20.79	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8358.08	37.06	1.07	38.13	54.00	15.87	Horizontal	PASS
2	11371.95	34.77	5.19	39.96	54.00	14.04	Horizontal	PASS
3	17844.74	32.06	13.77	45.83	54.00	8.17	Horizontal	PASS
4	6498.90	33.83	17.50	51.33	68.20	16.87	Horizontal	PASS
5	11459.73	42.19	5.02	47.21	74.00	26.79	Horizontal	PASS
6	17982.37	39.04	13.54	52.58	74.00	21.42	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5266.13	36.69	14.26	50.95	-	-	Vertical	NA
2	8498.38	36.00	1.64	37.64	54.00	16.36	Vertical	PASS
3	11596.20	34.16	5.68	39.84	54.00	14.16	Vertical	PASS
4	17834.01	32.36	13.31	45.67	54.00	8.33	Vertical	PASS
5	5266.68	42.39	14.27	56.66	-	-	Vertical	NA
6	6357.91	34.64	17.16	51.80	68.20	16.40	Vertical	PASS
7	11450.15	42.51	5.07	47.58	74.00	26.42	Vertical	PASS
8	17383.20	40.40	12.12	52.52	68.20	15.68	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8090.89	37.11	0.50	37.61	54.00	16.39	Horizontal	PASS
2	11416.80	34.78	5.28	40.06	54.00	13.94	Horizontal	PASS
3	17977.38	32.18	13.46	45.64	54.00	8.36	Horizontal	PASS
4	6473.23	33.98	17.17	51.15	68.20	17.05	Horizontal	PASS
5	14318.73	40.79	8.79	49.58	68.20	18.62	Horizontal	PASS
6	17854.71	38.86	13.93	52.79	74.00	21.21	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5296.93	37.93	14.47	52.40	-	-	Vertical	NA
2	8091.27	37.03	0.50	37.53	54.00	16.47	Vertical	PASS
3	12056.22	35.08	5.40	40.48	54.00	13.52	Vertical	PASS
4	17864.30	31.76	13.81	45.57	54.00	8.43	Vertical	PASS
5	5296.93	43.76	14.47	58.23	-	-	Vertical	NA
6	6275.04	35.24	16.37	51.61	68.20	16.59	Vertical	PASS
7	13693.11	41.40	9.37	50.77	68.20	17.43	Vertical	PASS
8	17867.75	39.62	13.76	53.38	74.00	20.62	Vertical	PASS