CH40



Date: 5.DEC.2017 15:04:50

CH48



Date: 5.DEC.2017 15:05:58

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.35	0.60	2.95	17.00
CH40	5200	0.57	0.60	1.17	17.00
CH48	5240	3.04	0.60	3.64	17.00

CH36



CH40



Date: 5.DEC.2017 15:23:37

CH48



Date: 5.DEC.2017 15:24:33

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.84	15.23
CH40	5200	6.23	15.23
CH48	5240	8.43	15.23

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.16	1.44	2.60	17.00
CH46	5230	1.18	1.44	2.62	17.00

CH38



Date: 5.DEC.2017 15:55:05

CH46



Date: 5.DEC.2017 15:56:06

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.87	1.44	3.31	17.00
CH46	5230	1.94	1.44	3.38	17.00

CH38



Date: 5.DEC.2017 16:00:09

CH46



Date: 5.DEC.2017 16:01:09

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.46	1.44	2.90	17.00
CH46	5230	1.70	1.44	3.14	17.00

CH38



Date: 5.DEC.2017 16:05:25

CH46



Date: 5.DEC.2017 16:08:42

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.72	15.23
CH46	5230	7.83	15.23

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.60	0.25	7.85	30.00
CH157	5785	7.41	0.25	7.66	30.00
CH165	5825	7.34	0.25	7.59	30.00

TX CH149



TX CH157



Date: 5.DEC.2017 15:01:01

TX CH165



Date: 5.DEC.2017 15:02:00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.37	0.60	3.97	30.00
CH157	5785	1.45	0.60	2.05	30.00
CH165	5825	2.00	0.60	2.60	30.00

TX CH149



Date: 5.DEC.2017 15:17:14

TX CH157



Date: 5.DEC.2017 15:19:15

TX CH165



Date: 5.DEC.2017 15:20:14

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.96	0.60	4.56	30.00
CH157	5785	3.60	0.60	4.20	30.00
CH165	5825	3.37	0.60	3.97	30.00

TX CH149



TX CH157



Date: 5.DEC.2017 15:08:22

TX CH165



Date: 5.DEC.2017 15:09:28

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.91	0.60	3.51	30.00
CH157	5785	3.25	0.60	3.85	30.00
CH165	5825	2.41	0.60	3.01	30.00

TX CH149



Date: 5.DEC.2017 15:25:46

TX CH157



Date: 5.DEC.2017 15:26:53

TX CH165



Date: 5.DEC.2017 15:27:58

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.81	28.23
CH157	5785	8.23	28.23
CH165	5825	8.00	28.23

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.15	1.44	4.59	30.00
CH159	5795	-0.63	1.44	0.81	30.00

TX CH151



Date: 5.DEC.2017 15:57:23

TX CH159



Date: 5.DEC.2017 15:58:33

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.57	1.44	5.01	30.00
CH159	5795	0.09	1.44	1.53	30.00

TX CH151



Date: 5.DEC.2017 16:02:23

TX CH159



Date: 5.DEC.2017 16:03:35

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.05	1.44	5.49	30.00
CH159	5795	0.50	1.44	1.94	30.00

TX CH151



Date: 5.DEC.2017 16:09:56

TX CH159



Date: 5.DEC.2017 16:11:04

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	9.82	28.23
CH159	5795	6.22	28.23

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.07	0.25	3.32	17.00
CH40	5200	3.35	0.25	3.60	17.00
CH48	5240	4.33	0.25	4.58	17.00

CH36



CH40



Date: 5.DEC.2017 15:48:01

CH48



Date: 5.DEC.2017 15:49:05

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.63	0.25	3.88	17.00
CH40	5200	3.72	0.25	3.97	17.00
CH48	5240	4.85	0.25	5.10	17.00

CH36



CH40



Date: 5.DEC.2017 15:39:01

CH48



Date: 5.DEC.2017 15:40:48

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.26	0.25	3.51	17.00
CH40	5200	3.61	0.25	3.86	17.00
CH48	5240	4.99	0.25	5.24	17.00

CH36



Date: 5.DEC.2017 15:29:39

CH40



Date: 5.DEC.2017 15:30:38

CH48



Date: 5.DEC.2017 15:31:51

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.35	15.23
CH40	5200	8.58	15.23
CH48	5240	9.75	15.23

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.14	0.48	2.62	17.00
CH46	5230	2.07	0.48	2.55	17.00

CH38



Date: 5.DEC.2017 16:29:12

CH46



Date: 5.DEC.2017 16:30:07

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.74	0.48	3.22	17.00
CH46	5230	2.69	0.48	3.17	17.00

CH38



Date: 5.DEC.2017 16:22:39

CH46



Date: 5.DEC.2017 16:24:17

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.32	0.48	2.80	17.00
CH46	5230	2.40	0.48	2.88	17.00

CH38



Date: 5.DEC.2017 16:13:37

CH46



Date: 5.DEC.2017 16:14:56

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.66	15.23
CH46	5230	7.65	15.23

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.62	1.38	-0.24	17.00

CH42



Date: 5.DEC.2017 16:36:57

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.91	1.38	0.47	17.00

CH42



Date: 5.DEC.2017 16:40:03

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.83	1.38	0.55	17.00

CH42



Date: 5.DEC.2017 16:42:55

Test Mode: UNII-1/TX AC80 Mode_CH42_Total			
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	5.05	15.23

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.39	0.25	4.64	30.00
CH157	5785	3.95	0.25	4.20	30.00
CH165	5825	3.55	0.25	3.80	30.00

TX CH149



Date: 5.DEC.2017 15:50:07

TX CH157



Date: 5.DEC.2017 15:51:58

TX CH165



Date: 5.DEC.2017 15:52:57

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.20	0.25	5.45	30.00
CH157	5785	4.72	0.25	4.97	30.00
CH165	5825	4.43	0.25	4.68	30.00

TX CH149



Date: 5.DEC.2017 15:41:54

TX CH157



Date: 5.DEC.2017 15:44:05

TX CH165



Date: 5.DEC.2017 15:45:09

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.05	0.25	5.30	30.00
CH157	5785	4.60	0.25	4.85	30.00
CH165	5825	4.26	0.25	4.51	30.00

TX CH149



TX CH157



Date: 5.DEC.2017 15:34:21

TX CH165



Date: 5.DEC.2017 15:35:23

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.92	28.23
CH157	5785	9.46	28.23
CH165	5825	9.12	28.23

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.49	0.48	3.97	30.00
CH159	5795	3.35	0.48	3.83	30.00

TX CH151



Date: 5.DEC.2017 16:31:23

TX CH159



Date: 5.DEC.2017 16:32:49

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.89	0.48	4.37	30.00
CH159	5795	4.06	0.48	4.54	30.00

TX CH151



Date: 5.DEC.2017 16:26:07

TX CH159



Date: 5.DEC.2017 16:27:12

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.14	0.48	4.62	30.00
CH159	5795	3.88	0.48	4.36	30.00

TX CH151



Date: 5.DEC.2017 16:16:09

TX CH159



Date: 5.DEC.2017 16:19:36

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	9.10	28.23
CH159	5795	9.02	28.23

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.06	1.38	1.44	30.00

TX CH155



Date: 5.DEC.2017 16:38:39

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.84	1.38	2.22	30.00

TX CH155



Date: 5.DEC.2017 16:41:15

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.57	1.38	1.95	30.00

TX CH155



Date: 5.DEC.2017 16:44:07

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	6.65	28.23

Beamforming

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.93	0.60	2.53	17.00
CH40	5200	1.53	0.60	2.13	17.00
CH48	5240	2.72	0.60	3.32	17.00

CH36



CH40



Date: 6.DEC.2017 16:56:27

CH48



Date: 6.DEC.2017 16:57:29

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.81	0.60	3.41	17.00
CH40	5200	1.33	0.60	1.93	17.00
CH48	5240	3.48	0.60	4.08	17.00

CH36



Date: 6.DEC.2017 17:02:50

CH40



Date: 6.DEC.2017 17:04:26

CH48



Date: 6.DEC.2017 17:44:56

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.82	0.60	3.42	17.00
CH40	5200	1.73	0.60	2.33	17.00
CH48	5240	4.16	0.60	4.76	17.00

CH36



Date: 6.DEC.2017 17:50:12

CH40



Date: 6.DEC.2017 17:51:24

CH48



Date: 6.DEC.2017 17:52:26

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.91	15.23
CH40	5200	6.90	15.23
CH48	5240	8.86	15.23

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.58	1.44	3.02	17.00
CH46	5230	1.24	1.44	2.68	17.00

CH38



Date: 6.DEC.2017 18:22:34

CH46



Date: 6.DEC.2017 18:23:43

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.98	1.44	3.42	17.00
CH46	5230	2.29	1.44	3.73	17.00

CH38



Date: 6.DEC.2017 18:28:47

CH46



Date: 6.DEC.2017 18:29:58

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.62	1.44	3.06	17.00
CH46	5230	1.71	1.44	3.15	17.00

CH38



Date: 6.DEC.2017 18:36:12

CH46



Date: 6.DEC.2017 18:37:48

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.94	15.23
CH46	5230	7.98	15.23

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.92	0.60	3.52	17.00
CH157	5785	3.38	0.60	3.98	17.00
CH165	5825	1.83	0.60	2.43	17.00

TX CH149



Date: 6.DEC.2017 16:58:39

TX CH157



Date: 6.DEC.2017 16:59:43

TX CH165



Date: 6.DEC.2017 17:00:44

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.98	0.60	3.58	17.00
CH157	5785	4.58	0.60	5.18	17.00
CH165	5825	3.28	0.60	3.88	17.00

TX CH149



Date: 6.DEC.2017 17:46:02

TX CH157



Date: 6.DEC.2017 17:47:09

TX CH165



Date: 6.DEC.2017 17:48:21

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.71	0.60	4.31	17.00
CH157	5785	4.38	0.60	4.98	17.00
CH165	5825	2.83	0.60	3.43	17.00

TX CH149



TX CH157



Date: 6.DEC.2017 17:54:49

TX CH165



Date: 6.DEC.2017 17:55:51

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.59	28.23
CH157	5785	9.52	28.23
CH165	5825	8.06	28.23

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.65	1.44	5.09	17.00
CH159	5795	-0.42	1.44	1.02	17.00

TX CH151



Date: 6.DEC.2017 18:25:23

TX CH159



Date: 6.DEC.2017 18:26:51

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.13	1.44	5.57	17.00
CH159	5795	0.98	1.44	2.42	17.00

TX CH151



Date: 6.DEC.2017 18:31:46

TX CH159



Date: 6.DEC.2017 18:33:22

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.08	1.44	5.52	17.00
CH159	5795	0.24	1.44	1.68	17.00

TX CH151



Date: 6.DEC.2017 18:39:27

TX CH159



Date: 6.DEC.2017 18:40:50

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	10.17	28.23
CH159	5795	6.52	28.23

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.34	0.25	3.59	17.00
CH40	5200	3.41	0.25	3.66	17.00
CH48	5240	4.61	0.25	4.86	17.00

CH36



Date: 6.DEC.2017 18:14:26

CH40



Date: 6.DEC.2017 18:15:26

CH48



Date: 6.DEC.2017 18:17:06

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.93	0.25	4.18	17.00
CH40	5200	4.16	0.25	4.41	17.00
CH48	5240	5.16	0.25	5.41	17.00

CH36



CH40



Date: 6.DEC.2017 18:07:22

CH48



Date: 6.DEC.2017 18:08:49

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.61	0.25	3.86	17.00
CH40	5200	3.98	0.25	4.23	17.00
CH48	5240	4.97	0.25	5.22	17.00

CH36



Date: 6.DEC.2017 17:57:51

CH40



Date: 6.DEC.2017 17:58:55

CH48



Date: 6.DEC.2017 18:00:03

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.65	15.23
CH40	5200	8.88	15.23
CH48	5240	9.94	15.23

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.41	0.48	2.89	17.00
CH46	5230	2.39	0.48	2.87	17.00

CH38



Date: 6.DEC.2017 18:53:34

CH46



Date: 6.DEC.2017 18:54:53

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.91	0.48	3.39	17.00
CH46	5230	2.85	0.48	3.33	17.00

CH38



Date: 6.DEC.2017 18:47:56

CH46



Date: 6.DEC.2017 18:49:07

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.78	0.48	3.26	17.00
CH46	5230	2.73	0.48	3.21	17.00

CH38



Date: 6.DEC.2017 18:42:44

CH46



Date: 6.DEC.2017 18:43:51

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.96	15.23
CH46	5230	7.91	15.23

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.96	1.38	0.42	17.00

CH42



Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.44	1.38	0.94	17.00

CH42



Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.53	1.38	0.85	17.00

CH42



Date: 6.DEC.2017 19:06:43

Test Mode: UNII-1/TX AC80 Mode_CH42_Total			
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	5.51	15.23

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.44	0.25	4.69	30.00
CH157	5785	4.09	0.25	4.34	30.00
CH165	5825	4.04	0.25	4.29	30.00

TX CH149



Date: 6.DEC.2017 18:18:10

TX CH157



Date: 6.DEC.2017 18:19:28

TX CH165



Date: 6.DEC.2017 18:20:35

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.56	0.25	5.81	30.00
CH157	5785	5.04	0.25	5.29	30.00
CH165	5825	4.99	0.25	5.24	30.00

TX CH149



Date: 6.DEC.2017 18:09:54

TX CH157



Date: 6.DEC.2017 18:11:10

TX CH165



Date: 6.DEC.2017 18:12:24

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.14	0.25	5.39	30.00
CH157	5785	4.79	0.25	5.04	30.00
CH165	5825	4.80	0.25	5.05	30.00

TX CH149



Date: 6.DEC.2017 18:02:03

TX CH157



Date: 6.DEC.2017 18:03:09

TX CH165



Date: 6.DEC.2017 18:04:40

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.09	28.23
CH157	5785	9.68	28.23
CH165	5825	9.65	28.23

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.62	0.48	4.10	30.00
CH159	5795	3.49	0.48	3.97	30.00

TX CH151



Date: 6.DEC.2017 18:56:13

TX CH159



Date: 6.DEC.2017 18:57:31

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.38	0.48	4.86	30.00
CH159	5795	4.31	0.48	4.79	30.00

TX CH151



Date: 6.DEC.2017 18:50:25

TX CH159



Date: 6.DEC.2017 18:51:44

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.34	0.48	4.82	30.00
CH159	5795	4.26	0.48	4.74	30.00

TX CH151



Date: 6.DEC.2017 18:45:07

TX CH159



Date: 6.DEC.2017 18:46:23

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	9.38	28.23
CH159	5795	9.29	28.23

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.34	1.38	1.72	30.00

TX CH155



Date: 6.DEC.2017 19:02:19

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.90	1.38	2.28	30.00

TX CH155



Date: 6.DEC.2017 19:05:04

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.59	1.38	1.97	30.00

TX CH155



Date: 6.DEC.2017 19:09:49

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	6.77	28.23

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9348
120	5179.9352
108	5179.9352
Max. Deviation (MHz)	0.0652
Max. Deviation (ppm)	12.5869

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5180.0000
-5	5179.9360
5	5179.9364
15	5179.9364
25	5179.9368
35	5179.9372
45	5179.9372
50	5179.9380
Max. Deviation (MHz)	0.0640
Max. Deviation (ppm)	12.3552

Test Mode:	UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9248
120	5744.9256
108	5744.9272
Max. Deviation (MHz)	0.0752
Max. Deviation (ppm)	13.0896

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5745.0000
-5	5744.9276
5	5744.9288
15	5744.9292
25	5744.9296
35	5744.9304
45	5744.9312
50	5744.9312
Max. Deviation (MHz)	0.0724
Max. Deviation (ppm)	12.6023