

APPENDIX F: 802.11AX RU SAR EXCLUSION

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 1 of 21

F.1 IEEE 802.11ax RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 106T, 242T, 484T, 996T and 996Tx2.

Per FCC Guidance, 802.11ax was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

F.2 IEEE 802.11ax RU Target Powers

F.2.1 Maximum 802.11ax RU WLAN Output Power

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna W78															
		SISO								MIMO							
		Tones								Tones							
2.4 GHz W78 20 MHz bandwidth	1	26T Maximum	24T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	26T Maximum	24T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal
	2	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	3	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	4	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	5	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	6	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	7	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	8	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	9	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	10	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	11	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	12	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	13	13.75	12.25	16.75	15.25	16.75	15.25	16.75	15.25	13.75	12.25	16.75	15.25	16.75	15.25	16.75	15.25
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna W77															
		SISO								MIMO							
		Tones								Tones							
2.4 GHz W77 20 MHz bandwidth	1	26T Maximum	24T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	26T Maximum	24T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal
	2	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	3	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	4	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	5	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	6	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	7	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	8	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	9	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	10	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	11	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	12	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	13	13.75	12.25	16.75	15.25	16.75	15.25	16.75	15.25	13.75	12.25	16.75	15.25	16.75	15.25	16.75	15.25
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 2 of 21

[illegible]

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WPST													
		MIMO CDD													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
5 GHz WiFi 20 MHz Bandwidth	26	9.00	7.50	12.00	10.50	15.00	13.50	15.00	13.50	14.25	14.25				
	44	9.00	7.50	12.00	10.50	15.00	13.50	15.00	13.50	14.25	14.25				
	28	9.00	7.50	12.00	10.50	15.00	13.50	15.00	13.50	14.25					
	12	NS	NS	10.00	10.00	14.50	13.00	15.00	13.50	14.25					
	36	NS	NS	11.00	10.00	14.50	13.00	15.00	13.50	14.25					
	60	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	14	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	100	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	228	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	324	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	112	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	120	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	220	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	324	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	128	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	5 GHz WiFi 40 MHz Bandwidth	132	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25				
136		NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
140		NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
144		NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
148		12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
152		12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
156		12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
160		12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
164		NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
168		NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
172		12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
176		12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
180		12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
184		NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
188		NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
5 GHz WiFi 80 MHz Bandwidth		192	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25				
	196	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	200	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	204	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	208	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	212	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	216	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	220	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	224	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	228	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	232	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	236	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	240	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	244	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	248	12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
	252	12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
5 GHz WiFi 160 MHz Bandwidth	256	12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
	260	12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
	264	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	268	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	272	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	276	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	280	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	284	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	288	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	292	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	296	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	300	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	304	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	308	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	312	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					
	316	NS	NS	11.50	10.00	14.50	13.00	15.00	13.50	14.25					

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above. 802.11a supports up to 20MHz, 802.11n supports up to 40MHz, 802.11ac/ax supports up to 160MHz.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WPST													
		NRSS SSMA													
		Tones													
		25T Maximum	26T Nominal	32T Maximum	32T Nominal	100T Maximum	100T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
5 GHz WiFi 20 MHz Bandwidth	36	0.00	7.50	12.00	10.50	15.00	13.50	15.75	14.25						
	40	0.00	7.50	12.00	10.50	15.00	13.50	15.75	14.25						
	44	0.00	7.50	12.00	10.50	15.00	13.50	15.75	14.25						
	48	0.00	7.50	12.00	10.50	15.00	13.50	15.75	14.25						
	52	NS	NS	12.00	10.50	15.00	13.50	15.75	14.25						
	56	NS	NS	12.00	10.50	15.00	13.50	15.75	14.25						
	60	NS	NS	12.00	10.50	15.00	13.50	15.75	14.25						
	64	NS	NS	12.00	10.50	15.00	13.50	15.75	14.25						
	100	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	104	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	108	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	112	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	116	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	120	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	124	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	128	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	132	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	136	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	140	NS	NS	12.00	10.50	15.00	13.50	15.75	14.25						
	5 GHz WiFi 40 MHz Bandwidth	144	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50					
148		12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
152		10.50	10.50	13.50	13.50	15.25	13.75	13.75	13.75						
156		12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
160		10.50	10.50	13.50	13.50	15.25	13.75	13.75	13.75						
164		NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
168		NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
172		NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
176		NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
180		NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
5 GHz WiFi 80 MHz Bandwidth	184	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	188	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	192	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	196	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	200	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	204	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	208	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	212	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	216	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	220	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
5 GHz WiFi 160 MHz Bandwidth	224	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	228	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	232	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						
	236	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50						

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above. 802.11a supports up to 20MHz, 802.11n supports up to 40MHz, 802.11ac/ax supports up to 160MHz.

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 3 of 21

[illegible]

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WP2														
		MIMO CSD														
		Tones														
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal		484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
5 GHz WiFi 20 MHz Bandwidth	36	8.00	7.50	17.00	16.50	13.00	12.50	16.00	15.50		14.50	14.00				
	40	9.00	7.50	17.00	16.50	13.00	12.50	17.00	16.50							
	44	7.00	7.50	17.00	16.50	13.00	12.50	17.00	16.50							
	48	7.00	7.50	17.00	16.50	13.00	12.50	17.00	16.50							
	52	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	56	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	60	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	64	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	68	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	72	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	76	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	80	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	84	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	88	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	92	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	96	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	100	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	104	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	108	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	5 GHz WiFi 40 MHz Bandwidth	112	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00						
116		NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
120		NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
124		NS	NS	21.50	20.00	14.50	13.00	16.50	15.00							
128		NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
132		NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
136		NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
140		NS	NS	11.50	10.00	14.50	13.00	14.75	13.25							
144		NS	NS	11.50	10.00	14.50	13.00	14.75	13.25							
148		12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75							
152		10.00	8.50	13.50	12.00	17.25	15.75	17.25	15.75							
156		10.00	8.50	13.50	12.00	17.25	15.75	17.25	15.75							
160		10.00	8.50	13.50	12.00	17.25	15.75	17.25	15.75							
164		12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75							
168		10.00	8.50	13.50	12.00	17.25	15.75	17.25	15.75							
172		NS	NS	7.50	7.00	14.50	14.00	13.00	12.50		14.50	14.00	11.00			
176		8.00	7.50	12.00	11.50	12.00	11.50	17.00	16.50		15.00	14.50	16.50			
180		NS	NS	11.50	10.00	14.50	13.00	16.50	15.00		15.00	14.50	16.50			
184		NS	NS	11.50	10.00	14.50	13.00	16.50	15.00		15.00	14.50	16.50			
5 GHz WiFi 80 MHz Bandwidth		82	NS	NS	11.50	10.00	14.50	13.00	14.00	13.50		14.00	13.50	14.00	13.00	
	100	NS	NS	11.50	10.00	14.00	12.50	14.00	12.50		14.00	12.50	14.00	12.00		
	118	NS	NS	11.00	10.00	13.00	12.00	13.00	12.00		13.00	12.00	13.00	11.00		
	136	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00		16.50	15.00	17.00	15.00		
	154	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00		16.50	15.00	17.00	15.00		
	172	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00		16.50	15.00	17.00	15.00		
	188	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00		16.50	15.00	17.00	15.00		
	142	NS	NS	11.50	10.00	14.50	13.00	14.75	13.25		17.00	16.50	17.00	15.50		
	162	NS	NS	11.50	10.00	14.50	13.00	14.75	13.25		17.00	16.50	17.00	15.50		
	182	NS	NS	11.50	10.00	14.50	13.00	14.75	13.25		17.00	16.50	17.00	15.50		
5 GHz WiFi 160 MHz Bandwidth	42	9.00	7.50	12.00	11.50	11.00	10.50	11.00	10.50		11.00	10.50	11.00	10.00	11.50	
	46	NS	NS	11.50	10.00	14.50	13.00	14.00	13.50		14.00	13.50	14.00	13.00	14.50	
	50	NS	NS	11.00	10.00	13.00	12.00	13.00	12.00		13.00	12.00	13.00	11.00	12.50	
	122	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00		16.50	15.00	17.00	15.00	16.50	
	138	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00		16.50	15.00	17.00	15.00	16.50	
	154	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00		16.50	15.00	17.00	15.00	16.50	
	170	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00		16.50	15.00	17.00	15.00	16.50	
	186	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00		16.50	15.00	17.00	15.00	16.50	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above. 802.11a supports up to 20MHz, 802.11n supports up to 40MHz, 802.11ac/ax supports up to 160MHz.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WP2													
		BROAD 100M													
		Times													
	2412 Maximum	2412 Nominal	5272 Maximum	5272 Nominal	10672 Maximum	10672 Nominal	2427 Maximum	2427 Nominal	4247 Maximum	4247 Nominal	9967 Maximum	9967 Nominal	9967.2 Maximum	9967.2 Nominal	
5 GHz WiFi 20 MHz Bandwidth	36	9.00	7.50	12.00	10.50	15.00	13.50	17.00	15.50						
	40	9.00	7.50	12.00	10.50	15.00	13.50	17.00	15.50						
	44	9.00	7.50	12.00	10.50	15.00	13.50	17.00	15.50						
	48	9.00	7.50	12.00	10.50	15.00	13.50	17.00	15.50						
	52	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
	56	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
	60	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
	64	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
	100	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
	104	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
	108	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
	112	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
	116	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
	120	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
	124	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
	128	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
	132	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
	136	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
	140	NS	NS	12.00	10.50	14.75	13.25	14.75	13.25						
	144	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50						
5 GHz WiFi 40 MHz Bandwidth	148	12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75						
	152	12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75						
	156	12.00	10.50	13.25	11.75	17.25	15.75	17.25	15.75						
	160	12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75						
	164	12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75						
	38	9.00	7.50	12.00	10.50	14.50	13.00	14.50	13.00	14.50	13.00				
	42	9.00	7.50	12.00	10.50	15.00	13.50	17.00	15.50	18.00	16.50				
	46	NS	NS	12.00	10.50	15.00	13.50	17.00	15.50	18.00	16.50				
	82	NS	NS	12.00	10.50	14.50	13.00	14.50	13.00	14.50	13.00				
	102	NS	NS	12.00	10.50	14.00	12.50	14.00	12.50	14.00	12.50				
5 GHz WiFi 80 MHz Bandwidth	110	NS	NS	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	118	NS	NS	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50				
	126	NS	NS	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50				
	134	NS	NS	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50				
	142	NS	NS	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50				
	155	12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75						
	158	12.00	10.50	13.25	11.75	17.25	15.75	17.25	15.75						
	42	9.00	7.50	12.00	10.50	11.00	11.50	13.00	11.50	13.00	11.50	11.00	11.50		
	46	NS	NS	12.00	10.50	14.75	13.25	14.75	13.25	14.75	13.25	14.75	13.25		
	106	NS	NS	12.00	10.50	11.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00		
5 GHz WiFi 160 MHz Bandwidth	122	NS	NS	12.00	10.50	13.00	13.50	17.00	15.50	17.00	15.50				
	138	NS	NS	12.00	10.50	13.00	13.50	17.00	15.50	17.00	15.50				
	155	12.00	10.50	15.00	13.50	15.50	15.00	16.50	15.00	16.50	15.00				
	160	NS	NS	12.00	10.50	12.00	10.50	12.00	10.50	12.00	10.50	12.00	10.50		

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above. 802.11a supports up to 20MHz, 802.11n supports up to 40MHz, 802.11ac/ax supports up to 160MHz.

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 4 of 21

[illegible]

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WFST													
		MIMO CDD													
		Tones													
		242T Maximum	242T Nominal	527T Maximum	527T Nominal	1067T Maximum	1067T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	956T Maximum	956T Nominal	956T*2 Maximum	956T*2 Nominal
6 GHz WFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75						
	5	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75						
	9-29	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75						
	33-41	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75						
	45-85	7.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75						
	89	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75						
	93	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-145	8.75	7.25	11.25	9.75	11.25	9.75	11.25	9.75						
6 GHz WFI (20MHz BW) SP	149	NS	NS	NS	NS	NS	NS	NS	NS						
	153-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	11.25					
	11	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75						
	15-27	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75						
	31-59	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75						
	63-75	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75	12.25					
	79	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75	12.25					
6 GHz WFI (20MHz BW) SP	83	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75	12.25					
	87	8.25	7.75	12.25	10.75	12.25	10.75	12.25	10.75						
	91-107	NS	NS	NS	NS	NS	NS	NS	NS						
	111	NS	NS	NS	NS	NS	NS	NS	NS						
	123-179	8.75	7.25	11.25	9.75	11.25	9.75	11.25	9.75	11.25					
	183	NS	NS	NS	NS	NS	NS	NS	NS						
	187-215	NS	NS	NS	NS	NS	NS	NS	NS						
	219	NS	NS	NS	NS	NS	NS	NS	NS						
	227	NS	NS	NS	NS	NS	NS	NS	NS						
	231	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75						
6 GHz WFI (20MHz BW) SP	235	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75						
	39-55	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	13.25					
	59	7.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75	12.25					
	67	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75						
	71	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75						
	75	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75						
	79	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75						
	83	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75						
	87	8.25	7.75	12.25	10.75	12.25	10.75	12.25	10.75						
	91-107	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WFI (20MHz BW) SP	111	NS	NS	NS	NS	NS	NS	NS	NS						
	115-167	8.75	7.25	11.25	9.75	11.25	9.75	11.25	9.75	11.25					
	169	NS	NS	NS	NS	NS	NS	NS	NS						
	173	NS	NS	NS	NS	NS	NS	NS	NS						
	177	NS	NS	NS	NS	NS	NS	NS	NS						
	211	NS	NS	NS	NS	NS	NS	NS	NS						
	215	NS	NS	NS	NS	NS	NS	NS	NS						
	219	NS	NS	NS	NS	NS	NS	NS	NS						
	223	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	13.25					
	227	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	13.25					
6 GHz WFI (20MHz BW) SP	231	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	13.25					
	235	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	13.25					
	239	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	13.25					
	243	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	13.25					
6 GHz WFI (20MHz BW) SP	247	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	13.25					
	251	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	13.25					
	255	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	13.25					
	259	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	13.25					

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) Antenna WP57													
		MIMO 10dBi													
		Tones													
		2dBi Maximum	2dBi Nominal	5dBi Maximum	5dBi Nominal	10dBi Maximum	10dBi Nominal	2dBi Maximum	2dBi Nominal	4dBi Maximum	4dBi Nominal	9dBi Maximum	9dBi Nominal	9dBi+2 Maximum	9dBi+2 Nominal
6 GHz WFI (Down BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75						
	5	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75						
	6-29	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75						
	33-61	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75						
	63-85	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75						
	89	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75						
	89	NS	NS	NS	NS	NS	NS	NS	NS						
	92-113	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75						
	117-181	10.00	NS	11.25	9.75	11.25	9.75	11.25	9.75						
6 GHz WFI (Down BW) SP	183	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	8.50	7	13.00	11.50	13.25	11.75	13.25	11.75	11.25	9.75				
	11	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75						
	18-27	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75						
	31-59	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75						
	67-75	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75				
	83	8.50	7	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75				
6 GHz WFI (Down BW) SP	91	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75				
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	123-179	10.00	8.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	23	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	11.25	9.75				
	39-55	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25	11.25				
	71	8.50	7	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75				
6 GHz WFI (Down BW) SP	87	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75				
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	133-167	10.00	NS	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75				
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	15	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	11.25	9.75				
	47	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25	11.25				
	79	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75				
6 GHz WFI (Down BW) SP	111	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	143	8.50	7	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75				
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	261	NS	NS	NS	NS	NS	NS	NS	NS	NS					

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 5 of 21

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WFST													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	5	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	9-23	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	33-43	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00				
	65-85	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00				
	89	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00				
	91	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00				
	97-113	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00				
	117-181	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
6 GHz WFI (40MHz BW) LP	185	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	189-225	-5.50	-5.50	-5.50	-5.50	-2.00	-2.00	-2.00	-2.00	6.00	4.50				
	229	-5.50	-5.50	-5.50	-5.50	-2.00	-2.00	-2.00	-2.00	6.00	4.50				
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	11	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	19-27	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	35-59	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00				
	67-75	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00				
	81	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00				
6 GHz WFI (80MHz BW) LP	91	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00				
	99-107	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00				
	119	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00				
	123-179	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	181	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	185-219	-3.50	-5.00	-0.50	-2.00	-2.00	-2.00	-1.00	-1.00	7.00	5.50				
	227	-3.50	-5.00	-0.50	-2.00	-2.00	-2.00	-1.00	-1.00	7.00	5.50				
	7	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75	11.25	9.75		
	23	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	39-55	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00	11.00	9.50		
6 GHz WFI (160MHz BW) LP	71	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00	11.00	9.50		
	87	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00	11.00	9.50		
	103	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00	11.00	9.50		
	119	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00	11.00	9.50		
	135-167	-3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75	11.25	9.75		
	169	-3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75	11.25	9.75		
	199	-3.50	-5.00	-0.50	-2.00	-2.00	-2.00	-1.00	-1.00	7.00	5.50	11.00	9.50		
	215	-3.50	-5.00	-0.50	-2.00	-2.00	-2.00	-1.00	-1.00	7.00	5.50	11.00	9.50		
	15	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75	11.25	9.75	11.25	11.75
	47	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00	11.00	9.50	12.00	10.50
	79	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00	11.00	9.50	11.25	9.75
	111	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	-0.50	-0.50	7.50	6.00	11.00	9.50	12.00	10.50
	143	-3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75	11.25	9.75	11.25	9.75
	175	-3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75	11.25	9.75	11.25	9.75
	207	-3.50	-5.00	-0.50	-2.00	-2.00	-2.00	-1.00	-1.00	7.00	5.50	11.00	9.50	11.00	9.50

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WFST													
		MIMO CSD													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	5	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	9-23	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	33-43	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	65-85	NS	NS	-3.75	-7.25	-2.75	-2.75	-4.25	-7.75	-1.25	-1.25				
	89	NS	NS	-3.75	-7.25	-2.75	-2.75	-4.25	-7.75	-1.25	-1.25				
	91	NS	NS	-3.75	-7.25	-2.75	-2.75	-4.25	-7.75	-1.25	-1.25				
	97-113	NS	NS	-4.00	-7.50	-3.00	-3.00	-4.50	-8.00	-1.50	-1.50				
	117-181	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
6 GHz WFI (40MHz BW) LP	185	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	189-225	NS	NS	-6.75	-10.25	-5.75	-5.75	-7.25	-10.75	-3.75	-3.75				
	229	-8.25	-9.75	-5.25	-6.75	-2.25	-3.75	-0.75	-0.75						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25			
	11	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25			
	19-27	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25			
	35-59	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25			
	67-75	NS	NS	-3.75	-7.25	-2.75	-2.75	-4.25	-7.75	-1.25	3.25	1.75			
	81	NS	NS	-3.75	-7.25	-2.75	-2.75	-4.25	-7.75	-1.25	3.25	1.75			
6 GHz WFI (80MHz BW) LP	91	NS	NS	-3.75	-7.25	-2.75	-2.75	-4.25	-7.75	-1.25	3.25	1.75			
	99-107	NS	NS	-4.00	-7.50	-3.00	-3.00	-4.50	-8.00	-1.50	3.00	1.50			
	119	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25			
	123-179	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25			
	181	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25			
	185-219	-8.25	-9.75	-5.25	-6.75	-2.25	-3.75	-0.75	-0.75	3.25	2.25				
	227	-8.25	-9.75	-5.25	-6.75	-2.25	-3.75	-0.75	-0.75	3.25	2.25				
	7	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25	5.75	4.25	
	23	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25	5.75	4.25	
	39-55	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25	5.75	4.25	
6 GHz WFI (160MHz BW) LP	71	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25	5.75	4.25	
	87	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25	5.75	4.25	
	103	NS	NS	-4.00	-7.50	-3.00	-3.00	-4.50	-8.00	-1.50	3.00	1.50	6.00	4.50	
	119	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25	5.75	4.25	
	135-167	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25	5.75	4.25	
	169	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25	5.75	4.25	
	183	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25	5.75	4.25	
	199	-8.25	-9.75	-5.25	-6.75	-2.25	-3.75	-0.75	-0.75	3.25	2.25	8.25	6.75	7.25	
	215	-8.25	-9.75	-5.25	-6.75	-2.25	-3.75	-0.75	-0.75	3.25	2.25	8.25	6.75	7.25	
6 GHz WFI (320MHz BW) LP	15	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25	8.25	6.75	
	47	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25	8.25	6.75	
	79	NS	NS	-3.75	-7.25	-2.75	-2.75	-4.25	-7.75	-1.25	3.25	1.75	8.25	7.25	
	111	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25	8.25	6.75	
	143	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25	8.25	6.75	
	175	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	2.75	1.25	8.25	6.75	
207	-8.25	-9.75	-5.25	-6.75	-2.25	-3.75	-0.75	-0.75	3.25	2.25	8.25	6.75	7.25		

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF5T													
		MIMO CSDD													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	3	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	9-29	NS	NS	NS	NS	NS	NS	NS	NS						
	33-61	NS	NS	NS	NS	NS	NS	NS	NS						
	65-85	NS	NS	NS	NS	NS	NS	NS	NS						
	89	NS	NS	NS	NS	NS	NS	NS	NS						
	93	NS	NS	NS	NS	NS	NS	NS	NS						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-181	NS	NS	NS	NS	NS	NS	NS	NS						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	35-59	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	67-75	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	83	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	91	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	99-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	123-179	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	231	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WFI (80MHz BW) VLP	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	71	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	87	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	231	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	235	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	79	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WFI (160MHz BW) VLP	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	237	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	241	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF5T													
		MIMO CSDD													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	3	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	9-29	NS	NS	NS	NS	NS	NS	NS	NS						
	33-61	NS	NS	NS	NS	NS	NS	NS	NS						
	65-85	NS	NS	NS	NS	NS	NS	NS	NS						
	89	NS	NS	NS	NS	NS	NS	NS	NS						
	93	NS	NS	NS	NS	NS	NS	NS	NS						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-181	NS	NS	NS	NS	NS	NS	NS	NS						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	35-59	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	67-75	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	83	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	91	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	99-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	123-179	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	231	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WFI (80MHz BW) VLP	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	71	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	87	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	231	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	235	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	79	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WFI (160MHz BW) VLP	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	237	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	241	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF5T													
		MIMO CSDD													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	3	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	9-29	NS	NS	NS	NS	NS	NS	NS	NS						
	33-61	NS	NS	NS	NS	NS	NS	NS	NS						
	65-85	NS	NS	NS	NS	NS	NS	NS	NS						
	89	NS	NS	NS	NS	NS	NS	NS	NS						
	93	NS	NS	NS	NS	NS	NS	NS	NS						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-181	NS	NS	NS	NS	NS	NS	NS	NS						
	185	NS	NS	NS	NS	NS	NS	NS	NS						

[illegible][illegible]

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna W12															
		5GHz SSIDs															
		247 Maximum	247 Nominal	247 Max	247 Nominal	248T Maximum	248T Nominal	242T Maximum	242T Nominal	Tones		484T Maximum	248T Nominal	248T Maximum	248T Nominal	248T2 Maximum	248T2 Nominal
6 GHz WFI (240MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	NS	NS	NS	NS
	1	12.00	8.50	13.00	11.50	11.00	13.50	13.00	11.50								
	5	8.50	8.50	13.00	11.50	11.00	13.50	13.00	11.50								
	8-29	13.00	8.50	13.00	11.00	11.00	13.50	13.00	11.50								
	31-61	12.00	8.50	13.00	11.50	11.00	13.50	13.00	11.50								
	63-85	12.00	8.50	13.00	11.50	11.00	13.50	13.00	11.50								
	89	12.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00								
	89	12.00	NS	13.00	11.50	13.50	12.00	13.50	12.00								
	97-113	NS	NS	NS	NS	NS	NS	NS	NS								
	117-148	12.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75								
	148	NS	NS	NS	NS	NS	NS	NS	NS								
	189-223	NS	NS	NS	NS	NS	NS	NS	NS								
	229	NS	NS	NS	NS	NS	NS	NS	NS								
	233	NS	NS	NS	NS	NS	NS	NS	NS								
6 GHz WFI (240MHz BW) SP	3	10.00	8.50	13.00	11.50	13.00	11.50	13.00	11.50			13.00	11.50				
	11	12.00	8.50	13.00	11.00	11.00	13.50	13.00	11.50			13.00	11.50				
	19-27	13.00	13.00	13.00	11.50	13.00	13.00	13.00	11.50			13.00	13.00	11.50	13.50	13.50	13.50
	31-59	10.00	8.50	13.00	11.50	11.00	13.00	13.00	11.50			13.00	11.50	13.00	11.50	13.50	13.50
	67-75	10.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00			13.50	12.00	13.50	12.00	13.50	13.50
	83	13.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00			13.50	12.00	13.50	12.00	13.50	13.50
	91	10.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00			13.50	12.00	13.50	12.00	13.50	13.50
	95-107	NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	NS	NS	NS	NS
	123-179	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75			13.25	11.75	13.25	11.75	13.25	13.25
	187	NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	NS	NS	NS	NS
	6 GHz WFI (240MHz BW) SP	2	8.50	8.50	13.00	11.50	13.00	11.50	13.00	11.50			13.00	11.50			
23		10.00	8.50	13.00	11.00	11.00	13.50	13.00	11.50			13.00	11.50	13.00	11.50		
39-55		10.00	8.50	13.00	11.50	11.00	13.50	13.00	11.50			13.00	11.50	13.00	11.50	13.50	13.50
71		13.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00			13.50	12.00	13.50	12.00	13.50	13.50
87		10.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00			13.50	12.00	13.50	12.00	13.50	13.50
103		NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	NS	NS	NS	NS
119		NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	NS	NS	NS	NS
135-167		10.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00			13.50	12.00	13.50	12.00	13.50	13.50
183		NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	NS	NS	NS	NS
199		NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	NS	NS	NS	NS
215		NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	NS	NS	NS	NS
15		8.50	8.50	13.00	11.50	13.00	11.50	13.00	11.50			13.00	11.50	13.00	11.50	13.00	13.00
47		10.00	8.50	13.00	11.50	11.00	13.50	13.00	11.50			13.00	11.50	13.00	11.50	13.00	13.00
79		12.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00			13.50	12.00	13.50	12.00	13.50	13.50
6 GHz WFI (240MHz BW) SP	111	NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	NS	NS	NS	NS
	143	10.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00			13.50	12.00	13.50	12.00	13.50	13.50
	175	NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	NS	NS	NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF2													
		MIMO CDD													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	5	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	9-29	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	33-61	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	65-85	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	89	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	93	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	97-113	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	117-181	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	185	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	185-225	-3.50	-3.00	-0.50	-2.00	-2.00	-0.50	-1.00	-3.50						
	229	-3.50	-3.00	-0.50	-2.00	-2.00	-0.50	-1.00	-3.50						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	237	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75				
6 GHz WFI (40MHz BW) LP	1	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	5	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	9-29	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	33-59	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	63-75	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	81	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	85	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	89-107	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	111	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	115-179	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75				
	183	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75				
	187-219	-3.50	-3.00	-0.50	-2.00	-2.00	-0.50	-1.00	-3.50	8.00	6.50				
	223	-3.50	-3.00	-0.50	-2.00	-2.00	-0.50	-1.00	-3.50	8.00	6.50				
	7	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75	11.25	9.75		
	21	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75	11.25	9.75		
6 GHz WFI (80MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	39-55	NS	NS	NS	NS	NS	NS	NS	NS						
	73	-4.00	-3.50	-1.50	-2.50	-2.50	-1.00	-3.50	-4.00						
	87	-4.00	-3.50	-1.50	-2.50	-2.50	-1.00	-3.50	-4.00						
	103	-4.00	-3.50	-1.50	-2.50	-2.50	-1.00	-3.50	-4.00						
	119	-4.00	-3.50	-1.50	-2.50	-2.50	-1.00	-3.50	-4.00						
	135-167	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	183	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	189	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	199	-3.50	-3.00	-0.50	-2.00	-2.00	-0.50	-1.00	-3.50						
	215	-3.50	-3.00	-0.50	-2.00	-2.00	-0.50	-1.00	-3.50						
	35	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75	11.25	9.75	11.00	11.00
	47	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75	11.25	9.75	11.00	11.00
	79	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00	8.00	6.50	11.00	9.50	11.00	11.00
	111	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00	8.00	6.50	11.00	9.50	11.25	11.25
6 GHz WFI (160MHz BW) LP	143	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	175	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	207	-3.50	-3.00	-0.50	-2.00	-2.00	-0.50	-1.00	-3.50						

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF2													
		MIMO CDD													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	-4.25	-7.75	-4.25	-4.75	-0.25	-1.75						
	5	NS	NS	-4.25	-7.75	-4.25	-4.75	-0.25	-1.75						
	9-29	NS	NS	-4.25	-7.75	-4.25	-4.75	-0.25	-1.75						
	33-61	NS	NS	-4.25	-7.75	-4.25	-4.75	-0.25	-1.75						
	65-85	NS	NS	-5.75	-7.25	-2.75	-4.25	-0.25	-1.25						
	89	NS	NS	-4.25	-7.25	-3.75	-4.25	-0.25	-1.25						
	93	NS	NS	-3.75	-7.25	-3.75	-4.25	-0.25	-1.25						
	97-113	NS	NS	-4.00	-7.50	-3.00	-4.50	0.00	-1.50						
	117-181	NS	NS	-4.25	-7.75	-4.25	-4.75	-0.25	-1.75						
	185	NS	NS	-6.25	-7.75	-3.25	-4.75	-0.25	-1.75						
	185-225	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	229	-3.25	-2.75	-1.25	-4.75	-3.25	-3.75	-0.75	-0.75						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	237	NS	NS	-4.25	-7.75	-4.25	-4.75	-0.25	-1.75	2.75	1.25				
6 GHz WFI (40MHz BW) LP	1	NS	NS	-6.25	-9.75	-6.25	-6.75	-0.25	-1.75						
	5	NS	NS	-6.25	-9.75	-6.25	-6.75	-0.25	-1.75						
	9-29	NS	NS	-6.25	-9.75	-6.25	-6.75	-0.25	-1.75						
	33-59	NS	NS	-7.75	-11.25	-7.75	-8.25	-0.25	-1.75						
	63-75	NS	NS	-7.75	-11.25	-7.75	-8.25	-0.25	-1.75						
	81	NS	NS	-5.75	-9.25	-5.75	-6.25	-0.25	-1.25						
	85	NS	NS	-5.75	-9.25	-5.75	-6.25	-0.25	-1.25						
	89-107	NS	NS	-6.00	-9.50	-6.00	-6.50	-0.00	-1.50						
	111	NS	NS	-4.25	-7.75	-4.25	-4.75	-0.25	-1.75						
	115-179	NS	NS	-6.25	-9.75	-6.25	-6.75	-0.25	-1.75						
	183	NS	NS	-6.25	-9.75	-6.25	-6.75	-0.25	-1.75						
	187-219	-4.25	-3.75	-0.75	-2.25	-2.25	-0.75	-1.25	-4.25						
	223	-4.25	-3.75	-0.75	-2.25	-2.25	-0.75	-1.25	-4.25						
	7	NS	NS	-4.25	-7.75	-4.25	-4.75	-0.25	-1.75	2.75	1.25	5.75	4.25		
	6 GHz WFI (80MHz BW) LP	21	NS	NS	-4.25	-7.75	-4.25	-4.75	-0.25	-1.75	2.75	1.25	5.75	4.25	
39-55		NS	NS	-4.25	-7.75	-4.25	-4.75	-0.25	-1.75	2.75	1.25	5.75	4.25		
71		NS	NS	-5.75	-9.25	-5.75	-6.25	-0.25	-1.25	2.75	1.25	5.75	4.25		
87		NS	NS	-5.75	-9.25	-5.75	-6.25	-0.25	-1.25	2.75	1.25	5.75	4.25		
103		NS	NS	-6.00	-9.50	-6.00	-6.50	-0.00	-1.50	3.00	1.50	6.00	4.50		
119		NS	NS	-6.25	-9.75	-6.25	-6.75	-0.25	-1.75	2.75	1.25	5.75	4.25		
135-167		NS	NS	-6.25	-9.75	-6.25	-6.75	-0.25	-1.75	2.75	1.25	5.75	4.25		
183		NS	NS	-6.25	-9.75	-6.25	-6.75	-0.25	-1.75	2.75	1.25	5.75	4.25		
189		-6.25	-5.75	-0.25	-2.75	-2.75	-0.25	-1.25	-6.25	2.75	1.25	5.75	4.25		
199		-6.25	-5.75	-0.25	-2.75	-2.75	-0.25	-1.25	-6.25	2.75	1.25	5.75	4.25		
215		-6.25	-5.75	-0.25	-2.75	-2.75	-0.25	-1.25	-6.25	2.75	1.25	5.75	4.25		
35		NS	NS	-4.25	-7.75	-4.25	-4.75	-0.25	-1.75	2.75	1.25	5.75	4.25	8.25	
47		NS	NS	-4.25	-7.75	-4.25	-4.75	-0.25	-1.75	2.75	1.25	5.75	4.25	8.25	
79	NS	NS	-5.75	-9.25	-5.75	-6.25	-0.25	-1.25	3.25	1.25	6.25	4.25	8.75		
111	NS	NS	-6.25	-9.75	-6.25	-6.75	-0.25	-1.75	3.25	1.25	6.25	4.25	8.75		
143	NS	NS	-4.25	-7.75	-4.25	-4.75	-0.25	-1.75	2.75	1.25	5.75	4.25	8.25		
175	NS	NS	-4.25	-7.75	-4.25	-4.75	-0.25	-1.75	2.75	1.25	5.75	4.25	8.25		
207	-3.25	-2.75	-1.25	-4.75	-3.25	-3.75	-0.75	-0.75	2.25	1.25	6.25	4.25	9.25		

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF2													
		SISO													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	9-29	NS	NS	NS	NS	NS	NS	NS	NS						
	33-63	NS	NS	NS	NS	NS	NS	1.00	1.00	-0.50					
	65-85	NS	NS	NS	NS	NS	NS	-0.50	-0.50						
	89	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50						
	93	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-181	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
6 GHz WFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	35-39	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50				
	67-75	NS	NS	NS	NS	1.00	1.00	1.00	-0.50	4.00	2.50				
	81	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50				
	91	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50				
	99-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	123-179	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75				
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	189-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	75	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50				
	89-95	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50				
6 GHz WFI (80MHz BW) VLP	87	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	7.00	5.50		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	7.00	5.50		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	7.00	5.50		
	135-167	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	7.25	5.75		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	19	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			NS	NS
	47	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			NS	NS
	79	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	7.00	5.50	9.50	8.00
	111	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	7.00	5.50	9.50	8.00
	143	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	7.25	5.75	9.75	8.25
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			NS	NS

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF2													
		MIMO CDD													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	9	NS	NS	NS	NS	NS	NS	NS	NS						
	9-29	NS	NS	NS	NS	NS	NS	NS	NS						
	33-63	NS	NS	NS	NS	NS	NS	NS	NS						
	65-85	NS	NS	NS	NS	NS	NS	NS	NS						
	89	NS	NS	NS	NS	NS	NS	NS	NS						
	93	NS	NS	NS	NS	NS	NS	NS	NS						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-181	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WFI (40MHz BW) VLP	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	NS	NS	NS	NS	NS	NS	NS	NS						
	11	NS	NS	NS	NS	NS	NS	NS	NS		NS				
	19-27	NS	NS	NS	NS	NS	NS	NS	NS		NS				
	35-59	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	67-75	NS	NS	NS	NS	NS	NS	NS	NS		-1.25		-2.25		
	81	NS	NS	NS	NS	NS	NS	NS	NS		-0.75		-2.25		
6 GHz WFI (80MHz BW) VLP	91	NS	NS	NS	NS	NS	NS	NS	NS		-0.75		-2.25		
	99-107	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	115	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	123-179	NS	NS	NS	NS	NS	NS	NS	NS		-1.25		-2.75		
	187	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	195-219	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	227	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	7	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	23	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	35-55	NS	NS	NS	NS	NS	NS	NS	NS		-1.25		-2.75		0.25
6 GHz WFI (160MHz BW) VLP	71	NS	NS	NS	NS	NS	NS	NS	NS		-0.75		-2.25		0.25
	87	NS	NS	NS	NS	NS	NS	NS	NS		-0.75		-2.25		0.25
	103	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	135-167	NS	NS	NS	NS	NS	NS	NS	NS		-1.25		-2.75		0.25
	183	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	189	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	15	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	47	NS	NS	NS	NS	NS	NS	NS	NS		-1.25		-2.75		0.25
6 GHz WFI (320MHz BW) VLP	79	NS	NS	NS	NS	NS	NS	NS	NS		-0.75		-2.25		0.75
	111	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		NS
	143	NS	NS	NS	NS	NS	NS	NS	NS		-1.25		-2.75		0.75
	175	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		NS
	207	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF2													
		MIMO SDR													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	9-29	NS	NS	NS	NS	NS	NS	NS	NS						
	33-63	NS	NS	NS	NS	NS	NS	-1.25	-2.75						
	65-85	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	89	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	93	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-181	NS	NS	NS	NS	NS	NS	-1.25	-2.75						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
6 GHz WFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	35-39	NS	NS	NS	NS	NS	NS	-1.25	-2.75	1.75	0.25				
	43-75	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75				
	83	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75				
	91	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75				
	99-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	123-179	NS	NS	NS	NS	NS	NS	-1.25	-2.75	1.75	0.25				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WFI (80MHz BW) VLP	39-53	NS	NS	NS	NS	NS	NS	-1.25	-2.75	1.75	0.25			3.25
71		NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75			3.75	
87		NS	NS	NS	NS	NS	NS	-2.25	-3.75	2.25	0.75			5.25	
103		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
119		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
135-167		NS	NS	NS	NS	NS	NS	-1.25	-2.75	1.75	0.25			4.75	1.25
183		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
199		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
215		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
15		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
47		NS	NS	NS	NS	NS	NS	-1.25	-2.75	1.75	0.25			3.25	5.75
79		NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75			3.75	6.25
111		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
143		NS	NS	NS	NS	NS	NS	-1.25	-2.75	1.75	0.25			3.25	5.75
6 GHz WFI (160MHz BW) VLP		175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

F.3 IEEE 802.11ax Measured Powers

Table F-1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF8

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)			Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index						Ru Index		
			0	4	8				37	38	40
2412	1	26T	12.78	12.94	12.91	2412	1	52T	13.31	13.44	13.35
2437	6	26T	12.71	12.68	12.74	2437	6	52T	15.91	15.94	15.88
2462	11	26T	12.88	12.91	12.70	2462	11	52T	13.30	13.23	13.16
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)			Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index						Ru Index		
			53	54	N/A				61	N/A	N/A
2412	1	106T	13.50	13.49		2412	1	242T	13.50		
2437	6	106T	18.87	18.97		2437	6	242T	19.63		
2462	11	106T	13.49	13.43		2462	11	242T	13.48		

Table F-2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF7

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)			Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index						Ru Index		
			0	4	8				37	38	40
2412	1	26T	12.80	12.94	13.00	2412	1	52T	13.46	13.50	13.49
2437	6	26T	12.82	12.99	12.84	2437	6	52T	15.98	15.97	15.96
2462	11	26T	12.83	12.86	12.92	2462	11	52T	13.46	13.35	13.49
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)			Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index						Ru Index		
			53	54	N/A				61	N/A	N/A
2412	1	106T	13.37	13.43		2412	1	242T	13.48		
2437	6	106T	18.99	19.00		2437	6	242T	20.31		
2462	11	106T	13.49	13.48		2462	11	242T	13.42		

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 11 of 21

Table F-3
Maximum 5 GHz 802.11ax RU Output Power – Ant WF5T

								20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)						
													RU Index						
													37	39	40				
													13.74	13.96	13.98				
													13.75	13.93	13.97				
								5220	44	52T	13.70	13.94	14.00						
								5240	48	52T	13.80	13.96	14.09						
								5260	52	52T	14.01	14.13	14.14						
								5280	56	52T	13.99	14.11	14.18						
								5300	60	52T	13.98	14.18	14.16						
								5320	64	52T	13.97	13.96	14.07						
								5500	100	52T	13.89	13.93	13.88						
								5600	120	52T	13.91	13.93	13.94						
								5620	124	52T	13.95	13.90	13.89						
								5720	144	52T	13.99	14.04	14.00						
								5745	149	52T	14.02	13.97	13.95						
								5785	157	52T	14.02	14.09	14.07						
								5825	165	52T	13.94	13.95	13.93						
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)						
					RU Index								RU Index						
					53	54	N/A						61	N/A	N/A				
	1	5180	36	106T	13.90	14.02							1	5180	36	242T	14.38		
		5200	40	106T	13.99	14.09								5200	40	242T	14.02		
		5220	44	106T	13.92	14.13			5220	44	242T	14.05							
		5240	48	106T	14.01	14.15			5240	48	242T	14.13							
	2A	5260	52	106T	14.22	14.13		2A	5260	52	242T	14.23							
		5280	56	106T	14.14	14.33			5280	56	242T	14.13							
		5300	60	106T	14.18	14.28			5300	60	242T	14.23							
		5320	64	106T	14.08	14.20			5320	64	242T	14.56							
	2C	5500	100	106T	14.01	14.05		2C	5500	100	242T	14.44							
		5600	120	106T	14.05	14.01			5600	120	242T	13.99							
		5620	124	106T	13.96	13.97			5620	124	242T	14.01							
		5720	144	106T	14.05	14.05			5720	144	242T	14.00							
	3	5745	149	106T	13.91	13.99		3	5745	149	242T	14.12							
5785		157	106T	14.18	14.10		5785		157	242T	14.20								
5825		165	106T	13.99	14.00		5825		165	242T	13.99								
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)						
					RU Index								RU Index						
					0	8	17						37	40	44				
	1	5190	38	26T	11.11	11.25	11.30						1	5190	38	52T	12.83	13.49	13.49
		5230	46	26T	10.95	11.25	11.03							5230	46	52T	13.92	13.93	14.11
	3	5755	151	26T	11.23	11.09	11.15	2A	5270	54	52T	14.14	14.04	14.20					
		5795	159	26T	11.17	11.11	11.14			5310	62	52T	14.10	14.14	14.18				
	40MHz BW <th rowspan="3">Band</th> <th rowspan="3">Freq [MHz]</th> <th rowspan="3">Channel</th> <th rowspan="3">Tones</th> <th colspan="3">Avg Conducted Power (dBm)</th> <th rowspan="5">40MHz BW</th> <th rowspan="5">Band</th> <th rowspan="5">Freq [MHz]</th> <th rowspan="5">Channel</th> <th rowspan="5">Tones</th> <th colspan="3">Avg Conducted Power (dBm)</th>	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)					
						RU Index								RU Index					
						53	54	56						61	62	N/A			
1		5190	38	106T	13.66	13.65	13.20	1						5190	38	242T	13.50	13.47	
		5230	46	106T	14.86	14.63	14.82							5230	46	242T	14.48	14.92	
2A		5270	54	106T	14.70	14.62	14.70	2A	5270	54	242T	14.75	14.71						
		5310	62	106T	14.42	14.52	14.44			5310	62	242T	14.32	14.45					
2C		5510	102	106T	13.21	13.18	12.80	2C	5510	102	242T	12.99	13.05						
		5590	118	106T	14.02	13.90	13.85			5590	118	242T	13.80	13.77					
		5670	126	106T	13.95	14.15	14.02			5670	126	242T	13.60	13.65					
		5710	142	106T	14.00	13.85	13.76			5710	142	242T	13.79	13.66					
3		5755	151	106T	14.28	14.24	14.30	3	5755	151	242T	14.30	14.28						
		5795	159	106T	14.30	14.25	14.25			5795	159	242T	14.39	14.28					

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 12 of 21

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	1	5190	38	484T	13.55		
5230		46	484T	14.70			
2A	5270	54	484T	14.70			
	5310	62	484T	14.57			
2C	5510	102	484T	12.97			
	5590	118	484T	14.07			
	5630	126	484T	14.04			
	5710	142	484T	13.70			
3	5755	151	484T	14.23			
	5795	159	484T	14.30			
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5210	42	52T	12.54	12.62	12.43
2A	5290	58	52T	13.92	14.04	13.98	
2C	5530	106	52T	11.39	11.53	11.46	
	5610	122	52T	13.99	13.86	13.92	
	5690	138	52T	13.81	13.70	13.73	
3	5775	155	52T	13.80	14.03	14.00	
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5210	42	106T	12.50	12.25	12.45
2A	5290	58	106T	14.36	14.60	14.47	
2C	5530	106	106T	11.36	11.56	11.57	
	5610	122	106T	14.02	14.00	13.99	
	5690	138	106T	14.11	14.12	13.83	
3	5775	155	106T	14.11	14.23	14.20	
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5210	42	242T	12.51	12.48	12.53
2A	5290	58	242T	14.44	14.32	14.43	
2C	5530	106	242T	11.43	11.54	11.50	
	5610	122	242T	14.05	14.01	13.90	
	5690	138	242T	14.09	14.11	13.80	
3	5775	155	242T	14.25	14.21	14.36	
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5210	42	996T	12.63		
2A	5290	58	996T	14.32			
2C	5530	106	996T	11.73			
	5610	122	996T	14.16			
	5690	138	996T	13.73			
3	5775	155	996T	14.42			
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5250	50	106T	10.94	11.02	11.01
2C	5570	114	106T	9.95	9.94	9.84	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5250	50	484T	10.77	10.96	
2C	5570	114	484T	9.93	9.99		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5250	50	996Tx2	10.91		
2C	5570	114	996Tx2	9.80			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	1	5210	42	26T	10.78	11.04	11.01
3	5775	155	26T	10.96	10.96	11.11	
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5210	42	106T	12.50	12.25	12.45
2A	5290	58	106T	14.36	14.60	14.47	
2C	5530	106	106T	11.36	11.56	11.57	
	5610	122	106T	14.02	14.00	13.99	
	5690	138	106T	14.11	14.12	13.83	
3	5775	155	106T	14.11	14.23	14.20	
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5210	42	484T	12.42	12.54	
2A	5290	58	484T	14.32	14.47		
2C	5530	106	484T	11.32	11.59		
	5610	122	484T	14.08	14.05		
	5690	138	484T	13.70	14.15		
3	5775	155	484T	14.29	14.30		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5250	50	52T	10.88	11.16	11.16
2C	5570	114	52T	9.90	9.83	10.06	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5250	50	242T	10.93	10.99	10.97
2C	5570	114	242T	10.01	10.00	10.01	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5250	50	996T	10.75		
2C	5570	114	996T	9.95			

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 13 of 21

Table F-4
Maximum 5 GHz 802.11ax RU Output Power – Ant WF2

20MHz BW					20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW		
----------	--	--	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 14 of 21

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	1	5190	38	484T	13.53		
		5230	46	484T	16.93		
	2A	5270	54	484T	17.08		
		5310	62	484T	14.23		
	2C	5510	102	484T	12.90		
		5590	118	484T	15.89		
		5630	126	484T	15.02		
		5710	142	484T	16.03		
	3	5755	151	484T	16.30		
		5795	159	484T	16.36		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5210	42	52T	12.47	12.52	12.40
	2A	5290	58	52T	13.99	13.91	13.82
		5530	106	52T	11.54	11.48	11.35
	2C	5610	122	52T	13.82	14.02	14.04
		5690	138	52T	13.92	14.00	13.90
	3	5775	155	52T	13.96	14.00	13.85
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5210	42	242T	12.45	12.37	12.59
	2A	5290	58	242T	14.50	14.49	14.55
		5530	106	242T	11.52	11.47	11.52
	2C	5610	122	242T	15.85	15.81	15.90
		5690	138	242T	14.30	14.16	14.21
	3	5775	155	242T	15.95	15.85	15.94
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5210	42	996T	12.51		
	2A	5290	58	996T	14.40		
		5530	106	996T	11.52		
	2C	5610	122	996T	16.02		
		5690	138	996T	16.00		
	3	5775	155	996T	15.90		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5250	50	106T	10.80	10.94	10.94
	2C	5570	114	106T	9.90	9.89	9.92
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5250	50	484T	10.78	10.99	
	2C	5570	114	484T	9.90	9.99	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5250	50	996Tx2	10.95		
	2C	5570	114	996Tx2	9.90		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	1	5210	42	26T	10.70	10.74	10.91
	3	5775	155	26T	10.80	10.89	10.98
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5210	42	106T	12.49	12.55	12.44
	2A	5290	58	106T	14.43	14.45	14.32
		5530	106	106T	11.50	11.58	11.32
	2C	5610	122	106T	15.80	15.86	15.92
		5690	138	106T	15.84	15.80	16.05
	3	5775	155	106T	15.85	15.92	15.84
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5210	42	484T	12.40	12.48	
	2A	5290	58	484T	14.50	14.55	
		5530	106	484T	11.55	11.61	
	2C	5610	122	484T	16.02	16.05	
		5690	138	484T	14.91	14.82	
	3	5775	155	484T	15.86	15.80	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5250	50	52T	10.96	10.90	10.99
	2C	5570	114	52T	9.75	9.94	9.90
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5250	50	242T	10.92	10.95	10.99
	2C	5570	114	242T	9.95	9.90	9.90
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5250	50	996T	10.98		
	2C	5570	114	996T	9.93		

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 15 of 21

Table F-5
Maximum 6 GHz 802.11ax RU Output Power – Ant WF5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					0	4	8						37	39	40
	5	5955	1	26T	8.90	8.91	8.76		5955	1	52T	11.91	11.95	12.00	
6175		45	26T	8.99	9.90	8.92	6175	45	52T	11.75	11.80	11.70			
6195		49	26T	8.80	8.79	8.83	6195	49	52T	11.87	11.96	11.85			
6415		93	26T	8.81	8.83	8.80	6415	93	52T	11.25	11.20	11.21			
6	6435	97	26T	-6.03	-6.01	-6.07	6435	97	52T	-3.01	-3.03	-3.04			
	6475	105	26T	-6.02	-6.04	-5.99	6475	105	52T	-3.09	-3.08	-3.10			
	6515	113	26T	-6.08	-6.09	-6.10	6515	113	52T	-3.08	-3.06	-3.07			
	6535	117	26T	8.88	8.86	8.90	6535	117	52T	10.24	10.25	10.30			
7	6695	149	26T	8.93	8.94	8.97	6695	149	52T	10.27	10.31	10.28			
	6875	185	26T	-5.60	-5.59	-5.63	6875	185	52T	-2.81	-2.77	-2.83			
	6895	189	26T	-5.54	-5.52	-5.55	6895	189	52T	-2.43	-2.45	-2.47			
	6995	209	26T	-5.61	-5.57	-5.59	6995	209	52T	-2.40	-2.38	-2.41			
8	7015	213	26T	-5.56	-5.53	-5.58	7015	213	52T	-2.42	-2.44	-2.46			
	7115	233	26T	NS	NS	NS	7115	233	52T	NS	NS	NS			

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					53	54	N/A						61	N/A	N/A
	5	5955	1	106T	12.22	12.24			5955	1	242T	12.24			
6175		45	106T	12.29	12.30		6175	45	242T	12.30					
6195		49	106T	12.22	12.24		6195	49	242T	12.22					
6415		93	106T	11.20	11.22		6415	93	242T	11.25					
6	6435	97	106T	1.87	1.84		6435	97	242T	3.90					
	6475	105	106T	1.79	1.80		6475	105	242T	3.95					
	6515	113	106T	1.86	1.88		6515	113	242T	3.88					
	6535	117	106T	10.34	10.35		6535	117	242T	10.28					
7	6695	149	106T	10.34	10.34		6695	149	242T	10.29					
	6875	185	106T	0.39	0.34		6875	185	242T	4.35					
	6895	189	106T	0.45	0.43		6895	189	242T	4.38					
	6995	209	106T	0.49	0.56		6995	209	242T	4.40					
8	7015	213	106T	0.58	0.55		7015	213	242T	4.54					
	7115	233	106T	NS	NS		7115	233	242T	NS					

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					0	8	17						37	40	44
	5	5965	3	26T	9.03	9.01	9.02		5965	3	52T	11.95	11.96	11.98	
6165		43	26T	8.70	8.74	8.78	6165	43	52T	11.86	11.88	11.80			
6205		51	26T	8.90	8.87	8.85	6205	51	52T	12.01	12.00	11.93			
6405		91	26T	9.09	9.05	9.06	6405	91	52T	11.22	11.20	11.23			
6	6445	99	26T	-5.09	-5.06	-5.10	6445	99	52T	-2.33	-2.32	-2.35			
	6485	107	26T	-4.84	-4.90	-4.91	6485	107	52T	-1.90	-1.97	-1.93			
	6525	115	26T	-4.91	-4.92	-4.88	6525	115	52T	-1.89	-1.96	-1.92			
	6565	123	26T	8.90	8.96	8.97	6565	123	52T	10.20	10.24	10.28			
7	6685	147	26T	9.00	8.98	9.00	6685	147	52T	10.27	10.24	10.25			
	6725	155	26T	8.85	8.80	8.97	6725	155	52T	10.25	10.27	10.24			
	6845	179	26T	8.89	8.91	9.90	6845	179	52T	10.15	10.16	10.20			
	6885	187	26T	-4.69	-4.71	-4.73	6885	187	52T	-1.90	-1.86	-1.83			
8	6965	203	26T	-4.34	-4.35	-4.33	6965	203	52T	-1.43	-1.41	-1.39			
	7005	211	26T	-4.78	-4.75	-4.73	7005	211	52T	-1.71	-1.69	-1.65			
	7085	227	26T	-4.57	-4.49	-4.42	7085	227	52T	-1.57	-1.55	-1.53			

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					53	54	56						61	62	N/A
	5	5965	3	106T	12.23	12.20	12.19		5965	3	242T	12.30	12.29		
6165		43	106T	12.21	12.12	12.23	6165	43	242T	12.21	12.20				
6205		51	106T	12.31	12.27	12.35	6205	51	242T	12.25	12.24				
6405		91	106T	11.21	11.22	11.21	6405	91	242T	11.18	11.22				
6	6445	99	106T	1.06	1.08	1.05	6445	99	242T	3.78	3.77				
	6485	107	106T	-0.29	-0.27	-0.31	6485	107	242T	3.80	3.77				
	6525	115	106T	0.29	-0.30	-0.28	6525	115	242T	3.84	3.85				
	6565	123	106T	10.30	10.24	10.25	6565	123	242T	10.26	10.25				
7	6685	147	106T	10.25	10.27	10.25	6685	147	242T	10.28	10.24				
	6725	155	106T	10.30	10.25	10.26	6725	155	242T	10.29	10.27				
	6845	179	106T	10.22	10.19	10.20	6845	179	242T	10.21	10.20				
	6885	187	106T	1.05	0.98	0.99	6885	187	242T	4.17	4.15				
8	6965	203	106T	2.31	2.34	2.35	6965	203	242T	4.41	4.39				
	7005	211	106T	1.00	0.56	0.63	7005	211	242T	4.39	4.39				
	7085	227	106T	2.49	2.48	2.46	7085	227	242T	4.28	4.30				

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 16 of 21

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	5	5965	3	484T	12.25		
80MHz BW	5	6165	43	484T	12.13		
		6205	51	484T	12.22		
		6405	91	484T	11.25		
		6445	99	484T	6.80		
	6	6485	107	484T	7.04		
		6525	115	484T	7.02		
		6565	123	484T	10.32		
	7	6685	147	484T	10.25		
		6725	155	484T	10.19		
		6845	179	484T	10.19		
		6885	187	484T	7.15		
	8	6965	203	484T	7.51		
		7005	211	484T	7.55		
		7085	227	484T	7.52		
80MHz BW	5	5985	7	52T	11.96	12.03	12.01
		6145	39	52T	11.89	11.93	11.92
		6225	55	52T	12.04	12.11	12.12
		6385	87	52T	11.06	11.11	11.15
	6	6465	103	52T	-2.12	-2.10	-2.09
	7	6545	119	52T	-1.96	-1.98	-1.99
		6705	151	52T	10.30	10.20	10.24
		6865	183	52T	-1.86	-1.83	-1.91
	8	6945	199	52T	-1.65	-1.72	-1.68
		7025	215	52T	-1.63	-1.65	-1.61
80MHz BW	5	5985	7	106T	12.18	12.19	12.20
		6145	39	106T	12.21	12.21	12.20
		6225	55	106T	12.20	12.23	12.23
		6385	87	106T	11.44	11.44	11.45
	6	6465	103	106T	-0.87	-0.99	-0.89
	7	6545	119	106T	-0.77	-0.88	-0.82
		6705	151	106T	10.23	10.22	10.22
		6865	183	106T	1.29	1.38	1.32
	8	6945	199	106T	0.58	0.72	0.59
		7025	215	106T	0.18	0.77	0.26
80MHz BW	5	5985	7	484T	12.32	12.30	N/A
		6145	39	484T	12.27	12.29	
		6225	55	484T	12.19	12.20	
		6385	87	484T	11.20	11.15	
	6	6465	103	484T	7.00	7.07	
	7	6545	119	484T	6.97	6.95	
		6705	151	484T	10.15	10.20	
		6865	183	484T	7.38	7.30	
	8	6945	199	484T	7.57	7.55	
		7025	215	484T	7.30	7.34	
80MHz BW	5	5985	7	996T	12.30		
		6145	39	996T	12.33		
		6225	55	996T	12.30		
		6385	87	996T	11.22		
	6	6465	103	996T	9.80		
	7	6545	119	996T	9.95		
		6705	151	996T	10.30		
		6865	183	996T	10.22		
	8	6945	199	996T	9.98		
		7025	215	996T	9.75		
160MHz BW	5	6025	15	52T	11.70	11.70	11.94
		6185	47	52T	11.84	11.86	11.84
		6345	79	52T	11.23	11.28	11.27
		6505	111	52T	-1.96	-1.95	-1.90
	7	6665	143	52T	10.24	10.35	10.35
		6825	175	52T	-1.77	-1.75	-1.72
	8	6985	207	52T	-1.42	-1.40	-1.38
160MHz BW	5	6025	15	106T	12.30	12.29	12.22
		6185	47	106T	12.22	12.24	12.23
		6345	79	106T	11.19	11.19	11.19
		6505	111	106T	1.08	1.09	1.10
	7	6665	143	106T	10.21	10.23	10.23
		6825	175	106T	0.86	0.80	0.80
	8	6985	207	106T	1.20	1.24	1.35

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 17 of 21

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	5	6025	15	242T	12.33	12.32	12.32
		6185	47	242T	12.26	12.27	12.21
		6345	79	242T	11.20	11.19	11.20
	6	6505	111	242T	3.80	3.78	3.81
	7	6665	143	242T	10.20	10.21	10.22
		6825	175	242T	4.21	4.10	4.14
	8	6985	207	242T	4.33	4.34	4.40
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
	5	6025	15	996T	12.41		
		6185	47	996T	12.29		
		6345	79	996T	11.21		
	6	6505	111	996T	10.90		
	7	6665	143	996T	10.26		
		6825	175	996T	10.25		
	8	6985	207	996T	9.91		

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 18 of 21

Table F-6
Maximum 6 GHz 802.11ax RU Output Power – Ant WF2

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					0	4	8						37	39	40
	5	5955	1	26T	8.46	8.66	8.55		5	5955	1	52T	11.87	11.89	11.84
6175		45	26T	8.30	8.39	8.40	6175	45		52T	12.00	11.99	11.92		
6195		49	26T	8.84	8.91	8.87	6195	49		52T	12.01	11.96	11.95		
6415		93	26T	8.58	8.52	8.57	6415	93		52T	12.06	12.01	12.13		
6	6435	97	26T	-5.46	-5.38	-5.44	6	6435	97	52T	-1.87	-1.91	-1.90		
	6475	105	26T	-5.18	-5.13	-5.07		6475	105	52T	-1.77	-2.15	-2.10		
	6515	113	26T	-5.15	-5.22	-5.09		6515	113	52T	-1.86	-1.90	-1.93		
7	6535	117	26T	8.76	8.66	8.71	7	6535	117	52T	12.00	12.02	12.09		
	6695	149	26T	9.07	9.10	9.12		6695	149	52T	11.99	11.71	11.87		
	6875	185	26T	-4.82	-4.79	-4.86		6875	185	52T	-1.63	-1.61	-1.62		
8	6895	189	26T	-4.62	-4.81	-4.91	8	6895	189	52T	-1.53	-1.57	-1.52		
	6995	209	26T	-4.75	-4.80	-4.72		6995	209	52T	-1.50	-1.48	-1.87		
	7015	213	26T	-4.64	-4.66	-4.58		7015	213	52T	-1.89	-1.77	-1.81		
7115	233	26T	NS	NS	NS	7115	233	52T	NS	NS	NS				

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					53	54	N/A						61	N/A	N/A
	5	5955	1	106T	11.12	11.39			5	5955	1	242T	11.20		
6175		45	106T	10.86	11.20		6175	45		242T	10.99				
6195		49	106T	11.66	11.89		6195	49		242T	11.70				
6415		93	106T	10.63	10.79		6415	93		242T	10.72				
6	6435	97	106T	1.18	0.63		6	6435	97	242T	3.33				
	6475	105	106T	0.38	0.45			6475	105	242T	3.11				
	6515	113	106T	0.15	0.60			6515	113	242T	3.25				
7	6535	117	106T	12.22	12.19		7	6535	117	242T	10.44				
	6695	149	106T	12.31	12.28			6695	149	242T	12.19				
	6875	185	106T	-0.56	-0.17			6875	185	242T	3.20				
8	6895	189	106T	-0.47	-0.10		8	6895	189	242T	3.22				
	6995	209	106T	0.35	0.74			6995	209	242T	3.82				
	7015	213	106T	-0.31	0.55			7015	213	242T	4.10				
7115	233	106T	NS	NS		7115	233	242T	NS						

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					0	8	17						37	40	44
	5	5965	3	26T	7.38	7.43	7.63		5	5965	3	52T	11.07	11.41	11.40
6165		43	26T	7.65	7.56	7.47	6165	43		52T	11.01	11.38	11.43		
6205		51	26T	7.39	7.36	7.49	6205	51		52T	11.20	11.24	11.33		
6405		91	26T	7.54	7.56	7.65	6405	91		52T	11.19	11.37	11.54		
6	6445	99	26T	-5.94	-5.99	-6.05	6	6445	99	52T	-3.20	-2.98	-2.96		
	6485	107	26T	-5.91	-5.93	-6.00		6485	107	52T	-3.17	-2.92	-2.91		
	6525	115	26T	-5.98	-5.97	-6.04		6525	115	52T	-3.21	-2.94	-2.98		
7	6565	123	26T	7.66	7.54	7.50	7	6565	123	52T	11.08	11.29	11.47		
	6685	147	26T	7.54	7.40	7.52		6685	147	52T	11.13	11.31	11.27		
	6725	155	26T	7.53	7.51	7.49		6725	155	52T	11.10	11.46	11.24		
8	6845	179	26T	7.68	7.72	7.62	8	6845	179	52T	11.35	11.45	11.39		
	6885	187	26T	-5.95	-6.15	-6.00		6885	187	52T	-3.21	-3.01	-2.65		
	6965	203	26T	-5.91	-6.03	-5.97		6965	203	52T	-3.12	-2.89	-2.94		
7005	211	26T	-5.82	-5.94	-6.01	7005	211	52T	-3.03	-2.82	-2.90				
7085	227	26T	-5.93	-6.02	-5.99	7085	227	52T	-3.11	-2.93	-2.93				

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					53	54	56						61	62	N/A
	5	5965	3	106T	11.25	11.41	11.19		5	5965	3	242T	11.06	11.01	
6165		43	106T	11.27	11.26	11.28	6165	43		242T	10.97	10.99			
6205		51	106T	11.30	11.39	11.27	6205	51		242T	11.03	11.05			
6405		91	106T	11.57	11.42	11.39	6405	91		242T	11.61	11.58			
6	6445	99	106T	0.73	0.35	0.38	6	6445	99	242T	3.09	3.10			
	6485	107	106T	0.32	0.38	0.38		6485	107	242T	3.06	3.03			
	6525	115	106T	0.31	0.37	0.35		6525	115	242T	3.02	3.04			
7	6565	123	106T	11.37	11.33	11.23	7	6565	123	242T	11.19	11.23			
	6685	147	106T	11.35	11.40	11.33		6685	147	242T	11.21	11.20			
	6725	155	106T	11.36	11.31	11.31		6725	155	242T	11.18	11.15			
8	6845	179	106T	11.52	11.46	11.58	8	6845	179	242T	11.27	11.26			
	6885	187	106T	0.33	0.37	0.30		6885	187	242T	3.30	3.27			
	6965	203	106T	0.41	0.46	0.45		6965	203	242T	3.45	3.48			
7005	211	106T	0.42	0.43	0.43	7005	211	242T	3.46	3.44					
7085	227	106T	0.40	0.40	0.41	7085	227	242T	3.49	3.42					

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 19 of 21

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	5	5965	3	484T	11.04		
		6165	43	484T	11.07		
		6205	51	484T	11.13		
		6405	91	484T	11.52		
	6	6445	99	484T	6.06		
		6485	107	484T	6.04		
		6525	115	484T	5.98		
	7	6565	123	484T	11.21		
		6685	147	484T	11.26		
		6725	155	484T	11.24		
	8	6845	179	484T	11.19		
		6885	187	484T	6.37		
		6965	203	484T	6.48		
		7005	211	484T	6.45		
		7085	227	484T	6.51		
	5	5985	7	52T	10.97	11.01	10.99
		6145	39	52T	11.06	11.03	11.04
		6225	55	52T	11.10	11.08	11.09
		6385	87	52T	11.05	11.06	11.07
	6	6465	103	52T	-2.91	-2.92	-2.89
		6545	119	52T	-2.93	-2.95	-2.94
		6705	151	52T	11.12	11.07	11.05
	7	6865	183	52T	-2.64	-2.66	-2.63
		6945	199	52T	-2.58	-2.61	-2.57
	8	7025	215	52T	-2.59	-2.55	-2.60
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	5985	7	106T	11.13	11.10	11.08
		6145	39	106T	10.98	11.06	11.05
		6225	55	106T	11.01	10.96	10.94
		6385	87	106T	11.48	11.50	11.43
	6	6465	103	106T	1.37	1.36	1.34
		6545	119	106T	1.29	1.33	1.30
		6705	151	106T	11.54	11.50	11.51
	7	6865	183	106T	0.15	0.12	0.10
		6945	199	106T	0.57	0.60	0.59
	8	7025	215	106T	0.61	0.57	0.55
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	5	5985	7	242T	11.95	11.99	11.97
		6145	39	242T	12.01	12.02	11.98
		6225	55	242T	12.05	12.06	12.03
		6385	87	242T	12.57	12.55	12.56
	6	6465	103	242T	4.06	4.09	4.05
		6545	119	242T	4.01	4.08	4.00
		6705	151	242T	12.43	12.41	12.36
	7	6865	183	242T	4.27	4.24	4.32
		6945	199	242T	4.42	4.39	4.53
	8	7025	215	242T	4.45	4.47	4.48
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	5	5985	7	996T	11.96		
		6145	39	996T	12.01		
		6225	55	996T	12.07		
		6385	87	996T	12.56		
	6	6465	103	996T	9.93		
		6545	119	996T	10.06		
		6705	151	996T	12.58		
	7	6865	183	996T	10.30		
		6945	199	996T	10.61		
	8	7025	215	996T	10.56		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	6025	15	52T	11.95	11.98	11.96
		6185	47	52T	12.03	12.05	12.03
		6345	79	52T	11.98	11.99	12.00
		6505	111	52T	-2.10	-2.13	-2.15
	6	6665	143	52T	11.92	12.02	11.99
		6825	175	52T	-1.63	-1.59	-1.65
		6985	207	52T	-1.50	-1.49	-1.51
	5	6025	15	106T	11.98	12.01	11.99
		6185	47	106T	12.06	12.05	12.04
		6345	79	106T	12.46	12.44	12.45
		6505	111	106T	0.29	0.28	0.27
	6	6665	143	106T	12.58	12.68	12.67
		6825	175	106T	0.83	0.87	0.86
		6985	207	106T	1.39	1.45	1.40
	5	5985	7	484T	11.93	11.94	N/A
		6145	39	484T	12.00	11.99	
		6225	55	484T	12.09	12.06	
		6385	87	484T	12.57	12.58	
	6	6465	103	484T	7.11	7.05	
		6545	119	484T	7.03	7.06	
		6705	151	484T	12.39	12.37	
	7	6865	183	484T	7.05	7.07	
		6945	199	484T	7.61	7.60	
	8	7025	215	484T	7.52	7.53	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	6025	15	26T	9.15	9.05	9.08
		6185	47	26T	9.05	9.06	9.02
		6345	79	26T	8.97	8.94	8.95
		6505	111	26T	-4.61	-4.68	-4.65
	6	6665	143	26T	9.03	8.93	9.02
		6825	175	26T	-4.52	-4.48	-4.57
		6985	207	26T	-4.43	-4.43	-4.22
	5	6025	15	106T	11.98	12.01	11.99
		6185	47	106T	12.06	12.05	12.04
		6345	79	106T	12.46	12.44	12.45
		6505	111	106T	0.29	0.28	0.27
	6	6665	143	106T	12.58	12.68	12.67
		6825	175	106T	0.83	0.87	0.86
		6985	207	106T	1.39	1.45	1.40
	5	5985	7	106T	11.13	11.10	11.08
		6145	39	106T	10.98	11.06	11.05
		6225	55	106T	11.01	10.96	10.94
		6385	87	106T	11.48	11.50	11.43
	6	6465	103	106T	1.37	1.36	1.34
		6545	119	106T	1.29	1.33	1.30
		6705	151	106T	11.54	11.50	11.51
	7	6865	183	106T	0.15	0.12	0.10
		6945	199	106T	0.57	0.60	0.59
	8	7025	215	106T	0.61	0.57	0.55

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 20 of 21

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)				
					RU Index								RU Index				
					61	62	64						65	66	N/A		
	5	6025	15	242T	11.99	11.95	11.93		5	6025	15	484T	11.99	12.01			
6185		47	242T	12.05	12.08	12.01	6185	47		484T	12.03	11.99					
6345		79	242T	12.45	12.47	12.45	6345	79		484T	12.49	12.43					
6	6505	111	242T	4.08	4.09	4.05	6	6505	111	484T	7.09	7.08					
	7	6665	143	242T	12.54	12.58		12.52	7	6665	143	484T	12.56	12.51			
		6825	175	242T	4.25	4.28		4.26		6825	175	484T	7.11	7.09			
8	6985	207	242T	4.49	4.51	4.49	8	6985	207	484T	7.56	7.55					
	160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
						RU Index								RU Index			
67(L)						N/A	N/A	67(L)						N/A	N/A		
5		6025	15	996T	12.02			5		6025	15	996Tx2	12.00				
	6185	47	996T	12.00			6185		47	996Tx2	11.99						
	6345	79	996T	12.45			6345		79	996Tx2	12.46						
6	6505	111	996T	9.91			6	6505	111	996Tx2	12.26						
	7	6665	143	996T	12.53				7	6665	143	996Tx2	12.55				
		6825	175	996T	9.99					6825	175	996Tx2	12.66				
8	6985	207	996T	10.49			8	6985	207	996Tx2	12.16						

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 21 of 21