EXHIBIT C - EUT INTERNAL PHOTOGRAPHS













Antenna






WJ-AD-P088-V1.0






TP71 RX
TP70 PWM
TP69 GND 5V
J12
TP66
TP65
J3 TP68
TP67
TP34
TP38
TP33
TP37
TP32
TP64
LDS08_TRANS_V1.2_20200318
SN2:
PD_A1

Type:Li-ion Cylindrical
Rechargeable Battery
Date 2051
Model:CMICR18650F9M-4S1P
4INR19/66
Typical Capacity:3200mAh
Rated Capacity:3000mAh 14.4V 43.2Wh
Manufacturer:Dongguan Cham Battery Technology Co.,Ltd.
Black wire(-) Red wire(+)
Li-ion
TÜV
PS
E

⚠ CAUTION
-Dry Location use Only.
-May explode if disposed of in fire.
-For safe operation carefully read user's manual.
-To prevent injury or fire, Do not allow metal object to contact battery terminals.
-Use only with special charger at room temperature 32-104°F(0-40°C).
MADE IN CHINA


Type:Li-ion Cylindrical Rechargeable Battery
Date:2034 4INR19/66
Model:D058-INR-32E-4S1P
Nominal Capacity:3200mAh
Rated Capacity:3000mAh 14.6V 43.8Wh
Manufacturer:BYD COMPANY LIMITED
Li-ion
RUIWANG株式会社
Black wire(-) Red wire(+)


CAUTION
-Dry location use Only.
-May explode if disposed in fire.
-For safe operation carefully read user's manual
-To prevent injury or fire,Do not allow metal object to contact battery terminals.
-Use only with special charger at ambient temperature 32-104°F (0-40°C).
MADE IN CHINA