








DH5_Ant1_2441_30~1000




DH5_Ant1_2441_1000~26500




DH5_Ant1_2480_0~Reference



DH5_Ant1_2480_30~1000




DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference



3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1 2480 30~1000





3DH5_Ant1 2480 1000~26500




Band edge:

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	4.752	-49.19	≤-15.25	PASS
DH5	Ant1	High	2480	5.266	-49.93	≤-14.73	PASS
3DH5	Ant1	Low	2402	4.635	-49.3	≤-15.37	PASS
3DH5	Ant1	High	2480	4.944	-47.87	≤-15.06	PASS
DH5	Ant1	Hopping	2402	4.46	-48.77	≤-15.54	PASS
DH5	Ant1	Hopping	2480	4.833	-49.76	≤-15.17	PASS
3DH5	Ant1	Hopping	2402	0.5997	-50.6	≤-19.4	PASS
3DH5	Ant1	Hopping	2480	2.811	-49.84	≤-17.19	PASS







DH5 Ant1 Hopping 2402




DH5 Ant1 Hopping 2480



3DH5_Ant1_Hopping_2402



3DH5_Ant1_Hopping_2480



Appendix B.7: Test Results of Radiated Spurious Emissions


Note 1: Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported. The highest emissions are the fundamental.

Note 2: This testing was carried out on different modulations, but only the worst case was presented in this report.

30MHz - 1GHz

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
49.773077	17.06	40.00	22.94	100.0	H	247.0	-18.6
73.687308	18.11	40.00	21.89	100.0	H	106.0	-23.3
156.734231	31.79	43.50	11.71	100.0	H	0.0	-22.2
236.572692	31.59	46.00	14.41	100.0	H	287.0	-18.2
326.036539	29.95	46.00	16.05	100.0	H	255.0	-15.8
752.612692	36.77	46.00	9.23	100.0	H	72.0	-7.5

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
37.498846	30.14	40.00	9.86	100.0	V	245.0	-21.2
59.510385	29.89	40.00	10.11	100.0	V	268.0	-19.2
107.525385	17.41	43.50	26.09	100.0	V	82.0	-19.2
237.990385	28.11	46.00	17.89	100.0	V	308.0	-18.1
324.283077	30.38	46.00	15.62	100.0	V	204.0	-15.9
470.865000	26.62	46.00	19.38	100.0	V	204.0	-12.8
942.620769	27.55	46.00	18.45	100.0	V	354.0	-5.0

Final_Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Above 1GHz

The highest emissions are the fundamental.

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4742.500000	51.52	---	74.00	22.48	100.0	H	185.0	11.9
4807.500000	---	39.38	54.00	14.62	100.0	H	344.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Remote controlled colour TV
Model: 32FHA570
Test Mode: BR_DH5_Low channel
Order No/Sample No: 168444521
Test Voltage:: AC 120V
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4799.500000	---	39.75	54.00	14.25	100.0	V	262.0	11.8
4810.000000	50.63	---	74.00	23.37	100.0	V	125.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7690.733333	---	34.48	54.00	19.52	100.0	H	301.0	8.6
7695.158333	43.09	---	74.00	30.91	100.0	H	276.0	8.7
12816.850000	---	40.37	54.00	13.63	100.0	H	337.0	15.3
12828.650000	49.87	---	74.00	24.13	100.0	H	202.0	15.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
6497.950000	44.84	---	74.00	29.16	100.0	V	340.0	8.8
6511.716667	---	37.47	54.00	16.53	100.0	V	106.0	8.8
12683.608333	---	40.65	54.00	13.35	100.0	V	35.0	15.1
12698.850000	49.72	---	74.00	24.28	100.0	V	201.0	15.1

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2324.661765	50.41	---	74.00	23.59	100.0	H	292.0	6.6
2326.132353	---	38.39	54.00	15.61	100.0	H	255.0	6.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2351.897059	---	38.96	54.00	15.04	100.0	V	52.0	6.9
2352.441177	49.80	---	74.00	24.20	100.0	V	22.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Remote controlled colour TV
Model: 32FHA570
Test Mode: BR_DH5_Mid channel
Order No/Sample No: 168444521
Test Voltage:: AC 120V
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4857.500000	50.96	---	74.00	23.04	100.0	H	67.0	11.8
4898.000000	---	39.99	54.00	14.01	100.0	H	214.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Remote controlled colour TV
Model: 32FHA570
Test Mode: BR_DH5_Mid channel
Order No/Sample No: 168444521
Test Voltage:: AC 120V
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4898.000000	---	39.53	54.00	14.47	100.0	V	311.0	11.8
4898.500000	50.02	---	74.00	23.98	100.0	V	253.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7761.041667	42.75	---	74.00	31.25	100.0	H	195.0	8.8
7767.433333	---	34.06	54.00	19.94	100.0	H	208.0	8.8
13347.850000	---	41.40	54.00	12.60	100.0	H	7.0	15.5
13348.341667	50.37	---	74.00	23.63	100.0	H	41.0	15.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7476.366667	---	34.02	54.00	19.98	100.0	V	295.0	8.6
7476.858333	43.99	---	74.00	30.01	100.0	V	306.0	8.6
12648.208333	49.62	---	74.00	24.38	100.0	V	106.0	15.0
12682.133333	---	40.41	54.00	13.59	100.0	V	283.0	15.1

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4956.000000	---	39.27	54.00	14.73	100.0	H	225.0	11.8
4957.500000	50.45	---	74.00	23.55	100.0	H	188.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Remote controlled colour TV
Model: 32FHA570
Test Mode: BR_DH5_High channel
Order No/Sample No: 168444521
Test Voltage:: AC 120V
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4954.000000	50.40	---	74.00	23.60	100.0	V	345.0	11.8
4958.000000	---	39.46	54.00	14.54	100.0	V	199.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7330.833333	---	34.36	54.00	19.64	100.0	H	232.0	8.1
7468.500000	43.63	---	74.00	30.37	100.0	H	142.0	8.6
12130.483333	48.56	---	74.00	25.44	100.0	H	117.0	14.3
12160.475000	---	39.49	54.00	14.51	100.0	H	102.0	14.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7506.850000	44.11	---	74.00	29.89	100.0	V	295.0	8.7
7506.850000	---	34.19	54.00	19.81	100.0	V	295.0	8.7
12144.250000	---	40.53	54.00	13.47	100.0	V	318.0	14.4
12186.041667	49.15	---	74.00	24.85	100.0	V	212.0	14.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.138824	---	41.13	54.00	12.87	100.0	H	296.0	7.4
2487.834118	55.96	---	74.00	18.04	100.0	H	296.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168444521
Test Voltage::	AC 120V
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.840000	---	39.86	54.00	14.14	100.0	V	166.0	7.4
2487.361177	51.53	---	74.00	22.47	100.0	V	327.0	7.4



Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix B.8: Test Results of Conducted Emission on AC Mains

EUT Information

EUT Name:	Remote controlled colour TV
Model:	32FHA570
Test Mode:	Bluetooth & Wi-Fi connecting
Order No/Sample No:	168444521
Test Voltage::	AC 120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.207
Tested By:	Jim chen
Reviewed By:	Jacky chen



Average (12)

Frequency (MHz)	SR	Meas.Avg (dBuV)	Limit (dBuV)	Meas.-Lim (dB)	Line	RBW	Meas.Time (ms)	Comments	Correction (dB)
0.182	1	36.02	54.39	-18.37	Neutral	9k	1000	Pass	9.53
0.6095	1	21.80	46.00	-24.20	Neutral	9k	1000	Pass	9.55
2.05	1	16.83	46.00	-29.17	Neutral	9k	1000	Pass	9.62
4.5815	1	29.58	46.00	-16.42	Neutral	9k	1000	Pass	9.67
5.49625	1	32.18	50.00	-17.82	Neutral	9k	1000	Pass	9.70
14.19	1	26.68	50.00	-23.32	Neutral	9k	1000	Pass	10.14
0.19975	2	30.36	53.69	-23.33	Phase 1	9k	1000	Pass	9.53
0.61225	2	19.39	46.00	-26.61	Phase 1	9k	1000	Pass	9.53
1.9335	2	17.02	46.00	-28.98	Phase 1	9k	1000	Pass	9.56
4.0145	2	28.70	46.00	-17.30	Phase 1	9k	1000	Pass	9.60
11.25625	2	27.20	50.00	-22.80	Phase 1	9k	1000	Pass	9.81
13.72375	2	29.52	50.00	-20.48	Phase 1	9k	1000	Pass	10.01

QuasiPeak (12)

Frequency (MHz)	SR	Meas.Q-Peak (dBuV)	Limit (dBuV)	Meas.-Lim (dB)	Line	RBW	Meas.Time (ms)	Comments	Correction (dB)
0.182	1	49.68	64.39	-14.71	Neutral	9k	1000	Pass	9.53
0.6095	1	33.43	56.00	-22.57	Neutral	9k	1000	Pass	9.55
2.05	1	26.10	56.00	-29.90	Neutral	9k	1000	Pass	9.62
4.5815	1	40.05	56.00	-15.95	Neutral	9k	1000	Pass	9.67
5.49625	1	41.54	60.00	-18.46	Neutral	9k	1000	Pass	9.70
14.19	1	37.86	60.00	-22.14	Neutral	9k	1000	Pass	10.14
0.19975	2	51.70	63.69	-11.99	Phase 1	9k	1000	Pass	9.53
0.61225	2	33.72	56.00	-22.28	Phase 1	9k	1000	Pass	9.53
1.9335	2	26.78	56.00	-29.22	Phase 1	9k	1000	Pass	9.56
4.0145	2	37.17	56.00	-18.83	Phase 1	9k	1000	Pass	9.60
11.25625	2	36.96	60.00	-23.04	Phase 1	9k	1000	Pass	9.81
13.72375	2	39.64	60.00	-20.36	Phase 1	9k	1000	Pass	10.01