



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Smart display

Test Model: SD3202

Environmental Conditions

Temperature:	23.1°C
Relative Humidity:	52.3%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1	0	Pass
NVNT	1-DH5	2441	Ant1	0.95	0	Pass
NVNT	1-DH5	2480	Ant1	0.958	0	Pass
NVNT	2-DH5	2402	Ant1	1.284	0	Pass
NVNT	2-DH5	2441	Ant1	1.337	0	Pass
NVNT	2-DH5	2480	Ant1	1.32	0	Pass
NVNT	3-DH5	2402	Ant1	1.298	0	Pass
NVNT	3-DH5	2441	Ant1	1.298	0	Pass
NVNT	3-DH5	2480	Ant1	1.298	0	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs



-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1













A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	0.56	21	Pass
NVNT	1-DH5	2441	Ant1	0.79	21	Pass
NVNT	1-DH5	2480	Ant1	1.73	21	Pass
NVNT	2-DH5	2402	Ant1	1.06	21	Pass
NVNT	2-DH5	2441	Ant1	1.19	21	Pass
NVNT	2-DH5	2480	Ant1	0.51	21	Pass
NVNT	3-DH5	2402	Ant1	0.36	21	Pass
NVNT	3-DH5	2441	Ant1	-0.72	21	Pass
NVNT	3-DH5	2480	Ant1	0.33	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1








Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1









Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.014	2402.828	0.814	0.667	Pass
NVNT	2-DH5	Ant1	2402.016	2403.014	0.998	0.891	Pass
NVNT	3-DH5	Ant1	2402.034	2403.024	0.99	0.865	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs


CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.909	337.444	116	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	301.392	104	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	324.464	112	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs


Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated







Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs


Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-59.02	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-59.59	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-51.95	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-55.06	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-50.36	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-50.81	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission







Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission



**(Hopping)**

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-65.79	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-60.97	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-62.9	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-59.94	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-56.62	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-55.38	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref







Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission

















A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-56.33	-20	Pass
NVNT	1-DH5	2441	Ant1	-57.3	-20	Pass
NVNT	1-DH5	2480	Ant1	-58.57	-20	Pass
NVNT	2-DH5	2402	Ant1	-54.48	-20	Pass
NVNT	2-DH5	2441	Ant1	-54.89	-20	Pass
NVNT	2-DH5	2480	Ant1	-55.46	-20	Pass
NVNT	3-DH5	2402	Ant1	-54.24	-20	Pass
NVNT	3-DH5	2441	Ant1	-52.78	-20	Pass
NVNT	3-DH5	2480	Ant1	-55.52	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.33	1.12	0.34
NVNT	2-DH5	2441	Ant1	77.33	1.12	0.34
NVNT	2-DH5	2480	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Correction Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.99	2	-	45.27	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-62.23	2	1.1	36.13	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2319.696	-49.06	2	-	48.20	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2340.816	-61.96	2	1.1	36.40	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-52.79	2	-	44.47	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-62.19	2	1.1	36.17	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-51.4	2	-	45.86	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-60.79	2	1.1	37.57	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2486.824	-42.91	2	-	54.35	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.512	-60.79	2	1.1	37.57	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-51.81	2	-	45.45	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-62	2	1.1	36.36	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-52.65	2	-	44.61	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-62.4	2	1.2	36.06	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2324.4	-48.96	2	-	48.30	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2331.696	-61.88	2	1.2	36.58	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-51.8	2	-	45.46	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-62.2	2	1.2	36.26	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-45.21	2	-	52.05	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-60.11	2	1.2	38.35	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.752	-44.24	2	-	53.02	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.512	-60.11	2	1.2	38.35	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-50.88	2	-	46.38	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-61.97	2	1.2	36.49	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-53.49	2	-	43.77	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-62.23	2	1.2	36.23	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2377.776	-49.85	2	-	47.41	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2335.824	-61.97	2	1.2	36.49	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-51.2	2	-	46.06	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-62.08	2	1.2	36.38	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-43.2	2	-	54.06	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-59.28	2	1.2	39.18	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.512	-43.2	2	-	54.06	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.512	-59.28	2	1.2	39.18	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.98	2	-	47.28	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-62	2	1.2	36.46	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs



Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average













Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity