









Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE 1M	2402	Ant1	-3.55	-3.55	30	Pass
		2440		-2.66	-2.66	30	Pass
		2480		-2.43	-2.43	30	Pass
	BLE 2M	2402		-3.44	-3.44	30	Pass
		2440		-2.55	-2.55	30	Pass
		2480		-2.34	-2.34	30	Pass










-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE 1M	2402	Ant1	0.683	0.5	Pass
		2440		0.671	0.5	Pass
		2480		0.668	0.5	Pass
	BLE 2M	2402		1.131	0.5	Pass
		2440		1.096	0.5	Pass
		2480		1.112	0.5	Pass











Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE 1M	2402	Ant1	1.039
		2440		1.037
		2480		1.038
	BLE 2M	2402		2.064
		2440		2.052
		2480		2.023













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	BLE 1M	2402	Ant1	-4.39	-4.39	8	Pass
		2440		-3.55	-3.55	8	Pass
		2480		-3.3	-3.3	8	Pass
	BLE 2M	2402		-4.46	-4.46	8	Pass
		2440		-3.12	-3.12	8	Pass
		2480		-3.14	-3.14	8	Pass












Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-39.04	-20	Pass
		2480		-48.26	-20	Pass
	BLE 2M	2402		-34.1	-20	Pass
		2480		-48.35	-20	Pass
















Conducted RF Spurious Emission



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-38.41	-20	Pass
		2440		-39.65	-20	Pass
		2480		-40.72	-20	Pass
	BLE 2M	2402		-38.96	-20	Pass
		2440		-40.74	-20	Pass
		2480		-40.16	-20	Pass














---End---