

Report No.: SEWA2204000010RG13

Rev.:

Page: 1 of 119

TEST REPORT

Application No.: SEWA2204000010RG

Fibocom Auto Inc. Applicant:

13th Floor, Building A, Building 6, Shenzhen International Innovation Valley, Xili **Address of Applicant:**

Community, Xili Street, Nanshan District, Shenzhen

Manufacturer: Fibocom Auto Inc.

13th Floor, Building A, Building 6, Shenzhen International Innovation Valley, Xili Address of Manufacturer:

Community, Xili Street, Nanshan District, Shenzhen

EUT Description: WIFI Module Model No.: AW916-GL Trade Mark: Fibocom

FCC ID: 2A8RBAW916GL

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart E

Date of Receipt: 2022/09/27

Date of Test: 2022/09/28 to 2022/10/28

Date of Issue: 2022/12/12

Test Result: PASS *

Authorized Signature:

Panta Sun Wireless Laboratory Manager



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

In the configuration tested, the EUT detailed in this report complied with the standards specified above.



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 2 of 119

1 Version

	Revision Record				
Version	Chapter	Date	Modifier	Remark	
01		2022/12/12		Original	

Prepared By	(Ives Cheng) / Test Engineer
Checked By	(Well Wei) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 3 of 119

2 Test Summary

	amma					
Test Item	Band ^[1]	FCC rules No.	Test Require	ments	Test Result	Result
Dynamic Frequency Selection	Band II- A Band II- C	15.407	DFS Detection Thresholds: Maximum Transmit Power ERP ≥ 200 milliwant ERP ≥ 200 milliwant and power spectral density < 10 dBm/MHz ERP < 200 milliwant that do not meet the power spectral density requirement Note 1: This is the level at the input of the receiver assuming a 0 di Note 2: Throughout these test procedures an additional 1 dB has be test transmission waveforms to account for variations in measurem the test signal is at or above the detection threshold level to trigger Note3: ERP is based on the highest antenna gain. For MIMO dev 65:91 1 DOI DFS Response Requireme Parameter Non-occupancy period Chamel Availability Check Time Chamel Move Time Chamel Closing Transmission Time U.NII Detection Bandwidth Note 1: Channel Move Time and the Chamel Closing Trans Radar Type 0. The measurement timing begins at the end of the Note 2: The Chammel Closing Transmission Time is consistent of the Chamel Move Time plus any additional interficilitate a Chamel move (an aggregate of 60 milliseconds) of period. The aggregate duration of control signals will not cour Note 3: During the U.NII Detection Bandwidth detection test frequency step the minimum percentage of detection is 90 per no dat traffic.	Value (See Notes 1, 2, and 3) -64 dBm -62 dBm -63 dBm -64 dBm -62 dBm -64 dBm -65 dBm -65 dBm -65 dBm -65 dBm -66 dBm -66 dBm -67 dBm -68 dBm -69 dBm -69 dBm -69 dBm -60 dBm	Clause 4.1	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 4 of 119

Contents

1	Vers	on	2
2	Test	Summary	3
3	Gene	eral Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	5
	3.4	General Description of EUT	6
	3.5	Test Environment and Mode	8
	3.6	Description of Support Units	8
	3.7	Worst-case configuration and mode	8
4	Test	results and Measurement Data	9
	4.1	Dynamic Frequency Selection	9
		4.1.1 DFS Measurement Configuration	9
		4.1.2 DFS Threshold level	9
		4.1.3 Power-on cycle	9
		4.1.4 User Access Restrctions	9
		4.1.5 Channel Loading/Data Streaming	9
		4.1.6 Conducted Setup of Calibration of DFS Detection Threshold Level	10
		4.1.7 Test Setup	10
		4.1.8 Test Procedures	10
		4.1.9 Applicability of DFS Requirements Prior to Use of a Cahannel	18
		4.1.10 Applicability of DFS Requirements During Normal Operation	18
		4.1.11 DFS Detection Thresholds	19
		4.1.12 Response Requirements	19
		4.1.13 Short Pulse Radar Test Waveforms	20
		4.1.14 Long Pulse Radar Test Waveform	21
		4.1.15 Frequency Hopping Radar Test Waveform	22
5	Meas	surement Uncertainty (95% confidence levels, k=2)	23
6	Equi	oment List	24
7	Phot	ographs - Setup Photos	25



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 5 of 119

3 General Information

3.1 Details of Client

Applicant:	Fibocom Auto Inc.	
Address of Applicant:	13th Floor, Building A, Building 6, Shenzhen International Innovation Valley, Xili Community, Xili Street, Nanshan District, Shenzhen	
Manufacturer:	Fibocom Auto Inc.	
Address of Manufacturer:	13th Floor,Building A,Building 6,Shenzhen International Innovation Valley,Xili Community,Xili Street,Nanshan District,Shenzhen	

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.		
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone		
Post code:	215000		
Test engineer:	Ives Cheng		

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 ww t (86–512) 62992980 sg



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 6 of 119

3.4 General Description of EUT

3.4 General Description of EUT				
EUT Description:	WIFI Module			
Model No.:	AW916-GL			
Trade Mark:	Fibocom			
Hardware Version:	AW916-GL	-00-01_PCBA		
Software Version:	T02L-GA-E	AU_R2.1_V.B.1.05		
SN	AW72NL00	4L		
	802.11a:	20 MHz channel bandwidth		
	802.11n:	20 MHz / 40 MHz channel bandwidth		
WLAN Mode Supported:	802.11ac:	20 MHz / 40 MHz / 80 MHz MHz channel bandwidth		
	802.11ax:	20 MHz / 40 MHz / 80 MHz MHz channel bandwidth		
Operation Frequency:	5250MHz to 5470MHz to			
	802.11a:	OFDM (BPSK, QPSK, 16QAM, 64QAM)		
	802.11n:	OFDM (BPSK, QPSK, 16QAM, 64QAM)		
Modulation Type:	802.11ac:	OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM)		
	802.11ax:	OFDM/OFDMA (BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM)		
	20MHz:	802.11a/n(HT20)/ac(VHT20)/ax(HE20)		
Channel Spacing:	40MHz:	802.11n(HT40)/ac(VHT40)/ax(HE40)		
	80MHz:	802.11ac(VHT80)/ax(HE80)		
Antenna Type:	External An	l Antenna		
		o 5350MHz: 2.35dBi(Ant1); 2.35dBi(Ant2); o 5725MHz: 4.21dBi(Ant1); 4.21dBi(Ant2);		
Antenna Gain:				
	⊠ SISO	802.11a/n/ac/ax		
Smart System:	⊠ MIMO	802.11n/ac/ax: 2Tx & 2Rx		
	□ Diversity	/ CDD:802.11a: 2Tx & 2Rx		
DFS Function:	⊠Master			
Di O i dilodon.	☐Slave wi	with radar detection Slave without radar detection		
TPC Function:	⊠Support, □Not Support			
RF Cable:	2dB			
Remark: As above information is p suitability, reliability or/an		confirmed by the applicant. SGS is not liable to the accuracy, the information.		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration ropery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 7 of 119

Remark:

In FCC 15.31, for each band in which the device can be operated with the device operating at the number of frequencies in each band specified in the following table, and the selected channel to perform the test as below:

Frequency Range of Operation Operating Frequency Range (in each Band)	Number of Measurement Frequencies Required	Location of Measurement Frequency in Band of Operation
1 MHz or less	1	centre
1 MHz to 10 MHz	2	1 near high end, 1 near low end
Greater than 10 MHz	3	1 near high end, 1 near centre

For UNII Band II-A:				
Mode	Channel	Frequency(MHz)		
	The Lowest channel	5260		
IEEE 802.11a/n/ac/ax 20MHz	The Middle channel	5280		
	The Highest channel	5320		
JEEE 902 115/00/04 10MHz	The Lowest channel	5270		
IEEE 802.11n/ac/ax 40MHz	The Highest channel	5310		
IEEE 802.11ac/ax 80MHz	The Middle channel	5290		

For UNII Band II-C:				
Mode	Channel	Frequency(MHz)		
	The Lowest channel	5500		
IEEE 802.11a/n/ac/ax 20MHz	The Middle channel	5580		
	The Highest channel	5700		
	The Lowest channel	5510		
IEEE 802.11n/ac/ax 40MHz	The Middle channel	5550		
	The Highest channel	5670		
IEEE 802.11ac/ax 80MHz	The Lowest channel	5530		
TEEE 802.1 Tac/ax 801MHZ	The Highest channel	5610		

Frequency Band	Channel	Freq.(MHz)	Channel	Freq.(MHz)
Ctroddlo Channal	138#	5690	144	5720
Straddle Channel	142*	5710		

Note:

- 1. The above Frequency and Channel in "*"were 802.11n HT40, 802.11ac VHT40 and ax(HE40).
- The above Frequency and Channel in "#"were 802.11ac VHT80 and ax(HE80).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Conditions/Terms

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 8 of 119

3.5 Test Environment and Mode

Environment Parameter	101.0 kPa Selected Values During Tests		
Relative Humidity	44-46 % RH Ambient		
Value	Temperature(°C)	Voltage(V)	
NTNV	22-23 3.8		

Remark:

NV: Normal VoltageNT: Normal Temperature

3.6 Description of Support Units

Description	Manufacturer	Model No.	
Test auxiliary PCB board	Fibocom	N/A	
Remark: all above the information of table are provided by client.			

3.7 Worst-case configuration and mode

Low data rate was used to test on antenna port conducted tests and radiated spurious emissions since it has the highest maximum power. Following are the worst-case data rates set for test:

the highest maximum powers to showing are the worst case data rates out for took				
Modulation Type	SISO - Data Rate	CDD/MIMO - Data Rate		
802.11a	6 Mbps	12 Mbps		
802.11n (HT 20)	MCS0 (6.5 Mbps)	MCS0 (13 Mbps)		
802.11n (HT 40)	MCS0 (13.5 Mbps)	MCS0 (27 Mbps)		
802.11ac (VHT 20)	MCS0 (6.5 Mbps)	MCS0 (13 Mbps)		
802.11ac (VHT 40)	MCS0 (13.5 Mbps)	MCS0 (27 Mbps)		
802.11ac (VHT 80)	MCS0 (29.3 Mbps)	MCS0 (58.5 Mbps)		
802.11ax (HE 20)	MCS0 (8 Mbps)	MCS0 (16 Mbps)		
802.11ax (HE 40)	MCS0 (16 Mbps)	MCS0 (32 Mbps)		
802.11ax (HE 80)	MCS0 (34 Mbps)	MCS0 (68 Mbps)		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agpx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-Condit

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 9 of 119

4 Test results and Measurement Data

4.1 Dynamic Frequency Selection

4.1.1 DFS Measurement Configuration

_	Conducted Measurement
Test Condition	Use 500hms to connect cable/connector calibration and testing, Use wifi0
	port for testing. Refer to Section 4.1.7 for test connection.

4.1.2 DFS Threshold level

DFS Threshold level:(-59.65; -57.79)dBm		
DF3 Tilleshold level.(-59.05, -57.79)dbill	□In front of the antenna	
The Interference Radar Detection Threshold L	evel is:	
(Band II-A: -62dBm + 2.35dBi + 0dB = -59.65dBm);		
(Band II-C: -62dBm + 4.21dBi + 0dB = -57.79dBm)		
That had been taken into account the output power range and antenna gain.		

4.1.3 Power-on cycle

The time required for the Master Device and/or Client Device to complete its power-on cycle(62S).

4.1.4 User Access Restrctions

DFS Controls(Hardware or software) related to radar detection are NOT accessible to the user. Manufacturer statement confirming that information regarding the parameters of the detected Radar Waveforms is not available to the end user.

4.1.5 Channel Loading/Data Streaming

	The dara file(MPEG-4) has been transmitting in a streaming mode.
\boxtimes	Softeare to ping the client is permitted to simuate data transfer with random ping intervals.
\boxtimes	Minimum channel loading of approximately 17%.
	Unicast protocol has been used.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.asp.and, for electronic format documents subject to Terms and Conditions for Electronic Document asplication. In this first subject to Terms and Conditions for Electronic Document asplication and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2204000010RG13


Rev.: 01

Page: 10 of 119

4.1.6 Conducted Setup of Calibration of DFS Detection Threshold Level



4.1.7 Test Setup



4.1.8 Test Procedures

4.1.8.1 U-NII Detection Bandwidth

Adjust the equipment to produce a single *Burst* of any one of the Short Pulse Radar Types 0 – 4 in **Table 5** at the center frequency of the UUT *Operating Channel* at the specified *DFS Detection Threshold* level found in **Table 3**.

Set the UUT up as a standalone device (no associated Client or Master, as appropriate) and no traffic. Frame based systems will be set to a talk/listen ratio reflecting the worst case (maximum) that is user configurable during this test.

Generate a single radar *Burst*, and note the response of the UUT. Repeat for a minimum of 10 trials. The UUT must detect the *Radar Waveform* within the DFS band using the specified *U-NII Detection Bandwidth* criterion shown in **Table 4**. In cases where the channel bandwidth may exceed past the DFS band edge on specific channels (i.e., 802.11ac or wideband frame based systems) select a channel that has the entire emission bandwidth within the DFS band. If this is not possible, test the detection BW to the DFS band edge.

Starting at the center frequency of the UUT operating *Channel*, increase the radar frequency in 5 MHz steps, repeating the above test sequence, until the detection rate falls below the *U-NII Detection Bandwidth* criterion specified in **Table 4**. Repeat this measurement in 1MHz steps at frequencies 5 MHz below where the detection rate begins to fall. Record the highest frequency (denote as FH) at which detection is greater than or equal to the *U-NII Detection Bandwidth*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit

South of No. 6 Plant, No. 1, Runshang Road, Suthou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区园胜路;日的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 11 of 119

criterion. Recording the detection rate at frequencies above FH is not required to demonstrate compliance.

Starting at the center frequency of the UUT operating *Channel*, decrease the radar frequency in 5 MHz steps, repeating the above test sequence, until the detection rate falls below the *U-NII Detection Bandwidth* criterion specified in **Table 4**. Repeat this measurement in 1MHz steps at frequencies 5 MHz above where the detection rate begins to fall. Record the lowest frequency (denote as FL) at which detection is greater than or equal to the *U-NII Detection Bandwidth* criterion. Recording the detection rate at frequencies below FL is not required to demonstrate compliance.

The *U-NII Detection Bandwidth* is calculated as follows:

U-NII Detection Bandwidth = FH - FL

The *U-NII Detection Bandwidth* must meet the *U-NII Detection Bandwidth* criterion specified in **Table 4**. Otherwise, the UUT does not comply with DFS requirements. This is essential to ensure that the UUT is capable of detecting *Radar Waveforms* across the same frequency spectrum that contains the significant energy from the system. In the case that the *U-NII Detection Bandwidth* is greater than or equal to the 99 percent power bandwidth for the measured FH and FL, the test can be truncated and the *U-NII Detection Bandwidth* can be reported as the measured FH and FL.

4.1.8.2 Performance Requirements Check

The following tests must be performed for U-NII device certification: Initial Channel Startup Check with a radar Burst at start of Channel Availability Check and with a radar Burst at end of Channel Availability Check; In-Service Monitoring; and the 30 minute Non-Occupancy Period.

4.1.8.3 Initial Channel Availability Check Time

The Initial Channel Availability Check Time tests that the UUT does not emit beacon, control, or data signals on the test Channel until the power-up sequence has been completed and the U-NII device checks for Radar Waveforms for one minute on the test Channel. This test does not use any Radar Waveforms and only needs to be performed one time.

- a) The U-NII devices will be powered on and be instructed to operate on the appropriate U-NII *Channel* that must incorporate DFS functions. At the same time the UUT is powered on, the spectrum analyzer will be set to zero span mode with a 3 MHz RBW and 3 MHz VBW on the *Channel* occupied by the radar (Ch_r) with a 2.5 minute sweep time. The spectrum analyzer's sweep will be started at the same time power is applied to the U-NII device.
- b) The UUT should not transmit any beacon or data transmissions until at least 1 minute after the completion of the power-on cycle.
- c) Confirm that the UUT initiates transmission on the channel

This measurement can be used to determine the length of the power-on cycle if it is not supplied by the manufacturer. If the spectrum analyzer sweep is started at the same time the UUT is powered on and the UUT does not begin transmissions until it has completed the cycle, the power-on time can be determined by comparing the two times.

4.1.8.4 Radar Burst at the Beginning of the Channel Availability Check Time

The steps below define the procedure to verify successful radar detection on the test *Channel* during a period equal to the *Channel Availability Check Time* and avoidance of operation on that *Channel* when a radar *Burst* with a level equal to the *DFS Detection Threshold* + 1 dB occurs at the beginning of the *Channel Availability Check Time*. This is illustrated in **Figure 15**.

- a) The *Radar Waveform* generator and UUT are connected using the applicable test setup described in the sections on configuration for Conducted Tests (7.2) or Radiated Tests (7.3) and the power of the UUT is switched off.
- b) The UUT is powered on at T0. T1 denotes the instant when the UUT has completed its power-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ***To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ***To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ***To check the authenticity of testing (inspection report & certificate, please contact us at t

South of No. 6 Plant, No. 1, Runsheng Road, Sudhou Industrial Park, Sudhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区河路路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 12 of 119

up sequence (Tpower_up). The *Channel Availability Check Time* commences on Chr at instant T1 and will end no sooner than T1 + Tch_avail_check.

- c) A single *Burst* of one of the Short Pulse Radar Types 0-4 will commence within a 6 second window starting at T1. An additional 1 dB is added to the radar test signal to ensure it is at or above the *DFS Detection Threshold*, accounting for equipment variations/errors.
- d) Visual indication or measured results on the UUT of successful detection of the radar *Burst* will be recorded and reported. Observation of Chr for UUT emissions will continue for 2.5 minutes after the radar *Burst* has been generated.
- e) Verify that during the 2.5 minute measurement window no UUT transmissions occurred on Chr. The *Channel Availability Check* results will be recorded.




Figure 15: Example of timing for radar testing at the beginning of the Channel Availability Check Time

4.1.8.5 Radar Burst at the End of the Channel Availability Check Time

The steps below define the procedure to verify successful radar detection on the test *Channel* during a period equal to the *Channel Availability Check Time* and avoidance of operation on that *Channel* when a radar *Burst* with a level equal to the *DFS Detection Threshold* + 1dB occurs at the end of the *Channel Availability Check Time*. This is illustrated in **Figure 16**.

- a) The *Radar Waveform* generator and UUT are connected using the applicable test setup described in the sections for Conducted Tests (7.2) or Radiated Tests (7.3) and the power of the UUT is switched off.
- b) The UUT is powered on at T0. T1 denotes the instant when the UUT has completed its power-up sequence (Tpower_up). The *Channel Availability Check Time* commences on Chr at instant T1 and will end no sooner than T1 + Tch_avail_check.
- c) A single Burst of one of the Short Pulse Radar Types 0-4 will commence within a 6 second



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Terms-and-Con

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, Chira (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海路路;号的6号厂房南部 郎编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 13 of 119

window starting at T1 + 54 seconds. An additional 1 dB is added to the radar test signal to ensure it is at or above the *DFS Detection Threshold*, accounting for equipment variations/errors.

- d) Visual indication or measured results on the UUT of successful detection of the radar *Burst* will be recorded and reported. Observation of Chr for UUT emissions will continue for 2.5 minutes after the radar *Burst* has been generated.
- e) Verify that during the 2.5 minute measurement window no UUT transmissions occurred on Chr. The *Channel Availability Check* results will be recorded.




Figure 16: Example of timing for radar testing towards the end of the Channel Availability Check Time

4.1.8.6 In-Service Monitoring for Channel Move Time, Channel Closing Transmission Time and Non-Occupancy Period

These tests define how the following DFS parameters are verified during *In-Service Monitoring*;

- Channel Closing Transmission Time
- Channel Move Time
- Non-Occupancy Period

The steps below define the procedure to determine the above mentioned parameters when a radar *Burst* with a level equal to the *DFS Detection Threshold* + 1dB is generated on the *Operating Channel* of the U-NII device (*In- Service Monitoring*).

- a) One frequency will be chosen from the *Operating Channels* of the UUT within the 5250-5350 MHz or 5470-5725 MHz bands. For 802.11 devices, the test frequency must contain control signals. This can be verified by disabling channel loading and monitoring the spectrum analyzer. If no control signals are detected, another frequency must be selected within the emission bandwidth where control signals are detected.
- b) In case the UUT is a U-NII device operating as a Client Device (with or without DFS), a U-NII



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

South of No. 6 Plant, No. 1, Runshang Road, Suthou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区园胜路;日的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

14 of 119 Page:

device operating as a Master Device will be used to allow the UUT (Client device) to Associate with the Master Device. In case the UUT is a Master Device, a U-NII device operating as a Client Device will be used and it is assumed that the Client will Associate with the UUT (Master). In both cases for conducted tests, the Radar Waveform generator will be connected to the Master Device. For radiated tests, the emissions of the *Radar Waveform* generator will be directed towards the Master Device. If the Master Device has antenna gain, the main beam of the antenna will be directed toward the radar emitter. Vertical polarization is used for testing.

- c) Stream the channel loading test file from the Master Device to the Client Device on the test Channel for the entire period of the test.
- d) At time T0 the Radar Waveform generator sends a Burst of pulses for one of the Radar Type 0 in **Table 5** at levels defined in **Table 3**, on the *Operating Channel*. An additional 1 dB is added to the radar test signal to ensure it is at or above the DFS Detection Threshold, accounting for equipment variations/errors.
- e) Observe the transmissions of the UUT at the end of the radar Burst on the Operating Channel for duration greater than 10 seconds. Measure and record the transmissions from the UUT during the observation time (Channel Move Time). Measure and record the Channel Move Time and Channel Closing Transmission Time if radar detection occurs. Figure 17 illustrates Channel Closing Transmission Time.
- f) When operating as a Master Device, monitor the UUT for more than 30 minutes following instant T2 to verify that the UUT does not resume any transmissions on this Channel. Perform this test once and record the measurement result.
- g) In case the UUT is a U-NII device operating as a Client Device with In-Service Monitoring, perform steps a) to f).




Figure 17: Example of Channel Closing Transmission Time & Channel Closing Time

4.1.8.7 Statistical Performance Check

The steps below define the procedure to determine the minimum percentage of successful detection requirements found in Tables 5-7 when a radar burst with a level equal to the DFS Detection Threshold + 1dB is generated on the Operating Channel of the U-NII device (In- Service Monitorina).

- a) One frequency will be chosen from the Operating Channels of the UUT within the 5250-5350 MHz or 5470-5725 MHz bands.
- b) In case the UUT is a U-NII device operating as a Client Device (with or without Radar Detection), a U-NII device operating as a *Master Device* will be used to allow the UUT (Client device) to Associate with the Master Device. In case the UUT is a Master Device, a U-NII device operating as a Client Device will be used and it is assumed that the Client will Associate with the UUT (Master). In both cases for conducted tests, the Radar Waveform generator will be connected to the Master



so otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service preaf, available on request or accessible at http://www.sgs.com/en/Terma-and-Conditions.aspx.and, for electronic format document to terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.http://www.sgs.com/en/Ierms-and-Conditions/Terms-a-Document.<a href="http://www.sgs.com/en/Ierms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-Ierms-and-Ierms-and-Conditions-Ierms-and-Ierms-and-Conditions-Ierms-and-Ierms-and-Conditions-Ierms-and-Ierms-and-Condition

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 15 of 119

Device. For radiated tests, the emissions of the Radar Waveform generator will be directed towards the Master Device. If the Master Device has antenna gain, the main beam of the antenna will be directed toward the radar emitter. Vertical polarization is used for testing.

- c) Stream the channel loading test file from the Master Device to the Client Device on the test Channel for the entire period of the test.
- d) At time T0 the Radar Waveform generator sends the individual waveform for each of the Radar Types 1- 6 in **Tables 5-7**, at levels defined in **Table 3**, on the *Operating Channel*. An additional 1 dB is added to the radar test signal to ensure it is at or above the DFS Detection Threshold. accounting for equipment variations/errors.
- e) Observe the transmissions of the UUT at the end of the Burst on the Operating Channel for duration greater than 10 seconds for Radar Type 0 to ensure detection occurs.
- f) Observe the transmissions of the UUT at the end of the Burst on the Operating Channel for duration greater than 22 seconds for Long Pulse Radar Type 5 to ensure detection occurs.
- g) In case the UUT is a U-NII device operating as a Client Device with In-Service Monitoring. perform steps a) to f).

4.1.8.8 Short Pulse Radar Test

Once the performance requirements check is complete, statistical data will be gathered, to determine the ability of the device to detect the radar test waveforms (Short Pulse Radar Types 1-4) found in Table 5. The device can utilize a test mode to demonstrate when detection occurs to prevent the need to reset the device between trials. The percentage of successful detection is calculated by:

TotalWave form Detections

TotalWave form Trials

x100 = Percentage of Successful Detection Radar Waveform N = PdN

In addition an aggregate minimum percentage of successful detection across all Short Pulse Radar Types 1-4 is required and is calculated as follows:

$$P_d 1 + P_d 2 + P_d 3 + P_d 4$$

The minimum number of trails, minimum percentage of successful detection and the aggregate minimum percentage of successful detection are found in Table 5.

4.1.8.9 Long Pulse Radar Test

Statistical data will be gathered to determine the ability of the device to detect the Long Pulse Radar Type 5 found in **Table 6**. The device can utilize a test mode to demonstrate when detection occurs to prevent the need to reset the device between trials.

Three subsets of trials will be performed with a minimum of ten trials per subset. The subset of trials differ in where the Long Pulse Type 5 Signal is tuned in frequency:

- a) the *Channel* center frequency (Figure 18);
- b) tuned frequencies such that 90% of the Long Pulse Type 5 frequency modulation is within the low edge of the UUT Occupied Bandwidth (Figure 19); and
- c) tuned frequencies such that 90% of the Long Pulse Type 5 frequency modulation is within the high edge of the UUT Occupied Bandwidth (Figure 20).



otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service f, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format doctor to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document in is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document that information contained hereon reflects the Company's findings at the time of its intervention only and within the instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate part into inform exercising all their rights and obligations under the transaction documents. This document comments comments to the representation of the company, any unauthorized alteration, forgery or falsification of the company of this document is unlawful and offenders may be prosecuted to the fullest extent of the Juliany sub-prosecuted to the fullest extent of the sub-prosecuted to the fullest extent of the sub-

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 16 of 119




Figure 18: Example of the Relationship Between Long Pulse Type 5 Signal and the U-NII channel when the Signal is Tuned to the UUT Channel Center Frequency




Figure 19: Example of the Relationship Between Long Pulse Type 5 Signal and the U-NII channel when the Signal is Tuned so that 90% of the Radar Signal Overlaps with the Low Edge of the UUT Occupied Bandwidth




Figure 20: Example of the Relationship Between Long Pulse Type 5 Signal and the U-NII channel when the Signal is Tuned so that 90% of the Radar Signal Overlaps with the High Edge of the UUT Occupied Bandwidth

For subset case 1: the center frequency of the signal generator will remain fixed at the center of the UUT *Channel*.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Appx Attention: The terms and the second of the second and the second and

South of No. 6 Plant, No. 1, Runsteng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2204000010RG13

Rev.: 01

17 of 119 Page:

For subset case 2: to retain 90% frequency overlap between the radar signal and the UUT Occupied Bandwidth, the center frequency of the signal generator will vary for each of the ten trials in subset case 2. The center frequency of the signal generator for each trial is calculated by:

 $F_L+(0.4*Chirp\ Width\ [in\ MHz])$

For subset case 3: to retain 90% frequency overlap between the radar signal and the UUT Occupied Bandwidth, the center frequency of the signal generator will vary for each of the ten trials in subset case 3. The center frequency of the signal generator for each trial is calculated by:

 F_H —(0.4*Chirp Width [in MHz])

The percentage of successful detection is calculated by dividing the sum of the detections for the three subsets by the sum of trials for the three subsets:

TotalWaveformDetections $\times 100$ TotalWave form Trials

4.1.8.10 Frequency Hopping Radar Test

Statistical data will be gathered to determine the ability of the device to detect the Frequency Hopping radar test signal (radar type 6) found in **Table 7**. The device can utilize a test mode to demonstrate when detection occurs to prevent the need to reset the device between trial runs. The probability of successful detection is calculated by:

TotalWaveformDetections ×100 TotalWaveformTrials



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

18 of 119 Page:

4.1.9 Applicability of DFS Requirements Prior to Use of a Cahannel

Table 1			
	DFS Operational mode		
Requirement	Master	Client Without Radar	Client With Radar
		Detection	Detection
Non-Occupancy Period	Yes	Not required	Yes
DFS Detection Threshold	Yes	Not required	Yes
Channel Availability Check Time	Yes	Not required	Not required
U-NII Detection Bandwidth	Yes	Not required	Yes

4.1.10 Applicability of DFS Requirements During Normal Operation

Table 2

. 4.4.0 =			
	DFS Operational mode		
Requirement	Master Device or Client with	Client Without Radar	
	Radar Detection	Detection	
DFS Detection Threshold	Yes	Not required	
Channel Availability Check Time	Yes	Yes	
Channel Move Time	Yes	Yes	
U-NII Detection Bandwidth	Yes	Not required	

Additional requirements for devices with multiple bandwidth modes	Master Device or Client with Radar Detection	Client Without Radar Detection
U-NII Detection Bandwidth and Statistical Performance Check	All BW modes must be tested	Not required
Channel Move Time and Channel Closing Transmission Time	Test using widest BW mode available	Test using the widest BW mode available for the link
All other tests	Any single BW mode	Not required

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 19 of 119

4.1.11 DFS Detection Thresholds

Table 3		
Maximum Transmit Power	Value (See Notes 1, 2, and 3)	
EIRP ≥ 200 milliwatt	-64 dBm	
EIRP < 200 milliwatt and	-62 dBm	
power spectral density < 10 dBm/MHz		
EIRP < 200 milliwatt that do not meet the	-64 dBm	
power spectral density requirement		

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.

4.1.12 Response Requirements

Table 4		
Parameter	Value	
Non-occupancy period	Minimum 30 minutes	
Channel Availability Check Time	60 seconds	
Channel Move Time	10 seconds See Note 1.	
	200 milliseconds + an aggregate of 60	
Channel Closing Transmission Time	milliseconds over remaining 10 second	
	period. See Notes 1 and 2.	
U-NII Detection Bandwidth	Minimum 100% of the U-NII 99%	
O-MI Detection Bandwidth	transmission power bandwidth. See Note 3.	

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Note 3: During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Comments.and. for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Comment.and.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Sudhou Industrial Park, Sudhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 20 of 119

4.1.13 Short Pulse Radar Test Waveforms

Table 5					
Radar Type	Pulse Width (µsec)	PRI(µsec)	Number of Pulses	Minimum Percentage of Successful Detection	Minimum Number of Trials
0	1	1428	18	See Note 1	See Note 1
1	1	Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a Test B: 15 unique PRI values randomly selected within the range of 518- 3066 µsec, with a minimum increment of 1 µsec, excluding PRI values selected in Test A	$ \operatorname{Roundup} \left\{ \left(\frac{1}{360} \right). \atop \left(\frac{19 \cdot 10^6}{\operatorname{PRI}_{\mu \text{sec}}} \right) \right\} $	60%	30
2	1-5	150-230	23-29	60%	30
3	6-10	200-500	16-18	60%	30
4	11-20	200-500	12-16	60%	30
Aggrega	Aggregate (Radar Types 1-4) 80% 120				120

Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.

A minimum of 30 unique waveforms are required for each of the Short Pulse Radar Types 2 through 4. If more than 30 waveforms are used for Short Pulse Radar Types 2 through 4, then each additional waveform must also be unique and not repeated from the previous waveforms. If more than 30 waveforms are used for Short Pulse Radar Type 1, then each additional waveform is generated with Test B and must also be unique and not repeated from the previous waveforms in Tests A or B.

For example if in Short Pulse Radar Type 1 Test B a PRI of 3066 µsec is selected, the number of pulses

would be 6 1 19 10 Roundup
$$\left\{ \left(\frac{1}{360} \right) \cdot \left(\frac{19 \cdot 10^6}{3066} \right) \right\} = \text{Round up } \{17.2\} = 18.$$

Table 5a - Pulse Repetition Intervals Values for Test A

Pulse Repetition Frequency	Pulse Repetition Frequency	Pulse Repetition Interval
Number	(Pulses Per Second)	(Microseconds)
1	1930.5	518
2	1858.7	538
3	1792.1	558
4	1730.1	578
5	1672.2	598
6	1618.1	618
7	1567.4	638
8	1519.8	658



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-Berns-And

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 21 of 119

9	1474.9	678
10	1432.7	698
11	1392.8	718
12	1355	738
13	1319.3	758
14	1285.3	778
15	1253.1	798
16	1222.5	818
17	1193.3	838
18	1165.6	858
19	1139	878
20	1113.6	898
21	1089.3	918
22	1066.1	938
23	326.2	3066

The aggregate is the average of the percentage of successful detections of Short Pulse Radar Types 1-4. For example, the following table indicates how to compute the aggregate of percentage of successful detections.

Radar Type	Number of Trials	Number of Successful Detections	Minimum Percentage of Successful Detection		
1	35	29	82.9%		
2	30	18	60%		
3	30	27	90%		
4 50		44	88%		
Aggregate (82.9% + 60% + 90% + 88%)/4 = 80.2%					

4.1.14 Long Pulse Radar Test Waveform

	Table 6						
Radar Type	Pulse Width (µsec)	Chirp Width (MHz)	PRI (µsec)	Number of Pulses per <i>Burst</i>	Number of Bursts	Minimum Percentage of Successful Detection	Minimum Number of Trials
5	50-100	5-20	1000-2000	1-3	8-20	80%	30

Each waveform is defined as follows:

- 1) The transmission period for the Long Pulse Radar test signal is 12 seconds.
- 2) There are a total of 8 to 20 Bursts in the 12 second period, with the number of Bursts being randomly chosen. This number is Burst Count.
- 3) Each Burst consists of 1 to 3 pulses, with the number of pulses being randomly chosen. Each Burst within the 12 second sequence may have a different number of pulses.
- 4) The pulse width is between 50 and 100 microseconds, with the pulse width being randomly chosen. Each pulse within a Burst will have the same pulse width. Pulses in different Bursts may have different pulse widths.
- 5) Each pulse has a linear frequency modulated chirp between 5 and 20 MHz, with the chirp width being randomly chosen. Each pulse within a transmission period will have the same chirp width. The chirp is centered on the pulse. For example, with a radar frequency of 5300 MHz and a 20 MHz chirped signal, the chirp starts at 5290 MHz and ends at 5310 MHz.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and.for.electronic format documents at New Terms and Conditions/Terms-and-Conditions/Term

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 22 of 119

6) If more than one pulse is present in a Burst, the time between the pulses will be between 1000 and 2000 microseconds, with the time being randomly chosen. If three pulses are present in a Burst, the random time interval between the first and second pulses is chosen independently of the random time interval between the second and third pulses.

7) The 12 second transmission period is divided into even intervals. The number of intervals is equal to Burst Count. Each interval is of length (12,000,000 / Burst Count) microseconds. Each interval contains one Burst. The start time for the Burst, relative to the beginning of the interval, is between 1 and [(12,000,000 / Burst Count) - (Total Burst Length) + (One Random PRI Interval)] microseconds, with the start time being randomly chosen. The step interval for the start time is 1 microsecond. The start time for each Burst is chosen randomly.

4.1.15 Frequency Hopping Radar Test Waveform

Table 7							
Radar Type Pulse Chirp Width Width PRI (µsec) (MHz)		Number of Pulses per <i>Burst</i>	Number of Bursts	Minimum Percentage of Successful Detection	Minimum Number of Trials		
6	1	333	9	0.333	300	70%	30

For the Frequency Hopping Radar Type, the same Burst parameters are used for each waveform. The hopping sequence is different for each waveform and a 100-length segment is selected from the hopping sequence defined by the following algorithm: If a segment does not contain at least 1 frequency within the U-NII Detection Bandwidth of the UUT, then that segment is not used.

The detailed test data see: Appendix



erwise agreed in writing, this document is issued by the Company subject to its General Conditions of Servaliable on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format or Ferms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Docus drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this dat at information contained hereon reflects the Company's findings at the time of its intervention only and within tructions, if any. The Company's sole responsibility is to its Client and this document on the son text of the transaction documents. This document cannot be information and proproal of the Company, Any unauthorized alteration, forgery or falsification of the



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 23 of 119

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	ltem	Measurement Uncertainty
1	Radio Frequency	±1.0 %

Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf, for electronic format documents subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 24 of 119

6 Equipment List

RF Test Equipment							
Equipment	Manufacturer	Model No.	Model No. Inventory No.		Cal Due Date		
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/05/08	2024/05/07		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2022/02/16	2023/02/15		
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01-02-02	2022/05/17	2023/05/16		
Measurement Software	Tonscend	JS1120-3 Test System V3.1.55	SUWI-02-09-09	NCR	NCR		
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2022/02/15	2023/02/14		
Power meter	Anritsu	ML2495A	SUWI-01-31-01	2021/12/04	2022/12/03		
Pulse power sensor	Anritsu	MA2411B	SUWI-01-32-01	2021/12/04	2022/12/03		
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-01	2022/02/15	2023/02/14		
Wideband Radio Communication Tester	ROHDE&SCHWARZ	CMW500	SUWI-01-16-05	2022/02/14	2023/02/13		
MXG Vector signal genitor	KEYSIGHT	N5182B	SUWI-01-38-01	2022/02/14	2023/02/13		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 25 of 119

7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 26 of 119

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-And-Conditions-Berns-Berns-And

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000

5000 t (86–512) 62992980 5000 t (86–512) 62992980

2) 62992980 www.sgsgroup.com.cn 2) 62992980 sgs.china@sgs.com



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 27 of 119

DFS Detection Thresholds Test Result

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
		Type0	-59.67	-59.65	PASS
		Type1	-59.89	-59.65	PASS
		Type2	-59.68	-59.65	PASS
	5290	Type3	-59.77	-59.65	PASS
		Type4	-59.82	-59.65	PASS
		Type5	-60.14	-59.65	PASS
11ax80MIMO		Type6	-60.07	-59.65	PASS
TTAXOUIVIIIVIO	5530	Type0	-58.16	-57.79	PASS
		Type1	-58.08	-57.79	PASS
		Type2	-57.99	-57.79	PASS
		Type3	-58.01	-57.79	PASS
		Type4	-57.94	-57.79	PASS
		Type5	-58.13	-57.79	PASS
		Type6	-57.89	-57.79	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.c




Report No.: SEWA2204000010RG13

Rev.: 01

28 of 119 Page:

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980


sgs.china@sgs.com



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 29 of 119





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 30 of 119





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing rinspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Pfart, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 31 of 119





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing rinspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 32 of 119





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and


South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 33 of 119





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 34 of 119





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing rinspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980




Report No.: SEWA2204000010RG13

Rev.: 01

Page: 35 of 119

Data Traffic Plot Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing rinspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 36 of 119





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 37 of 119

Channel Loading Test Result

TestMode	Frequency[MHz]	Result	Limit [%]	Verdict
11ax80MIMO	5290	24.15	17	PASS
TTAXOUIVIIIVIO	5530	23.25	17	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2204000010RG13

Rev.: 01

Page: 38 of 119

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000

t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 39 of 119

Channel Availability Check Time Test Result

TestMode	Frequency[MHz]	Result	Verdict
11ax80MIMO	5290	See test Graph	PASS
TTAXOUIVIIIVIO	5530	See test Graph	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (liangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜廊1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 wv t (86–512) 62992980 sg




Report No.: SEWA2204000010RG13

Rev.: 01

Page: 40 of 119

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 41 of 119





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents, subject to Terms and Conditions for Electronic Document as the <a href="https://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an


South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 42 of 119





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgs t (86–512) 62992980 sgs.china



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 43 of 119

Channel Move Time and Channel Closing Transmission Time Test Result

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11ax80MIMO	5290	200+50.7	200+60	916.2	10000	PASS
TTAXOUIVIIIVIO	5530	200+50.7	200+60	950	10000	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2204000010RG13

Rev.: 01

Page: 44 of 119

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 45 of 119

Non-Occupancy Period

Test Result

TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
11ax80MIMO	5290	see test graph	≥1800	PASS
TTAXOUIVIIIVIO	5530	see test graph	≥1800	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号約6号厂房南部 邮编: 215000




Report No.: SEWA2204000010RG13

Rev.: 01

46 of 119 Page:

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 47 of 119

U-NII Detection Bandwidth

Test Result

TestMode	Frequency[MHz]	FL[MHz]	FH[MHz]	Detection Bandwidth [MHz]	OCB [MHz]	Ratio [%]	Limit [%]	Verdict
11ax20MIMO	5500	5490	5510	20	17.923	111.59	≥100	PASS
11ax40MIMO	5670	5650	5690	40	37.020	108.05	≥100	PASS
11ax80MIMO	5290	5250	5330	80	75.956	105.32	≥100	PASS
TTAXOUIVIIIVIO	5530	5490	5570	80	77.840	102.77	≥100	PASS

Test	Frequency[MHz]	Radar	Trial	Ratio									
Mode	Frequency[ivii iz]	Freq.	1	2	3	4	5	6	7	8	9	10	(%)
		5485	0	0	0	0	0	0	0	0	0	0	0
		5486	0	0	0	0	0	0	0	0	0	0	0
		5487	0	0	0	0	0	0	0	0	0	0	0
		5488	0	0	0	0	0	0	0	0	0	0	0
		5489	0	0	0	0	0	0	0	0	0	0	0
		5490	1	1	1	1	1	1	1	1	1	1	100
		5495	1	1	1	1	1	1	1	1	1	1	100
11ax20MIMO	5500	5500	1	1	1	1	1	1	1	1	1	1	100
		5505	1	1	1	1	1	1	1	1	1	1	100
		5510	1	1	1	1	1	1	1	1	1	1	100
		5511	0	0	0	0	0	0	0	0	0	0	0
		5512	0	0	0	0	0	0	0	0	0	0	0
		5513	0	0	0	0	0	0	0	0	0	0	0
		5514	0	0	0	0	0	0	0	0	0	0	0
		5515	0	0	0	0	0	0	0	0	0	0	0
		5645	0	0	0	0	0	0	0	0	0	0	0
		5646	0	0	0	0	0	0	0	0	0	0	0
		5647	0	0	0	0	0	0	0	0	0	0	0
	5670	5648	0	0	0	0	0	0	0	0	0	0	0
		5649	0	0	0	0	0	0	0	0	0	0	0
		5650	1	1	1	1	1	1	1	1	1	1	100
		5655	1	1	1	1	1	1	1	1	1	1	100
		5660	1	1	1	1	1	1	1	1	1	1	100
		5665	1	1	1	1	1	1	1	1	1	1	100
11ax40MIMO		5670	1	1	1	1	1	1	1	1	1	1	100
		5675	1	1	1	1	1	1	1	1	1	1	100
		5680	1	1	1	1	1	1	1	1	1	1	100
		5685	1	1	1	1	1	1	1	1	1	1	100
		5690	1	1	1	1	1	1	1	1	1	1	100
		5691	0	0	0	0	0	0	0	0	0	0	0
		5692	0	0	0	0	0	0	0	0	0	0	0
		5693	0	0	0	0	0	0	0	0	0	0	0
		5694	0	0	0	0	0	0	0	0	0	0	0
		5695	0	0	0	0	0	0	0	0	0	0	0
		5245	0	0	0	0	0	0	0	0	0	0	0
		5246	0	0	0	0	0	0	0	0	0	0	0
		5247	0	0	0	0	0	0	0	0	0	0	0
		5248	0	0	0	0	0	0	0	0	0	0	0
11ax80MIMO	5290	5249	0	0	0	0	0	0	0	0	0	0	0
		5250	1	1	1	1	1	1	1	1	1	1	100
		5255	1	1	1	1	1	1	1	1	1	1	100
		5260	1	1	1	1	1	1	1	1	1	1	100
		5265	1	1	1	1	1	1	1	1	1	1	100



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 48 of 119

						i aye	•	10 (01 113			
	5270	1	1	1	1	1	1	1	1	1	1	100
	5275	1	1	1	1	1	1	1	1	1	1	100
	5280	1	1	1	1	1	1	1	1	1	1	100
	5285	1	1	1	1	1	1	1	1	1	1	100
	5290	1	1	1	1	1	1	1	1	1	1	100
	5295	1	1	1	1	1	1	1	1	1	1	100
	5300	1	1	1	1	1	1	1	1	1	1	100
	5305	1	1	1	1	1	1	1	1	1	1	100
	5310	1	1	1	1	1	1	1	1	1	1	100
	5315	1	1	1	1	1	1	1	1	1	1	100
	5320	1	1	1	1	1	1	1	1	1	1	100
	5325	1	1	1	1	1	1	1	1	1	1	100
	5330	1	1	1	1	1	1	1	1	1	1	100
	5331	0	0	0	0	0	0	0	0	0	0	0
	5332	0	0	0	0	0	0	0	0	0	0	0
	5333	0	0	0	0	0	0	0	0	0	0	0
	5334	0	0	0	0	0	0	0	0	0	0	0
	5335	0	0	0	0	0	0	0	0	0	0	0
	5485	0	0	0	0	0	0	0	0	0	0	0
	5486	0	0	0	0	0	0	0	0	0	0	0
	5487	0	0	0	0	0	0	0	0	0	0	0
	5488	0	0	0	0	0	0	0	0	0	0	0
	5489	0	0	0	0	0	0	0	0	0	0	0
	5490	1	1	1	1	1	1	1	1	1	1	100
	5495	1	1	1	1	1	1	1	1	1	1	100
	5500	1	1	1	1	1	1	1	1	1	1	100
	5505	1	1	1	1	1	1	1	1	1	1	100
	5510	1	1	1	1	1	1	1	1	1	1	100
	5515	1	1	1	1	1	1	1	1	1	1	100
	5520	1	1	1	1	1	1	1	1	1	1	100
	5525	1	1	1	1	1	1	1	1	1	1	100
5530	5530	1	1	1	1	1	1	1	1	1	1	100
	5535	1	1	1	1	1	1	1	1	1	1	100
	5540	1	1	1	1	1	1	1	1	1	1	100
	5545	1	1	1	1	1	1	1	1	1	1	100
	5550	1	1	1	1	1	1	1	1	1	1	100
	5555	1	1	1	1	1	1	1	1	1	1	100
	5560	1	1	1	1	1	1	1	1	1	1	100
	5565	1	1	1	1	1	1	1	1	1	1	100
	5570	1	1	1	1	1	1	1	1	1	1	100
	5571	0	0	0	0	0	0	0	0	0	0	0
	5572	0	0	0	0	0	0	0	0	0	0	0
	5573	0	0	0	0	0	0	0	0	0	0	0
	5574	0	0	0	0	0	0	0	0	0	0	0
	5575	0	0	0	0	0	0	0	0	0	0	0
	•							•		•	•	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions/Fer

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 49 of 119

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing rinspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. Phart, No. 1, Runsheng Rose, Subou Industral Park, Suchou Area, Chine (Jiangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州|| 区苏州工业园区河胜路(号的6号厂房南部 邮编: 215000


t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 50 of 119





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents, subject to Terms and Conditions for Electronic Document as this://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 51 of 119

Statistical Performance check

Test Result

TestMode	Frequency[MHz]	Radar Type	Pass	Fail	Probability	Limit	Verdict
Testivious	1 requerioy[wiri2]	rtadai Type	Times	Times	(%)	(%)	VOIGIOU
		Type1	30	0	100.00	60	PASS
		Type2	30	0	100.00	60	PASS
		Type3	30	0	100.00	60	PASS
11ax20MIMO	5500	Type4	30	0	100.00	60	PASS
		Type 1-4			100.00	80	PASS
		Type5	30	0	100.00	80	PASS
		Type6	30	0	100.00	70	PASS
		Type1	29	1	96.67	60	PASS
		Type2	30	0	100.00	60	PASS
	5670	Type3	30	0	100.00	60	PASS
11ax40MIMO		Type4	30	0	100.00	60	PASS
		Type 1-4			99.17	80	PASS
		Type5	30	0	100.00	80	PASS
		Type6	30	0	100.00	70	PASS
		Type1	30	0	100.00	60	PASS
		Type2	30	0	100.00	60	PASS
		Type3	30	0	100.00	60	PASS
11ax80MIMO	5530	Type4	26	4	86.67	60	PASS
		Type 1-4			96.65	80	PASS
		Type5	26	4	86.67	80	PASS
		Type6	27	3	90.00	70	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 wv t (86–512) 62992980 sg



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 52 of 119

					ı ayc.	32 01 113	
TestMode	Frequ ency[MHz]	Radar Type	Trial ID	Pulse width(µs)	PRI(µs)	Pulses per Burst	Detection (1: Yes; 0: No)
	1711 12]	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	1
			6	1.0	638.0	83	1
		Type1	7		918.0	 58	1
		Type1	8	1.0 1.0			1
		Type1	9		838.0	63	
		Type1		1.0	858.0	62	1
		Type1	10	1.0	798.0	67	1
		Type1	11	1.0	718.0	74	1
		Type1	12	1.0	578.0	92	1
		Type1	13	1.0	598.0	89	1
		Type1	14	1.0	558.0	95	1
		Type1	15	1.0	2536.0	21	1
		Type1	16	1.0	966.0	55	1
		Type1	17	1.0	827.0	64	1
		Type1	18	1.0	2501.0	22	1
		Type1	19	1.0	2595.0	21	1
		Type1	20	1.0	1114.0	48	1
		Type1	21	1.0	1302.0	41	1
		Type1	22	1.0	3045.0	18	1
		Type1	23	1.0	1624.0	33	1
		Type1	24	1.0	2878.0	19	1
		Type1	25	1.0	1027.0	52	1
44 00041040	5500	Type1	26	1.0	2485.0	22	1
11ax20MIMO	5500	Type1	27	1.0	1600.0	33	1
		Type1	28	1.0	1172.0	46	1
		Type1	29	1.0	1177.0	45	1
		Type2	0	3.2	179.0	26	1
		Type2	1	1.1	207.0	23	1
		Type2	2	2.1	230.0	24	1
		Type2	3	4.8	200.0	29	1
		Type2	4	3.9	214.0	28	1
		Type2	5	2.9	222.0	26	1
			6	3.2		26	
		Type2 Type2	7	2.5	204.0 192.0	<u>26</u> 25	1
							•
		Type2	8	3.1	164.0	26	1
		Type2	9	1.2	156.0	23	1
		Type2	10	3.9	210.0	27	1
		Type2	11	4.6	201.0	29	1
		Type2	12	3.2	162.0	26	1
		Type2	13	2.2	197.0	25	1
		Type2	14	4.5	163.0	29	1
		Type2	15	3.0	203.0	26	1
		Type2	16	5.0	168.0	29	1
		Type2	17	2.4	217.0	25	1
		Type2	18	2.9	191.0	26	1
		Type2	19	2.3	166.0	25	1
		Type2	20	3.7	150.0	27	1
		Type2	21	2.2	176.0	25	1
		Type2	22	4.9	195.0	29	1
		Type2	23	2.9	202.0	26	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Cocuments stubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Cocuments.appx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Kangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.s t (86–512) 62992980 sgs.ch



Report No.: SEWA2204000010RG13

Rev.: 01

53 of 119 Page:

			ı ayc.	33 01 113	
Type2	24	2.5	178.0	25	1
Type2	25	1.1	206.0	23	1
Type2	26	3.8	155.0	27	1
Type2	27	4.7	157.0	29	1
Type2	28	2.4	224.0	25	1
Type2	29	4.2	159.0	28	1
Type3	0	8.2	355.0	17	1
Type3	1	6.1	487.0	16	1
Type3	2	7.1	344.0	16	1
Type3	3	9.8	288.0	18	1
Type3	4	8.9	230.0	18	1
Type3	5	7.9	432.0	17	1
Type3	6	8.2	207.0	17	1
Type3	7	7.5	443.0	17	1
Type3	8	8.1	439.0	17	1
Type3	9	6.2	223.0	16	1
Type3	10	8.9	208.0	18	1
Type3	11	9.6	463.0	18	1
Type3	12	8.2	441.0	17	1
Type3	13	7.2	323.0	16	1
Type3	14	9.5	297.0	18	1
Type3	15	8.0	412.0	17	1
Type3	16	10.0	324.0	18	1
Type3	17	7.4	271.0	17	1
Type3	18	7.9	349.0	17	1
Type3	19	7.3	409.0	16	1
Type3	20	8.7	373.0	18	1
Type3	21	7.2	254.0	16	1
Type3	22	9.9	274.0	18	1
Type3	23	7.9	278.0	17	1
Type3	24	7.5	317.0	17	1
Type3	25	6.1	260.0	16	1
Type3	26	8.8	211.0	18	1
Type3	27	9.7	272.0	18	1
Type3	28	7.4	264.0	17	1
Type3	29	9.2	284.0	18	1
Type4	0	16.0	355.0	14	1
Type4	1	11.3	487.0	12	1
Type4	2	13.5	344.0	13	1
Type4	3	19.4	288.0	16	1
Type4	4	17.5	230.0	15	1
Type4	5	15.3	432.0	14	1
Type4	6	15.9	207.0	14	1
Type4	7	14.3	443.0	13	1
Type4	8	15.8	439.0	14	1
Type4	9	11.5	223.0	12	1
Type4	10	17.4	208.0	15	1
Type4	11	19.0	463.0	16	1
Type4	12	16.0	441.0	14	1
Type4	13	13.8	323.0	13	1
Type4	14	18.9	297.0	16	1
Type4	15	15.5	412.0	14	1
Type4	16	19.9	324.0	16	1
Type4	17	14.1	271.0	13	1
Type4	18	15.2	349.0	14	1
Type4	19	13.8	409.0	13	1
Type4	20	17.1	373.0	15	1
	•	•			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 54 of 119

					Page:	54 Of 119	
		Type4	21	13.8	254.0	13	1
		Type4	22	19.8	274.0	16	1
		Type4	23	15.3	278.0	14	1
		Type4	24	14.5	317.0	13	1
		Type4	25	11.3	260.0	12	<u>.</u> 1
		Type4	26	17.3	211.0	15	1
		Type4	27	19.2	272.0	16	1
		Type4	28	14.2	264.0	13	1
		Type4	29	18.2	284.0	15	1
		Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	0
		Type1	5	1.0	3066.0	18	1
		Type1	6	1.0	638.0	83	1
		Type1	7	1.0	918.0	58	1
		Type1	8	1.0	838.0	63	1
		Type1	9	1.0	858.0	62	1
		Type1	10	1.0	798.0	67	1
		Type1	11	1.0	718.0	74	1
		Type1	12	1.0	578.0	92	1
		Type1	13	1.0	598.0	89	1
		Type1	14	1.0	558.0	95	1
		Type1	15	1.0	2536.0	21	1
		Type1	16	1.0	966.0	55	<u>.</u> 1
		Type1	17	1.0	827.0	64	1
					2501.0	22	
		Type1	18	1.0			1
		Type1	19	1.0	2595.0	21	1
		Type1	20	1.0	1114.0	48	1
		Type1	21	1.0	1302.0	41	1
44 40141140	5070	Type1	22	1.0	3045.0	18	1
11ax40MIMO	5670	Type1	23	1.0	1624.0	33	1
		Type1	24	1.0	2878.0	19	1
		Type1	25	1.0	1027.0	52	1
		Type1	26	1.0	2485.0	22	1
		Type1	27	1.0	1600.0	33	<u>.</u> 1
		Type1	28	1.0	1172.0	46	1
						45	
		Type1	29	1.0	1177.0		1
		Type2	0	3.2	179.0	26	1
		Type2	1	1.1	207.0	23	1
		Type2	2	2.1	230.0	24	1
		Type2	3	4.8	200.0	29	1
		Type2	4	3.9	214.0	28	1
		Type2	5	2.9	222.0	26	1
		Type2	6	3.2	204.0	26	1
		Type2	7	2.5	192.0	25	1
		Type2	8	3.1	164.0	26	1
		Type2	9	1.2	156.0	23	1
						27	
		Type2	10	3.9	210.0		11
		Type2	11	4.6	201.0	29	1
		Type2	12	3.2	162.0	26	1
		Type2	13	2.2	197.0	25	1
		Type2	14	4.5	163.0	29	1
		Type2	15	3.0	203.0	26	1
		Type2	16	5.0	168.0	29	1
	1	.,,,,,,,	.0	0.0	100.0	-5	•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions/Fer

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

55 of 119 Page:

			ı ayc.	33 01 113	
Type2	17	2.4	217.0	25	1
Type2	18	2.9	191.0	26	1
Type2	19	2.3	166.0	25	1
Type2	20	3.7	150.0	27	1
Type2	21	2.2	176.0	25	1
Type2	22	4.9	195.0	29	1
Type2	23	2.9	202.0	26	1
Type2	24	2.5	178.0	25	1
Type2	25	1.1	206.0	23	1
Type2	26	3.8	155.0	27	1
Type2	27	4.7	157.0	29	1
Type2	28	2.4	224.0	25	1
Type2	29	4.2	159.0	28	1
Type3	0	8.2	355.0	17	1
Type3	1	6.1	487.0	16	1
Type3	2	7.1	344.0	16	1
Type3	3	9.8	288.0	18	1
Type3	4	8.9	230.0	18	1
Type3	5	7.9	432.0	17	1
Type3	6	8.2	207.0	17	1
Type3	7	7.5	443.0	17	1
Type3	8	8.1	439.0	17	1
Type3	9	6.2	223.0	16	1
Type3	10	8.9	208.0	18	1
Type3	11	9.6	463.0	18	1
Type3	12	8.2	441.0	17	1
Type3	13	7.2	323.0	16	1
Type3	14	9.5	297.0	18	1
Type3	15	8.0	412.0	17	1
Type3	16	10.0	324.0	18	1
Type3	17	7.4	271.0	17	1
Type3	18	7.9	349.0	17	1
Type3	19	7.3	409.0	16	1
Type3	20	8.7	373.0	18	1
Type3	21	7.2	254.0	16	1
Type3	22	9.9	274.0	18	1
Type3	23	7.9	278.0	17	1
Type3	24	7.5	317.0	17	1
Type3	25	6.1	260.0	16	1
Type3	26	8.8	211.0	18	1
Type3	27	9.7	272.0	18	1
Type3	28	7.4	264.0	17	1
Type3	29	9.2	284.0	18	1
Type4	0	16.0	355.0	14	1
Type4	1	11.3	487.0	12	1
Type4	2	13.5	344.0	13	1
Type4	3	19.4	288.0	16	1
Type4	4	17.5	230.0	15	1
Type4	5	15.3	432.0	14	1
Type4	6	15.9	207.0	14	1
Type4	7	14.3	443.0	13	1
Type4	8	15.8	439.0	14	1
Type4	9	11.5	223.0	12	1
Type4	10	17.4	208.0	15	1
Type4	11	19.0	463.0	16	1
Type4	12	16.0	441.0	14	1
Type4	13	13.8	323.0	13	1
1 1 7 0 -	0	10.0	020.0	.0	•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 56 of 119

					raye.	36 01 119	
		Type4	14	18.9	297.0	16	1
		Type4	15	15.5	412.0	14	1
		Type4	16	19.9	324.0	16	1
		Type4	17	14.1	271.0	13	1
		Type4	18	15.2	349.0	14	1
		Type4	19	13.8	409.0	13	1
		Type4	20	17.1	373.0	15	1
		Type4	21	13.8	254.0	13	1
		Type4	22	19.8	274.0	16	1
		Type4	23	15.3	278.0	14	1
		Type4	24	14.5	317.0	13	1
		Type4	25	11.3	260.0	12	1
		Type4	26	17.3	211.0	15	1
		Type4	27	19.2	272.0	16	<u> </u>
		Type4	28	14.2	264.0	13	1
		Type4	29	18.2	284.0	15	1
		Type4	0	1.0	938.0	57	1
						76	
		Type1	1 2	1.0	698.0		1
		Type1		1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	1
		Type1	6	1.0	638.0	83	1
		Type1	7	1.0	918.0	58	1
		Type1	8	1.0	838.0	63	1
		Type1	9	1.0	858.0	62	1
		Type1	10	1.0	798.0	67	1
		Type1	11	1.0	718.0	74	1
		Type1	12	1.0	578.0	92	1
		Type1	13	1.0	598.0	89	1
		Type1	14	1.0	558.0	95	1
		Type1	15	1.0	2536.0	21	1
		Type1	16	1.0	966.0	55	1
		Type1	17	1.0	827.0	64	1
		Type1	18	1.0	2501.0	22	1
		Type1	19	1.0	2595.0	21	1
11ax80MIMO	5530	Type1	20	1.0	1114.0	48	1
		Type1	21	1.0	1302.0	41	1
		Type1	22	1.0	3045.0	18	<u> </u>
		Type1	23	1.0	1624.0	33	1
		Type1	24	1.0	2878.0	19	1
		Type1	25	1.0	1027.0	52	1
		Type1	26	1.0	2485.0	22	1
		Type1	27	1.0	1600.0	33	1
		Type1	28	1.0	1172.0	46	1
				1.0	1172.0	45	
		Type1	29 0	3.2		26	<u> </u>
		Type2			179.0		
		Type2	1	1.1	207.0	23	1
		Type2	2	2.1	230.0	24	1
		Type2	3	4.8	200.0	29	1
		Type2	4	3.9	214.0	28	11
		Type2	5	2.9	222.0	26	1
		Type2	6	3.2	204.0	26	1
		Type2	7	2.5	192.0	25	1
		Type2 Type2	7 8	3.1	164.0	26	1
		Type2	7				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions/Fer

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 57 of 119

			i agc.	37 01 113	
Type2	11	4.6	201.0	29	1
Type2	12	3.2	162.0	26	1
Type2	13	2.2	197.0	25	1
Type2	14	4.5	163.0	29	1
Type2	15	3.0	203.0	26	1
Type2	16	5.0	168.0	29	1
Type2	17	2.4	217.0	25	1
Type2	18	2.9	191.0	26	1
Type2	19	2.3	166.0	25	1
Type2	20	3.7	150.0	27	1
Type2	21	2.2	176.0	25	1
Type2	22	4.9	195.0	29	1
Type2	23	2.9	202.0	26	1
Type2	24	2.5	178.0	25	1
Type2	25	1.1	206.0	23	1
Type2	26	3.8	155.0	27	1
Type2	27	4.7	157.0	29	1
Type2	28	2.4	224.0	25	1
Type2	29	4.2	159.0	28	1
Type3	0	8.2	355.0	17	1
Type3	1	6.1	487.0	16	1
Type3	2	7.1	344.0	16	1
Type3	3	9.8	288.0	18	1
Type3	4	8.9	230.0	18	1
Type3	5	7.9	432.0	17	1
Type3	6	8.2	207.0	17	1
Type3	7	7.5	443.0	17	1
Type3	8	8.1	439.0	17	1
Type3	9	6.2	223.0	16	1
Type3	10	8.9	208.0	18	1
Type3	11	9.6	463.0	18	1
Type3	12	8.2	441.0	17	1
Type3	13	7.2	323.0	16	1
Type3	14	9.5	297.0	18	1
Type3	15	8.0	412.0	17	1
Type3	16	10.0	324.0	18	1
Type3	17	7.4	271.0	17	1
Type3	18	7.9	349.0	17	1
Type3	19	7.3	409.0	16	1
Type3	20	8.7	373.0	18	1
Type3	21	7.2	254.0	16	1
Type3	22	9.9	274.0	18	1
Type3	23	7.9	278.0	17	1
Type3	24	7.5	317.0	17	1
Type3	25	6.1	260.0	16	1
Type3	26	8.8	211.0	18	1
Type3	27	9.7	272.0	18	1
Type3	28	7.4	264.0	17	1
Type3	29	9.2	284.0	18	1
Type4	0	16.0	355.0	14	1
Type4	1	11.3	487.0	12	1
Type4	2	13.5	344.0	13	1
Type4	3	19.4	288.0	16	0
Type4	4	17.5	230.0	15	1
Type4	5	15.3	432.0	14	1
Type4	6	15.9	207.0	14	1
Type4	7	14.3	443.0	13	1
1 1 7 0 -	<u> </u>	1 7.0	1 10.0		1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Kangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 58 of 119

Type4	8	15.8	439.0	14	0
Type4	9	11.5	223.0	12	1
Type4	10	17.4	208.0	15	1
Type4	11	19.0	463.0	16	1
Type4	12	16.0	441.0	14	1
Type4	13	13.8	323.0	13	0
Type4	14	18.9	297.0	16	1
Type4	15	15.5	412.0	14	1
Type4	16	19.9	324.0	16	1
Type4	17	14.1	271.0	13	1
Type4	18	15.2	349.0	14	0
Type4	19	13.8	409.0	13	1
Type4	20	17.1	373.0	15	1
Type4	21	13.8	254.0	13	1
Type4	22	19.8	274.0	16	1
Type4	23	15.3	278.0	14	1
Type4	24	14.5	317.0	13	1
Type4	25	11.3	260.0	12	1
Type4	26	17.3	211.0	15	1
Type4	27	19.2	272.0	16	1
Type4	28	14.2	264.0	13	1
Type4	29	18.2	284.0	15	1
1,7001		10.2	201.0	10	'



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 59 of 119

					rage.	39 01 119								
TestMode	Frequency[MHz]	Radar Type	Trial ID	Number Of Bursts	Wavform Length	Radar Frequency	Detection (1: Yes; 0: No)							
		TunoF		15	(s))		1							
		Type5 Type5	1	15 8	12 12	5500 5500	1							
		Type5	2	11	12	5500	1							
		Type5	3	20	12	5500	1							
		Type5	4	17	12	5500	1							
			5	14	12	5500								
		Type5		15	12	5500	1							
		Type5	6 7	12	12	5500	1							
		Type5 Type5	8	14	12	5500	1							
		Type5	9	8	12	5500	1							
		Type5	10	17	12	5497	1							
			11				1							
		Type5	12	19 15	12 12	5498	1							
		Type5 Type5	13	12	12	5496 5495	1							
			14	19	12	5498	1							
11ax20MIMO	5500	Type5		14	12	5495								
		Type5	15				1							
		Type5	16 17	20 12	12 12	5499 5495	<u> </u>							
		Type5					-							
		Type5	18	14	12	5495	1							
		Type5	19	12	12	5495	1							
		Type5	20	16	12	5503	1							
		Type5	21	12	12	5506	1							
		Type5	22	20	12	5501	1							
		Type5	23	14	12	5505	1							
		Type5	24	13	12	5505	1							
		Type5	25	8	12	5507	1							
		Type5	26	17	12	5503	1							
		Type5	27	19	12	5502	1							
		Type5	28	12	12	5505	1							
		Type5	29	18	12	5503	1							
		Type5	0	15	12	5670	1							
		Type5	1	8	12	5670	1							
		Type5	2	11	12 12	5670	1							
		Type5	3	20 17		5670	1							
		Type5	4		12	5670	1							
		Type5	5	14	12	5670	1							
		Type5	6	15 12	12 12	5670	1							
		Type5	7			5670	' ·							
									Type5	8	14 8	12 12	5670	1
		Type5	9			5670	1							
		Type5	10	17	12	5657	1							
11ax40MIMO	5670	Type5	11	19	12	5658	1							
		Type5	12	15	12	5656	1							
		Type5	13	12	12	5655	1							
		Type5	14	19	12	5658	1							
		Type5	15	14	12	5656	1							
		Type5	16	20	12	5659	1							
		Type5	17	12	12	5655	1							
		Type5	18	14	12	5656	1							
		Type5	19	12	12	5655	1							
		Type5	20	16	12	5683	1							
		Type5	21	12	12	5686	1							
		Type5	22	20	12	5681	1							
		Type5	23	14	12	5684	1							



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. F Plant, No. 1, Purasheng Toad, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 60 of 119

		Type5	24	13	12	5685	1						
		Type5	25	8	12	5687	1						
		Type5	26	17	12	5683	1						
		Type5	27	19	12	5682	1						
		Type5	28	12	12	5685	1						
		Type5	29	18	12	5682	1						
		Type5	0	15	12	5530	1						
		Type5	1	8	12	5530	1						
		Type5	2	11	12	5530	0						
		Type5	3	20	12	5530	1						
		Type5	4	17	12	5530	1						
		Type5	5	14	12	5530	1						
		Type5	6	15	12	5530	1						
		Type5	7	12	12	5530	1						
			Type5	8	14	12	5530	1					
					Type5	9	8	12	5530	1			
			Type5	10	17	12	5497	1					
		Type5	11	19	12	5499	0						
	5530	Type5	12	15	12	5496	1						
								Type5	13	12	12	5495	0
11ax80MIMO		Type5	14	19	12	5498	1						
TTAXOUIVIIIVIO	3330	Type5	15	14	12	5496	1						
		Type5	16	20	12	5499	1						
						Type5	17	12	12	5495	1		
		Type5	18	14	12	5496	1						
		Type5	19	12	12	5495	1						
		Type5	20	16	12	5563	1						
		Type5	21	12	12	5565	1						
		Type5	22	20	12	5561	1						
						_	Type5	23	14	12	5564	1	
									Type5	24	13	12	5565
						Type5	25	8	12	5567	1		
			Type5	26	17	12	5563	1					
		Type5	27	19	12	5561	0						
		Type5	28	12	12	5565	1						
		Type5	29	18	12	5562	1						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 61 of 119

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr0@													
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)		
11AX20MIMO	5500	Type5	0	0	636185.0	13	2	77.8	1665.0	1477.0			
11AX20MIMO	5500	Type5	0	1	32674.0	13	1	51.9	1074.0				
11AX20MIMO	5500	Type5	0	2	226294.0	13	1	63.8	1584.0				
11AX20MIMO	5500	Type5	0	3	417976.0	13	3	96.6	1682.0	1786.0	1843.0		
11AX20MIMO	5500	Type5	0	4	611152.0	13	3	85.9	1795.0	1215.0	1729.0		
11AX20MIMO	5500	Type5	0	5	8789.0	13	2	73.7	1198.0	1549.0			
11AX20MIMO	5500	Type5	0	6	201917.0	13	2	77.2	1837.0	1819.0			
11AX20MIMO	5500	Type5	0	7	395530.0	13	2	68.4	1587.0	1114.0			
11AX20MIMO	5500	Type5	0	8	588564.0	13	2	76.7	2000.0	1155.0			
11AX20MIMO	5500	Type5	0	9	783794.0	13	1	53.2	1147.0				
11AX20MIMO	5500	Type5	0	10	177933.0	13	3	85.7	1433.0	1695.0	1394.0		
11AX20MIMO	5500	Type5	0	11	370624.0	13	3	94.3	1670.0	1426.0	1935.0		
11AX20MIMO	5500	Type5	0	12	564893.0	13	2	77.6	1294.0	1671.0			
11AX20MIMO	5500	Type5	0	13	759583.0	13	1	65.7	1512.0				
11AX20MIMO	5500	Type5	0	14	154262.0	13	3	93.5	1444.0	1130.0	1468.0		
1AX40MIMO	5510	Type5	0	0	636185.0	13	2	77.8	1665.0	1477.0			
1AX40MIMO	5510	Type5	0	1	32674.0	13	1	51.9	1074.0				
1AX40MIMO	5510	Type5	0	2	226294.0	13	1	63.8	1584.0				
1AX40MIMO	5510	Type5	0	3	417976.0	13	3	96.6	1682.0	1786.0	1843.0		
1AX40MIMO	5510	Type5	0	4	611152.0	13	3	85.9	1795.0	1215.0	1729.0		
1AX40MIMO	5510	Type5	0	5	8789.0	13	2	73.7	1198.0	1549.0			
1AX40MIMO	5510	Type5	0	6	201917.0	13	2	77.2	1837.0	1819.0			
1AX40MIMO	5510	Type5	0	7	395530.0	13	2	68.4	1587.0	1114.0			
1AX40MIMO	5510	Type5	0	8	588564.0	13	2	76.7	2000.0	1155.0			
1AX40MIMO	5510	Type5	0	9	783794.0	13	1	53.2	1147.0				
1AX40MIMO	5510	Type5	0	10	177933.0	13	3	85.7	1433.0	1695.0	1394.0		
1AX40MIMO	5510	Type5	0	11	370624.0	13	3	94.3	1670.0	1426.0	1935.0		
1AX40MIMO	5510	Type5	0	12	564893.0	13	2	77.6	1294.0	1671.0			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 62 of 119

1AX40MIMO	5510	Type5	0	13	759583.0	13	1	65.7	1512.0		
1AX40MIMO	5510	Type5	0	14	154262.0	13	3	93.5	1444.0	1130.0	1468.0
11AX80MIMO	5530	Type5	0	0	636185.0	13	2	77.8	1665.0	1477.0	
11AX80MIMO	5530	Type5	0	1	32674.0	13	1	51.9	1074.0		
1AX80MIMO	5570	Type5	0	2	226294.0	13	1	63.8	1584.0		
1AX80MIMO	5570	Type5	0	3	417976.0	13	3	96.6	1682.0	1786.0	1843.0
1AX80MIMO	5570	Type5	0	4	611152.0	13	3	85.9	1795.0	1215.0	1729.0
1AX80MIMO	5570	Type5	0	5	8789.0	13	2	73.7	1198.0	1549.0	
1AX80MIMO	5570	Type5	0	6	201917.0	13	2	77.2	1837.0	1819.0	
1AX80MIMO	5570	Type5	0	7	395530.0	13	2	68.4	1587.0	1114.0	
1AX80MIMO	5570	Type5	0	8	588564.0	13	2	76.7	2000.0	1155.0	
1AX80MIMO	5570	Type5	0	9	783794.0	13	1	53.2	1147.0		
1AX80MIMO	5570	Type5	0	10	177933.0	13	3	85.7	1433.0	1695.0	1394.0
1AX80MIMO	5570	,	0	11	370624.0	13	3	94.3	1670.0	1426.0	1935.0
		Type5									
1AX80MIMO	5570	Type5	0	12	564893.0	13	2	77.6	1294.0	1671.0	
1AX80MIMO	5570	Type5	0	13	759583.0	13	1	65.7	1512.0		
1AX80MIMO	5570	Type5	0	14	154262.0	13	3	93.5	1444.0	1130.0	1468.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 63 of 119

	@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr1@													
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)			
11AX20MIMO	5500	Type5	1	0	653020.0	5	2	75.0	1880.0	1527.0				
11AX20MIMO	5500	Type5	1	1	1015643.0	5	3	99.4	1401.0	1262.0	1257.0			
11AX20MIMO	5500	Type5	1	2	1379398.0	5	2	67.4	1531.0	1403.0				
11AX20MIMO	5500	Type5	1	3	245489.0	5	2	73.6	1449.0	1041.0				
11AX20MIMO	5500	Type5	1	4	609113.0	5	1	65.9	1432.0					
11AX20MIMO	5500	Type5	1	5	970852.0	5	3	83.8	1356.0	1292.0	1419.0			
11AX20MIMO	5500	Type5	1	6	1335913.0	5	1	65.5	1543.0					
11AX20MIMO	5500	Type5	1	7	200406.0	5	3	98.6	1548.0	1796.0	1728.0			
1AX40MIMO	5510	Type5	1	0	653020.0	5	2	75.0	1880.0	1527.0				
1AX40MIMO	5510	Type5	1	1	1015643.0	5	3	99.4	1401.0	1262.0	1257.0			
1AX40MIMO	5510	Type5	1	2	1379398.0	5	2	67.4	1531.0	1403.0				
1AX40MIMO	5510	Type5	1	3	245489.0	5	2	73.6	1449.0	1041.0				
1AX40MIMO	5510	Type5	1	4	609113.0	5	1	65.9	1432.0					
1AX40MIMO	5510	Type5	1	5	970852.0	5	3	83.8	1356.0	1292.0	1419.0			
1AX40MIMO	5510	Type5	1	6	1335913.0	5	1	65.5	1543.0					
1AX40MIMO	5510	Type5	1	7	200406.0	5	3	98.6	1548.0	1796.0	1728.0			
11AX80MIMO	5530	Type5	1	0	653020.0	5	2	75.0	1880.0	1527.0				
11AX80MIMO	5530	Type5	1	1	1015643.0	5	3	99.4	1401.0	1262.0	1257.0			
11AX80MIMO	5530	Type5	1	2	1379398.0	5	2	67.4	1531.0	1403.0				
11AX80MIMO	5530	Type5	1	3	245489.0	5	2	73.6	1449.0	1041.0				
11AX80MIMO	5530	Type5	1	4	609113.0	5	1	65.9	1432.0					
11AX80MIMO	5530	Type5	1	5	970852.0	5	3	83.8	1356.0	1292.0	1419.0			
11AX80MIMO	5530	Type5	1	6	1335913.0	5	1	65.5	1543.0					
11AX80MIMO	5530	Type5	1	7	200406.0	5	3	98.6	1548.0	1796.0	1728.0			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 64 of 119

			@F00	DI ANI E	250 050		age.		113		
TestMode	Channel	Radar Type	@FCC Trial	Burst	Burst Offset (µs)	Chirp Width (MHz)	5_SP2_Tr2@ Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)
11AX20MIMO	5500	Type5	2	0	409565.0	9	2	73.8	1806.0	1538.0	
11AX20MIMO	5500	Type5	2	1	673692.0	9	2	69.5	1117.0	1649.0	
11AX20MIMO	5500	Type5	2	2	938562.0	9	1	51.9	1651.0		
11AX20MIMO	5500	Type5	2	3	113209.0	9	3	84.6	1976.0	1032.0	1271.0
11AX20MIMO	5500	Type5	2	4	376726.0	9	3	95.4	1060.0	1903.0	1388.0
11AX20MIMO	5500	Type5	2	5	641212.0	9	2	68.0	1368.0	1351.0	
11AX20MIMO	5500	Type5	2	6	903714.0	9	3	89.6	1338.0	1514.0	1573.0
11AX20MIMO	5500	Type5	2	7	80863.0	9	2	81.9	1022.0	1689.0	
11AX20MIMO	5500	Type5	2	8	344067.0	9	3	88.3	1810.0	1330.0	1838.0
11AX20MIMO	5500	Type5	2	9	609331.0	9	1	53.7	1597.0		
11AX20MIMO	5500	Type5	2	10	871542.0	9	3	91.3	1961.0	1106.0	1001.0
1AX40MIMO	5510	Type5	2	0	409565.0	9	2	73.8	1806.0	1538.0	
1AX40MIMO	5510	Type5	2	1	673692.0	9	2	69.5	1117.0	1649.0	
1AX40MIMO	5510	Type5	2	2	938562.0	9	1	51.9	1651.0		
1AX40MIMO	5510	Type5	2	3	113209.0	9	3	84.6	1976.0	1032.0	1271.0
1AX40MIMO	5510	Type5	2	4	376726.0	9	3	95.4	1060.0	1903.0	1388.0
1AX40MIMO	5510	Type5	2	5	641212.0	9	2	68.0	1368.0	1351.0	
1AX40MIMO	5510	Type5	2	6	903714.0	9	3	89.6	1338.0	1514.0	1573.0
1AX40MIMO	5510	Type5	2	7	80863.0	9	2	81.9	1022.0	1689.0	
1AX40MIMO	5510	Type5	2	8	344067.0	9	3	88.3	1810.0	1330.0	1838.0
1AX40MIMO	5510	Type5	2	9	609331.0	9	1	53.7	1597.0		
1AX40MIMO	5510	Type5	2	10	871542.0	9	3	91.3	1961.0	1106.0	1001.0
11AX80MIMO	5530	Type5	2	0	409565.0	9	2	73.8	1806.0	1538.0	
11AX80MIMO	5530	Type5	2	1	673692.0	9	2	69.5	1117.0	1649.0	
11AX80MIMO	5530	Type5	2	2	938562.0	9	1	51.9	1651.0		
11AX80MIMO	5530	Type5	2	3	113209.0	9	3	84.6	1976.0	1032.0	1271.0
11AX80MIMO	5530	Type5	2	4	376726.0	9	3	95.4	1060.0	1903.0	1388.0
11AX80MIMO	5530	Type5	2	5	641212.0	9	2	68.0	1368.0	1351.0	
11AX80MIMO	5530	Type5	2	6	903714.0	9	3	89.6	1338.0	1514.0	1573.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 65 of 119

11AX80MIMO	5530	Type5	2	7	80863.0	9	2	81.9	1022.0	1689.0	
11AX80MIMO	5530	Type5	2	8	344067.0	9	3	88.3	1810.0	1330.0	1838.0
11AX80MIMO	5530	Type5	2	9	609331.0	9	1	53.7	1597.0		
11AX80MIMO	5530	Type5	2	10	871542.0	9	3	91.3	1961.0	1106.0	1001.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 66 of 119

	@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr3@												
TestMode	Channel	Radar Type	Trial ID	Burst	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)		
11AX20MIMO	5500	Type5	3	0	26541.0	19	2	68.1	1339.0	1355.0			
11AX20MIMO	5500	Type5	3	1	171821.0	19	1	58.7	1251.0				
11AX20MIMO	5500	Type5	3	2	316229.0	19	2	75.3	1136.0	1640.0			
11AX20MIMO	5500	Type5	3	3	461864.0	19	1	56.4	1753.0				
11AX20MIMO	5500	Type5	3	4	8677.0	19	3	99.7	1196.0	1708.0	1159.0		
11AX20MIMO	5500	Type5	3	5	153995.0	19	1	57.7	1013.0				
11AX20MIMO	5500	Type5	3	6	299238.0	19	1	59.5	1072.0				
11AX20MIMO	5500	Type5	3	7	443177.0	19	2	80.0	1482.0	1369.0			
11AX20MIMO	5500	Type5	3	8	587671.0	19	2	82.0	1993.0	1197.0			
11AX20MIMO	5500	Type5	3	9	135674.0	19	2	82.8	1883.0	1005.0			
11AX20MIMO	5500	Type5	3	10	279928.0	19	3	88.0	1061.0	1928.0	1101.0		
11AX20MIMO	5500	Type5	3	11	424279.0	19	3	93.2	1207.0	1907.0	1223.0		
11AX20MIMO	5500	Type5	3	12	570132.0	19	2	70.4	1526.0	1360.0			
11AX20MIMO	5500	Type5	3	13	117439.0	19	3	95.3	1171.0	1955.0	1775.0		
11AX20MIMO	5500	Type5	3	14	262502.0	19	2	81.9	1690.0	1545.0			
11AX20MIMO	5500	Type5	3	15	406573.0	19	3	98.5	1975.0	1169.0	1062.0		
11AX20MIMO	5500	Type5	3	16	553328.0	19	1	65.0	1767.0				
11AX20MIMO	5500	Type5	3	17	99799.0	19	3	85.4	1011.0	1637.0	1425.0		
11AX20MIMO	5500	Type5	3	18	244095.0	19	3	91.6	1878.0	1445.0	1325.0		
11AX20MIMO	5500	Type5	3	19	390012.0	19	2	67.3	1091.0	1218.0			
1AX40MIMO	5510	Type5	3	0	26541.0	19	2	68.1	1339.0	1355.0			
1AX40MIMO	5510	Type5	3	1	171821.0	19	1	58.7	1251.0				
1AX40MIMO	5510	Type5	3	2	316229.0	19	2	75.3	1136.0	1640.0			
1AX40MIMO	5510	Type5	3	3	461864.0	19	1	56.4	1753.0				
1AX40MIMO	5510	Type5	3	4	8677.0	19	3	99.7	1196.0	1708.0	1159.0		
1AX40MIMO	5510	Type5	3	5	153995.0	19	1	57.7	1013.0				
1AX40MIMO	5510	Type5	3	6	299238.0	19	1	59.5	1072.0				
1AX40MIMO	5510	Type5	3	7	443177.0	19	2	80.0	1482.0	1369.0			
1AX40MIMO	5510	Type5	3	8	587671.0	19	2	82.0	1993.0	1197.0			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 67 of 119

							i ago.	0, 0	1 1 10		
1AX40MIMO	5510	Type5	3	9	135674.0	19	2	82.8	1883.0	1005.0	
1AX40MIMO	5510	Type5	3	10	279928.0	19	3	88.0	1061.0	1928.0	1101.0
1AX40MIMO	5510	Type5	3	11	424279.0	19	3	93.2	1207.0	1907.0	1223.0
1AX40MIMO	5510	Type5	3	12	570132.0	19	2	70.4	1526.0	1360.0	
1AX40MIMO	5510	Type5	3	13	117439.0	19	3	95.3	1171.0	1955.0	1775.0
1AX40MIMO	5510	Type5	3	14	262502.0	19	2	81.9	1690.0	1545.0	
1AX40MIMO	5510	Type5	3	15	406573.0	19	3	98.5	1975.0	1169.0	1062.0
1AX40MIMO	5510	Type5	3	16	553328.0	19	1	65.0	1767.0		
1AX40MIMO	5510	Type5	3	17	99799.0	19	3	85.4	1011.0	1637.0	1425.0
1AX40MIMO	5510	Type5	3	18	244095.0	19	3	91.6	1878.0	1445.0	1325.0
1AX40MIMO	5510	Type5	3	19	390012.0	19	2	67.3	1091.0	1218.0	
11AX80MIMO	5530	Type5	3	0	26541.0	19	2	68.1	1339.0	1355.0	
11AX80MIMO	5530	Type5	3	1	171821.0	19	1	58.7	1251.0		
11AX80MIMO	5530	Type5	3	2	316229.0	19	2	75.3	1136.0	1640.0	
11AX80MIMO	5530	Type5	3	3	461864.0	19	1	56.4	1753.0		
11AX80MIMO	5530	Type5	3	4	8677.0	19	3	99.7	1196.0	1708.0	1159.0
11AX80MIMO	5530	Type5	3	5	153995.0	19	1	57.7	1013.0		
11AX80MIMO	5530	Type5	3	6	299238.0	19	1	59.5	1072.0		
11AX80MIMO	5530	Type5	3	7	443177.0	19	2	80.0	1482.0	1369.0	
11AX80MIMO	5530	Type5	3	8	587671.0	19	2	82.0	1993.0	1197.0	
11AX80MIMO	5530	Type5	3	9	135674.0	19	2	82.8	1883.0	1005.0	
11AX80MIMO	5530	Type5	3	10	279928.0	19	3	88.0	1061.0	1928.0	1101.0
11AX80MIMO	5530	Type5	3	11	424279.0	19	3	93.2	1207.0	1907.0	1223.0
11AX80MIMO	5530	Type5	3	12	570132.0	19	2	70.4	1526.0	1360.0	
11AX80MIMO	5530	Type5	3	13	117439.0	19	3	95.3	1171.0	1955.0	1775.0
11AX80MIMO	5530	Type5	3	14	262502.0	19	2	81.9	1690.0	1545.0	
11AX80MIMO	5530	Type5	3	15	406573.0	19	3	98.5	1975.0	1169.0	1062.0
11AX80MIMO	5530	Type5	3	16	553328.0	19	1	65.0	1767.0		
11AX80MIMO	5530	Type5	3	17	99799.0	19	3	85.4	1011.0	1637.0	1425.0
11AX80MIMO	5530	Type5	3	18	244095.0	19	3	91.6	1878.0	1445.0	1325.0
11AX80MIMO	5530	Type5	3	19	390012.0	19	2	67.3	1091.0	1218.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 68 of 119

	@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr4@												
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)		
11AX20MIMO	5500	Type5	4	0	629614.0	16	2	67.9	1320.0	1133.0			
11AX20MIMO	5500	Type5	4	1	96856.0	16	1	62.3	1957.0				
11AX20MIMO	5500	Type5	4	2	267719.0	16	1	53.3	1592.0				
11AX20MIMO	5500	Type5	4	3	436784.0	16	3	90.0	1900.0	1153.0	1346.0		
11AX20MIMO	5500	Type5	4	4	608289.0	16	2	77.1	1166.0	1646.0			
11AX20MIMO	5500	Type5	4	5	75610.0	16	3	83.9	1278.0	1232.0	1459.0		
11AX20MIMO	5500	Type5	4	6	245638.0	16	3	89.1	1240.0	1384.0	1939.0		
11AX20MIMO	5500	Type5	4	7	416355.0	16	2	81.8	1833.0	1676.0			
11AX20MIMO	5500	Type5	4	8	588736.0	16	1	50.3	1075.0				
11AX20MIMO	5500	Type5	4	9	54571.0	16	3	87.1	1116.0	1996.0	1756.0		
11AX20MIMO	5500	Type5	4	10	225175.0	16	2	71.3	1225.0	1815.0			
11AX20MIMO	5500	Type5	4	11	394825.0	16	3	97.5	1884.0	1465.0	1132.0		
11AX20MIMO	5500	Type5	4	12	565361.0	16	3	90.6	1561.0	1040.0	1354.0		
11AX20MIMO	5500	Type5	4	13	33643.0	16	3	86.3	1596.0	1183.0	1792.0		
11AX20MIMO	5500	Type5	4	14	203957.0	16	3	97.6	1365.0	1073.0	1361.0		
11AX20MIMO	5500	Type5	4	15	373812.0	16	3	84.7	1021.0	1718.0	1854.0		
11AX20MIMO	5500	Type5	4	16	544060.0	16	3	99.7	1150.0	1244.0	1988.0		
1AX40MIMO	5510	Type5	4	0	629614.0	16	2	67.9	1320.0	1133.0			
1AX40MIMO	5510	Type5	4	1	96856.0	16	1	62.3	1957.0				
1AX40MIMO	5510	Type5	4	2	267719.0	16	1	53.3	1592.0				
1AX40MIMO	5510	Type5	4	3	436784.0	16	3	90.0	1900.0	1153.0	1346.0		
1AX40MIMO	5510	Type5	4	4	608289.0	16	2	77.1	1166.0	1646.0			
1AX40MIMO	5510	Type5	4	5	75610.0	16	3	83.9	1278.0	1232.0	1459.0		
1AX40MIMO	5510	Type5	4	6	245638.0	16	3	89.1	1240.0	1384.0	1939.0		
1AX40MIMO	5510	Type5	4	7	416355.0	16	2	81.8	1833.0	1676.0			
1AX40MIMO	5510	Type5	4	8	588736.0	16	1	50.3	1075.0				
1AX40MIMO	5510	Type5	4	9	54571.0	16	3	87.1	1116.0	1996.0	1756.0		
1AX40MIMO	5510	Type5	4	10	225175.0	16	2	71.3	1225.0	1815.0			
1AX40MIMO	5510	Type5	4	11	394825.0	16	3	97.5	1884.0	1465.0	1132.0		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 69 of 119

							9-				
1AX40MIMO	5510	Type5	4	12	565361.0	16	3	90.6	1561.0	1040.0	1354.0
1AX40MIMO	5510	Type5	4	13	33643.0	16	3	86.3	1596.0	1183.0	1792.0
1AX40MIMO	5510	Type5	4	14	203957.0	16	3	97.6	1365.0	1073.0	1361.0
1AX40MIMO	5510	Type5	4	15	373812.0	16	3	84.7	1021.0	1718.0	1854.0
1AX40MIMO	5510	Type5	4	16	544060.0	16	3	99.7	1150.0	1244.0	1988.0
11AX80MIMO	5530	Type5	4	0	629614.0	16	2	67.9	1320.0	1133.0	
11AX80MIMO	5530	Type5	4	1	96856.0	16	1	62.3	1957.0		
11AX80MIMO	5530	Type5	4	2	267719.0	16	1	53.3	1592.0		
11AX80MIMO	5530	Type5	4	3	436784.0	16	3	90.0	1900.0	1153.0	1346.0
11AX80MIMO	5530	Type5	4	4	608289.0	16	2	77.1	1166.0	1646.0	
11AX80MIMO	5530	Type5	4	5	75610.0	16	3	83.9	1278.0	1232.0	1459.0
11AX80MIMO	5530	Type5	4	6	245638.0	16	3	89.1	1240.0	1384.0	1939.0
11AX80MIMO	5530	Type5	4	7	416355.0	16	2	81.8	1833.0	1676.0	
11AX80MIMO	5530	Type5	4	8	588736.0	16	1	50.3	1075.0		
11AX80MIMO	5530	Type5	4	9	54571.0	16	3	87.1	1116.0	1996.0	1756.0
11AX80MIMO	5530	Type5	4	10	225175.0	16	2	71.3	1225.0	1815.0	
11AX80MIMO	5530	Type5	4	11	394825.0	16	3	97.5	1884.0	1465.0	1132.0
11AX80MIMO	5530	Type5	4	12	565361.0	16	3	90.6	1561.0	1040.0	1354.0
11AX80MIMO	5530	Type5	4	13	33643.0	16	3	86.3	1596.0	1183.0	1792.0
11AX80MIMO	5530	Type5	4	14	203957.0	16	3	97.6	1365.0	1073.0	1361.0
11AX80MIMO	5530	Type5	4	15	373812.0	16	3	84.7	1021.0	1718.0	1854.0
11AX80MIMO	5530	Type5	4	16	544060.0	16	3	99.7	1150.0	1244.0	1988.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 70 of 119

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr5@												
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)	
11AX20MIMO	5500	Type5	5	0	15438.0	12	3	92.9	1085.0	1564.0	1407.0	
11AX20MIMO	5500	Type5	5	11	222486.0	12	2	67.7	1744.0	1747.0		
11AX20MIMO	5500	Type5	5	2	430731.0	12	1	65.8	1092.0			
11AX20MIMO	5500	Type5	5	3	637784.0	12	1	56.3	1851.0			
11AX20MIMO	5500	Type5	5	4	845342.0	12	1	53.7	1727.0			
11AX20MIMO	5500	Type5	5	5	196720.0	12	3	83.5	1679.0	1930.0	1025.0	
11AX20MIMO	5500	Type5	5	6	404955.0	12	1	65.8	1519.0			
11AX20MIMO	5500	Type5	5	7	610711.0	12	3	85.9	1134.0	1034.0	1808.0	
11AX20MIMO	5500	Type5	5	8	818057.0	12	2	76.3	1606.0	1926.0		
11AX20MIMO	5500	Type5	5	9	171459.0	12	2	81.5	1891.0	1714.0		
11AX20MIMO	5500	Type5	5	10	377969.0	12	3	89.4	1310.0	1594.0	1827.0	
11AX20MIMO	5500	Type5	5	11	586875.0	12	1	63.4	1568.0			
11AX20MIMO	5500	Type5	5	12	792834.0	12	2	69.6	1307.0	1925.0		
11AX20MIMO	5500	Type5	5	13	146044.0	12	2	74.5	1264.0	1846.0		
1AX40MIMO	5510	Type5	5	0	15438.0	12	3	92.9	1085.0	1564.0	1407.0	
1AX40MIMO	5510	Type5	5	1	222486.0	12	2	67.7	1744.0	1747.0		
1AX40MIMO	5510	Type5	5	2	430731.0	12	1	65.8	1092.0			
1AX40MIMO	5510	Type5	5	3	637784.0	12	1	56.3	1851.0			
1AX40MIMO	5510	Type5	5	4	845342.0	12	1	53.7	1727.0			
1AX40MIMO	5510	Type5	5	5	196720.0	12	3	83.5	1679.0	1930.0	1025.0	
1AX40MIMO	5510	Type5	5	6	404955.0	12	1	65.8	1519.0			
1AX40MIMO	5510	Type5	5	7	610711.0	12	3	85.9	1134.0	1034.0	1808.0	
1AX40MIMO	5510	Type5	5	8	818057.0	12	2	76.3	1606.0	1926.0		
1AX40MIMO	5510	Type5	5	9	171459.0	12	2	81.5	1891.0	1714.0		
1AX40MIMO	5510	Type5	5	10	377969.0	12	3	89.4	1310.0	1594.0	1827.0	
1AX40MIMO	5510	Type5	5	11	586875.0	12	1	63.4	1568.0			
1AX40MIMO	5510	Type5	5	12	792834.0	12	2	69.6	1307.0	1925.0		
1AX40MIMO	5510	Type5	5	13	146044.0	12	2	74.5	1264.0	1846.0		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Kangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www t (86–512) 62992980 sgs



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 71 of 119

5530	Type5	5	0	15438.0	12	3	92.9	1085.0	1564.0	1407.0
5530	Type5	5	1	222486.0	12	2	67.7	1744.0	1747.0	
5530	Type5	5	2	430731.0	12	1	65.8	1092.0		
5530	Type5	5	3	637784.0	12	1	56.3	1851.0		
5530	Type5	5	4	845342.0	12	1	53.7	1727.0		
5530	Type5	5	5	196720.0	12	3	83.5	1679.0	1930.0	1025.0
5530	Type5	5	6	404955.0	12	1	65.8	1519.0		
5530	Type5	5	7	610711.0	12	3	85.9	1134.0	1034.0	1808.0
5530	Type5	5	8	818057.0	12	2	76.3	1606.0	1926.0	
5530		5	9	171459.0	12	2	81.5	1891.0	1714.0	
		5	10	377969.0	12		89.4	1310.0		1827.0
			11			1				
5530		5	12	792834.0	12	2	69.6	1307.0	1925.0	
	7.									
	5530 5530 5530 5530 5530 5530 5530 5530 5530 5530	5530 Type5 5530 Type5	5530 Type5 5 5530 Type5 5	5530 Type5 5 1 5530 Type5 5 2 5530 Type5 5 3 5530 Type5 5 4 5530 Type5 5 5 5530 Type5 5 6 5530 Type5 5 7 5530 Type5 5 8 5530 Type5 5 9 5530 Type5 5 10 5530 Type5 5 11 5530 Type5 5 12	5530 Type5 5 1 222486.0 5530 Type5 5 2 430731.0 5530 Type5 5 3 637784.0 5530 Type5 5 4 845342.0 5530 Type5 5 5 196720.0 5530 Type5 5 6 404955.0 5530 Type5 5 7 610711.0 5530 Type5 5 8 818057.0 5530 Type5 5 9 171459.0 5530 Type5 5 10 377969.0 5530 Type5 5 11 586875.0 5530 Type5 5 12 792834.0	5530 Type5 5 1 222486.0 12 5530 Type5 5 2 430731.0 12 5530 Type5 5 3 637784.0 12 5530 Type5 5 4 845342.0 12 5530 Type5 5 5 196720.0 12 5530 Type5 5 6 404955.0 12 5530 Type5 5 7 610711.0 12 5530 Type5 5 8 818057.0 12 5530 Type5 5 9 171459.0 12 5530 Type5 5 10 377969.0 12 5530 Type5 5 11 586875.0 12 5530 Type5 5 12 792834.0 12	5530 Type5 5 1 222486.0 12 2 5530 Type5 5 2 430731.0 12 1 5530 Type5 5 3 637784.0 12 1 5530 Type5 5 4 845342.0 12 1 5530 Type5 5 5 196720.0 12 3 5530 Type5 5 6 404955.0 12 1 5530 Type5 5 7 610711.0 12 3 5530 Type5 5 8 818057.0 12 2 5530 Type5 5 9 171459.0 12 2 5530 Type5 5 10 377969.0 12 3 5530 Type5 5 11 586875.0 12 1 5530 Type5 5 12 792834.0 12 2	5530 Type5 5 1 222486.0 12 2 67.7 5530 Type5 5 2 430731.0 12 1 65.8 5530 Type5 5 3 637784.0 12 1 56.3 5530 Type5 5 4 845342.0 12 1 53.7 5530 Type5 5 5 196720.0 12 3 83.5 5530 Type5 5 6 404955.0 12 1 65.8 5530 Type5 5 7 610711.0 12 3 85.9 5530 Type5 5 8 818057.0 12 2 76.3 5530 Type5 5 9 171459.0 12 2 81.5 5530 Type5 5 10 377969.0 12 3 89.4 5530 Type5 5 11 586875.0 12 1<	5530 Type5 5 1 222486.0 12 2 67.7 1744.0 5530 Type5 5 2 430731.0 12 1 65.8 1092.0 5530 Type5 5 3 637784.0 12 1 56.3 1851.0 5530 Type5 5 4 845342.0 12 1 53.7 1727.0 5530 Type5 5 5 196720.0 12 3 83.5 1679.0 5530 Type5 5 6 404955.0 12 1 65.8 1519.0 5530 Type5 5 7 610711.0 12 3 85.9 1134.0 5530 Type5 5 8 818057.0 12 2 76.3 1606.0 5530 Type5 5 9 171459.0 12 2 81.5 1891.0 5530 Type5 5 10 377969.0	5530 Type5 5 1 222486.0 12 2 67.7 1744.0 1747.0 5530 Type5 5 2 430731.0 12 1 65.8 1092.0 5530 Type5 5 3 637784.0 12 1 56.3 1851.0 5530 Type5 5 4 845342.0 12 1 53.7 1727.0 5530 Type5 5 5 196720.0 12 3 83.5 1679.0 1930.0 5530 Type5 5 6 404955.0 12 1 65.8 1519.0 5530 Type5 5 7 610711.0 12 3 85.9 1134.0 1034.0 5530 Type5 5 8 818057.0 12 2 76.3 1606.0 1926.0 5530 Type5 5 10 377969.0 12 3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 72 of 119

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr6@												
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)	
11AX20MIMO	5500	Type5	6	0	329022.0	13	3	96.6	1182.0	1609.0	1581.0	
11AX20MIMO	5500	Type5	6	1	521718.0	13	3	96.7	1829.0	1799.0	1154.0	
11AX20MIMO	5500	Type5	6	2	714222.0	13	3	86.5	1923.0	1396.0	1865.0	
11AX20MIMO	5500	Type5	6	3	112450.0	13	2	73.3	1908.0	1318.0		
11AX20MIMO	5500	Type5	6	4	306283.0	13	1	55.8	1688.0			
11AX20MIMO	5500	Type5	6	5	500239.0	13	1	55.4	1145.0			
11AX20MIMO	5500	Type5	6	6	690932.0	13	3	85.3	1336.0	1504.0	1820.0	
11AX20MIMO	5500	Type5	6	7	88645.0	13	2	79.4	1344.0	1893.0		
11AX20MIMO	5500	Type5	6	8	282508.0	13	1	65.7	1476.0			
11AX20MIMO	5500	Type5	6	9	475842.0	13	2	68.6	1008.0	1028.0		
11AX20MIMO	5500	Type5	6	10	667887.0	13	2	77.7	1972.0	1835.0		
11AX20MIMO	5500	Type5	6	11	64845.0	13	2	79.6	1882.0	1331.0		
11AX20MIMO	5500	Type5	6	12	257755.0	13	3	94.9	1830.0	1070.0	1349.0	
11AX20MIMO	5500	Type5	6	13	452335.0	13	11	61.4	1451.0			
11AX20MIMO	5500	Type5	6	14	643395.0	13	3	90.6	1233.0	1562.0	1887.0	
1AX40MIMO	5510	Type5	6	0	329022.0	13	3	96.6	1182.0	1609.0	1581.0	
1AX40MIMO	5510	Type5	6	1	521718.0	13	3	96.7	1829.0	1799.0	1154.0	
1AX40MIMO	5510	Type5	6	2	714222.0	13	3	86.5	1923.0	1396.0	1865.0	
1AX40MIMO	5510	Type5	6	3	112450.0	13	2	73.3	1908.0	1318.0		
1AX40MIMO	5510	Type5	6	4	306283.0	13	1	55.8	1688.0			
1AX40MIMO	5510	Type5	6	5	500239.0	13	1	55.4	1145.0			
1AX40MIMO	5510	Type5	6	6	690932.0	13	3	85.3	1336.0	1504.0	1820.0	
1AX40MIMO	5510	Type5	6	7	88645.0	13	2	79.4	1344.0	1893.0		
1AX40MIMO	5510	Type5	6	8	282508.0	13	1	65.7	1476.0			
1AX40MIMO	5510	Type5	6	9	475842.0	13	2	68.6	1008.0	1028.0		
1AX40MIMO	5510	Type5	6	10	667887.0	13	2	77.7	1972.0	1835.0		
1AX40MIMO	5510	Type5	6	11	64845.0	13	2	79.6	1882.0	1331.0		
1AX40MIMO	5510	Type5	6	12	257755.0	13	3	94.9	1830.0	1070.0	1349.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. F Plant, No. 1, Purasheng Toad, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 73 of 119

							· ago.				
1AX40MIMO	5510	Type5	6	13	452335.0	13	1	61.4	1451.0		
1AX40MIMO	5510	Type5	6	14	643395.0	13	3	90.6	1233.0	1562.0	1887.0
11AX80MIMO	5530	Type5	6	0	329022.0	13	3	96.6	1182.0	1609.0	1581.0
11AX80MIMO	5530	Type5	6	1	521718.0	13	3	96.7	1829.0	1799.0	1154.0
11AX80MIMO	5530	Type5	6	2	714222.0	13	3	86.5	1923.0	1396.0	1865.0
11AX80MIMO	5530	Type5	6	3	112450.0	13	2	73.3	1908.0	1318.0	
11AX80MIMO	5530	Type5	6	4	306283.0	13	1	55.8	1688.0		
11AX80MIMO	5530	Type5	6	5	500239.0	13	1	55.4	1145.0		
11AX80MIMO	5530	Type5	6	6	690932.0	13	3	85.3	1336.0	1504.0	1820.0
11AX80MIMO	5530	Type5	6	7	88645.0	13	2	79.4	1344.0	1893.0	
11AX80MIMO	5530	Type5	6	8	282508.0	13	1	65.7	1476.0		
11AX80MIMO	5530	Type5	6	9	475842.0	13	2	68.6	1008.0	1028.0	
11AX80MIMO	5530	Type5	6	10	667887.0	13	2	77.7	1972.0	1835.0	
11AX80MIMO	5530	Type5	6	11	64845.0	13	2	79.6	1882.0	1331.0	
11AX80MIMO	5530	Type5	6	12	257755.0	13	3	94.9	1830.0	1070.0	1349.0
11AX80MIMO	5530	Type5	6	13	452335.0	13	1	61.4	1451.0		
11AX80MIMO	5530	Type5	6	14	643395.0	13	3	90.6	1233.0	1562.0	1887.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 74 of 119

			@FCC	RLAN_[DFS_SPC_I	Radar_T5	5_SP2_Tr7@				
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)
11AX20MIMO	5500	Type5	7	0	51446.0	10	1	52.6	1210.0		
11AX20MIMO	5500	Type5	7	1	292696.0	10	3	84.1	1314.0	1725.0	1529.0
11AX20MIMO	5500	Type5	7	2	533989.0	10	3	97.7	1139.0	1868.0	1805.0
11AX20MIMO	5500	Type5	7	3	775564.0	10	3	97.3	1341.0	1446.0	1755.0
11AX20MIMO	5500	Type5	7	4	21542.0	10	3	98.8	1544.0	1386.0	1302.0
11AX20MIMO	5500	Type5	7	5	263385.0	10	2	72.2	1771.0	1184.0	
11AX20MIMO	5500	Type5	7	6	505581.0	10	2	67.6	1175.0	1027.0	
11AX20MIMO	5500	Type5	7	7	747058.0	10	2	75.7	1026.0	1871.0	
11AX20MIMO	5500	Type5	7	8	989976.0	10	1	60.9	1798.0		
11AX20MIMO	5500	Type5	7	9	234024.0	10	1	64.2	1138.0		
11AX20MIMO	5500	Type5	7	10	475207.0	10	2	78.8	1784.0	1604.0	
11AX20MIMO	5500	Type5	7	11	715825.0	10	3	87.5	1511.0	1712.0	1683.0
1AX40MIMO	5510	Type5	7	0	51446.0	10	1	52.6	1210.0		
1AX40MIMO	5510	Type5	7	1	292696.0	10	3	84.1	1314.0	1725.0	1529.0
1AX40MIMO	5510	Type5	7	2	533989.0	10	3	97.7	1139.0	1868.0	1805.0
1AX40MIMO	5510	Type5	7	3	775564.0	10	3	97.3	1341.0	1446.0	1755.0
1AX40MIMO	5510	Type5	7	4	21542.0	10	3	98.8	1544.0	1386.0	1302.0
1AX40MIMO	5510	Type5	7	5	263385.0	10	2	72.2	1771.0	1184.0	
1AX40MIMO	5510	Type5	7	6	505581.0	10	2	67.6	1175.0	1027.0	
1AX40MIMO	5510	Type5	7	7	747058.0	10	2	75.7	1026.0	1871.0	
1AX40MIMO	5510	Type5	7	8	989976.0	10	1	60.9	1798.0		
1AX40MIMO	5510	Type5	7	9	234024.0	10	1	64.2	1138.0		
1AX40MIMO	5510	Type5	7	10	475207.0	10	2	78.8	1784.0	1604.0	
1AX40MIMO	5510	Type5	7	11	715825.0	10	3	87.5	1511.0	1712.0	1683.0
11AX80MIMO	5530	Type5	7	0	51446.0	10	1	52.6	1210.0		
11AX80MIMO	5530	Type5	7	1	292696.0	10	3	84.1	1314.0	1725.0	1529.0
11AX80MIMO	5530	Type5	7	2	533989.0	10	3	97.7	1139.0	1868.0	1805.0
11AX80MIMO	5530	Type5	7	3	775564.0	10	3	97.3	1341.0	1446.0	1755.0



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Cond

South of No. F Plant, No. 1, Purchang Tead, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜商(号的6号厂房商部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 75 of 119

11AX80MIMO	5530	Type5	7	4	21542.0	10	3	98.8	1544.0	1386.0	1302.0
11AX80MIMO	5530	Type5	7	5	263385.0	10	2	72.2	1771.0	1184.0	
11AX80MIMO	5530	Type5	7	6	505581.0	10	2	67.6	1175.0	1027.0	
11AX80MIMO	5530	Type5	7	7	747058.0	10	2	75.7	1026.0	1871.0	
			7	0		-				1071.0	
11AX80MIMO	5530	Type5	/	8	989976.0	10	l	60.9	1798.0		
11AX80MIMO	5530	Type5	7	9	234024.0	10	1	64.2	1138.0		
11AX80MIMO	5530	Type5	7	10	475207.0	10	2	78.8	1784.0	1604.0	
11AX80MIMO	5530	Type5	7	11	715825.0	10	3	87.5	1511.0	1712.0	1683.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf, for electronic format documents subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 76 of 119

			@FCC	RLAN_[DFS_SPC_I	Radar_T5	5_SP2_Tr8@				
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)
11AX20MIMO	5500	Type5	8	0	823112.0	13	1	54.1	1415.0		
11AX20MIMO	5500	Type5	8	1	174965.0	13	1	50.7	1221.0		
11AX20MIMO	5500	Type5	8	2	382216.0	13	1	52.3	1974.0		
11AX20MIMO	5500	Type5	8	3	587395.0	13	3	99.8	1558.0	1696.0	1949.0
11AX20MIMO	5500	Type5	8	4	796897.0	13	2	68.4	1014.0	1099.0	
11AX20MIMO	5500	Type5	8	5	149042.0	13	2	80.8	1736.0	1505.0	
11AX20MIMO	5500	Type5	8	6	356750.0	13	1	62.5	1778.0		
11AX20MIMO	5500	Type5	8	7	563824.0	13	2	74.8	1149.0	1204.0	
11AX20MIMO	5500	Type5	8	8	772314.0	13	1	50.8	1049.0		
11AX20MIMO	5500	Type5	8	9	123796.0	13	1	54.0	1417.0		
11AX20MIMO	5500	Type5	8	10	331215.0	13	1	63.0	1730.0		
11AX20MIMO	5500	Type5	8	11	537402.0	13	3	91.8	1143.0	1270.0	1347.0
11AX20MIMO	5500	Type5	8	12	744805.0	13	2	79.3	1274.0	1992.0	
11AX20MIMO	5500	Type5	8	13	98172.0	13	1	64.3	1937.0		
1AX40MIMO	5510	Type5	8	0	823112.0	13	1	54.1	1415.0		
1AX40MIMO	5510	Type5	8	1	174965.0	13	1	50.7	1221.0		
1AX40MIMO	5510	Type5	8	2	382216.0	13	1	52.3	1974.0		
1AX40MIMO	5510	Type5	8	3	587395.0	13	3	99.8	1558.0	1696.0	1949.0
1AX40MIMO	5510	Type5	8	4	796897.0	13	2	68.4	1014.0	1099.0	
1AX40MIMO	5510	Type5	8	5	149042.0	13	2	80.8	1736.0	1505.0	
1AX40MIMO	5510	Type5	8	6	356750.0	13	1	62.5	1778.0		
1AX40MIMO	5510	Type5	8	7	563824.0	13	2	74.8	1149.0	1204.0	
1AX40MIMO	5510	Type5	8	8	772314.0	13	1	50.8	1049.0		
1AX40MIMO	5510	Type5	8	9	123796.0	13	1	54.0	1417.0		
1AX40MIMO	5510	Type5	8	10	331215.0	13	1	63.0	1730.0		
1AX40MIMO	5510	Type5	8	11	537402.0	13	3	91.8	1143.0	1270.0	1347.0
1AX40MIMO	5510	Type5	8	12	744805.0	13	2	79.3	1274.0	1992.0	
1AX40MIMO	5510	Type5	8	13	98172.0	13	1	64.3	1937.0		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 77 of 119

11AX80MIMO	5530	Type5	8	0	823112.0	13	1	54.1	1415.0		
11AX80MIMO	5530	Type5	8	1	174965.0	13	1	50.7	1221.0		
11AX80MIMO	5530	Type5	8	2	382216.0	13	1	52.3	1974.0		
11AX80MIMO	5530	Type5	8	3	587395.0	13	3	99.8	1558.0	1696.0	1949.0
11AX80MIMO	5530	Type5	8	4	796897.0	13	2	68.4	1014.0	1099.0	
11AX80MIMO	5530	Type5	8	5	149042.0	13	2	80.8	1736.0	1505.0	
11AX80MIMO	5530	Type5	8	6	356750.0	13	1	62.5	1778.0		
11AX80MIMO	5530	Type5	8	7	563824.0	13	2	74.8	1149.0	1204.0	
11AX80MIMO	5530	Type5	8	8	772314.0	13	1	50.8	1049.0		
11AX80MIMO	5530	Type5	8	9	123796.0	13	1	54.0	1417.0		
11AX80MIMO	5530	Type5	8	10	331215.0	13	1	63.0	1730.0		
11AX80MIMO	5530	Type5	8	11	537402.0	13	3	91.8	1143.0	1270.0	1347.0
11AX80MIMO	5530	Type5	8	12	744805.0	13	2	79.3	1274.0	1992.0	1347.0
			8	13		13					
11AX80MIMO	5530	Type5	0	l 13	98172.0	13	1	64.3	1937.0		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Punsteing Rosal, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号广房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 78 of 119

			@FC0	C_RLAN_	DFS_SPC_F	Radar_T5	_SP2_Tr9@				
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)
11AX20MIMO	5500	Type5	9	0	535615.0	6	1	63.4	1043.0		
11AX20MIMO	5500	Type5	9	1	898668.0	6	1	52.0	1863.0		
11AX20MIMO	5500	Type5	9	2	1259235.0	6	3	97.2	1973.0	1605.0	1583.0
11AX20MIMO	5500	Type5	9	3	127106.0	6	2	78.7	1466.0	1743.0	
11AX20MIMO	5500	Type5	9	4	490358.0	6	2	74.2	1280.0	1219.0	
11AX20MIMO	5500	Type5	9	5	852409.0	6	3	88.7	1293.0	1934.0	1273.0
11AX20MIMO	5500	Type5	9	6	1217152.0	6	1	54.3	1991.0		
11AX20MIMO	5500	Type5	9	7	82296.0	6	3	95.4	1580.0	1555.0	1791.0
1AX40MIMO	5510	Type5	9	0	535615.0	6	1	63.4	1043.0		
1AX40MIMO	5510	Type5	9	1	898668.0	6	1	52.0	1863.0		
1AX40MIMO	5510	Type5	9	2	1259235.0	6	3	97.2	1973.0	1605.0	1583.0
1AX40MIMO	5510	Type5	9	3	127106.0	6	2	78.7	1466.0	1743.0	
1AX40MIMO	5510	Type5	9	4	490358.0	6	2	74.2	1280.0	1219.0	
1AX40MIMO	5510	Type5	9	5	852409.0	6	3	88.7	1293.0	1934.0	1273.0
1AX40MIMO	5510	Type5	9	6	1217152.0	6	1	54.3	1991.0		
1AX40MIMO	5510	Type5	9	7	82296.0	6	3	95.4	1580.0	1555.0	1791.0
11AX80MIMO	5530	Type5	9	0	535615.0	6	1	63.4	1043.0		
11AX80MIMO	5530	Type5	9	1	898668.0	6	1	52.0	1863.0		
11AX80MIMO	5530	Type5	9	2	1259235.0	6	3	97.2	1973.0	1605.0	1583.0
11AX80MIMO	5530	Type5	9	3	127106.0	6	2	78.7	1466.0	1743.0	
11AX80MIMO	5530	Type5	9	4	490358.0	6	2	74.2	1280.0	1219.0	
11AX80MIMO	5530	Type5	9	5	852409.0	6	3	88.7	1293.0	1934.0	1273.0
11AX80MIMO	5530	Type5	9	6	1217152.0	6	1	54.3	1991.0		
11AX80MIMO	5530	Type5	9	7	82296.0	6	3	95.4	1580.0	1555.0	1791.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 79 of 119

			@FCC	_RLAN_D	FS_SPC_F	Radar_T5	SP2_Tr10@)			
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)
11AX20MIMO	5500	Type5	10	0	209249.0	16	2	73.7	1208.0	1497.0	
11AX20MIMO	5500	Type5	10	1	378386.0	16	3	97.4	1942.0	1754.0	1613.0
11AX20MIMO	5500	Type5	10	2	548411.0	16	3	91.7	1999.0	1702.0	1462.0
11AX20MIMO	5500	Type5	10	3	17733.0	16	1	66.2	1393.0		
11AX20MIMO	5500	Type5	10	4	187952.0	16	2	70.8	1968.0	1821.0	
11AX20MIMO	5500	Type5	10	5	359277.0	16	1	52.3	1740.0		
11AX20MIMO	5500	Type5	10	6	528886.0	16	2	78.9	1308.0	1984.0	
11AX20MIMO	5500	Type5	10	7	700166.0	16	2	70.9	1050.0	1358.0	
11AX20MIMO	5500	Type5	10	8	167197.0	16	2	75.6	1437.0	1430.0	
11AX20MIMO	5500	Type5	10	9	338262.0	16	1	59.1	1697.0		
11AX20MIMO	5500	Type5	10	10	508324.0	16	2	77.0	1397.0	1304.0	
11AX20MIMO	5500	Type5	10	11	678689.0	16	2	67.9	1803.0	1083.0	
11AX20MIMO	5500	Type5	10	12	146031.0	16	2	81.2	1720.0	1932.0	
11AX20MIMO	5500	Type5	10	13	316923.0	16	2	78.7	1247.0	1121.0	
11AX20MIMO	5500	Type5	10	14	488056.0	16	1	63.3	1634.0		
11AX20MIMO	5500	Type5	10	15	657326.0	16	2	68.9	1849.0	1423.0	
11AX20MIMO	5500	Type5	10	16	125509.0	16	1	59.3	1093.0		
1AX40MIMO	5510	Type5	10	0	209249.0	16	2	73.7	1208.0	1497.0	
1AX40MIMO	5510	Type5	10	1	378386.0	16	3	97.4	1942.0	1754.0	1613.0
1AX40MIMO	5510	Type5	10	2	548411.0	16	3	91.7	1999.0	1702.0	1462.0
1AX40MIMO	5510	Type5	10	3	17733.0	16	1	66.2	1393.0		
1AX40MIMO	5510	Type5	10	4	187952.0	16	2	70.8	1968.0	1821.0	
1AX40MIMO	5510	Type5	10	5	359277.0	16	1	52.3	1740.0		
1AX40MIMO	5510	Type5	10	6	528886.0	16	2	78.9	1308.0	1984.0	
1AX40MIMO	5510	Type5	10	7	700166.0	16	2	70.9	1050.0	1358.0	
1AX40MIMO	5510	Type5	10	8	167197.0	16	2	75.6	1437.0	1430.0	
1AX40MIMO	5510	Type5	10	9	338262.0	16	1	59.1	1697.0		
1AX40MIMO	5510	Type5	10	10	508324.0	16	2	77.0	1397.0	1304.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 80 of 119

							3-				
1AX40MIMO	5510	Type5	10	11	678689.0	16	2	67.9	1803.0	1083.0	
1AX40MIMO	5510	Type5	10	12	146031.0	16	2	81.2	1720.0	1932.0	
1AX40MIMO	5510	Type5	10	13	316923.0	16	2	78.7	1247.0	1121.0	
1AX40MIMO	5510	Type5	10	14	488056.0	16	1	63.3	1634.0		
1AX40MIMO	5510	Type5	10	15	657326.0	16	2	68.9	1849.0	1423.0	
1AX40MIMO	5510	Type5	10	16	125509.0	16	1	59.3	1093.0		
11AX80MIMO	5530	Type5	10	0	209249.0	16	2	73.7	1208.0	1497.0	
11AX80MIMO	5530	Type5	10	1	378386.0	16	3	97.4	1942.0	1754.0	1613.0
11AX80MIMO	5530	Type5	10	2	548411.0	16	3	91.7	1999.0	1702.0	1462.0
11AX80MIMO	5530	Type5	10	3	17733.0	16	1	66.2	1393.0		
11AX80MIMO	5530	Type5	10	4	187952.0	16	2	70.8	1968.0	1821.0	
11AX80MIMO	5530	Type5	10	5	359277.0	16	1	52.3	1740.0		
11AX80MIMO	5530	Type5	10	6	528886.0	16	2	78.9	1308.0	1984.0	
11AX80MIMO	5530	Type5	10	7	700166.0	16	2	70.9	1050.0	1358.0	
11AX80MIMO	5530	Type5	10	8	167197.0	16	2	75.6	1437.0	1430.0	
11AX80MIMO	5530	Type5	10	9	338262.0	16	1	59.1	1697.0		
11AX80MIMO	5530	Type5	10	10	508324.0	16	2	77.0	1397.0	1304.0	
11AX80MIMO	5530	Type5	10	11	678689.0	16	2	67.9	1803.0	1083.0	
11AX80MIMO	5530	Type5	10	12	146031.0	16	2	81.2	1720.0	1932.0	
11AX80MIMO	5530	Type5	10	13	316923.0	16	2	78.7	1247.0	1121.0	
11AX80MIMO	5530	Type5	10	14	488056.0	16	1	63.3	1634.0		
11AX80MIMO	5530	Type5	10	15	657326.0	16	2	68.9	1849.0	1423.0	
11AX80MIMO	5530	Type5	10	16	125509.0	16	1	59.3	1093.0		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request for accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.anf, for electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document accoment cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 81 of 119

			@FCC	_RLAN_D	FS_SPC_F	Radar_T5	_SP2_Tr11@)			
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)
11AX20MIMO	5500	Type5	11	0	263736.0	19	3	98.9	1381.0	1680.0	1488.0
11AX20MIMO	5500	Type5	11	1	416459.0	19	2	82.3	1716.0	1855.0	
11AX20MIMO	5500	Type5	11	2	567902.0	19	3	86.7	1211.0	1400.0	1919.0
11AX20MIMO	5500	Type5	11	3	92979.0	19	3	89.7	1861.0	1068.0	1282.0
11AX20MIMO	5500	Type5	11	4	245155.0	19	3	98.6	1507.0	1194.0	1461.0
11AX20MIMO	5500	Type5	11	5	397609.0	19	2	71.1	1921.0	1789.0	
11AX20MIMO	5500	Type5	11	6	551431.0	19	1	55.9	1947.0		
11AX20MIMO	5500	Type5	11	7	74413.0	19	2	67.9	1350.0	1372.0	
11AX20MIMO	5500	Type5	11	8	226559.0	19	3	84.4	1203.0	1107.0	1443.0
11AX20MIMO	5500	Type5	11	9	380056.0	19	1	58.8	1715.0		
11AX20MIMO	5500	Type5	11	10	533408.0	19	1	65.6	1017.0		
11AX20MIMO	5500	Type5	11	11	55547.0	19	2	78.5	1911.0	1704.0	
11AX20MIMO	5500	Type5	11	12	207876.0	19	2	82.3	1845.0	1686.0	
11AX20MIMO	5500	Type5	11	13	359771.0	19	3	90.1	1938.0	1071.0	1266.0
11AX20MIMO	5500	Type5	11	14	511297.0	19	3	90.2	1989.0	1089.0	1950.0
11AX20MIMO	5500	Type5	11	15	36803.0	19	2	83.1	1943.0	1406.0	
11AX20MIMO	5500	Type5	11	16	189652.0	19	1	58.8	1742.0		
11AX20MIMO	5500	Type5	11	17	341809.0	19	2	77.0	1187.0	1657.0	
11AX20MIMO	5500	Type5	11	18	495737.0	19	1	55.0	1012.0		
1AX40MIMO	5510	Type5	11	0	263736.0	19	3	98.9	1381.0	1680.0	1488.0
1AX40MIMO	5510	Type5	11	1	416459.0	19	2	82.3	1716.0	1855.0	
1AX40MIMO	5510	Type5	11	2	567902.0	19	3	86.7	1211.0	1400.0	1919.0
1AX40MIMO	5510	Type5	11	3	92979.0	19	3	89.7	1861.0	1068.0	1282.0
1AX40MIMO	5510	Type5	11	4	245155.0	19	3	98.6	1507.0	1194.0	1461.0
1AX40MIMO	5510	Type5	11	5	397609.0	19	2	71.1	1921.0	1789.0	
1AX40MIMO	5510	Type5	11	6	551431.0	19	1	55.9	1947.0		
1AX40MIMO	5510	Type5	11	7	74413.0	19	2	67.9	1350.0	1372.0	
1AX40MIMO	5510	Type5	11	8	226559.0	19	3	84.4	1203.0	1107.0	1443.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. F Plant, No. 1, Purasheng Tosad, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 82 of 119

		1		1	1		raye.	02 0			
1AX40MIMO	5510	Type5	11	9	380056.0	19	1	58.8	1715.0		
1AX40MIMO	5510	Type5	11	10	533408.0	19	1	65.6	1017.0		
1AX40MIMO	5510	Type5	11	11	55547.0	19	2	78.5	1911.0	1704.0	
1AX40MIMO	5510	Type5	11	12	207876.0	19	2	82.3	1845.0	1686.0	
1AX40MIMO	5510	Type5	11	13	359771.0	19	3	90.1	1938.0	1071.0	1266.0
1AX40MIMO	5510	Type5	11	14	511297.0	19	3	90.2	1989.0	1089.0	1950.0
1AX40MIMO	5510	Type5	11	15	36803.0	19	2	83.1	1943.0	1406.0	
1AX40MIMO	5510	Type5	11	16	189652.0	19	1	58.8	1742.0		
1AX40MIMO	5510	Type5	11	17	341809.0	19	2	77.0	1187.0	1657.0	
1AX40MIMO	5510	Type5	11	18	495737.0	19	1	55.0	1012.0		
11AX80MIMO	5530	Type5	11	0	263736.0	19	3	98.9	1381.0	1680.0	1488.0
11AX80MIMO	5530	Type5	11	1	416459.0	19	2	82.3	1716.0	1855.0	
11AX80MIMO	5530	Type5	11	2	567902.0	19	3	86.7	1211.0	1400.0	1919.0
11AX80MIMO	5530	Type5	11	3	92979.0	19	3	89.7	1861.0	1068.0	1282.0
11AX80MIMO	5530	Type5	11	4	245155.0	19	3	98.6	1507.0	1194.0	1461.0
11AX80MIMO	5530	Type5	11	5	397609.0	19	2	71.1	1921.0	1789.0	
11AX80MIMO	5530	Type5	11	6	551431.0	19	1	55.9	1947.0		
11AX80MIMO	5530	Type5	11	7	74413.0	19	2	67.9	1350.0	1372.0	
11AX80MIMO	5530	Type5	11	8	226559.0	19	3	84.4	1203.0	1107.0	1443.0
11AX80MIMO	5530	Type5	11	9	380056.0	19	1	58.8	1715.0		
11AX80MIMO	5530	Type5	11	10	533408.0	19	1	65.6	1017.0		
11AX80MIMO	5530	Type5	11	11	55547.0	19	2	78.5	1911.0	1704.0	
11AX80MIMO	5530	Type5	11	12	207876.0	19	2	82.3	1845.0	1686.0	
11AX80MIMO	5530	Type5	11	13	359771.0	19	3	90.1	1938.0	1071.0	1266.0
11AX80MIMO	5530	Type5	11	14	511297.0	19	3	90.2	1989.0	1089.0	1950.0
11AX80MIMO	5530	Type5	11	15	36803.0	19	2	83.1	1943.0	1406.0	
11AX80MIMO	5530	Type5	11	16	189652.0	19	1	58.8	1742.0		
11AX80MIMO	5530	Type5	11	17	341809.0	19	2	77.0	1187.0	1657.0	
11AX80MIMO	5530	Type5	11	18	495737.0	19	1	55.0	1012.0		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 83 of 119

			@FCC	_RLAN_D	FS_SPC_F	Radar_T5	_SP2_Tr12@)			
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)
11AX20MIMO	5500	Type5	12	0	22911.0	13	1	58.1	1929.0		
11AX20MIMO	5500	Type5	12	1	216473.0	13	1	52.1	1910.0		
11AX20MIMO	5500	Type5	12	2	410004.0	13	1	59.9	1971.0		
11AX20MIMO	5500	Type5	12	3	603671.0	13	1	60.2	1812.0		
11AX20MIMO	5500	Type5	12	4	794160.0	13	3	95.9	1399.0	1906.0	1608.0
11AX20MIMO	5500	Type5	12	5	192251.0	13	2	79.9	1626.0	1859.0	
11AX20MIMO	5500	Type5	12	6	385590.0	13	2	78.5	1238.0	1917.0	
11AX20MIMO	5500	Type5	12	7	579862.0	13	1	53.8	1763.0		
11AX20MIMO	5500	Type5	12	8	773423.0	13	1	64.7	1800.0		
11AX20MIMO	5500	Type5	12	9	168898.0	13	1	61.4	1390.0		
11AX20MIMO	5500	Type5	12	10	361606.0	13	2	83.2	1692.0	1858.0	
11AX20MIMO	5500	Type5	12	11	553866.0	13	3	84.7	1533.0	1677.0	1638.0
11AX20MIMO	5500	Type5	12	12	747241.0	13	3	88.7	1703.0	1528.0	1058.0
11AX20MIMO	5500	Type5	12	13	144710.0	13	2	78.3	1258.0	1951.0	
11AX20MIMO	5500	Type5	12	14	337856.0	13	2	69.3	1731.0	1717.0	
1AX40MIMO	5510	Type5	12	0	22911.0	13	1	58.1	1929.0		
1AX40MIMO	5510	Type5	12	1	216473.0	13	1	52.1	1910.0		
1AX40MIMO	5510	Type5	12	2	410004.0	13	1	59.9	1971.0	1	
1AX40MIMO	5510	Type5	12	3	603671.0	13	1	60.2	1812.0	1	1
1AX40MIMO	5510	Type5	12	4	794160.0	13	3	95.9	1399.0	1906.0	1608.0
1AX40MIMO	5510	Type5	12	5	192251.0	13	2	79.9	1626.0	1859.0	
1AX40MIMO	5510	Type5	12	6	385590.0	13	2	78.5	1238.0	1917.0	
1AX40MIMO	5510	Type5	12	7	579862.0	13	1	53.8	1763.0		
1AX40MIMO	5510	Type5	12	8	773423.0	13	1	64.7	1800.0		
1AX40MIMO	5510	Type5	12	9	168898.0	13	1	61.4	1390.0		
1AX40MIMO	5510	Type5	12	10	361606.0	13	2	83.2	1692.0	1858.0	
1AX40MIMO	5510	Type5	12	11	553866.0	13	3	84.7	1533.0	1677.0	1638.0
1AX40MIMO	5510	Type5	12	12	747241.0	13	3	88.7	1703.0	1528.0	1058.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration ropery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

South of No. F Plant, No. 1, Purasheng Tosad, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 84 of 119

1AX40MIMO	5510	Type5	12	13	144710.0	13	2	78.3	1258.0	1951.0	
1AX40MIMO	5510	Type5	12	14	337856.0	13	2	69.3	1731.0	1717.0	
11AX80MIMO	5530	Type5	12	0	22911.0	13	1	58.1	1929.0		
11AX80MIMO	5530	Type5	12	1	216473.0	13	1	52.1	1910.0		
11AX80MIMO	5530	Type5	12	2	410004.0	13	1	59.9	1971.0		
11AX80MIMO	5530	Type5	12	3	603671.0	13	1	60.2	1812.0		
11AX80MIMO	5530	Type5	12	4	794160.0	13	3	95.9	1399.0	1906.0	1608.0
11AX80MIMO	5530	Type5	12	5	192251.0	13	2	79.9	1626.0	1859.0	
11AX80MIMO	5530	Type5	12	6	385590.0	13	2	78.5	1238.0	1917.0	
11AX80MIMO	5530	Type5	12	7	579862.0	13	1	53.8	1763.0		
11AX80MIMO	5530	Type5	12	8	773423.0	13	1	64.7	1800.0		
11AX80MIMO	5530	Type5	12	9	168898.0	13	1	61.4	1390.0		
11AX80MIMO	5530	Type5	12	10	361606.0	13	2	83.2	1692.0	1858.0	
		,									
11AX80MIMO	5530	Type5	12	11	553866.0	13	3	84.7	1533.0	1677.0	1638.0
11AX80MIMO	5530	Type5	12	12	747241.0	13	3	88.7	1703.0	1528.0	1058.0
11AX80MIMO	5530	Type5	12	13	144710.0	13	2	78.3	1258.0	1951.0	
11AX80MIMO	5530	Type5	12	14	337856.0	13	2	69.3	1731.0	1717.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 85 of 119

			@FCC	_RLAN_D	FS_SPC_F	Radar_T5	_SP2_Tr13@)			
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)
11AX20MIMO	5500	Type5	13	0	664275.0	10	2	75.3	1994.0	1612.0	
11AX20MIMO	5500	Type5	13	1	907886.0	10	1	56.3	1456.0		
11AX20MIMO	5500	Type5	13	2	151316.0	10	2	67.7	1617.0	1185.0	
11AX20MIMO	5500	Type5	13	3	393746.0	10	1	55.6	1337.0		
11AX20MIMO	5500	Type5	13	4	635093.0	10	2	75.2	1421.0	1267.0	
11AX20MIMO	5500	Type5	13	5	876993.0	10	2	76.3	1359.0	1305.0	
11AX20MIMO	5500	Type5	13	6	121278.0	10	3	85.7	1547.0	1362.0	1924.0
11AX20MIMO	5500	Type5	13	7	362696.0	10	3	98.4	1873.0	1550.0	1249.0
11AX20MIMO	5500	Type5	13	8	604342.0	10	3	86.4	1779.0	1439.0	1046.0
11AX20MIMO	5500	Type5	13	9	846453.0	10	3	93.6	1059.0	1031.0	1452.0
11AX20MIMO	5500	Type5	13	10	91871.0	10	1	63.3	1328.0		
11AX20MIMO	5500	Type5	13	11	333050.0	10	3	92.4	1412.0	1673.0	1322.0
1AX40MIMO	5510	Type5	13	0	664275.0	10	2	75.3	1994.0	1612.0	
1AX40MIMO	5510	Type5	13	1	907886.0	10	1	56.3	1456.0		
1AX40MIMO	5510	Type5	13	2	151316.0	10	2	67.7	1617.0	1185.0	
1AX40MIMO	5510	Type5	13	3	393746.0	10	1	55.6	1337.0		
1AX40MIMO	5510	Type5	13	4	635093.0	10	2	75.2	1421.0	1267.0	
1AX40MIMO	5510	Type5	13	5	876993.0	10	2	76.3	1359.0	1305.0	
1AX40MIMO	5510	Type5	13	6	121278.0	10	3	85.7	1547.0	1362.0	1924.0
1AX40MIMO	5510	Type5	13	7	362696.0	10	3	98.4	1873.0	1550.0	1249.0
1AX40MIMO	5510	Type5	13	8	604342.0	10	3	86.4	1779.0	1439.0	1046.0
1AX40MIMO	5510	Type5	13	9	846453.0	10	3	93.6	1059.0	1031.0	1452.0
1AX40MIMO	5510	Type5	13	10	91871.0	10	1	63.3	1328.0		
1AX40MIMO	5510	Type5	13	11	333050.0	10	3	92.4	1412.0	1673.0	1322.0
11AX80MIMO	5530	Type5	13	0	664275.0	10	2	75.3	1994.0	1612.0	
11AX80MIMO	5530	Type5	13	1	907886.0	10	1	56.3	1456.0		
11AX80MIMO	5530	Type5	13	2	151316.0	10	2	67.7	1617.0	1185.0	
11AX80MIMO	5530	Type5	13	3	393746.0	10	1	55.6	1337.0		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents stubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx students in information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 86 of 119

11AX80MIMO	5530	Type5	13	4	635093.0	10	2	75.2	1421.0	1267.0	
11AX80MIMO	5530	Type5	13	5	876993.0	10	2	76.3	1359.0	1305.0	
11AX80MIMO	5530	Type5	13	6	121278.0	10	3	85.7	1547.0	1362.0	1924.0
11AX80MIMO	5530	Type5	13	7	362696.0	10	3	98.4	1873.0	1550.0	1249.0
11AX80MIMO	5530	Type5	13	8	604342.0	10	3	86.4	1779.0	1439.0	1046.0
11AX80MIMO	5530	Type5	13	9	846453.0	10	3	93.6	1059.0	1031.0	1452.0
11AX80MIMO	5530	Type5	13	10	91871.0	10	1	63.3	1328.0		
11AX80MIMO	5530	Type5	13	11	333050.0	10	3	92.4	1412.0	1673.0	1322.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 87 of 119

			@FCC	_RLAN_D	FS_SPC_F	Radar_T5	_SP2_Tr14@)			
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)
11AX20MIMO	5500	Type5	14	0	361323.0	18	3	93.3	1983.0	1912.0	1535.0
11AX20MIMO	5500	Type5	14	1	515261.0	18	2	69.1	1102.0	1794.0	
11AX20MIMO	5500	Type5	14	2	39025.0	18	3	86.9	1044.0	1152.0	1148.0
11AX20MIMO	5500	Type5	14	3	190900.0	18	3	84.9	1894.0	1948.0	1118.0
11AX20MIMO	5500	Type5	14	4	343941.0	18	2	72.3	1094.0	1916.0	
11AX20MIMO	5500	Type5	14	5	497624.0	18	1	51.7	1447.0		
11AX20MIMO	5500	Type5	14	6	20319.0	18	1	58.3	1429.0		
11AX20MIMO	5500	Type5	14	7	172999.0	18	1	60.8	1979.0		
11AX20MIMO	5500	Type5	14	8	325872.0	18	1	57.1	1641.0		
11AX20MIMO	5500	Type5	14	9	475841.0	18	3	88.9	1886.0	1964.0	1489.0
11AX20MIMO	5500	Type5	14	10	1489.0	18	2	72.0	1909.0	1297.0	
11AX20MIMO	5500	Type5	14	11	153647.0	18	3	90.9	1261.0	1566.0	1370.0
11AX20MIMO	5500	Type5	14	12	307096.0	18	1	59.8	1552.0		
11AX20MIMO	5500	Type5	14	13	458804.0	18	2	70.0	1759.0	1291.0	
11AX20MIMO	5500	Type5	14	14	610798.0	18	2	67.2	1625.0	1881.0	
11AX20MIMO	5500	Type5	14	15	134759.0	18	3	91.2	1382.0	1832.0	1661.0
11AX20MIMO	5500	Type5	14	16	288306.0	18	1	56.5	1483.0		
11AX20MIMO	5500	Type5	14	17	441296.0	18	1	51.2	1237.0		
11AX20MIMO	5500	Type5	14	18	592780.0	18	2	74.1	1471.0	1245.0	
1AX40MIMO	5510	Type5	14	0	361323.0	18	3	93.3	1983.0	1912.0	1535.0
1AX40MIMO	5510	Type5	14	1	515261.0	18	2	69.1	1102.0	1794.0	
1AX40MIMO	5510	Type5	14	2	39025.0	18	3	86.9	1044.0	1152.0	1148.0
1AX40MIMO	5510	Type5	14	3	190900.0	18	3	84.9	1894.0	1948.0	1118.0
1AX40MIMO	5510	Type5	14	4	343941.0	18	2	72.3	1094.0	1916.0	
1AX40MIMO	5510	Type5	14	5	497624.0	18	1	51.7	1447.0		
1AX40MIMO	5510	Type5	14	6	20319.0	18	1	58.3	1429.0		
1AX40MIMO	5510	Type5	14	7	172999.0	18	1	60.8	1979.0		
1AX40MIMO	5510	Type5	14	8	325872.0	18	1	57.1	1641.0		



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Cond

South of No. F Plant, No. 1, Puncheng Toxal, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜裔(号的6号广房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 88 of 119

							i ago.		1 1 10		
1AX40MIMO	5510	Type5	14	9	475841.0	18	3	88.9	1886.0	1964.0	1489.0
1AX40MIMO	5510	Type5	14	10	1489.0	18	2	72.0	1909.0	1297.0	
1AX40MIMO	5510	Type5	14	11	153647.0	18	3	90.9	1261.0	1566.0	1370.0
1AX40MIMO	5510	Type5	14	12	307096.0	18	1	59.8	1552.0		
1AX40MIMO	5510	Type5	14	13	458804.0	18	2	70.0	1759.0	1291.0	
1AX40MIMO	5510	Type5	14	14	610798.0	18	2	67.2	1625.0	1881.0	
1AX40MIMO	5510	Type5	14	15	134759.0	18	3	91.2	1382.0	1832.0	1661.0
1AX40MIMO	5510	Type5	14	16	288306.0	18	1	56.5	1483.0		
1AX40MIMO	5510	Type5	14	17	441296.0	18	1	51.2	1237.0		
1AX40MIMO	5510	Type5	14	18	592780.0	18	2	74.1	1471.0	1245.0	
11AX80MIMO	5530	Type5	14	0	361323.0	18	3	93.3	1983.0	1912.0	1535.0
11AX80MIMO	5530	Type5	14	1	515261.0	18	2	69.1	1102.0	1794.0	
11AX80MIMO	5530	Type5	14	2	39025.0	18	3	86.9	1044.0	1152.0	1148.0
11AX80MIMO	5530	Type5	14	3	190900.0	18	3	84.9	1894.0	1948.0	1118.0
11AX80MIMO	5530	Type5	14	4	343941.0	18	2	72.3	1094.0	1916.0	
11AX80MIMO	5530	Type5	14	5	497624.0	18	1	51.7	1447.0		
11AX80MIMO	5530	Type5	14	6	20319.0	18	1	58.3	1429.0		
11AX80MIMO	5530	Type5	14	7	172999.0	18	1	60.8	1979.0		
11AX80MIMO	5530	Type5	14	8	325872.0	18	1	57.1	1641.0		
11AX80MIMO	5530	Type5	14	9	475841.0	18	3	88.9	1886.0	1964.0	1489.0
11AX80MIMO	5530	Type5	14	10	1489.0	18	2	72.0	1909.0	1297.0	
11AX80MIMO	5530	Type5	14	11	153647.0	18	3	90.9	1261.0	1566.0	1370.0
11AX80MIMO	5530	Type5	14	12	307096.0	18	1	59.8	1552.0		
11AX80MIMO	5530	Type5	14	13	458804.0	18	2	70.0	1759.0	1291.0	
11AX80MIMO	5530	Type5	14	14	610798.0	18	2	67.2	1625.0	1881.0	
11AX80MIMO	5530	Type5	14	15	134759.0	18	3	91.2	1382.0	1832.0	1661.0
11AX80MIMO	5530	Type5	14	16	288306.0	18	1	56.5	1483.0		
11AX80MIMO	5530	Type5	14	17	441296.0	18	1	51.2	1237.0		
11AX80MIMO	5530	Type5	14	18	592780.0	18	2	74.1	1471.0	1245.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 89 of 119

			@FCC	_RLAN_D	FS_SPC_F	Radar_T5	_SP2_Tr15@)			
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)
11AX20MIMO	5500	Type5	15	0	158286.0	12	2	76.9	1110.0	1140.0	
11AX20MIMO	5500	Type5	15	1	366024.0	12	1	50.2	1316.0		
11AX20MIMO	5500	Type5	15	2	573452.0	12	1	62.9	1520.0		
11AX20MIMO	5500	Type5	15	3	780619.0	12	1	64.7	1902.0		
11AX20MIMO	5500	Type5	15	4	132455.0	12	3	83.8	1410.0	1097.0	1621.0
11AX20MIMO	5500	Type5	15	5	340207.0	12	1	65.4	1944.0		
11AX20MIMO	5500	Type5	15	6	548208.0	12	1	53.2	1024.0		
11AX20MIMO	5500	Type5	15	7	755333.0	12	1	51.7	1603.0		
11AX20MIMO	5500	Type5	15	8	107117.0	12	2	78.7	1804.0	1168.0	
11AX20MIMO	5500	Type5	15	9	314500.0	12	2	72.4	1030.0	1343.0	
11AX20MIMO	5500	Type5	15	10	522447.0	12	1	53.8	1327.0		
11AX20MIMO	5500	Type5	15	11	728517.0	12	2	73.6	1524.0	1553.0	
11AX20MIMO	5500	Type5	15	12	81611.0	12	2	66.7	1722.0	1122.0	
11AX20MIMO	5500	Type5	15	13	288948.0	12	2	82.5	1404.0	1019.0	
1AX40MIMO	5510	Type5	15	0	158286.0	12	2	76.9	1110.0	1140.0	
1AX40MIMO	5510	Type5	15	1	366024.0	12	1	50.2	1316.0		
1AX40MIMO	5510	Type5	15	2	573452.0	12	1	62.9	1520.0		
1AX40MIMO	5510	Type5	15	3	780619.0	12	1	64.7	1902.0		
1AX40MIMO	5510	Type5	15	4	132455.0	12	3	83.8	1410.0	1097.0	1621.0
1AX40MIMO	5510	Type5	15	5	340207.0	12	1	65.4	1944.0		
1AX40MIMO	5510	Type5	15	6	548208.0	12	1	53.2	1024.0		
1AX40MIMO	5510	Type5	15	7	755333.0	12	1	51.7	1603.0		
1AX40MIMO	5510	Type5	15	8	107117.0	12	2	78.7	1804.0	1168.0	
1AX40MIMO	5510	Type5	15	9	314500.0	12	2	72.4	1030.0	1343.0	
1AX40MIMO	5510	Type5	15	10	522447.0	12	1	53.8	1327.0		
1AX40MIMO	5510	Type5	15	11	728517.0	12	2	73.6	1524.0	1553.0	
1AX40MIMO	5510	Type5	15	12	81611.0	12	2	66.7	1722.0	1122.0	
1AX40MIMO	5510	Type5	15	13	288948.0	12	2	82.5	1404.0	1019.0	



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Cond

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 90 of 119

11AX80MIMO	5530	Type5	15	0	158286.0	12	2	76.9	1110.0	1140.0	
11AX80MIMO	5530	Type5	15	1	366024.0	12	1	50.2	1316.0		
11AX80MIMO	5530	Type5	15	2	573452.0	12	1	62.9	1520.0		
11AX80MIMO	5530	Type5	15	3	780619.0	12	1	64.7	1902.0		
11AX80MIMO	5530	Type5	15	4	132455.0	12	3	83.8	1410.0	1097.0	1621.0
11AX80MIMO	5530	Type5	15	5	340207.0	12	1	65.4	1944.0		
11AX80MIMO	5530	Type5	15	6	548208.0	12	1	53.2	1024.0		
11AX80MIMO	5530	Type5	15	7	755333.0	12	1	51.7	1603.0		
11AX80MIMO	5530	Type5	15	8	107117.0	12	2	78.7	1804.0	1168.0	
11AX80MIMO	5530	Type5	15	9	314500.0	12	2	72.4	1030.0	1343.0	
11AX80MIMO	5530	Type5	15	10	522447.0	12	1	53.8	1327.0		
11AX80MIMO	5530	Type5	15	11	728517.0	12	2	73.6	1524.0	1553.0	
11AX80MIMO	5530	Type5	15	12	81611.0	12	2	66.7	1722.0	1122.0	
11AX80MIMO	5530		15	13	288948.0	12	2	82.5	1404.0	1019.0	
UIVIIIVIO	5550	Type5	10	l 13	200940.0	12		02.5	1404.0	1019.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents stubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx students in information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SEWA2204000010RG13

Rev.: 01

91 of 119 Page:

	@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr16@ Burst Chirp Number Pulse													
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)			
11AX20MIMO	5500	Type5	16	0	345766.0	20	3	87.6	1565.0	1055.0	1840.0			
11AX20MIMO	5500	Type5	16	1	490019.0	20	3	85.2	1735.0	1541.0	1408.0			
11AX20MIMO	5500	Type5	16	2	39073.0	20	3	84.8	1534.0	1889.0	1463.0			
11AX20MIMO	5500	Type5	16	3	183923.0	20	2	77.9	1749.0	1460.0				
11AX20MIMO	5500	Type5	16	4	328777.0	20	2	76.5	1518.0	1485.0				
11AX20MIMO	5500	Type5	16	5	474728.0	20	1	60.9	1540.0					
11AX20MIMO	5500	Type5	16	6	21394.0	20	2	83.0	1080.0	1010.0				
11AX20MIMO	5500	Type5	16	7	165992.0	20	2	80.4	1824.0	1752.0				
11AX20MIMO	5500	Type5	16	8	310973.0	20	2	67.5	1764.0	1181.0				
11AX20MIMO	5500	Type5	16	9	456884.0	20	1	62.1	1495.0					
11AX20MIMO	5500	Type5	16	10	3515.0	20	3	86.4	1773.0	1966.0	1263.0			
11AX20MIMO	5500	Type5	16	11	147928.0	20	3	84.3	1593.0	1188.0	1788.0			
11AX20MIMO	5500	Type5	16	12	293225.0	20	2	76.9	1226.0	1537.0				
11AX20MIMO	5500	Type5	16	13	436922.0	20	3	95.8	1192.0	1298.0	1844.0			
11AX20MIMO	5500	Type5	16	14	584015.0	20	1	55.2	1644.0					
11AX20MIMO	5500	Type5	16	15	130832.0	20	1	59.0	1402.0					
11AX20MIMO	5500	Type5	16	16	274684.0	20	3	94.5	1296.0	1700.0	1283.0			
11AX20MIMO	5500	Type5	16	17	418579.0	20	3	91.9	1970.0	1978.0	1165.0			
11AX20MIMO	5500	Type5	16	18	563464.0	20	3	85.2	1732.0	1551.0	1189.0			
11AX20MIMO	5500	Type5	16	19	112787.0	20	2	69.5	1038.0	1224.0				
1AX40MIMO	5510	Type5	16	0	345766.0	20	3	87.6	1565.0	1055.0	1840.0			
1AX40MIMO	5510	Type5	16	1	490019.0	20	3	85.2	1735.0	1541.0	1408.0			
1AX40MIMO	5510	Type5	16	2	39073.0	20	3	84.8	1534.0	1889.0	1463.0			
1AX40MIMO	5510	Type5	16	3	183923.0	20	2	77.9	1749.0	1460.0				
1AX40MIMO	5510	Type5	16	4	328777.0	20	2	76.5	1518.0	1485.0				
1AX40MIMO	5510	Type5	16	5	474728.0	20	1	60.9	1540.0					
1AX40MIMO	5510	Type5	16	6	21394.0	20	2	83.0	1080.0	1010.0				
1AX40MIMO	5510	Type5	16	7	165992.0	20	2	80.4	1824.0	1752.0				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 92 of 119

							i age.	<u> </u>		1	
1AX40MIMO	5510	Type5	16	8	310973.0	20	2	67.5	1764.0	1181.0	
1AX40MIMO	5510	Type5	16	9	456884.0	20	1	62.1	1495.0		
1AX40MIMO	5510	Type5	16	10	3515.0	20	3	86.4	1773.0	1966.0	1263.0
1AX40MIMO	5510	Type5	16	11	147928.0	20	3	84.3	1593.0	1188.0	1788.0
1AX40MIMO	5510	Type5	16	12	293225.0	20	2	76.9	1226.0	1537.0	
1AX40MIMO	5510	Type5	16	13	436922.0	20	3	95.8	1192.0	1298.0	1844.0
1AX40MIMO	5510	Type5	16	14	584015.0	20	1	55.2	1644.0		
1AX40MIMO	5510	Type5	16	15	130832.0	20	1	59.0	1402.0		
1AX40MIMO	5510	Type5	16	16	274684.0	20	3	94.5	1296.0	1700.0	1283.0
1AX40MIMO	5510	Type5	16	17	418579.0	20	3	91.9	1970.0	1978.0	1165.0
1AX40MIMO	5510	Type5	16	18	563464.0	20	3	85.2	1732.0	1551.0	1189.0
1AX40MIMO	5510	Type5	16	19	112787.0	20	2	69.5	1038.0	1224.0	
11AX80MIMO	5530	Type5	16	0	345766.0	20	3	87.6	1565.0	1055.0	1840.0
11AX80MIMO	5530	Type5	16	1	490019.0	20	3	85.2	1735.0	1541.0	1408.0
11AX80MIMO	5530	Type5	16	2	39073.0	20	3	84.8	1534.0	1889.0	1463.0
11AX80MIMO	5530	Type5	16	3	183923.0	20	2	77.9	1749.0	1460.0	
11AX80MIMO	5530	Type5	16	4	328777.0	20	2	76.5	1518.0	1485.0	
11AX80MIMO	5530	Type5	16	5	474728.0	20	1	60.9	1540.0		
11AX80MIMO	5530	Type5	16	6	21394.0	20	2	83.0	1080.0	1010.0	
11AX80MIMO	5530	Type5	16	7	165992.0	20	2	80.4	1824.0	1752.0	
11AX80MIMO	5530	Type5	16	8	310973.0	20	2	67.5	1764.0	1181.0	
11AX80MIMO	5530	Type5	16	9	456884.0	20	1	62.1	1495.0		
11AX80MIMO	5530	Type5	16	10	3515.0	20	3	86.4	1773.0	1966.0	1263.0
11AX80MIMO	5530	Type5	16	11	147928.0	20	3	84.3	1593.0	1188.0	1788.0
11AX80MIMO	5530	Type5	16	12	293225.0	20	2	76.9	1226.0	1537.0	
11AX80MIMO	5530	Type5	16	13	436922.0	20	3	95.8	1192.0	1298.0	1844.0
11AX80MIMO	5530	Type5	16	14	584015.0	20	1	55.2	1644.0		
11AX80MIMO	5530	Type5	16	15	130832.0	20	1	59.0	1402.0		
11AX80MIMO	5530	Type5	16	16	274684.0	20	3	94.5	1296.0	1700.0	1283.0
11AX80MIMO	5530	Type5	16	17	418579.0	20	3	91.9	1970.0	1978.0	1165.0
11AX80MIMO	5530	Type5	16	18	563464.0	20	3	85.2	1732.0	1551.0	1189.0
11AX80MIMO	5530	Type5	16	19	112787.0	20	2	69.5	1038.0	1224.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 93 of 119

	@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr17@ Burst Chirp Number Pulse													
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)			
11AX20MIMO	5500	Type5	17	0	429224.0	10	3	86.4	1259.0	1918.0	1455.0			
11AX20MIMO	5500	Type5	17	1	670241.0	10	3	92.2	1598.0	1719.0	1895.0			
11AX20MIMO	5500	Type5	17	2	912880.0	10	2	80.4	1816.0	1899.0				
11AX20MIMO	5500	Type5	17	3	158603.0	10	1	54.3	1335.0					
11AX20MIMO	5500	Type5	17	4	400824.0	10	1	53.1	1303.0					
11AX20MIMO	5500	Type5	17	5	641915.0	10	2	69.4	1503.0	1546.0				
11AX20MIMO	5500	Type5	17	6	883823.0	10	2	69.1	1279.0	1639.0				
11AX20MIMO	5500	Type5	17	7	128373.0	10	3	100.0	1375.0	1438.0	1595.0			
11AX20MIMO	5500	Type5	17	8	370379.0	10	2	79.6	1239.0	1705.0				
11AX20MIMO	5500	Type5	17	9	611194.0	10	3	88.4	1374.0	1579.0	1623.0			
11AX20MIMO	5500	Type5	17	10	855665.0	10	1	53.3	1016.0					
11AX20MIMO	5500	Type5	17	11	98897.0	10	1	65.3	1709.0					
1AX40MIMO	5510	Type5	17	0	429224.0	10	3	86.4	1259.0	1918.0	1455.0			
1AX40MIMO	5510	Type5	17	1	670241.0	10	3	92.2	1598.0	1719.0	1895.0			
1AX40MIMO	5510	Type5	17	2	912880.0	10	2	80.4	1816.0	1899.0				
1AX40MIMO	5510	Type5	17	3	158603.0	10	1	54.3	1335.0					
1AX40MIMO	5510	Type5	17	4	400824.0	10	1	53.1	1303.0					
1AX40MIMO	5510	Type5	17	5	641915.0	10	2	69.4	1503.0	1546.0				
1AX40MIMO	5510	Type5	17	6	883823.0	10	2	69.1	1279.0	1639.0				
1AX40MIMO	5510	Type5	17	7	128373.0	10	3	100.0	1375.0	1438.0	1595.0			
1AX40MIMO	5510	Type5	17	8	370379.0	10	2	79.6	1239.0	1705.0				
1AX40MIMO	5510	Type5	17	9	611194.0	10	3	88.4	1374.0	1579.0	1623.0			
1AX40MIMO	5510	Type5	17	10	855665.0	10	1	53.3	1016.0					
1AX40MIMO	5510	Type5	17	11	98897.0	10	1	65.3	1709.0					
11AX80MIMO	5530	Type5	17	0	429224.0	10	3	86.4	1259.0	1918.0	1455.0			
11AX80MIMO	5530	Type5	17	1	670241.0	10	3	92.2	1598.0	1719.0	1895.0			
11AX80MIMO	5530	Type5	17	2	912880.0	10	2	80.4	1816.0	1899.0				
11AX80MIMO	5530	Type5	17	3	158603.0	10	1	54.3	1335.0					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. F Plant, No. 1, Purasheng Tosad, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 94 of 119

11AX80MIMO	5530	Type5	17	4	400824.0	10	1	53.1	1303.0		
11AX80MIMO	5530	Type5	17	5	641915.0	10	2	69.4	1503.0	1546.0	
11AX80MIMO	5530	Type5	17	6	883823.0	10	2	69.1	1279.0	1639.0	
11AX80MIMO	5530	Type5	17	7	128373.0	10	3	100.0	1375.0	1438.0	1595.0
11AX80MIMO	5530	Type5	17	8	370379.0	10	2	79.6	1239.0	1705.0	
11AX80MIMO	5530	Type5	17	9	611194.0	10	3	88.4	1374.0	1579.0	1623.0
11AX80MIMO	5530	Type5	17	10	855665.0	10	1	53.3	1016.0		1023.0
				-		-	1				
11AX80MIMO	5530	Type5	17	11	98897.0	10	l	65.3	1709.0		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 95 of 119

			@FCC	_RLAN_D	FS_SPC_F	Radar_T5	SP2_Tr18@)			
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)
11AX20MIMO	5500	Type5	18	0	292143.0	12	1	55.3	1920.0		
11AX20MIMO	5500	Type5	18	1	499633.0	12	1	58.3	1797.0		
11AX20MIMO	5500	Type5	18	2	706377.0	12	2	72.3	1610.0	1039.0	
11AX20MIMO	5500	Type5	18	3	58989.0	12	3	84.8	1131.0	1761.0	1721.0
11AX20MIMO	5500	Type5	18	4	266161.0	12	2	82.5	1875.0	1431.0	
11AX20MIMO	5500	Type5	18	5	474469.0	12	1	63.3	1095.0		
11AX20MIMO	5500	Type5	18	6	680544.0	12	2	80.0	1119.0	1913.0	
11AX20MIMO	5500	Type5	18	7	33519.0	12	3	90.3	1660.0	1853.0	1123.0
11AX20MIMO	5500	Type5	18	8	240319.0	12	3	91.1	1539.0	1783.0	1172.0
11AX20MIMO	5500	Type5	18	9	447400.0	12	3	96.6	1525.0	1036.0	1385.0
11AX20MIMO	5500	Type5	18	10	654516.0	12	2	82.7	1710.0	1990.0	
11AX20MIMO	5500	Type5	18	11	8083.0	12	1	50.7	1234.0		
11AX20MIMO	5500	Type5	18	12	215435.0	12	2	78.4	1047.0	1109.0	
11AX20MIMO	5500	Type5	18	13	421325.0	12	3	99.5	1299.0	1965.0	1869.0
1AX40MIMO	5510	Type5	18	0	292143.0	12	1	55.3	1920.0		
1AX40MIMO	5510	Type5	18	1	499633.0	12	1	58.3	1797.0		
1AX40MIMO	5510	Type5	18	2	706377.0	12	2	72.3	1610.0	1039.0	
1AX40MIMO	5510	Type5	18	3	58989.0	12	3	84.8	1131.0	1761.0	1721.0
1AX40MIMO	5510	Type5	18	4	266161.0	12	2	82.5	1875.0	1431.0	
1AX40MIMO	5510	Type5	18	5	474469.0	12	1	63.3	1095.0		
1AX40MIMO	5510	Type5	18	6	680544.0	12	2	80.0	1119.0	1913.0	
1AX40MIMO	5510	Type5	18	7	33519.0	12	3	90.3	1660.0	1853.0	1123.0
1AX40MIMO	5510	Type5	18	8	240319.0	12	3	91.1	1539.0	1783.0	1172.0
1AX40MIMO	5510	Type5	18	9	447400.0	12	3	96.6	1525.0	1036.0	1385.0
1AX40MIMO	5510	Type5	18	10	654516.0	12	2	82.7	1710.0	1990.0	
1AX40MIMO	5510	Type5	18	11	8083.0	12	1	50.7	1234.0		
1AX40MIMO	5510	Type5	18	12	215435.0	12	2	78.4	1047.0	1109.0	
1AX40MIMO	5510	Type5	18	13	421325.0	12	3	99.5	1299.0	1965.0	1869.0



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Cond

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 96 of 119

11AX80MIMO	5530	Type5	18	0	292143.0	12	1	55.3	1920.0		
11AX80MIMO	5530	Type5	18	1	499633.0	12	1	58.3	1797.0		
11AX80MIMO	5530	Type5	18	2	706377.0	12	2	72.3	1610.0	1039.0	
11AX80MIMO	5530	Type5	18	3	58989.0	12	3	84.8	1131.0	1761.0	1721.0
11AX80MIMO	5530	Type5	18	4	266161.0	12	2	82.5	1875.0	1431.0	
11AX80MIMO	5530	Type5	18	5	474469.0	12	1	63.3	1095.0		
11AX80MIMO	5530	Type5	18	6	680544.0	12	2	80.0	1119.0	1913.0	
11AX80MIMO	5530	Type5	18	7	33519.0	12	3	90.3	1660.0	1853.0	1123.0
11AX80MIMO	5530	Type5	18	8	240319.0	12	3	91.1	1539.0	1783.0	1172.0
11AX80MIMO	5530	Type5	18	9	447400.0	12	3	96.6	1525.0	1036.0	1385.0
11AX80MIMO	5530	Type5	18	10	654516.0	12	2	82.7	1710.0	1990.0	
11AX80MIMO	5530	Type5	18	11	8083.0	12	1	50.7	1234.0		
11AX80MIMO	5530	Type5	18	12	215435.0	12	2	78.4	1047.0	1109.0	
			18	13							
11AX80MIMO	5530	Type5	Ιδ	13	421325.0	12	3	99.5	1299.0	1965.0	1869.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspt.)
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 97 of 119

			@FCC	_RLAN_D	FS_SPC_F	Radar_T5	_SP2_Tr19@)			
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)
11AX20MIMO	5500	Type5	19	0	733725.0	10	3	88.6	1501.0	1067.0	1927.0
11AX20MIMO	5500	Type5	19	1	977882.0	10	1	57.4	1723.0		
11AX20MIMO	5500	Type5	19	2	221197.0	10	3	96.6	1086.0	1658.0	1324.0
11AX20MIMO	5500	Type5	19	3	462915.0	10	2	69.7	1751.0	1945.0	
11AX20MIMO	5500	Type5	19	4	705071.0	10	2	77.9	1642.0	1317.0	
11AX20MIMO	5500	Type5	19	5	947923.0	10	1	62.0	1866.0		
11AX20MIMO	5500	Type5	19	6	191373.0	10	3	88.4	1997.0	1077.0	1366.0
11AX20MIMO	5500	Type5	19	7	432561.0	10	3	97.3	1790.0	1896.0	1367.0
11AX20MIMO	5500	Type5	19	8	674004.0	10	3	96.2	1391.0	1787.0	1672.0
11AX20MIMO	5500	Type5	19	9	915842.0	10	3	95.4	1020.0	1892.0	1414.0
11AX20MIMO	5500	Type5	19	10	162176.0	10	1	54.8	1084.0		
11AX20MIMO	5500	Type5	19	11	403553.0	10	2	80.4	1850.0	1436.0	
1AX40MIMO	5510	Type5	19	0	733725.0	10	3	88.6	1501.0	1067.0	1927.0
1AX40MIMO	5510	Type5	19	1	977882.0	10	1	57.4	1723.0		
1AX40MIMO	5510	Type5	19	2	221197.0	10	3	96.6	1086.0	1658.0	1324.0
1AX40MIMO	5510	Type5	19	3	462915.0	10	2	69.7	1751.0	1945.0	
1AX40MIMO	5510	Type5	19	4	705071.0	10	2	77.9	1642.0	1317.0	
1AX40MIMO	5510	Type5	19	5	947923.0	10	1	62.0	1866.0		
1AX40MIMO	5510	Type5	19	6	191373.0	10	3	88.4	1997.0	1077.0	1366.0
1AX40MIMO	5510	Type5	19	7	432561.0	10	3	97.3	1790.0	1896.0	1367.0
1AX40MIMO	5510	Type5	19	8	674004.0	10	3	96.2	1391.0	1787.0	1672.0
1AX40MIMO	5510	Type5	19	9	915842.0	10	3	95.4	1020.0	1892.0	1414.0
1AX40MIMO	5510	Type5	19	10	162176.0	10	1	54.8	1084.0		
1AX40MIMO	5510	Type5	19	11	403553.0	10	2	80.4	1850.0	1436.0	
11AX80MIMO	5530	Type5	19	0	733725.0	10	3	88.6	1501.0	1067.0	1927.0
11AX80MIMO	5530	Type5	19	1	977882.0	10	1	57.4	1723.0		
11AX80MIMO	5530	Type5	19	2	221197.0	10	3	96.6	1086.0	1658.0	1324.0
11AX80MIMO	5530	Type5	19	3	462915.0	10	2	69.7	1751.0	1945.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. F Plant, No. 1, Purasheng Tosad, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 98 of 119

4447/00441440	FF00	тг	10	4	705074.0	10		77.0	1010.0	1017.0	
11AX80MIMO	5530	Type5	19	4	705071.0	10	2	77.9	1642.0	1317.0	
11AX80MIMO	5530	Type5	19	5	947923.0	10	1	62.0	1866.0		
11AX80MIMO	5530	Type5	19	6	191373.0	10	3	88.4	1997.0	1077.0	1366.0
11AX80MIMO	5530	Type5	19	7	432561.0	10	3	97.3	1790.0	1896.0	1367.0
11AX80MIMO	5530	Type5	19	8	674004.0	10	3	96.2	1391.0	1787.0	1672.0
11AX80MIMO	5530	Type5	19	9	915842.0	10	3	95.4	1020.0	1892.0	1414.0
11AX80MIMO	5530	Type5	19	10	162176.0	10	1	54.8	1084.0		
11AX80MIMO	5530	Type5	19	11	403553.0	10	2	80.4	1850.0	1436.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf, for electronic format documents subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 99 of 119

	@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr20@ Burst Chirp Number Pulse													
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)			
11AX20MIMO	5500	Type5	20	0	483470.0	15	2	74.7	1619.0	1611.0				
11AX20MIMO	5500	Type5	20	1	666072.0	15	1	57.1	1560.0					
11AX20MIMO	5500	Type5	20	2	98810.0	15	3	91.9	1392.0	1475.0	1276.0			
11AX20MIMO	5500	Type5	20	3	279914.0	15	2	83.1	1809.0	1772.0				
11AX20MIMO	5500	Type5	20	4	462536.0	15	1	50.7	1003.0					
11AX20MIMO	5500	Type5	20	5	642324.0	15	2	79.2	1574.0	1600.0				
11AX20MIMO	5500	Type5	20	6	76831.0	15	1	58.7	1186.0					
11AX20MIMO	5500	Type5	20	7	257785.0	15	2	71.0	1521.0	1567.0				
11AX20MIMO	5500	Type5	20	8	438554.0	15	2	79.0	1777.0	1960.0				
11AX20MIMO	5500	Type5	20	9	620397.0	15	2	68.5	1284.0	1428.0				
11AX20MIMO	5500	Type5	20	10	54310.0	15	2	73.5	1904.0	1352.0				
11AX20MIMO	5500	Type5	20	11	235506.0	15	2	70.5	1864.0	1115.0				
11AX20MIMO	5500	Type5	20	12	417036.0	15	2	76.6	1045.0	1300.0				
11AX20MIMO	5500	Type5	20	13	597974.0	15	2	81.2	1160.0	1675.0				
11AX20MIMO	5500	Type5	20	14	32086.0	15	1	61.8	1277.0					
11AX20MIMO	5500	Type5	20	15	212751.0	15	3	94.9	1450.0	1206.0	1860.0			
1AX40MIMO	5510	Type5	20	0	483470.0	15	2	74.7	1619.0	1611.0				
1AX40MIMO	5510	Type5	20	1	666072.0	15	1	57.1	1560.0					
1AX40MIMO	5510	Type5	20	2	98810.0	15	3	91.9	1392.0	1475.0	1276.0			
1AX40MIMO	5510	Type5	20	3	279914.0	15	2	83.1	1809.0	1772.0				
1AX40MIMO	5510	Type5	20	4	462536.0	15	1	50.7	1003.0					
1AX40MIMO	5510	Type5	20	5	642324.0	15	2	79.2	1574.0	1600.0				
1AX40MIMO	5510	Type5	20	6	76831.0	15	1	58.7	1186.0					
1AX40MIMO	5510	Type5	20	7	257785.0	15	2	71.0	1521.0	1567.0				
1AX40MIMO	5510	Type5	20	8	438554.0	15	2	79.0	1777.0	1960.0				
1AX40MIMO	5510	Type5	20	9	620397.0	15	2	68.5	1284.0	1428.0				
1AX40MIMO	5510	Type5	20	10	54310.0	15	2	73.5	1904.0	1352.0				
1AX40MIMO	5510	Type5	20	11	235506.0	15	2	70.5	1864.0	1115.0				



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Cond

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 100 of 119

							i age.	100	01 113		
1AX40MIMO	5510	Type5	20	12	417036.0	15	2	76.6	1045.0	1300.0	
1AX40MIMO	5510	Type5	20	13	597974.0	15	2	81.2	1160.0	1675.0	
1AX40MIMO	5510	Type5	20	14	32086.0	15	1	61.8	1277.0		
1AX40MIMO	5510	Type5	20	15	212751.0	15	3	94.9	1450.0	1206.0	1860.0
11AX80MIMO	5530	Type5	20	0	483470.0	15	2	74.7	1619.0	1611.0	
11AX80MIMO	5530	Type5	20	1	666072.0	15	1	57.1	1560.0		
11AX80MIMO	5530	Type5	20	2	98810.0	15	3	91.9	1392.0	1475.0	1276.0
11AX80MIMO	5530	Type5	20	3	279914.0	15	2	83.1	1809.0	1772.0	
11AX80MIMO	5530	Type5	20	4	462536.0	15	1	50.7	1003.0		
11AX80MIMO	5530	Type5	20	5	642324.0	15	2	79.2	1574.0	1600.0	
11AX80MIMO	5530	Type5	20	6	76831.0	15	1	58.7	1186.0		
11AX80MIMO	5530	Type5	20	7	257785.0	15	2	71.0	1521.0	1567.0	
11AX80MIMO	5530	Type5	20	8	438554.0	15	2	79.0	1777.0	1960.0	
11AX80MIMO	5530	Type5	20	9	620397.0	15	2	68.5	1284.0	1428.0	
11AX80MIMO	5530	Type5	20	10	54310.0	15	2	73.5	1904.0	1352.0	
11AX80MIMO	5530	Type5	20	11	235506.0	15	2	70.5	1864.0	1115.0	
11AX80MIMO	5530	Type5	20	12	417036.0	15	2	76.6	1045.0	1300.0	
11AX80MIMO	5530	Type5	20	13	597974.0	15	2	81.2	1160.0	1675.0	
11AX80MIMO	5530	Type5	20	14	32086.0	15	1	61.8	1277.0		
11AX80MIMO	5530	Type5	20	15	212751.0	15	3	94.9	1450.0	1206.0	1860.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 101 of 119

			@FCC	_RLAN_D	FS_SPC_F	Radar_T5	_SP2_Tr21@)			
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)
11AX20MIMO	5500	Type5	21	0	526149.0	9	2	78.5	1653.0	1698.0	
11AX20MIMO	5500	Type5	21	1	767135.0	9	3	89.8	1174.0	1962.0	1167.0
11AX20MIMO	5500	Type5	21	2	12955.0	9	1	59.4	1982.0		
11AX20MIMO	5500	Type5	21	3	254612.0	9	2	79.6	1633.0	1890.0	
11AX20MIMO	5500	Type5	21	4	496588.0	9	2	76.0	1112.0	1811.0	
11AX20MIMO	5500	Type5	21	5	739728.0	9	1	53.6	1144.0		
11AX20MIMO	5500	Type5	21	6	980872.0	9	2	80.9	1220.0	1053.0	
11AX20MIMO	5500	Type5	21	7	225249.0	9	1	61.6	1724.0		
11AX20MIMO	5500	Type5	21	8	467279.0	9	1	53.4	1901.0		
11AX20MIMO	5500	Type5	21	9	709720.0	9	1	59.9	1379.0		
11AX20MIMO	5500	Type5	21	10	951847.0	9	1	60.4	1453.0		
11AX20MIMO	5500	Type5	21	11	194839.0	9	3	91.4	1768.0	1726.0	1227.0
1AX40MIMO	5510	Type5	21	0	526149.0	9	2	78.5	1653.0	1698.0	
1AX40MIMO	5510	Type5	21	1	767135.0	9	3	89.8	1174.0	1962.0	1167.0
1AX40MIMO	5510	Type5	21	2	12955.0	9	1	59.4	1982.0		
1AX40MIMO	5510	Type5	21	3	254612.0	9	2	79.6	1633.0	1890.0	
1AX40MIMO	5510	Type5	21	4	496588.0	9	2	76.0	1112.0	1811.0	
1AX40MIMO	5510	Type5	21	5	739728.0	9	1	53.6	1144.0		
1AX40MIMO	5510	Type5	21	6	980872.0	9	2	80.9	1220.0	1053.0	
1AX40MIMO	5510	Type5	21	7	225249.0	9	1	61.6	1724.0		
1AX40MIMO	5510	Type5	21	8	467279.0	9	1	53.4	1901.0		
1AX40MIMO	5510	Type5	21	9	709720.0	9	1	59.9	1379.0		
1AX40MIMO	5510	Type5	21	10	951847.0	9	1	60.4	1453.0		
1AX40MIMO	5510	Type5	21	11	194839.0	9	3	91.4	1768.0	1726.0	1227.0
11AX80MIMO	5530	Type5	21	0	526149.0	9	2	78.5	1653.0	1698.0	
11AX80MIMO	5530	Type5	21	1	767135.0	9	3	89.8	1174.0	1962.0	1167.0
11AX80MIMO	5530	Type5	21	2	12955.0	9	1	59.4	1982.0		
11AX80MIMO	5530	Type5	21	3	254612.0	9	2	79.6	1633.0	1890.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. F Plant, No. 1, Purchang Tead, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜商(号的6号厂房商部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 102 of 119

11AX80MIMO	5530	Type5	21	4	496588.0	9	2	76.0	1112.0	1811.0	
11AX80MIMO	5530	Type5	21	5	739728.0	9	1	53.6	1144.0		
11AX80MIMO	5530	Type5	21	6	980872.0	9	2	80.9	1220.0	1053.0	
11AX80MIMO	5530	Type5	21	7	225249.0	9	1	61.6	1724.0		
11AX80MIMO	5530	Type5	21	8	467279.0	9	1	53.4	1901.0		
11AX80MIMO	5530	Type5	21	9	709720.0	9	1	59.9	1379.0		
11AX80MIMO	5530			10	951847.0	9	1	60.4	1453.0		
		Type5	21	-		-	- '				
11AX80MIMO	5530	Type5	21	11	194839.0	9	3	91.4	1768.0	1726.0	1227.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. F Plant, No. 1, Purasheng Tosad, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 103 of 119

	@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr22@												
			@FCC	_RLAN_D	FS_SPC_F I	Radar_T5	_SP2_Tr22@) 	T				
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)		
11AX20MIMO	5500	Type5	22	0	261858.0	20	2	77.0	1191.0	1363.0			
11AX20MIMO	5500	Type5	22	1	407646.0	20	1	58.1	1248.0				
11AX20MIMO	5500	Type5	22	2	552319.0	20	1	62.1	1836.0				
11AX20MIMO	5500	Type5	22	3	99107.0	20	2	76.9	1334.0	1236.0			
11AX20MIMO	5500	Type5	22	4	243514.0	20	2	80.0	1914.0	1852.0			
11AX20MIMO	5500	Type5	22	5	389464.0	20	1	52.0	1701.0				
11AX20MIMO	5500	Type5	22	6	531093.0	20	3	88.6	1693.0	1995.0	1905.0		
11AX20MIMO	5500	Type5	22	7	81159.0	20	2	72.9	1922.0	1387.0			
11AX20MIMO	5500	Type5	22	8	225245.0	20	3	98.5	1839.0	1746.0	1389.0		
11AX20MIMO	5500	Type5	22	9	371906.0	20	1	57.9	1193.0				
11AX20MIMO	5500	Type5	22	10	514197.0	20	3	95.9	1659.0	1870.0	1066.0		
11AX20MIMO	5500	Type5	22	11	63561.0	20	1	53.5	1162.0				
11AX20MIMO	5500	Type5	22	12	207510.0	20	3	92.0	1745.0	1654.0	1458.0		
11AX20MIMO	5500	Type5	22	13	353638.0	20	1	57.3	1834.0				
11AX20MIMO	5500	Type5	22	14	497515.0	20	2	70.5	1684.0	1586.0			
11AX20MIMO	5500	Type5	22	15	45553.0	20	2	70.0	1042.0	1664.0			
11AX20MIMO	5500	Type5	22	16	189821.0	20	3	84.0	1765.0	1630.0	1176.0		
11AX20MIMO	5500	Type5	22	17	335330.0	20	2	76.1	1557.0	1057.0			
11AX20MIMO	5500	Type5	22	18	478825.0	20	3	93.2	1985.0	1018.0	1340.0		
11AX20MIMO	5500	Type5	22	19	27594.0	20	3	96.8	1760.0	1614.0	1817.0		
1AX40MIMO	5510	Type5	22	0	261858.0	20	2	77.0	1191.0	1363.0			
1AX40MIMO	5510	Type5	22	1	407646.0	20	1	58.1	1248.0				
1AX40MIMO	5510	Type5	22	2	552319.0	20	1	62.1	1836.0				
1AX40MIMO	5510	Type5	22	3	99107.0	20	2	76.9	1334.0	1236.0			
1AX40MIMO	5510	Type5	22	4	243514.0	20	2	80.0	1914.0	1852.0			
1AX40MIMO	5510	Type5	22	5	389464.0	20	1	52.0	1701.0				
1AX40MIMO	5510	Type5	22	6	531093.0	20	3	88.6	1693.0	1995.0	1905.0		
1AX40MIMO	5510	Type5	22	7	81159.0	20	2	72.9	1922.0	1387.0			
1AX40MIMO	5510	Type5	22	8	225245.0	20	3	98.5	1839.0	1746.0	1389.0		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. F Plant, No. 1, Purasheng Tosad, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 104 of 119

							i ago.		01 110		
1AX40MIMO	5510	Type5	22	9	371906.0	20	1	57.9	1193.0		
1AX40MIMO	5510	Type5	22	10	514197.0	20	3	95.9	1659.0	1870.0	1066.0
1AX40MIMO	5510	Type5	22	11	63561.0	20	1	53.5	1162.0		
1AX40MIMO	5510	Type5	22	12	207510.0	20	3	92.0	1745.0	1654.0	1458.0
1AX40MIMO	5510	Type5	22	13	353638.0	20	1	57.3	1834.0		
1AX40MIMO	5510	Type5	22	14	497515.0	20	2	70.5	1684.0	1586.0	
1AX40MIMO	5510	Type5	22	15	45553.0	20	2	70.0	1042.0	1664.0	
1AX40MIMO	5510	Type5	22	16	189821.0	20	3	84.0	1765.0	1630.0	1176.0
1AX40MIMO	5510	Type5	22	17	335330.0	20	2	76.1	1557.0	1057.0	
1AX40MIMO	5510	Type5	22	18	478825.0	20	3	93.2	1985.0	1018.0	1340.0
1AX40MIMO	5510	Type5	22	19	27594.0	20	3	96.8	1760.0	1614.0	1817.0
11AX80MIMO	5530	Type5	22	0	261858.0	20	2	77.0	1191.0	1363.0	
11AX80MIMO	5530	Type5	22	1	407646.0	20	1	58.1	1248.0		
11AX80MIMO	5530	Type5	22	2	552319.0	20	1	62.1	1836.0		
11AX80MIMO	5530	Type5	22	3	99107.0	20	2	76.9	1334.0	1236.0	
11AX80MIMO	5530	Type5	22	4	243514.0	20	2	80.0	1914.0	1852.0	
11AX80MIMO	5530	Type5	22	5	389464.0	20	1	52.0	1701.0		
11AX80MIMO	5530	Type5	22	6	531093.0	20	3	88.6	1693.0	1995.0	1905.0
11AX80MIMO	5530	Type5	22	7	81159.0	20	2	72.9	1922.0	1387.0	
11AX80MIMO	5530	Type5	22	8	225245.0	20	3	98.5	1839.0	1746.0	1389.0
11AX80MIMO	5530	Type5	22	9	371906.0	20	1	57.9	1193.0		
11AX80MIMO	5530	Type5	22	10	514197.0	20	3	95.9	1659.0	1870.0	1066.0
11AX80MIMO	5530	Type5	22	11	63561.0	20	1	53.5	1162.0		
11AX80MIMO	5530	Type5	22	12	207510.0	20	3	92.0	1745.0	1654.0	1458.0
11AX80MIMO	5530	Type5	22	13	353638.0	20	1	57.3	1834.0		
11AX80MIMO	5530	Type5	22	14	497515.0	20	2	70.5	1684.0	1586.0	
11AX80MIMO	5530	Type5	22	15	45553.0	20	2	70.0	1042.0	1664.0	
11AX80MIMO	5530	Type5	22	16	189821.0	20	3	84.0	1765.0	1630.0	1176.0
11AX80MIMO	5530	Type5	22	17	335330.0	20	2	76.1	1557.0	1057.0	
11AX80MIMO	5530	Type5	22	18	478825.0	20	3	93.2	1985.0	1018.0	1340.0
11AX80MIMO	5530	Type5	22	19	27594.0	20	3	96.8	1760.0	1614.0	1817.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 105 of 119

	@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr23@ Burst Chirp Number Pulse													
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)			
11AX20MIMO	5500	Type5	23	0	247117.0	12	1	50.1	1841.0					
11AX20MIMO	5500	Type5	23	11	453362.0	12	3	93.5	1590.0	1081.0	1413.0			
11AX20MIMO	5500	Type5	23	2	660875.0	12	2	68.8	1707.0	1577.0				
11AX20MIMO	5500	Type5	23	3	14140.0	12	1	56.3	1056.0					
11AX20MIMO	5500	Type5	23	4	220734.0	12	3	86.0	1953.0	1108.0	1987.0			
11AX20MIMO	5500	Type5	23	5	428367.0	12	2	75.2	1572.0	1536.0				
11AX20MIMO	5500	Type5	23	6	636681.0	12	1	54.4	1517.0					
11AX20MIMO	5500	Type5	23	7	843157.0	12	2	71.1	1329.0	1243.0				
11AX20MIMO	5500	Type5	23	8	195585.0	12	2	76.2	1940.0	1770.0				
11AX20MIMO	5500	Type5	23	9	403231.0	12	2	80.2	1098.0	1209.0				
11AX20MIMO	5500	Type5	23	10	610202.0	12	2	79.7	1588.0	1214.0				
11AX20MIMO	5500	Type5	23	11	815229.0	12	3	90.9	1615.0	1862.0	1601.0			
11AX20MIMO	5500	Type5	23	12	170267.0	12	2	68.7	1377.0	1441.0				
11AX20MIMO	5500	Type5	23	13	377306.0	12	2	67.4	1872.0	1313.0				
1AX40MIMO	5510	Type5	23	0	247117.0	12	1	50.1	1841.0					
1AX40MIMO	5510	Type5	23	1	453362.0	12	3	93.5	1590.0	1081.0	1413.0			
1AX40MIMO	5510	Type5	23	2	660875.0	12	2	68.8	1707.0	1577.0				
1AX40MIMO	5510	Type5	23	3	14140.0	12	1	56.3	1056.0					
1AX40MIMO	5510	Type5	23	4	220734.0	12	3	86.0	1953.0	1108.0	1987.0			
1AX40MIMO	5510	Type5	23	5	428367.0	12	2	75.2	1572.0	1536.0				
1AX40MIMO	5510	Type5	23	6	636681.0	12	1	54.4	1517.0					
1AX40MIMO	5510	Type5	23	7	843157.0	12	2	71.1	1329.0	1243.0				
1AX40MIMO	5510	Type5	23	8	195585.0	12	2	76.2	1940.0	1770.0				
1AX40MIMO	5510	Type5	23	9	403231.0	12	2	80.2	1098.0	1209.0				
1AX40MIMO	5510	Type5	23	10	610202.0	12	2	79.7	1588.0	1214.0				
1AX40MIMO	5510	Type5	23	11	815229.0	12	3	90.9	1615.0	1862.0	1601.0			
1AX40MIMO	5510	Type5	23	12	170267.0	12	2	68.7	1377.0	1441.0				
1AX40MIMO	5510	Type5	23	13	377306.0	12	2	67.4	1872.0	1313.0				



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Cond

South of No. F Plant, No. 1, Puncheng Toxal, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜裔(号的6号广房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 106 of 119

5530	Type5	23	0	247117.0	12	1	50.1	1841.0		
5530	Type5	23	1	453362.0	12	3	93.5	1590.0	1081.0	1413.0
5530	Type5	23	2	660875.0	12	2	68.8	1707.0	1577.0	
5530	Type5	23	3	14140.0	12	1	56.3	1056.0		
5530	Type5	23	4	220734.0	12	3	86.0	1953.0	1108.0	1987.0
5530	Type5	23	5	428367.0	12	2	75.2	1572.0	1536.0	
5530	Type5	23	6	636681.0	12	1	54.4	1517.0		
5530	Type5	23	7	843157.0	12	2	71.1	1329.0	1243.0	
5530	Type5	23	8	195585.0	12	2	76.2	1940.0	1770.0	
5530	Type5	23	9	403231.0	12	2	80.2	1098.0	1209.0	
5530	•	23	10	610202.0	12	2	79.7	1588.0	1214.0	
		23	11		12		90.9			1601.0
	•	23	12	170267.0	12		68.7	1377.0	1441.0	
		23	13	377306.0	12	2	67.4	1872.0	1313.0	
	5530 5530 5530 5530 5530 5530 5530	5530 Type5 5530 Type5	5530 Type5 23 5530 Type5 23	5530 Type5 23 1 5530 Type5 23 2 5530 Type5 23 3 5530 Type5 23 4 5530 Type5 23 5 5530 Type5 23 6 5530 Type5 23 7 5530 Type5 23 8 5530 Type5 23 9 5530 Type5 23 10 5530 Type5 23 11 5530 Type5 23 12	5530 Type5 23 1 453362.0 5530 Type5 23 2 660875.0 5530 Type5 23 3 14140.0 5530 Type5 23 4 220734.0 5530 Type5 23 5 428367.0 5530 Type5 23 6 636681.0 5530 Type5 23 7 843157.0 5530 Type5 23 8 195585.0 5530 Type5 23 9 403231.0 5530 Type5 23 10 610202.0 5530 Type5 23 11 815229.0 5530 Type5 23 12 170267.0	5530 Type5 23 1 453362.0 12 5530 Type5 23 2 660875.0 12 5530 Type5 23 3 14140.0 12 5530 Type5 23 4 220734.0 12 5530 Type5 23 5 428367.0 12 5530 Type5 23 6 636681.0 12 5530 Type5 23 7 843157.0 12 5530 Type5 23 8 195585.0 12 5530 Type5 23 9 403231.0 12 5530 Type5 23 10 610202.0 12 5530 Type5 23 11 815229.0 12 5530 Type5 23 12 170267.0 12	5530 Type5 23 0 247117.0 12 1 5530 Type5 23 1 453362.0 12 3 5530 Type5 23 2 660875.0 12 2 5530 Type5 23 3 14140.0 12 1 5530 Type5 23 4 220734.0 12 3 5530 Type5 23 5 428367.0 12 2 5530 Type5 23 6 636681.0 12 1 5530 Type5 23 7 843157.0 12 2 5530 Type5 23 8 195585.0 12 2 5530 Type5 23 9 403231.0 12 2 5530 Type5 23 10 610202.0 12 2 5530 Type5 23 11 815229.0 12 3 5530 </td <td>5530 Type5 23 0 247117.0 12 1 50.1 5530 Type5 23 1 453362.0 12 3 93.5 5530 Type5 23 2 660875.0 12 2 68.8 5530 Type5 23 3 14140.0 12 1 56.3 5530 Type5 23 4 220734.0 12 3 86.0 5530 Type5 23 5 428367.0 12 2 75.2 5530 Type5 23 6 636681.0 12 1 54.4 5530 Type5 23 7 843157.0 12 2 76.2 5530 Type5 23 8 195585.0 12 2 76.2 5530 Type5 23 9 403231.0 12 2 79.7 5530 Type5 23 10 610202.0 12</td> <td>5530 Type5 23 0 247117.0 12 1 50.1 1841.0 5530 Type5 23 1 453362.0 12 3 93.5 1590.0 5530 Type5 23 2 660875.0 12 2 68.8 1707.0 5530 Type5 23 3 14140.0 12 1 56.3 1056.0 5530 Type5 23 4 220734.0 12 3 86.0 1953.0 5530 Type5 23 5 428367.0 12 2 75.2 1572.0 5530 Type5 23 6 636681.0 12 1 54.4 1517.0 5530 Type5 23 7 843157.0 12 2 71.1 1329.0 5530 Type5 23 8 195585.0 12 2 76.2 1940.0 5530 Type5 23 10 610202.0</td> <td>5530 Type5 23 0 247117.0 12 1 50.1 1841.0 5530 Type5 23 1 453362.0 12 3 93.5 1590.0 1081.0 5530 Type5 23 2 660875.0 12 2 68.8 1707.0 1577.0 5530 Type5 23 3 14140.0 12 1 56.3 1056.0 5530 Type5 23 4 220734.0 12 3 86.0 1953.0 1108.0 5530 Type5 23 5 428367.0 12 2 75.2 1572.0 1536.0 5530 Type5 23 6 636681.0 12 1 54.4 1517.0 5530 Type5 23 7 843157.0 12 2 76.2 1940.0 1770.0 5530 Type5 23 9 403231.0 12 <td< td=""></td<></td>	5530 Type5 23 0 247117.0 12 1 50.1 5530 Type5 23 1 453362.0 12 3 93.5 5530 Type5 23 2 660875.0 12 2 68.8 5530 Type5 23 3 14140.0 12 1 56.3 5530 Type5 23 4 220734.0 12 3 86.0 5530 Type5 23 5 428367.0 12 2 75.2 5530 Type5 23 6 636681.0 12 1 54.4 5530 Type5 23 7 843157.0 12 2 76.2 5530 Type5 23 8 195585.0 12 2 76.2 5530 Type5 23 9 403231.0 12 2 79.7 5530 Type5 23 10 610202.0 12	5530 Type5 23 0 247117.0 12 1 50.1 1841.0 5530 Type5 23 1 453362.0 12 3 93.5 1590.0 5530 Type5 23 2 660875.0 12 2 68.8 1707.0 5530 Type5 23 3 14140.0 12 1 56.3 1056.0 5530 Type5 23 4 220734.0 12 3 86.0 1953.0 5530 Type5 23 5 428367.0 12 2 75.2 1572.0 5530 Type5 23 6 636681.0 12 1 54.4 1517.0 5530 Type5 23 7 843157.0 12 2 71.1 1329.0 5530 Type5 23 8 195585.0 12 2 76.2 1940.0 5530 Type5 23 10 610202.0	5530 Type5 23 0 247117.0 12 1 50.1 1841.0 5530 Type5 23 1 453362.0 12 3 93.5 1590.0 1081.0 5530 Type5 23 2 660875.0 12 2 68.8 1707.0 1577.0 5530 Type5 23 3 14140.0 12 1 56.3 1056.0 5530 Type5 23 4 220734.0 12 3 86.0 1953.0 1108.0 5530 Type5 23 5 428367.0 12 2 75.2 1572.0 1536.0 5530 Type5 23 6 636681.0 12 1 54.4 1517.0 5530 Type5 23 7 843157.0 12 2 76.2 1940.0 1770.0 5530 Type5 23 9 403231.0 12 <td< td=""></td<>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Punsteing Rosal, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号广房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 107 of 119

	@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr24@ Burst Chirp Number Pulse													
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)			
11AX20MIMO	5500	Type5	24	0	628071.0	11	3	94.0	1643.0	1748.0	1941.0			
11AX20MIMO	5500	Type5	24	1	853391.0	11	2	70.8	1177.0	1201.0				
11AX20MIMO	5500	Type5	24	2	156223.0	11	1	56.3	1006.0					
11AX20MIMO	5500	Type5	24	3	378734.0	11	3	96.7	1230.0	1163.0	1332.0			
11AX20MIMO	5500	Type5	24	4	601331.0	11	3	90.6	1217.0	1582.0	1498.0			
11AX20MIMO	5500	Type5	24	5	825462.0	11	2	74.5	1569.0	1281.0				
11AX20MIMO	5500	Type5	24	6	128265.0	11	3	92.6	1065.0	1669.0	1222.0			
11AX20MIMO	5500	Type5	24	7	351161.0	11	3	89.0	1493.0	1135.0	1380.0			
11AX20MIMO	5500	Type5	24	8	573425.0	11	3	96.5	1607.0	1822.0	1602.0			
11AX20MIMO	5500	Type5	24	9	798431.0	11	2	70.5	1141.0	1178.0				
11AX20MIMO	5500	Type5	24	10	100737.0	11	3	94.0	1009.0	1629.0	1956.0			
11AX20MIMO	5500	Type5	24	11	324661.0	11	1	55.8	1290.0					
11AX20MIMO	5500	Type5	24	12	546278.0	11	3	87.7	1435.0	1963.0	1164.0			
1AX40MIMO	5510	Type5	24	0	628071.0	11	3	94.0	1643.0	1748.0	1941.0			
1AX40MIMO	5510	Type5	24	1	853391.0	11	2	70.8	1177.0	1201.0				
1AX40MIMO	5510	Type5	24	2	156223.0	11	1	56.3	1006.0					
1AX40MIMO	5510	Type5	24	3	378734.0	11	3	96.7	1230.0	1163.0	1332.0			
1AX40MIMO	5510	Type5	24	4	601331.0	11	3	90.6	1217.0	1582.0	1498.0			
1AX40MIMO	5510	Type5	24	5	825462.0	11	2	74.5	1569.0	1281.0				
1AX40MIMO	5510	Type5	24	6	128265.0	11	3	92.6	1065.0	1669.0	1222.0			
1AX40MIMO	5510	Type5	24	7	351161.0	11	3	89.0	1493.0	1135.0	1380.0			
1AX40MIMO	5510	Type5	24	8	573425.0	11	3	96.5	1607.0	1822.0	1602.0			
1AX40MIMO	5510	Type5	24	9	798431.0	11	2	70.5	1141.0	1178.0				
1AX40MIMO	5510	Type5	24	10	100737.0	11	3	94.0	1009.0	1629.0	1956.0			
1AX40MIMO	5510	Type5	24	11	324661.0	11	1	55.8	1290.0					
1AX40MIMO	5510	Type5	24	12	546278.0	11	3	87.7	1435.0	1963.0	1164.0			
11AX80MIMO	5530	Type5	24	0	628071.0	11	3	94.0	1643.0	1748.0	1941.0			
11AX80MIMO	5530	Type5	24	1	853391.0	11	2	70.8	1177.0	1201.0				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. F Plant, No. 1, Purasheng Tosad, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 108 of 119

11AX80MIMO	5530	Type5	24	2	156223.0	11	1	56.3	1006.0		
11AX80MIMO	5530	Type5	24	3	378734.0	11	3	96.7	1230.0	1163.0	1332.0
11AX80MIMO	5530	Type5	24	4	601331.0	11	3	90.6	1217.0	1582.0	1498.0
11AX80MIMO	5530	Type5	24	5	825462.0	11	2	74.5	1569.0	1281.0	
11AX80MIMO	5530	Type5	24	6	128265.0	11	3	92.6	1065.0	1669.0	1222.0
11AX80MIMO	5530	Type5	24	7	351161.0	11	3	89.0	1493.0	1135.0	1380.0
11AX80MIMO	5530	Type5	24	8	573425.0	11	3	96.5	1607.0	1822.0	1602.0
11AX80MIMO	5530	Type5	24	9	798431.0	11	2	70.5	1141.0	1178.0	
11AX80MIMO	5530	Type5	24	10	100737.0	11	3	94.0	1009.0	1629.0	1956.0
11AX80MIMO	5530	Type5	24	11	324661.0	11	1	55.8	1290.0		
11AX80MIMO	5530	Type5	24	12	546278.0	11	3	87.7	1435.0	1963.0	1164.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Punsteing Rosal, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号广房南部 邮编: 215000

t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 109 of 119

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr25@													
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)		
11AX20MIMO	5500	Type5	25	0	1253842.0	5	2	68.6	1306.0	1161.0			
11AX20MIMO	5500	Type5	25	1	119486.0	5	2	83.1	1420.0	1315.0			
11AX20MIMO	5500	Type5	25	2	482958.0	5	1	60.9	1687.0				
11AX20MIMO	5500	Type5	25	3	845641.0	5	2	77.7	1776.0	1158.0			
11AX20MIMO	5500	Type5	25	4	1208428.0	5	2	77.4	1793.0	1510.0			
11AX20MIMO	5500	Type5	25	5	74748.0	5	2	66.8	1576.0	1323.0			
11AX20MIMO	5500	Type5	25	6	438300.0	5	1	63.7	1333.0				
11AX20MIMO	5500	Type5	25	7	800152.0	5	3	91.2	1409.0	1681.0	1275.0		
1AX40MIMO	5510	Type5	25	0	1253842.0	5	2	68.6	1306.0	1161.0			
1AX40MIMO	5510	Type5	25	1	119486.0	5	2	83.1	1420.0	1315.0			
1AX40MIMO	5510	Type5	25	2	482958.0	5	1	60.9	1687.0				
1AX40MIMO	5510	Type5	25	3	845641.0	5	2	77.7	1776.0	1158.0			
1AX40MIMO	5510	Type5	25	4	1208428.0	5	2	77.4	1793.0	1510.0			
1AX40MIMO	5510	Type5	25	5	74748.0	5	2	66.8	1576.0	1323.0			
1AX40MIMO	5510	Type5	25	6	438300.0	5	1	63.7	1333.0				
1AX40MIMO	5510	Type5	25	7	800152.0	5	3	91.2	1409.0	1681.0	1275.0		
11AX80MIMO	5530	Type5	25	0	1253842.0	5	2	68.6	1306.0	1161.0			
11AX80MIMO	5530	Type5	25	1	119486.0	5	2	83.1	1420.0	1315.0			
11AX80MIMO	5530	Type5	25	2	482958.0	5	1	60.9	1687.0				
11AX80MIMO	5530	Type5	25	3	845641.0	5	2	77.7	1776.0	1158.0			
11AX80MIMO	5530	Type5	25	4	1208428.0	5	2	77.4	1793.0	1510.0			
11AX80MIMO	5530	Type5	25	5	74748.0	5	2	66.8	1576.0	1323.0			
11AX80MIMO	5530	Type5	25	6	438300.0	5	1	63.7	1333.0				
11AX80MIMO	5530	Type5	25	7	800152.0	5	3	91.2	1409.0	1681.0	1275.0		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Punsteing Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 110 of 119

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr26@												
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)	
11AX20MIMO	5500	Type5	26	0	545865.0	16	3	83.6	1632.0	1195.0	1000.0	
11AX20MIMO	5500	Type5	26	1	14067.0	16	3	89.4	1173.0	1627.0	1656.0	
11AX20MIMO	5500	Type5	26	2	184953.0	16	1	55.8	1532.0			
11AX20MIMO	5500	Type5	26	3	353759.0	16	3	90.9	1981.0	1554.0	1998.0	
11AX20MIMO	5500	Type5	26	4	526388.0	16	1	54.7	1825.0			
11AX20MIMO	5500	Type5	26	5	694806.0	16	3	97.7	1734.0	1202.0	1250.0	
11AX20MIMO	5500	Type5	26	6	163568.0	16	2	67.5	1571.0	1434.0		
11AX20MIMO	5500	Type5	26	7	333410.0	16	3	96.7	1589.0	1469.0	1268.0	
11AX20MIMO	5500	Type5	26	8	504006.0	16	2	68.3	1750.0	1954.0		
11AX20MIMO	5500	Type5	26	9	675297.0	16	2	78.3	1591.0	1082.0		
11AX20MIMO	5500	Type5	26	10	142890.0	16	1	55.0	1427.0			
11AX20MIMO	5500	Type5	26	11	312479.0	16	3	84.9	1129.0	1936.0	1199.0	
11AX20MIMO	5500	Type5	26	12	482953.0	16	2	74.6	1959.0	1856.0		
11AX20MIMO	5500	Type5	26	13	655022.0	16	1	63.3	1885.0			
11AX20MIMO	5500	Type5	26	14	121457.0	16	3	99.8	1035.0	1515.0	1120.0	
11AX20MIMO	5500	Type5	26	15	292606.0	16	1	63.6	1647.0			
11AX20MIMO	5500	Type5	26	16	461322.0	16	3	87.3	1931.0	1051.0	1831.0	
1AX40MIMO	5510	Type5	26	0	545865.0	16	3	83.6	1632.0	1195.0	1000.0	
1AX40MIMO	5510	Type5	26	1	14067.0	16	3	89.4	1173.0	1627.0	1656.0	
1AX40MIMO	5510	Type5	26	2	184953.0	16	1	55.8	1532.0			
1AX40MIMO	5510	Type5	26	3	353759.0	16	3	90.9	1981.0	1554.0	1998.0	
1AX40MIMO	5510	Type5	26	4	526388.0	16	1	54.7	1825.0			
1AX40MIMO	5510	Type5	26	5	694806.0	16	3	97.7	1734.0	1202.0	1250.0	
1AX40MIMO	5510	Type5	26	6	163568.0	16	2	67.5	1571.0	1434.0		
1AX40MIMO	5510	Type5	26	7	333410.0	16	3	96.7	1589.0	1469.0	1268.0	
1AX40MIMO	5510	Type5	26	8	504006.0	16	2	68.3	1750.0	1954.0		
1AX40MIMO	5510	Type5	26	9	675297.0	16	2	78.3	1591.0	1082.0		
1AX40MIMO	5510	Type5	26	10	142890.0	16	1	55.0	1427.0			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. F Plant, No. 1, Purchang Tead, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜商(号的6号厂房商部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 111 of 119

1AX40MIMO	5510	Type5	26	11	312479.0	16	3	84.9	1129.0	1936.0	1199.0
1AX40MIMO	5510	Type5	26	12	482953.0	16	2	74.6	1959.0	1856.0	
1AX40MIMO	5510	Type5	26	13	655022.0	16	1	63.3	1885.0		
1AX40MIMO	5510	Type5	26	14	121457.0	16	3	99.8	1035.0	1515.0	1120.0
1AX40MIMO	5510	Type5	26	15	292606.0	16	1	63.6	1647.0		
1AX40MIMO	5510	Type5	26	16	461322.0	16	3	87.3	1931.0	1051.0	1831.0
11AX80MIMO	5530	Type5	26	0	545865.0	16	3	83.6	1632.0	1195.0	1000.0
11AX80MIMO	5530	Type5	26	1	14067.0	16	3	89.4	1173.0	1627.0	1656.0
11AX80MIMO	5530	Type5	26	2	184953.0	16	1	55.8	1532.0		
11AX80MIMO	5530	Type5	26	3	353759.0	16	3	90.9	1981.0	1554.0	1998.0
11AX80MIMO	5530	Type5	26	4	526388.0	16	1	54.7	1825.0		
11AX80MIMO	5530	Type5	26	5	694806.0	16	3	97.7	1734.0	1202.0	1250.0
11AX80MIMO	5530	Type5	26	6	163568.0	16	2	67.5	1571.0	1434.0	
11AX80MIMO	5530	Type5	26	7	333410.0	16	3	96.7	1589.0	1469.0	1268.0
11AX80MIMO	5530	Type5	26	8	504006.0	16	2	68.3	1750.0	1954.0	
11AX80MIMO	5530	Type5	26	9	675297.0	16	2	78.3	1591.0	1082.0	
11AX80MIMO	5530	Type5	26	10	142890.0	16	1	55.0	1427.0		
11AX80MIMO	5530	Type5	26	11	312479.0	16	3	84.9	1129.0	1936.0	1199.0
11AX80MIMO	5530	Type5	26	12	482953.0	16	2	74.6	1959.0	1856.0	
11AX80MIMO	5530	Type5	26	13	655022.0	16	1	63.3	1885.0		
11AX80MIMO	5530	Type5	26	14	121457.0	16	3	99.8	1035.0	1515.0	1120.0
11AX80MIMO	5530	Type5	26	15	292606.0	16	1	63.6	1647.0		
11AX80MIMO	5530	Type5	26	16	461322.0	16	3	87.3	1931.0	1051.0	1831.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions/Fer

South of No. F Plant, No. 1, Purasheng Tosad, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 112 of 119

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr27@												
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)	
11AX20MIMO	5500	Type5	27	0	565136.0	19	3	85.6	1946.0	1078.0	1015.0	
11AX20MIMO	5500	Type5	27	1	89970.0	19	2	68.6	1029.0	1780.0		
11AX20MIMO	5500	Type5	27	2	243121.0	19	1	54.2	1111.0			
11AX20MIMO	5500	Type5	27	3	396034.0	19	1	61.2	1104.0			
11AX20MIMO	5500	Type5	27	4	546225.0	19	3	97.1	1157.0	1969.0	1100.0	
11AX20MIMO	5500	Type5	27	5	70998.0	19	3	98.3	1142.0	1699.0	1622.0	
11AX20MIMO	5500	Type5	27	6	224093.0	19	1	62.4	1655.0			
11AX20MIMO	5500	Type5	27	7	376127.0	19	2	80.2	1126.0	1769.0		
11AX20MIMO	5500	Type5	27	8	527806.0	19	3	87.5	1216.0	1448.0	1179.0	
11AX20MIMO	5500	Type5	27	9	52247.0	19	3	85.8	1847.0	1348.0	1472.0	
11AX20MIMO	5500	Type5	27	10	204582.0	19	3	88.1	1023.0	1124.0	1631.0	
11AX20MIMO	5500	Type5	27	11	357941.0	19	1	65.3	1848.0			
11AX20MIMO	5500	Type5	27	12	510977.0	19	1	52.5	1470.0			
11AX20MIMO	5500	Type5	27	13	33698.0	19	1	52.3	1312.0			
11AX20MIMO	5500	Type5	27	14	186023.0	19	2	74.1	1915.0	1200.0		
11AX20MIMO	5500	Type5	27	15	339327.0	19	1	54.9	1479.0			
11AX20MIMO	5500	Type5	27	16	491053.0	19	2	76.2	1376.0	1502.0		
11AX20MIMO	5500	Type5	27	17	14858.0	19	1	60.4	1758.0			
11AX20MIMO	5500	Type5	27	18	167387.0	19	2	81.5	1491.0	1103.0		
1AX40MIMO	5510	Type5	27	0	565136.0	19	3	85.6	1946.0	1078.0	1015.0	
1AX40MIMO	5510	Type5	27	1	89970.0	19	2	68.6	1029.0	1780.0		
1AX40MIMO	5510	Type5	27	2	243121.0	19	1	54.2	1111.0			
1AX40MIMO	5510	Type5	27	3	396034.0	19	1	61.2	1104.0			
1AX40MIMO	5510	Type5	27	4	546225.0	19	3	97.1	1157.0	1969.0	1100.0	
1AX40MIMO	5510	Type5	27	5	70998.0	19	3	98.3	1142.0	1699.0	1622.0	
1AX40MIMO	5510	Type5	27	6	224093.0	19	1	62.4	1655.0			
1AX40MIMO	5510	Type5	27	7	376127.0	19	2	80.2	1126.0	1769.0		
1AX40MIMO	5510	Type5	27	8	527806.0	19	3	87.5	1216.0	1448.0	1179.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and juryiadiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authernicity of testing inspection report & certificate, please contact us at telephone: (86-75) 83071443,

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 113 of 119

TAX40MIMO				1	1	1		i ago.		01 110		
TAXAOMIMO	1AX40MIMO	5510	Type5	27	9	52247.0	19	3	85.8	1847.0	1348.0	1472.0
TAXAOMIMO	1AX40MIMO	5510	Type5	27	10	204582.0	19	3	88.1	1023.0	1124.0	1631.0
TAXAOMIMO	1AX40MIMO	5510	Type5	27	11	357941.0	19	1	65.3	1848.0		
TAXAOMIMO	1AX40MIMO	5510	Type5	27	12	510977.0	19	1	52.5	1470.0		
TAX40MIMO	1AX40MIMO	5510	Type5	27	13	33698.0	19	1	52.3	1312.0		
1AX40MIMO 5510 Type5 27 16 491053.0 19 2 76.2 1376.0 1502.0 1AX40MIMO 5510 Type5 27 17 14858.0 19 1 60.4 1758.0 1AX40MIMO 5510 Type5 27 18 167387.0 19 2 81.5 1491.0 1103.0 11AX80MIMO 5530 Type5 27 1 89970.0 19 2 68.6 1029.0 1780.0 11AX80MIMO 5530 Type5 27 2 243121.0 19 1 54.2 1111.0 11AX80MIMO 5530 Type5 27 2 243121.0 19 1 54.2 1111.0 11AX80MIMO 5530 Type5 27 4 546225.0 19 3 97.1 1157.0 196.0 1100.0 11AX80MIMO	1AX40MIMO	5510	Type5	27	14	186023.0	19	2	74.1	1915.0	1200.0	
TAX40MIMO	1AX40MIMO	5510	Type5	27	15	339327.0	19	1	54.9	1479.0		
1AX40MIMO 5510 Type5 27 18 167387.0 19 2 81.5 1491.0 1103.0 11AX80MIMO 5530 Type5 27 0 565136.0 19 3 85.6 1946.0 1078.0 1015.0 11AX80MIMO 5530 Type5 27 1 89970.0 19 2 68.6 1029.0 1780.0 11AX80MIMO 5530 Type5 27 2 243121.0 19 1 54.2 1111.0 11AX80MIMO 5530 Type5 27 3 396034.0 19 1 61.2 1104.0 11AX80MIMO 5530 Type5 27 4 546225.0 19 3 97.1 1157.0 1969.0 1100.0 11AX80MIMO 5530 Type5 27 5 70998.0 19 3 98.3 1142.0 1699.0 1622.0 11AX80MIMO </td <td>1AX40MIMO</td> <td>5510</td> <td>Type5</td> <td>27</td> <td>16</td> <td>491053.0</td> <td>19</td> <td>2</td> <td>76.2</td> <td>1376.0</td> <td>1502.0</td> <td></td>	1AX40MIMO	5510	Type5	27	16	491053.0	19	2	76.2	1376.0	1502.0	
TIAX80MIMO 5530 Type5 27 0 565136.0 19 3 85.6 1946.0 1078.0 1015.0	1AX40MIMO	5510	Type5	27	17	14858.0	19	1	60.4	1758.0		
11AX80MIMO 5530 Type5 27 1 89970.0 19 2 68.6 1029.0 1780.0 11AX80MIMO 5530 Type5 27 2 243121.0 19 1 54.2 1111.0 11AX80MIMO 5530 Type5 27 3 396034.0 19 1 61.2 1104.0 11AX80MIMO 5530 Type5 27 4 546225.0 19 3 97.1 1157.0 1969.0 1100.0 11AX80MIMO 5530 Type5 27 5 70998.0 19 3 98.3 1142.0 1699.0 1622.0 11AX80MIMO 5530 Type5 27 6 224093.0 19 1 62.4 1655.0 11AX80MIMO 5530 Type5 27 7 376127.0 19 2 80.2 1126.0 1769.0 11AX80MIMO <td>1AX40MIMO</td> <td>5510</td> <td>Type5</td> <td>27</td> <td>18</td> <td>167387.0</td> <td>19</td> <td>2</td> <td>81.5</td> <td>1491.0</td> <td>1103.0</td> <td></td>	1AX40MIMO	5510	Type5	27	18	167387.0	19	2	81.5	1491.0	1103.0	
11AX80MIMO 5530 Type5 27 2 243121.0 19 1 54.2 1111.0 11AX80MIMO 5530 Type5 27 3 396034.0 19 1 61.2 1104.0 11AX80MIMO 5530 Type5 27 4 546225.0 19 3 97.1 1157.0 1969.0 1100.0 11AX80MIMO 5530 Type5 27 5 70998.0 19 3 98.3 1142.0 1699.0 1622.0 11AX80MIMO 5530 Type5 27 6 224093.0 19 1 62.4 1655.0 11AX80MIMO 5530 Type5 27 7 376127.0 19 2 80.2 1126.0 1769.0 11AX80MIMO 5530 Type5 27 8 527806.0 19 3 87.5 1216.0 1448.0 1179.0 11AX80MIMO	11AX80MIMO	5530	Type5	27	0	565136.0	19	3	85.6	1946.0	1078.0	1015.0
11AX80MIMO 5530 Type5 27 3 396034.0 19 1 61.2 1104.0 11AX80MIMO 5530 Type5 27 4 546225.0 19 3 97.1 1157.0 1969.0 1100.0 11AX80MIMO 5530 Type5 27 5 70998.0 19 3 98.3 1142.0 1699.0 1622.0 11AX80MIMO 5530 Type5 27 6 224093.0 19 1 62.4 1655.0 11AX80MIMO 5530 Type5 27 7 376127.0 19 2 80.2 1126.0 1769.0 11AX80MIMO 5530 Type5 27 8 527806.0 19 3 87.5 1216.0 1448.0 1179.0 11AX80MIMO 5530 Type5 27 9 52247.0 19 3 88.1 1023.0 1124.0 1631.0 11AX80MIMO	11AX80MIMO	5530	Type5	27	1	89970.0	19	2	68.6	1029.0	1780.0	
11AX80MIMO 5530 Type5 27 4 546225.0 19 3 97.1 1157.0 1969.0 1100.0 11AX80MIMO 5530 Type5 27 5 70998.0 19 3 98.3 1142.0 1699.0 1622.0 11AX80MIMO 5530 Type5 27 6 224093.0 19 1 62.4 1655.0 11AX80MIMO 5530 Type5 27 7 376127.0 19 2 80.2 1126.0 1769.0 11AX80MIMO 5530 Type5 27 8 527806.0 19 3 87.5 1216.0 1448.0 1179.0 11AX80MIMO 5530 Type5 27 9 52247.0 19 3 88.1 1023.0 11448.0 1472.0 11AX80MIMO 5530 Type5 27 10 204582.0 19 3 88.1 1023.0 1124.0 1631.0 11	11AX80MIMO	5530	Type5	27	2	243121.0	19	1	54.2	1111.0		
11AX80MIMO 5530 Type5 27 5 70998.0 19 3 98.3 1142.0 1699.0 1622.0 11AX80MIMO 5530 Type5 27 6 224093.0 19 1 62.4 1655.0 11AX80MIMO 5530 Type5 27 7 376127.0 19 2 80.2 1126.0 1769.0 11AX80MIMO 5530 Type5 27 8 527806.0 19 3 87.5 1216.0 1448.0 1179.0 11AX80MIMO 5530 Type5 27 9 52247.0 19 3 85.8 1847.0 1348.0 1472.0 11AX80MIMO 5530 Type5 27 10 204582.0 19 3 88.1 1023.0 1124.0 1631.0 11AX80MIMO 5530 Type5 27 11 357941.0 19 1 65.3 1848.0 11AX80MI	11AX80MIMO	5530	Type5	27	3	396034.0	19	1	61.2	1104.0		
11AX80MIMO 5530 Type5 27 6 224093.0 19 1 62.4 1655.0 11AX80MIMO 5530 Type5 27 7 376127.0 19 2 80.2 1126.0 1769.0 11AX80MIMO 5530 Type5 27 8 527806.0 19 3 87.5 1216.0 1448.0 1179.0 11AX80MIMO 5530 Type5 27 9 52247.0 19 3 85.8 1847.0 1348.0 1472.0 11AX80MIMO 5530 Type5 27 10 204582.0 19 3 88.1 1023.0 1124.0 1631.0 11AX80MIMO 5530 Type5 27 11 357941.0 19 1 65.3 1848.0 11AX80MIMO 5530 Type5 27 12 510977.0 19 1 52.5 1470.0 11AX80MIMO </td <td>11AX80MIMO</td> <td>5530</td> <td>Type5</td> <td>27</td> <td>4</td> <td>546225.0</td> <td>19</td> <td>3</td> <td>97.1</td> <td>1157.0</td> <td>1969.0</td> <td>1100.0</td>	11AX80MIMO	5530	Type5	27	4	546225.0	19	3	97.1	1157.0	1969.0	1100.0
11AX80MIMO 5530 Type5 27 7 376127.0 19 2 80.2 1126.0 1769.0 11AX80MIMO 5530 Type5 27 8 527806.0 19 3 87.5 1216.0 1448.0 1179.0 11AX80MIMO 5530 Type5 27 9 52247.0 19 3 85.8 1847.0 1348.0 1472.0 11AX80MIMO 5530 Type5 27 10 204582.0 19 3 88.1 1023.0 1124.0 1631.0 11AX80MIMO 5530 Type5 27 11 357941.0 19 1 65.3 1848.0 11AX80MIMO 5530 Type5 27 12 510977.0 19 1 52.5 1470.0 11AX80MIMO 5530 Type5 27 13 33698.0 19 1 52.3 1312.0 11AX80MIMO </td <td>11AX80MIMO</td> <td>5530</td> <td>Type5</td> <td>27</td> <td>5</td> <td>70998.0</td> <td>19</td> <td>3</td> <td>98.3</td> <td>1142.0</td> <td>1699.0</td> <td>1622.0</td>	11AX80MIMO	5530	Type5	27	5	70998.0	19	3	98.3	1142.0	1699.0	1622.0
11AX80MIMO 5530 Type5 27 8 527806.0 19 3 87.5 1216.0 1448.0 1179.0 11AX80MIMO 5530 Type5 27 9 52247.0 19 3 85.8 1847.0 1348.0 1472.0 11AX80MIMO 5530 Type5 27 10 204582.0 19 3 88.1 1023.0 1124.0 1631.0 11AX80MIMO 5530 Type5 27 11 357941.0 19 1 65.3 1848.0 11AX80MIMO 5530 Type5 27 12 510977.0 19 1 52.5 1470.0 11AX80MIMO 5530 Type5 27 13 33698.0 19 1 52.3 1312.0 11AX80MIMO 5530 Type5 27 14 186023.0 19 2 74.1 1915.0 1200.0 11AX80MIMO<	11AX80MIMO	5530	Type5	27	6	224093.0	19	1	62.4	1655.0		
11AX80MIMO 5530 Type5 27 9 52247.0 19 3 85.8 1847.0 1348.0 1472.0 11AX80MIMO 5530 Type5 27 10 204582.0 19 3 88.1 1023.0 1124.0 1631.0 11AX80MIMO 5530 Type5 27 11 357941.0 19 1 65.3 1848.0 11AX80MIMO 5530 Type5 27 12 510977.0 19 1 52.5 1470.0 11AX80MIMO 5530 Type5 27 13 33698.0 19 1 52.3 1312.0 11AX80MIMO 5530 Type5 27 14 186023.0 19 2 74.1 1915.0 1200.0 11AX80MIMO 5530 Type5 27 15 339327.0 19 1 54.9 1479.0 11AX80MIMO	11AX80MIMO	5530	Type5	27	7	376127.0	19	2	80.2	1126.0	1769.0	
11AX80MIMO 5530 Type5 27 10 204582.0 19 3 88.1 1023.0 1124.0 1631.0 11AX80MIMO 5530 Type5 27 11 357941.0 19 1 65.3 1848.0 11AX80MIMO 5530 Type5 27 12 510977.0 19 1 52.5 1470.0 11AX80MIMO 5530 Type5 27 13 33698.0 19 1 52.3 1312.0 11AX80MIMO 5530 Type5 27 14 186023.0 19 2 74.1 1915.0 1200.0 11AX80MIMO 5530 Type5 27 15 339327.0 19 1 54.9 1479.0 11AX80MIMO 5530 Type5 27 16 491053.0 19 2 76.2 1376.0 1502.0 11AX80MIMO	11AX80MIMO	5530	Type5	27	8	527806.0	19	3	87.5	1216.0	1448.0	1179.0
11AX80MIMO 5530 Type5 27 11 357941.0 19 1 65.3 1848.0 11AX80MIMO 5530 Type5 27 12 510977.0 19 1 52.5 1470.0 11AX80MIMO 5530 Type5 27 13 33698.0 19 1 52.3 1312.0 11AX80MIMO 5530 Type5 27 14 186023.0 19 2 74.1 1915.0 1200.0 11AX80MIMO 5530 Type5 27 15 339327.0 19 1 54.9 1479.0 11AX80MIMO 5530 Type5 27 16 491053.0 19 2 76.2 1376.0 1502.0 11AX80MIMO 5530 Type5 27 17 14858.0 19 1 60.4 1758.0	11AX80MIMO	5530	Type5	27	9	52247.0	19	3	85.8	1847.0	1348.0	1472.0
11AX80MIMO 5530 Type5 27 12 510977.0 19 1 52.5 1470.0 11AX80MIMO 5530 Type5 27 13 33698.0 19 1 52.3 1312.0 11AX80MIMO 5530 Type5 27 14 186023.0 19 2 74.1 1915.0 1200.0 11AX80MIMO 5530 Type5 27 15 339327.0 19 1 54.9 1479.0 11AX80MIMO 5530 Type5 27 16 491053.0 19 2 76.2 1376.0 1502.0 11AX80MIMO 5530 Type5 27 17 14858.0 19 1 60.4 1758.0	11AX80MIMO	5530	Type5	27	10	204582.0	19	3	88.1	1023.0	1124.0	1631.0
11AX80MIMO 5530 Type5 27 13 33698.0 19 1 52.3 1312.0 11AX80MIMO 5530 Type5 27 14 186023.0 19 2 74.1 1915.0 1200.0 11AX80MIMO 5530 Type5 27 15 339327.0 19 1 54.9 1479.0 11AX80MIMO 5530 Type5 27 16 491053.0 19 2 76.2 1376.0 1502.0 11AX80MIMO 5530 Type5 27 17 14858.0 19 1 60.4 1758.0	11AX80MIMO	5530	Type5	27	11	357941.0	19	1	65.3	1848.0		
11AX80MIMO 5530 Type5 27 14 186023.0 19 2 74.1 1915.0 1200.0 11AX80MIMO 5530 Type5 27 15 339327.0 19 1 54.9 1479.0 11AX80MIMO 5530 Type5 27 16 491053.0 19 2 76.2 1376.0 1502.0 11AX80MIMO 5530 Type5 27 17 14858.0 19 1 60.4 1758.0	11AX80MIMO	5530	Type5	27	12	510977.0	19	1	52.5	1470.0		
11AX80MIMO 5530 Type5 27 15 339327.0 19 1 54.9 1479.0 11AX80MIMO 5530 Type5 27 16 491053.0 19 2 76.2 1376.0 1502.0 11AX80MIMO 5530 Type5 27 17 14858.0 19 1 60.4 1758.0	11AX80MIMO	5530	Type5	27	13	33698.0	19	1	52.3	1312.0		
11AX80MIMO 5530 Type5 27 16 491053.0 19 2 76.2 1376.0 1502.0 11AX80MIMO 5530 Type5 27 17 14858.0 19 1 60.4 1758.0	11AX80MIMO	5530	Type5	27	14	186023.0	19	2	74.1	1915.0	1200.0	
11AX80MIMO 5530 Type5 27 17 14858.0 19 1 60.4 1758.0	11AX80MIMO	5530	Type5	27	15	339327.0	19	1	54.9	1479.0		
	11AX80MIMO	5530	Type5	27	16	491053.0	19	2	76.2	1376.0	1502.0	
11AX80MIMO 5530 Type5 27 18 167387.0 19 2 81.5 1491.0 1103.0	11AX80MIMO	5530	Type5	27	17	14858.0	19	1	60.4	1758.0		
	11AX80MIMO	5530	Type5	27	18	167387.0	19	2	81.5	1491.0	1103.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. F Plant, No. 1, Purasheng Tosad, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 114 of 119

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr28@												
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)	
11AX20MIMO	5500	Type5	28	0	507709.0	10	1	50.5	1857.0			
11AX20MIMO	5500	Type5	28	1	750249.0	10	1	55.7	1246.0			
11AX20MIMO	5500	Type5	28	2	989003.0	10	3	85.8	1774.0	1002.0	1967.0	
11AX20MIMO	5500	Type5	28	3	235634.0	10	2	76.9	1125.0	1474.0		
11AX20MIMO	5500	Type5	28	4	477675.0	10	2	75.1	1254.0	1052.0		
11AX20MIMO	5500	Type5	28	5	718312.0	10	3	92.3	1180.0	1486.0	1492.0	
11AX20MIMO	5500	Type5	28	6	960895.0	10	2	78.1	1301.0	1757.0		
11AX20MIMO	5500	Type5	28	7	205370.0	10	3	92.2	1898.0	1252.0	1713.0	
11AX20MIMO	5500	Type5	28	8	446940.0	10	3	89.0	1260.0	1706.0	1411.0	
11AX20MIMO	5500	Type5	28	9	689225.0	10	2	70.9	1578.0	1620.0		
11AX20MIMO	5500	Type5	28	10	932305.0	10	1	63.1	1782.0			
11AX20MIMO	5500	Type5	28	11	176231.0	10	1	55.3	1522.0			
1AX40MIMO	5510	Type5	28	0	507709.0	10	1	50.5	1857.0			
1AX40MIMO	5510	Type5	28	1	750249.0	10	1	55.7	1246.0			
1AX40MIMO	5510	Type5	28	2	989003.0	10	3	85.8	1774.0	1002.0	1967.0	
1AX40MIMO	5510	Type5	28	3	235634.0	10	2	76.9	1125.0	1474.0		
1AX40MIMO	5510	Type5	28	4	477675.0	10	2	75.1	1254.0	1052.0		
1AX40MIMO	5510	Type5	28	5	718312.0	10	3	92.3	1180.0	1486.0	1492.0	
1AX40MIMO	5510	Type5	28	6	960895.0	10	2	78.1	1301.0	1757.0		
1AX40MIMO	5510	Type5	28	7	205370.0	10	3	92.2	1898.0	1252.0	1713.0	
1AX40MIMO	5510	Type5	28	8	446940.0	10	3	89.0	1260.0	1706.0	1411.0	
1AX40MIMO	5510	Type5	28	9	689225.0	10	2	70.9	1578.0	1620.0		
1AX40MIMO	5510	Type5	28	10	932305.0	10	1	63.1	1782.0			
1AX40MIMO	5510	Type5	28	11	176231.0	10	1	55.3	1522.0			
11AX80MIMO	5530	Type5	28	0	507709.0	10	1	50.5	1857.0			
11AX80MIMO	5530	Type5	28	1	750249.0	10	1	55.7	1246.0			
11AX80MIMO	5530	Type5	28	2	989003.0	10	3	85.8	1774.0	1002.0	1967.0	
11AX80MIMO	5530	Type5	28	3	235634.0	10	2	76.9	1125.0	1474.0		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. 6 Plant, No. 1, Runsleing Rosal, Suzhou Industrial Park, Suzhou Area, Chine (Jängsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区海胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 115 of 119

11AX80MIMO	5530	Type5	28	4	477675.0	10	2	75.1	1254.0	1052.0	
11AX80MIMO	5530	Type5	28	5	718312.0	10	3	92.3	1180.0	1486.0	1492.0
11AX80MIMO	5530	Type5	28	6	960895.0	10	2	78.1	1301.0	1757.0	
11AX80MIMO	5530	Type5	28	7	205370.0	10	3	92.2	1898.0	1252.0	1713.0
11AX80MIMO	5530	Type5	28	8	446940.0	10	3	89.0	1260.0	1706.0	1411.0
				-		-					1411.0
11AX80MIMO	5530	Type5	28	9	689225.0	10	2	70.9	1578.0	1620.0	
11AX80MIMO	5530	Type5	28	10	932305.0	10	1	63.1	1782.0		
11AX80MIMO	5530	Type5	28	11	176231.0	10	1	55.3	1522.0		



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Cond

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 116 of 119

			@FCC	_RLAN_D	FS_SPC_F	Radar_T5	SP2_Tr29@)			
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (µs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (µs)	PRI1 (µs)	PRI2 (µs)	PRI3 (µs)
11AX20MIMO	5500	Type5	29	0	277485.0	17	3	83.4	1454.0	1205.0	1801.0
11AX20MIMO	5500	Type5	29	11	437880.0	17	3	97.3	1319.0	1826.0	1635.0
11AX20MIMO	5500	Type5	29	2	598445.0	17	3	90.4	1079.0	1986.0	1674.0
11AX20MIMO	5500	Type5	29	3	97088.0	17	3	91.8	1563.0	1151.0	1802.0
11AX20MIMO	5500	Type5	29	4	257251.0	17	3	98.2	1876.0	1977.0	1766.0
11AX20MIMO	5500	Type5	29	5	419893.0	17	1	59.5	1952.0		
11AX20MIMO	5500	Type5	29	6	580724.0	17	2	80.0	1253.0	1137.0	
11AX20MIMO	5500	Type5	29	7	77366.0	17	3	86.5	1054.0	1128.0	1828.0
11AX20MIMO	5500	Type5	29	8	238032.0	17	3	91.1	1105.0	1599.0	1442.0
11AX20MIMO	5500	Type5	29	9	398605.0	17	3	93.5	1867.0	1373.0	1087.0
11AX20MIMO	5500	Type5	29	10	562025.0	17	1	60.7	1033.0		
11AX20MIMO	5500	Type5	29	11	57684.0	17	2	67.2	1288.0	1405.0	
11AX20MIMO	5500	Type5	29	12	219083.0	17	1	61.8	1585.0		
11AX20MIMO	5500	Type5	29	13	379234.0	17	2	79.4	1933.0	1667.0	
11AX20MIMO	5500	Type5	29	14	540896.0	17	2	81.4	1096.0	1464.0	
11AX20MIMO	5500	Type5	29	15	37916.0	17	1	65.7	1496.0		
11AX20MIMO	5500	Type5	29	16	198794.0	17	2	76.0	1733.0	1255.0	
11AX20MIMO	5500	Type5	29	17	359754.0	17	2	81.0	1326.0	1668.0	
1AX40MIMO	5510	Type5	29	0	277485.0	17	3	83.4	1454.0	1205.0	1801.0
1AX40MIMO	5510	Type5	29	1	437880.0	17	3	97.3	1319.0	1826.0	1635.0
1AX40MIMO	5510	Type5	29	2	598445.0	17	3	90.4	1079.0	1986.0	1674.0
1AX40MIMO	5510	Type5	29	3	97088.0	17	3	91.8	1563.0	1151.0	1802.0
1AX40MIMO	5510	Type5	29	4	257251.0	17	3	98.2	1876.0	1977.0	1766.0
1AX40MIMO	5510	Type5	29	5	419893.0	17	1	59.5	1952.0		
1AX40MIMO	5510	Type5	29	6	580724.0	17	2	80.0	1253.0	1137.0	
1AX40MIMO	5510	Type5	29	7	77366.0	17	3	86.5	1054.0	1128.0	1828.0
1AX40MIMO	5510	Type5	29	8	238032.0	17	3	91.1	1105.0	1599.0	1442.0
1AX40MIMO	5510	Type5	29	9	398605.0	17	3	93.5	1867.0	1373.0	1087.0



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Cond

South of No. F Plant, No. 1, Purasheng Tosad, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 117 of 119

1AX40MIMO	5510	Type5	29	10	562025.0	17	1	60.7	1033.0		
1AX40MIMO	5510	Type5	29	11	57684.0	17	2	67.2	1288.0	1405.0	
1AX40MIMO	5510	Type5	29	12	219083.0	17	1	61.8	1585.0		
1AX40MIMO	5510	Type5	29	13	379234.0	17	2	79.4	1933.0	1667.0	
1AX40MIMO	5510	Type5	29	14	540896.0	17	2	81.4	1096.0	1464.0	
1AX40MIMO	5510	Type5	29	15	37916.0	17	1	65.7	1496.0		
1AX40MIMO	5510	Type5	29	16	198794.0	17	2	76.0	1733.0	1255.0	
1AX40MIMO	5510	Type5	29	17	359754.0	17	2	81.0	1326.0	1668.0	
11AX80MIMO	5530	Type5	29	0	277485.0	17	3	83.4	1454.0	1205.0	1801.0
11AX80MIMO	5530	Type5	29	1	437880.0	17	3	97.3	1319.0	1826.0	1635.0
11AX80MIMO	5530	Type5	29	2	598445.0	17	3	90.4	1079.0	1986.0	1674.0
11AX80MIMO	5530	Type5	29	3	97088.0	17	3	91.8	1563.0	1151.0	1802.0
11AX80MIMO	5530	Type5	29	4	257251.0	17	3	98.2	1876.0	1977.0	1766.0
11AX80MIMO	5530	Type5	29	5	419893.0	17	1	59.5	1952.0		
11AX80MIMO	5530	Type5	29	6	580724.0	17	2	80.0	1253.0	1137.0	
11AX80MIMO	5530	Type5	29	7	77366.0	17	3	86.5	1054.0	1128.0	1828.0
11AX80MIMO	5530	Type5	29	8	238032.0	17	3	91.1	1105.0	1599.0	1442.0
11AX80MIMO	5530	Type5	29	9	398605.0	17	3	93.5	1867.0	1373.0	1087.0
11AX80MIMO	5530	Type5	29	10	562025.0	17	1	60.7	1033.0		
11AX80MIMO	5530	Type5	29	11	57684.0	17	2	67.2	1288.0	1405.0	
11AX80MIMO	5530	Type5	29	12	219083.0	17	1	61.8	1585.0		
11AX80MIMO	5530	Type5	29	13	379234.0	17	2	79.4	1933.0	1667.0	
11AX80MIMO	5530	Type5	29	14	540896.0	17	2	81.4	1096.0	1464.0	
11AX80MIMO	5530	Type5	29	15	37916.0	17	1	65.7	1496.0		
11AX80MIMO	5530	Type5	29	16	198794.0	17	2	76.0	1733.0	1255.0	
11AX80MIMO	5530	Type5	29	17	359754.0	17	2	81.0	1326.0	1668.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 118 of 119

TestMode	Frequency[MHz]	Radar Type	Trial	Pulse width	PRI	Pulses	Detection (1. Year 0. No.)
	. ,, ,	Type6	ID 0	(μs) 1	(µs) 333.3	per Hop 9	(1: Yes; 0: No)
		Type6	1	1	333.3	9	1
		Type6	2	1	333.3	9	1
		Type6	3	1	333.3	9	1
		Type6	4	1	333.3	9	1
		Type6	5	1	333.3	9	1
		Type6	6	1	333.3	9	1
		Type6	7	1	333.3	9	1
		Type6	8	1	333.3	9	1
		Type6	9	1	333.3	9	1
		Type6	10	1	333.3	9	1
		Type6	11	1	333.3	9	1
		Type6	12	1	333.3	9	1
		Type6	13 14	1	333.3 333.3	9	1
11ax20MIMO	5500	Type6 Type6	15	1	333.3	9	1 1
		Type6	16	1	333.3	9	1
		Type6	17	1	333.3	9	1
		Type6	18	1	333.3	9	1
		Type6	19	1	333.3	9	1
		Type6	20	1	333.3	9	1
		Type6	21	1	333.3	9	1
		Type6	22	1	333.3	9	1
		Type6	23	1	333.3	9	1
		Type6	24	1	333.3	9	1
		Type6	25	1	333.3	9	1
		Type6	26	1	333.3	9	1
		Type6	27	1	333.3	9	1
		Type6	28	1	333.3	9	1
		Type6 Type6	29	1	333.3 333.3	9	1
		Type6	1	1	333.3	9	1
		Type6	2	1	333.3	9	1
		Type6	3	1	333.3	9	1
		Type6	4	1	333.3	9	1
		Type6	5	1	333.3	9	1
		Type6	6	1	333.3	9	1
		Type6	7	1	333.3	9	1
		Type6	8	1	333.3	9	1
		Type6	9	1	333.3	9	1
		Type6	10	1	333.3	9	1
11ax40MIMO	5670	Type6	11	1	333.3	9	1
	00.0	Type6	12	1	333.3	9	1
		Type6	13	1	333.3	9	1
		Type6	14 15	1	333.3 333.3	9	1
		Type6 Type6	16	1	333.3	9	1 1
		Type6	17	1	333.3	9	1
		Type6	18	1	333.3	9	1
		Type6	19	1	333.3	9	1
		Type6	20	1	333.3	9	1
		Type6	21	1	333.3	9	1
		Type6	22	1	333.3	9	1
		Type6	23	1	333.3	9	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号約6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2204000010RG13

Rev.: 01

Page: 119 of 119

		Type6	24	1	333.3	9	1
		Type6	25	1	333.3	9	1
		Type6	26	1	333.3	9	1
		Type6	27	1	333.3	9	1
		Type6	28	1	333.3	9	1
		Type6	29	1	333.3	9	1
		Type6	0	1	333.3	9	1
		Type6	1	1	333.3	9	1
		Type6	2	1	333.3	9	0
		Type6	3	1	333.3	9	1
		Type6	4	1	333.3	9	1
		Type6	5	1	333.3	9	1
		Type6	6	1	333.3	9	1
		Type6	7	1	333.3	9	1
		Type6	8	1	333.3	9	1
		Type6	9	1	333.3	9	1
		Type6	10	1	333.3	9	1
		Type6	11	1	333.3	9	1
		Type6	12	1	333.3	9	0
		Type6	13	1	333.3	9	1
11ax80MIMO	5530	Type6	14	1	333.3	9	0
TTAXOUIVIIIVIO	3330	Type6	15	1	333.3	9	1
		Type6	16	1	333.3	9	1
		Type6	17	1	333.3	9	1
		Type6	18	1	333.3	9	1
		Type6	19	1	333.3	9	1
		Type6	20	1	333.3	9	1
		Type6	21	1	333.3	9	1
		Type6	22	1	333.3	9	1
		Type6	23	1	333.3	9	1
		Type6	24	1	333.3	9	1
		Type6	25	1	333.3	9	1
		Type6	26	1	333.3	9	1
		Type6	27	1	333.3	9	1
		Type6	28	1	333.3	9	1
1		Type6	29	1	333.3	9	1

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request for accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.anf, for electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document accoment cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com