

Prüfbericht - Nr.:

Test Report No.:

IN24AN5K 001

Seite 41 von 65

Page 41 of 65

Test results:

Note:


1. All the losses are included during measurement and final values are mentioned in the test report.
2. This product does not support additional beamforming gain / directional gain, it uses single antenna and hence Directional gain of the single antenna is 4.54 dBi.

Bandwidth (MHz)	Mode	Data rate	Measured Frequency (MHz)	Measured Gated RMS Power (dBm)	FCC Limit (dBm)	Margin (dB)
20	b	1Mbps	2412	12.87	30.00	-17.13
			2437	13.63	30.00	-16.37
			2462	13.69	30.00	-16.31
	g	6Mbps	2412	11.91	30.00	-18.09
			2437	15.55	30.00	-14.45
			2462	11.01	30.00	-18.99
	n-20	MCS0	2412	11.40	30.00	-18.60
			2437	15.36	30.00	-14.64
			2462	11.03	30.00	-18.97
40	n-40	MCS0	2422	12.06	30.00	-17.94
			2437	15.25	30.00	-14.75
			2452	11.70	30.00	-18.30

Test Plots:

Bandwidth: 20MHz

Data Rate: 1Mbps




Channel Frequency: 2412MHz


Prüfbericht - Nr.:
Test Report No.:

IN24AN5K 001

Seite 42 von 65
Page 42 of 65




Channel Frequency: 2437MHz



Channel Frequency: 2462MHz

Data Rate: 6Mbps




Channel Frequency: 2412MHz


Prüfbericht - Nr.:
Test Report No.:

IN24AN5K 001

Seite 43 von 65
Page 43 of 65




Channel Frequency: 2437MHz



Channel Frequency: 2462MHz

Data Rate: HT20_MCS0




Channel Frequency: 2412MHz


Prüfbericht - Nr.:
Test Report No.:

IN24AN5K 001

Seite 44 von 65
Page 44 of 65




Channel Frequency: 2437MHz



Channel Frequency: 2462MHz

Data Rate: HT40_MCS0



Channel Frequency: 2422MHz


Prüfbericht - Nr.:

Test Report No.:


IN24AN5K 001

Seite 45 von 65

Page 45 of 65



Channel Frequency: 2437MHz



Channel Frequency: 2452MHz

Prüfbericht - Nr.:
Test Report No.:

IN24AN5K 001

Seite 46 von 65
Page 46 of 65

8.2 Spurious Radiated Emissions & Restricted Bands of Operation

Result

Pass

Test Specification	FCC part 15 Subpart C 15.247 (d) / (15.209 & 15.205)
Test Method	ANSI C63.10
Measurement Location	Semi Anechoic Chamber 9kHz - 1 GHz Fully Anechoic Chamber 1 GHz - 40GHz
Measurement Bandwidth	100 kHz for frequency range < 1GHz 1 MHz for Frequency range >1GHz
Detector	Refer remarks below
Measuring Distance	3 m
Requirement	As per the limits mentioned in the below table
Test setup	Refer TEST METHODOLOGY

Table 13: Transmitter limits for Radiated emission

Frequency (MHz)	Field strength (μV/m)	Field strength (dBμV/m)	Distance of Measurement (m)
0.009 – 0.490	2400/F(kHz)	48.50 – 13.80	300*
0.490 – 1.705	24000/F(kHz)	33.80 – 23.00	30*
1.705 -30	30	29.54	30*
30-88	100	40.0	3
88-216	150	43.5	3
216-960	200	46.0	3
Above 960	500	54.0	3

Remark: * The limit shows in the table above of frequency range 0.009 – 0.490, 0.490 – 1.705 MHz and 1.705-30MHz is at 300-meter, 30 meter and 30 meter range respectively, which corresponds to 128.51 – 93.80, 73.80 – 62.96 and 69.54 dBμV/m at 3m range by extrapolation calculation and the measurement of loop antenna.

The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9–90 kHz, 110–490 kHz and above 1000 MHz Radiated emission limits in these three bands are based on measurements employing an average detector.

Prüfbericht - Nr.:

Test Report No.:

IN24AN5K 001

Seite 47 von 65

Page 47 of 65

Test results:

Note: All the losses are included during measurement and final values are mentioned in the test report. Refer TEST METHODOLOGY for more details.

PDQ 6EWS W/O keypad

Test results for frequency range 9kHz – 30MHz


No emissions found in frequency range 9 kHz to 30 MHz, and measured levels are below 20dB from the limit line, hence not reported.

Table 14: Test results for frequency range 30MHz – 200MHz

Antenna Polarization	Measured Frequency (MHz)	Measured emission (dBμV/m)	Limit (dBμV/m)	Margin (dB)
Vertical	40.68	21.60	40.00	-18.40
	54.15	16.90	40.00	-23.10
	67.59	22.00	40.00	-18.00
	95.28	19.10	43.50	-24.40
	145.35	30.50	43.50	-13.00
Horizontal	36.69	34.90	40.00	-5.10
	50.97	27.80	40.00	-12.20
	58.71	24.70	40.00	-15.30
	75.18	20.60	40.00	-19.40
	117.6	16.80	43.50	-26.70
	145.35	34.30	43.50	-9.20

Test Plots:

Frequency Range 30MHz-200MHz_Vertical Polarization



Prüfbericht - Nr.:

Test Report No.:

IN24AN5K 001

Seite 48 von 65

Page 48 of 65

Frequency Range 30MHz-200MHz_Horizontal Polarization





Table 15: Test results for frequency range 200MHz – 1GHz

Antenna Polarization	Measured Frequency (MHz)	Measured emission (dBμV/m)	Limit (dBμV/m)	Margin (dB)
Vertical	202.94	26.40	43.50	-17.10
	244.55	35.50	46.00	-10.50
	449.81	30.90	46.00	-15.10
	871.04	28.50	46.00	-17.50
Horizontal	201.68	26.10	43.50	-17.40
	244.13	40.00	46.00	-6.00
	454.67	27.70	46.00	-18.30
	698.27	30.30	46.00	-15.70

Test Plots:

Frequency Range 200MHz-1GHz_Vertical Polarization




Prüfbericht - Nr.:
Test Report No.:

IN24AN5K 001

Seite 49 von 65
Page 49 of 65

Frequency Range 200MHz-1GHz_Horizontal Polarization



PDQ 6EWS With keypad

Test results for frequency range 9 kHz – 30 MHz

No emissions found in frequency range 9 kHz to 30 MHz, and measured levels are below 20dB from the limit line, hence not reported.

Table 16: Test results for frequency range 30MHz – 200MHz

Antenna Polarization	Measured Frequency (MHz)	Measured emission (dBμV/m)	Limit (dBμV/m)	Margin (dB)
Vertical	41.34	18.10	40.00	-21.90
	67.47	22.50	40.00	-17.50
	83.67	25.40	40.00	-14.60
	146.07	34.60	43.50	-8.90
Horizontal	51.18	16.70	40.00	-23.30
	77.64	23.90	40.00	-16.10
	144.33	21.80	43.50	-21.70
	157.17	28.40	43.50	-15.10


Prüfbericht - Nr.:
Test Report No.:

IN24AN5K 001

Seite 50 von 65
Page 50 of 65

Test Plots:

Frequency Range 30MHz-200MHz_Vertical Polarization



Frequency Range 30MHz-200MHz_Horizontal Polarization




Table 17: Test results for frequency range 200MHz – 1GHz

Antenna Polarization	Measured Frequency (MHz)	Measured emission (dBµV/m)	Limit (dBµV/m)	Margin (dB)
Vertical	239.99	24.40	46.00	-21.60
	349.28	19.30	46.00	-26.70
	454.04	33.80	46.00	-12.20
	915.71	28.00	46.00	-18.00
Horizontal	210.77	29.10	43.50	-14.40
	450.38	29.70	46.00	-16.30
	725.12	35.00	46.00	-11.00


Prüfbericht - Nr.:
Test Report No.:

IN24AN5K 001


Seite 51 von 65
Page 51 of 65

Test Plots:

Frequency Range 200MHz-1GHz_Vertical Polarization



Frequency Range 200MHz-1GHz_Horizontal Polarization



Prüfbericht - Nr.:

Test Report No.:

IN24AN5K 001

Seite 52 von 65

Page 52 of 65

Test Results for above 1GHz:

Modulation: 802.11b

Data rate: 1Mbps

Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBµV/m)	Limit (dBµV/m)	Margin (dB)
2412	2412(Pk)	Vertical	101.72	-	-
	2412(Av)		93.87	-	-
	2390(Pk)		54.22	74.00*	-19.78
	2390(Av)		37.84	54.00*	-16.16
	4824(Pk)		56.34	74.00	-17.66
	4824(Av)		51.03	54.00	-2.97
	7236(Pk)		52.08	74.00	-21.92
	7236(Av)		41.75	54.00	-12.25
	2412(Pk)	Horizontal	105.51	-	-
	2412(Av)		97.57	-	-
	2390(Pk)		53.98	74.00*	-20.02
	2390(Av)		38.65	54.00*	-15.35
	4824(Pk)		58.91	74.00	-15.09
	4824(Av)		53.38	54.00	-0.62
	7236(Pk)		41.36	74.00	-32.64
	7236(Av)		52.03	54.00	-1.97
2437	2437(Pk)	Vertical	101.36	-	-
	2437(Av)		93.42	-	-
	4874(Pk)		56.91	74.00	-17.09
	4874(Av)		51.91	54.00	-2.09
	7311(Pk)		48.63	74.00	-25.37
	7311(Av)		37.64	54.00	-16.36
	2437(Pk)	Horizontal	104.53	-	-
	2437(Av)		96.57	-	-
	4874(Pk)		58.15	74.00	-15.85
	4874(Av)		53.09	54.00	-0.91
	7311(Pk)		53.03	74.00	-20.97
	7311(Av)		43.46	54.00	-10.54
2462	2462(Pk)	Vertical	103.44	-	-
	2462(Av)		95.47	-	-
	2483.5(Pk)		53.76	74.00*	-20.24
	2483.5(Av)		37.03	54.00*	-16.97
	4924(Pk)		56.76	74.00	-17.24
	4924(Av)		51.80	54.00	-2.20
	7386(Pk)		48.71	74.00	-25.29
	7386(Av)		36.77	54.00	-17.23
	2462(Pk)	Horizontal	104.84	-	-
	2462(Av)		96.84	-	-
	2483.5(Pk)		55.68	74.00*	-18.32
	2483.5(Av)		38.05	54.00*	-15.95
	4924(Pk)		55.88	74.00	-18.12
	4924(Av)		50.59	54.00	-3.41
	7386(Pk)		52.01	74.00	-21.99
	7386(Av)		41.94	54.00	-12.06

_ → Fundamental Frequency

*→ Restricted Band edges

Pk: Peak Detector; Av: Average Detector

Prüfbericht - Nr.:

Test Report No.:

IN24AN5K 001

Seite 53 von 65

Page 53 of 65

Modulation: 802.11g

Data Rate: 6Mbps

Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBµV/m)	Limit (dBµV/m)	Margin (dB)
2412	2412(Pk)	Vertical	98.65	-	-
	2412(Av)		89.69	-	-
	2390(Pk)		66.10	74.00*	-7.90
	2390(Av)		44.46	54.00*	-9.54
	4824(Pk)		58.93	74.00	-15.07
	4824(Av)		43.80	54.00	-10.20
	7236(Pk)		50.29	74.00	-23.71
	7236(Av)		36.76	54.00	-17.24
	2412(Pk)	Horizontal	103.13	-	-
	2412(Av)		92.89	-	-
	2390(Pk)		67.32	74.00*	-6.68
	2390(Av)		45.59	54.00*	-8.41
	4824(Pk)		64.11	74.00	-9.89
	4824(Av)		49.23	54.00	-4.77
	7236(Pk)		55.74	74.00	-18.26
	7236(Av)		39.42	54.00	-14.58
2437	2437(Pk)	Vertical	101.27	-	-
	2437(Av)		91.49	-	-
	4874(Pk)		63.54	74.00	-10.46
	4874(Av)		48.95	54.00	-5.05
	7311(Pk)		55.20	74.00	-18.80
	7311(Av)		41.51	54.00	-12.49
	2437(Pk)	Horizontal	103.74	-	-
	2437(Av)		93.95	-	-
	4874(Pk)		64.99	74.00	-9.01
	4874(Av)		50.33	54.00	-3.67
	7311(Pk)		57.39	74.00	-16.61
	7311(Av)		44.12	54.00	-9.88
2462	2462(Pk)	Vertical	97.37	-	-
	2462(Av)		87.55	-	-
	2483.5(Pk)		67.00	74.00*	-7.00
	2483.5(Av)		47.19	54.00*	-6.81
	4924(Pk)		56.13	74.00	-17.87
	4924(Av)		41.55	54.00	-12.45
	7386(Pk)		48.07	74.00	-25.93
	7386(Av)		35.72	54.00	-18.28
	2462(Pk)	Horizontal	100.62	-	-
	2462(Av)		90.95	-	-
	2483.5(Pk)		68.53	74.00*	-5.47
	2483.5(Av)		46.91	54.00*	-7.09
	4924(Pk)		47.80	74.00	-26.20
	4924(Av)		33.08	54.00	-20.92
	7386(Pk)		46.77	74.00	-27.23
	7386(Av)		35.38	54.00	-18.62

_ → Fundamental Frequency

*→ Restricted Band edges

Pk: Peak Detector; Av: Average Detector

Prüfbericht - Nr.:

Test Report No.:

IN24AN5K 001

Seite 54 von 65

Page 54 of 65

Modulation: 802.11n-20MHz

Data Rate: MCS0

Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBµV/m)	Limit (dBµV/m)	Margin (dB)
2412	2412(Pk)	Vertical	101.09	-	-
	2412(Av)		91.34	-	-
	2390(Pk)		65.61	74.00*	-8.39
	2390(Av)		46.35	54.00*	-7.65
	4824(Pk)		61.31	74.00	-12.69
	4824(Av)		45.27	54.00	-8.73
	7236(Pk)		51.49	74.00	-22.51
	7236(Av)		37.28	54.00	-16.72
	2412(Pk)	Horizontal	101.42	-	-
	2412(Av)		91.68	-	-
	2390(Pk)		63.61	74.00*	-10.39
	2390(Av)		44.72	54.00*	-9.28
	4824(Pk)		66.64	74.00	-7.36
	4824(Av)		51.25	54.00	-2.75
	7236(Pk)		54.77	74.00	-19.23
	7236(Av)		40.81	54.00	-13.19
2437	2437(Pk)	Vertical	103.00	-	-
	2437(Av)		93.14	-	-
	4874(Pk)		64.06	74.00	-9.94
	4874(Av)		50.17	54.00	-3.83
	7311(Pk)		50.27	74.00	-23.73
	7311(Av)		37.63	54.00	-16.37
	2437(Pk)	Horizontal	103.65	-	-
	2437(Av)		94.29	-	-
	4874(Pk)		66.59	74.00	-7.41
	4874(Av)		52.98	54.00	-1.02
	7311(Pk)		56.68	74.00	-17.32
	7311(Av)		43.61	54.00	-10.39
2462	2462(Pk)	Vertical	99.51	-	-
	2462(Av)		89.75	-	-
	2483.5(Pk)		64.62	74.00*	-9.38
	2483.5(Av)		44.38	54.00*	-9.62
	4924(Pk)		54.61	74.00	-19.39
	4924(Av)		39.05	54.00	-14.95
	7386(Pk)		48.68	74.00	-25.32
	7386(Av)		36.10	54.00	-17.90
	2462(Pk)	Horizontal	101.31	-	-
	2462(Av)		91.53	-	-
	2483.5(Pk)		66.87	74.00*	-7.13
	2483.5(Av)		46.47	54.00*	-7.53
	4924(Pk)		54.50	74.00	-19.50
	4924(Av)		39.63	54.00	-14.37
	7386(Pk)		48.00	74.00	-26.00
	7386(Av)		35.92	54.00	-18.08

_ → Fundamental Frequency

*→ Restricted Band edges

Pk: Peak Detector; Av: Average Detector

Prüfbericht - Nr.:

Test Report No.:

IN24AN5K 001

Seite 55 von 65

Page 55 of 65

Modulation: 802.11n-40MHz

Data Rate: MCS0

Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2422	2422(Pk)	Vertical	98.14	-	-
	2422(Av)		88.35	-	-
	2390(Pk)		70.67	74.00*	-3.33
	2390(Av)		50.48	54.00*	-3.52
	4844(Pk)		57.19	74.00	-16.81
	4844(Av)		42.59	54.00	-11.41
	7266(Pk)		50.41	74.00	-23.59
	7266(Av)		36.42	54.00	-17.58
	2422(Pk)	Horizontal	99.41	-	-
	2422(Av)		89.20	-	-
	2390(Pk)		71.83	74.00*	-2.17
	2390(Av)		52.14	54.00*	-1.86
	4844(Pk)		64.26	74.00	-9.74
	4844(Av)		49.54	54.00	-4.46
	7266(Pk)		54.63	74.00	-19.37
	7266(Av)		40.35	54.00	-13.65
2437	2437(Pk)	Vertical	99.98	-	-
	2437(Av)		90.32	-	-
	4874(Pk)		58.52	74.00	-15.48
	4874(Av)		44.80	54.00	-9.20
	7311(Pk)		50.17	74.00	-23.83
	7311(Av)		37.54	54.00	-16.46
	2437(Pk)	Horizontal	101.50	-	-
	2437(Av)		91.13	-	-
	4874(Pk)		61.40	74.00	-12.60
	4874(Av)		47.13	54.00	-6.87
	7311(Pk)		56.22	74.00	-17.78
	7311(Av)		43.25	54.00	-10.75
2452	2452(Pk)	Vertical	97.21	-	-
	2452(Av)		87.17	-	-
	2483.5(Pk)		69.18	74.00*	-4.82
	2483.5(Av)		51.06	54.00*	-2.94
	4904(Pk)		54.00	74.00	-20.00
	4904(Av)		39.21	54.00	-14.79
	7356(Pk)		47.32	74.00	-26.68
	7356(Av)		36.04	54.00	-17.96
	2452(Pk)	Horizontal	98.69	-	-
	2452(Av)		88.88	-	-
	2483.5(Pk)		70.67	74.00*	-3.33
	2483.5(Av)		52.25	54.00*	-1.75
	4904(Pk)		52.90	74.00	-21.10
	4904(Av)		37.99	54.00	-16.01
	7356(Pk)		48.75	74.00	-25.25
	7356(Av)		36.55	54.00	-17.45

_ → Fundamental Frequency

*→ Restricted Band edges


Pk: Peak Detector; Av: Average Detector

Test Plots:


Restricted Bands of Operation:

Modulation: 802.11b


Data Rate: 1Mbps




Channel Frequency: 2412MHz Polarization: Vertical




Channel Frequency: 2412MHz Polarization: Horizontal




Channel Frequency: 2437MHz Polarization: Vertical



Channel Frequency: 2437MHz Polarization: Horizontal



Channel Frequency: 2462MHz Polarization: Vertical



Channel Frequency: 2462MHz Polarization: Horizontal


Prüfbericht - Nr.:
Test Report No.:

IN24AN5K 001


Seite 57 von 65
Page 57 of 65

Modulation: 802.11g


Data Rate: 6Mbps




Channel Frequency: 2412MHz Polarization: Vertical




Channel Frequency: 2412MHz Polarization: Horizontal




Channel Frequency: 2437MHz Polarization: Vertical



Channel Frequency: 2437MHz Polarization: Horizontal



Channel Frequency: 2462MHz Polarization: Vertical



Channel Frequency: 2462MHz Polarization: Horizontal

Prüfbericht - Nr.:

Test Report No.:


IN24AN5K 001

Seite 58 von 65


Page 58 of 65

Modulation: 802.11n-20MHz


Data Rate: MCS0




Channel Frequency: 2412MHz Polarization: Vertical




Channel Frequency: 2412MHz Polarization: Horizontal




Channel Frequency: 2437MHz Polarization: Vertical



Channel Frequency: 2437MHz Polarization: Horizontal



Channel Frequency: 2462MHz Polarization: Vertical



Channel Frequency: 2462MHz Polarization: Horizontal


Prüfbericht - Nr.:
Test Report No.:

IN24AN5K 001


Seite 59 von 65
Page 59 of 65

Modulation: 802.11n-40MHz


Data Rate: n-40MHz




Channel Frequency: 2422MHz Polarization: Vertical




Channel Frequency: 2422MHz Polarization: Horizontal




Channel Frequency: 2437MHz Polarization: Vertical



Channel Frequency: 2437MHz Polarization: Horizontal



Channel Frequency: 2452MHz Polarization: Vertical




Channel Frequency: 2452MHz Polarization: Horizontal

Test Plots for Spurious Radiated emission:


Frequency Range: 1GHz to 18GHz

Modulation: 802.11b


Data Rate: 1Mbps




Channel Frequency: 2412MHz Polarization: Vertical




Channel Frequency: 2412MHz Polarization: Horizontal




Channel Frequency: 2437MHz Polarization: Vertical



Channel Frequency: 2437MHz Polarization: Horizontal



Channel Frequency: 2462MHz Polarization: Vertical



Channel Frequency: 2462MHz Polarization: Horizontal

Prüfbericht - Nr.:

Test Report No.:


IN24AN5K 001

Seite 61 von 65


Page 61 of 65

Modulation: 802.11g


Data Rate: 6Mbps




Channel Frequency: 2412MHz Polarization: Vertical




Channel Frequency: 2412MHz Polarization: Horizontal




Channel Frequency: 2437MHz Polarization: Vertical



Channel Frequency: 2437MHz Polarization: Horizontal



Channel Frequency: 2462MHz Polarization: Vertical



Channel Frequency: 2462MHz Polarization: Horizontal

Prüfbericht - Nr.:

Test Report No.:


IN24AN5K 001

Seite 62 von 65


Page 62 of 65

Modulation: 802.11n-20MHz


Data Rate: MCS0




Channel Frequency: 2412MHz Polarization: Vertical




Channel Frequency: 2412MHz Polarization: Horizontal




Channel Frequency: 2437MHz Polarization: Vertical



Channel Frequency: 2437MHz Polarization: Horizontal




Channel Frequency: 2462MHz Polarization: Vertical




Channel Frequency: 2462MHz Polarization: Horizontal

Modulation: 802.11n-40MHz


Data Rate: MCS0




Channel Frequency: 2422MHz Polarization: Vertical




Channel Frequency: 2422MHz Polarization: Horizontal




Channel Frequency: 2437MHz Polarization: Vertical



Channel Frequency: 2437MHz Polarization: Horizontal




Channel Frequency: 2452MHz Polarization: Vertical




Channel Frequency: 2452MHz Polarization: Horizontal

Test Plots for above 18GHz



Antenna Polarization: Vertical



Antenna Polarization: Horizontal

9 LIST OF TABLES

Table 1: List of test and measurement instruments	7
Table 2: Instrument application Software versions	8
Table 3: Ratings and System Details as declared by Client*	9
Table 4: Measurement Uncertainty	10
Table 5: List of BLE centre frequencies	11
Table 6: List of Wi-Fi centre frequencies	12
Table 7: Transmitter limits for Radiated emission	22
Table 8: Test results for frequency range 30MHz – 200MHz	23
Table 9: Test results for frequency range 200MHz – 1GHz	24
Table 10: Test results for frequency range 30MHz – 200MHz	25
Table 11: Test results for frequency range 200MHz – 1GHz	26
Table 12: Test results for the frequencies above 1GHz:	28
Table 13: Transmitter limits for Radiated emission	46
Table 14: Test results for frequency range 30MHz – 200MHz	47
Table 15: Test results for frequency range 200MHz – 1GHz	48
Table 16: Test results for frequency range 30MHz – 200MHz	49
Table 17: Test results for frequency range 200MHz – 1GHz	50

10 List of Figures

Figure 1: Frequency Range 9 kHz- 30 MHz	11
Figure 2: Frequency Range 30 MHz – 200 MHz	11
Figure 3: Frequency Range 200 MHz - 1GHz	12
Figure 4: Frequency Range above 1 GHz	12

11 List of Power Table

Mode	Channel Frequency (MHz)	Attenuation (dB)	Final Power (dBm)
b Mode_1Mbps	2412	36.00	10.00
	2437	14.00	15.50
	2462	10.00	16.50
g Mode_6Mbps	2412	16.00	13.50
	2437	0.00	17.50
	2462	16.00	13.50
n Mode_MCS 0_HT-20	2412	16.00	13.50
	2437	0.00	17.50
	2462	16.00	13.50
n Mode_MCS 0_HT-40	2422	14.00	14.00
	2437	0.00	17.50
	2452	14.00	14.00

End of test report